




52C10NE2005 2.20538 BAD VERMILION LAKE

010

Hexagon Gold (Ontario) Ltd.  
Bulk Sampling Program  
Bad Vermilion Lake (G2665)  
Mine Centre, Ontario  
NTS. 52/C/10



2.20538

May 2000

The property can be reached by traveling 65 kms. East of Ft. Frances on Highway 11 to the Shoal Lake Road, then South on the Shoal Lake Road for 6 kms. The Nugget Vein is located 200 metres west of the Shoal Lake Road and is accessed by a new graveled road. The Baseline Vein Road is located 200 metres south of the Nugget Vein Road and is accessed by a 800 metre winter road.

In March temporary access roads were established with the use of a dozer. Work was performed by Witherspoon Sand and Gravel of Ft. Frances, Ontario. Preliminary stripping of the veins was performed by Cousineau Sand and Gravel of Ft. Frances just prior to drilling which began the end of March.

The Nugget Vein bulk sample is covered under "Permission to Test Material" which was granted by MNDM on March 14<sup>th</sup>, 2000. Permission was granted to remove and test 500 tonnes of material. The Nugget Vein straddles the boundary of Claims K875544 and K875547.

The sample for the Baseline Vein is located on Claim K 875548 and is covered under Notice of Advanced Exploration.

Drilling was performed by Agassiz Drilling Ltd. of 604 4A 3421 Portage Ave., Winnipeg, Manitoba. A hydraulic Ingersoll Rand drill was used which drilled 2 1/2 inch diameter percussion holes. All holes were drilled to a depth of 12 feet with the exception of 15 starter holes on the Nugget vein which were drilled to depths of 3 to 10 feet.

A total of 160, 12 foot holes were drilled on the Nugget Vein, plus 15 shorter holes for a total of 2000 ft. of drilling. Cost per foot of drilling was \$5.00.


All 12 foot holes were sampled which yielded approximately 7 to 8 kg. of sample. These samples were put through a splitter and approximately 1.5 to 2.0 kg of sample was sent to Swastika Laboratories in Swastika, Ontario for analysis for gold. A one assay ton portion was used with assay's reported in grams/ton. The rejects not assayed are currently stored on the property. Holes were drilled vertically at approximately 3 foot centers. Blasting was performed by Bruce Corbett of Agassiz Drilling.

The same method of drilling and blasting was utilized at the Baseline Vein. A total of 153 holes were sampled. All holes were 12 feet deep. Some additional holes were drilled in waste for possible blasting and removal of waste later. The total footage drilled was 2000 feet.

A backhoe which was contracted from Lampi Sand and Gravel of Ft. Frances, Ontario, was utilized to move the blasting mats and muck the ore back from the face after each blast.

Ore from the Nugget Vein, was originally scheduled to be processed at Harmony Gold's Bissett Mill in Bissett, Manitoba. Delays were encountered with the Ministry of Natural Resources in Ft. Frances. The Ministry of Natural Resources required Hexagon Resources to secure a work permit to upgrade the road, which would enable Hexagon to remove the bulk sample. After 3 months of permitting we were informed, by the Ministry of Natural Resources in Ft. Frances, that they had decided that a permit was not require. Harmony Gold meanwhile had increased production form the underground and can no longer process our bulk sample. The bulk sample material is presently in place while we search for another mill to process the sample. Negotiations are presently in progress with Battle Mountian's Hemlo Mill. Battle Mountian is presently installing a gravity circuit to a custom milling facility which will be able to process 40 tons per hour.

Prepared by:



Jack A. Bolen BSc.  
VP and General Manager  
Hexagon Gold (Ontario) Ltd.

June 1, 2000

Statement of Qualifications  
Jack A Bolen BSc.

Graduated from Soo College in 1970 with a 2 year Geology Technician Diploma.

Graduated from Lake Superior State University in Sault Ste. Marie, Michigan in 1976 with a BSc. in Geology


I have worked continuously in Mining Exploration since 1970.

For the past two (2) years I have been Vice President and General Manager of Hexagon Gold (Ontario) Ltd., a Ontario incorporated company

I have a beneficial interest in the property here in reported on and have a first hand knowledge of the work which has been performed on the property.

A handwritten signature in black ink, appearing to read "J. A. Bolen". The signature is cursive and somewhat stylized, with a prominent initial "J" and "A".

Jack A Bolen  
Vice President and General Manager  
Hexagon Gold (Ontario) Ltd.



PLAN AND FIELD NOTES OF  
 PERIMETER SURVEY  
**CLM 425**  
 COMPRISING MINING CLAIMS  
 K 855740 TO K 855742, BOTH INCLUSIVE,  
 K 875510 TO K 875517, BOTH INCLUSIVE  
 AND  
 K 875543 TO K 875555, BOTH INCLUSIVE  
 IN THE  
**BAD VERMILION LAKE AREA**



Contractors; Bulk Sample Program

Hexagon Gold (Ontario) Ltd.

1215 2<sup>nd</sup>. Street East, Ft. Frances, Ontario P9A 1P5 ph. 807-274-5138

Swastika Laboratories, PO Box 10, 1 Cameron Street, Swastika, Ontario ph. 705-642-3244

Witherspoon Sand & Gravel Box 100, Devlin, Ontario. P0W 1C0

Hikki Lampi Sand & Gravel 1020 River Road West, Ft. Frances, Ontario P9A 2V2

Cousineau Brothers Construction, Box 33, Ft. Frances, Ontario, P9A 3M5 ph. 807-274-3923

John Eichel Trucking Ltd. Box 70, Grosse Isle, Manitoba, R0C 1G0 ph. 204-467-9365

Austin Powder Ltd. 3390 South Service Road, Burlington, Ontario L7N 3J5 ph. 905-623-6963

M. L. Judson Trucking Ltd. Box 587, Emo, Ontario P0W 1E0 ph. 807-482-2237

A.E McCormick, 1016 Victoria Ave, Ft. Frances, Ontario. Ph. 807-274-6342

North Air Ltd. Gray Goose Bus Lines Agent, ph. 807-274-5301

Chris Brow, 904 3<sup>rd</sup>. Street East, Ft. Frances, Ontario ph. 807-274-9655

Jack Bolen 1215 2<sup>nd</sup>. Street East, Ft. Frances, Ontario P9A 1P5 ph. 807-274-5138

Ben Trimble, Devlin Ontario ph. 807-486-1209

Agassiz Drilling Ltd. 604 4A 3421 Portage Ave. Winnipeg. Manitoba R3K 2C9  
ph. 204-633-7851

K 875547


K 875544

~~claim~~  
1/100

# Nugget Vein

# 1 - 875544  
 # 2 - 875547  
 # 9 - 875544  
 # 1 - 875547  
 220 m.

# 1 - 875544  
 # 2 - 875547



A  $\frac{1.8+3.8}{2} \times 12 \times 10' = 336 \text{ ft}^3$

B  $\frac{3.8+3}{2} \times 40 \times 10' = 1360 \text{ ft}^3$

C  $\frac{3.0+2.5}{2} \times 8 \times 10' = 220 \text{ ft}^3$

D  $\frac{2.5+2.9}{2} \times 46 \times 10' = 1242 \text{ ft}^3$

E  $\frac{2.9+6}{2} \times 44 \times 10' = 1958 \text{ ft}^3$

F  $\frac{6.0+2.6}{2} \times 48 \times 10 = 2016 \text{ ft}^3$

G  $\frac{2.6+4.6}{2} \times 108 \times 10 = 3888 \text{ ft}^3$


$\frac{11020 \text{ ft}^3}{11 \text{ ft}^3/\text{t}} = 1,002 \text{ tons}$

Width ÷ x strike x depth ÷ tonnage factor

Vein width, 10.0' depth.  
 Tonnage Factor 11 cu ft/ton

Hexagon Gold (Ontario) Ltd  
 1" = 50'

# Base Line Vein



$$A = \frac{3.0 + 4.0}{2} \times 75 \times 10 \div 11 = 238 \text{ tons}$$

$$B = \frac{4.0 + 6.0}{2} \times 100 \times 10 \div 11 = 550 \text{ tons } ] \text{ Pit}$$

$$C = \frac{6.0 + 5.0}{2} \times 39 \times 10 \div 11 = 195 \text{ tons}$$

K875550

K875551

1:1000

Hexagon Gold (Ontario) Ltd





Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-1064-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Auth: **J. Bolen**

Date: APR-10-00

We hereby certify the following Assay of 34 Percussion Drill samples submitted APR-05-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46661	0.32	0.30	-	-
46662	1.19	-	-	-
46663	0.08	-	-	-
46664	0.63	-	-	-
46665	2.19	2.23	1.85	-
46666	0.43	-	-	-
46667	0.20	-	-	-
46668	0.24	-	-	-
46669	0.16	-	-	-
46670	0.31	-	-	-
46671	0.28	-	-	-
46672	0.03	-	-	-
46673	0.11	-	-	-
46674	0.10	0.15	-	-
46675	0.25	-	-	-
46676	0.08	-	-	-
46677	0.04	-	-	-
46678	2.33	1.37	1.61	-
46679	0.56	-	-	-
46680	0.19	-	-	-
46681	0.02	-	-	-
46682	0.47	-	-	-
46683	0.12	-	-	-
46684	1.28	-	-	-
46685	0.08	-	-	-
46686	3.43	2.95	3.77	-
46687	1.75	-	-	-
46688	1.03	-	-	-
46689	0.12	-	-	-
46690	0.31	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1064-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Attn: **J. Bolen**

Date: APR-10-00

We hereby certify the following Assay of 34 Percussion Drill samples  
 submitted APR-05-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46691	0.53	-	-	-
46692	4.39	1.82	1.44	1.92
46693	0.26	-	-	-
46694	0.07	-	-	-
Blank	Nil	-	-	-
STD TT-23	0.62	-	-	-

One assay ton portion used.

Certified by \_\_\_\_\_

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

OW-1078-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Attn: **J. Bolen**

Date: APR-12-00

We hereby certify the following Assay of 34 Percussion Drill samples submitted APR-07-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne
46695	0.06	-	-
46696	0.02	-	-
46697	0.05	-	-
46698	2.40	2.37	2.02
46699	0.16	-	-
46700	0.03	-	-
46701	0.31	-	-
46702	0.13	-	-
46703	0.42	-	-
46704	0.08	-	-
46705	0.18	-	-
46706	0.12	-	-
46707	0.05	-	-
46708	0.04	-	-
46709	0.17	-	-
46710	0.20	-	-
46711	0.19	0.21	-
46712	0.06	-	-
46713	0.25	-	-
46714	0.10	-	-
46715	0.12	-	-
46716	0.24	-	-
46717	0.10	-	-
46718	1.60	1.71	-
46719	0.47	-	-
46720	0.09	-	-
46721	0.41	0.34	-
46722	0.21	-	-
46723	0.55	-	-
46724	1.43	1.58	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1078-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
Project: **Bascline**  
Attu: **J. Bolen**

Date: APR-12-00

We hereby certify the following Assay of 34 Percussion Drill samples submitted APR-07-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne
46725	0.55	-	-
46726	0.27	-	-
46727	0.15	-	-
46728	0.68	0.63	-
Blank	Nil	-	-
STD TT-23	0.63	-	-

One assay ton portion used.

Certified by \_\_\_\_\_

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

OW-1091-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Attn: **J. Bolen**

Date: APR-14-00

We hereby certify the following Assay of 40 Percussion Drill samples submitted APR-07-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne
46729	0.17	-	-
46730	0.17	-	-
46731	0.08	-	-
46732	0.08	-	-
46733	0.16	0.17	-
46734	0.13	-	-
46735	0.18	-	-
46736	0.06	-	-
46737	1.40	1.71	-
46738	0.77	-	-
46739	0.38	-	-
46740	0.07	-	-
46741	0.14	-	-
46742	0.14	-	-
46743	0.11	0.13	-
46744	0.02	-	-
46745	0.07	-	-
46746	0.14	-	-
46747	1.37	-	-
46748	0.12	-	-
46749	0.35	-	-
46750	0.10	-	-
46751	2.61	-	-
46752	0.62	-	-
46753	25.51	30.24	20.61
46754	2.06	-	-
46755	2.85	-	-
46756	5.45	5.11	4.56
46757	2.50	-	-
46758	1.03	-	-

One assay ton portion used.

Certified by 

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1091-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Attn: **J. Bolen**

Date: APR-14-00

We hereby certify the following Assay of 40 Percussion Drill samples submitted APR-07-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne
46759	2.61	3.12	3.53
46760	0.31	-	-
46761	2.85	-	-
46762	4.73	3.53	-
46763	0.08	-	-
46764	0.25	-	-
46765	0.05	-	-
46766	0.23	-	-
46767	0.31	-	-
46768	0.29	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-1102-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Baseline**  
 Attn: **J. Bolen**

Date: APR-17-00

We hereby certify the following Assay of 44 Percussion Drill samples submitted APR-10-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au Check g/tonne	Au 2nd g/tonne
46769	2.61	1.73	4.46	-
46770	0.54	-	-	-
46771	0.57	-	-	-
46772	0.16	-	-	-
46773	0.17	-	-	-
46774	0.30	-	-	-
46775	0.07	-	-	-
46776	0.05	-	-	-
46777	0.07	-	-	-
46778	0.02	-	-	-
46779	0.02	-	-	-
46780	1.17	-	-	-
46781	5.45	4.46	-	3.39
46782	0.45	-	-	-
46783	0.79	-	-	-
46784	0.16	-	-	-
46785	5.21	3.87	-	-
46786	0.56	-	-	-
46787	0.12	-	-	-
46788	0.20	-	-	-
46789	0.29	-	-	-
46790	0.03	-	-	-
46791	0.45	-	-	-
46792	0.07	-	-	-
46793	0.12	-	-	-
46794	0.03	-	-	-
46795	0.39	0.47	-	-
46796	0.37	-	-	-
46797	0.21	-	-	-
46798	0.24	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

0W-1102-RA1

## Assay Certificate

Date: APR-17-00

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: Baselino  
 Attn: J. Bolen

We hereby certify the following Assay of 44 Percussion Drill samples submitted APR-10-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au Check g/tonne	Au 2nd g/tonne
46799	9.53	8.85	-	8.61
46800	3.60	-	-	-
46801	1.65	-	-	-
46802	1.75	-	-	-
46803	3.12	4.25	-	-
46804	0.14	-	-	-
46805	0.33	-	-	-
46806	0.07	-	-	-
46807	1.71	2.26	-	-
46808	1.25	-	-	-
46809	1.10	-	-	-
46810	0.67	-	-	-
46811	0.07	0.08	-	-
46812	0.02	-	-	-
Blank	0.01	-	-	-
STD TT-23	0.62	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300





Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-0991-RA1


Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Attn: **J. Bolen**

Date: APR-07-00

We hereby certify the following Assay of 35 Percussion Drill samples  
 submitted MAR-31-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne	Au 3rd g/tonne
46501	Nil	-	-	-	-
46502	1.13	-	-	-	-
46503	0.05	-	-	-	-
46504	3.15	1.71	3.98	5.42	-
46505	0.31	-	-	-	-
46506	0.62	-	-	-	-
46507	0.39	-	-	-	-
46508	1.30	0.65	1.23	1.68	-
46509	0.11	-	-	-	-
46510	0.72	0.68	-	-	-
46511	0.04	-	-	-	-
46512	0.10	-	-	-	-
46513	0.02	-	-	-	-
46514	0.13	-	-	-	-
46515	0.03	-	-	-	-
46516	0.02	0.01	-	-	-
46517	0.03	-	-	-	-
46518	0.03	-	-	-	-
46519	0.01	-	-	-	-
46520	0.03	-	-	-	-
46521	0.01	-	-	-	-
46522	0.06	-	-	-	-
46523	0.08	-	-	-	-
46524	0.07	-	-	-	-
46525	1.50	1.67	-	-	-
46526	0.65	-	-	-	-
46527	0.25	-	0.20	-	-
46528	1.89	1.37	0.08	-	0.26
46529	0.19	-	0.22	-	-
46530	0.07	-	-	-	-

One assay ton portion used.

Certified by 

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-0991-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Attn: **J. Bolen**

Date: APR-07-00

We hereby certify the following Assay of 35 Percussion Drill samples submitted MAR-31-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne	Au 3rd g/tonne
46531	0.19	-	-	-	-
46532	0.09	-	-	-	-
46533	1.41	1.99	-	-	-
46534	0.03	-	-	-	-
46535	0.05	-	-	-	-
Blank	Nil	-	-	-	-
SID TT-23	0.63	-	-	-	-

One assay ton portion used.

Certified by \_\_\_\_\_

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-1023-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**

Date: APR-07-00

Project: **Nugget**Att: **J. Bolen**

We hereby certify the following Assay of 37 Percussion Drill samples submitted APR-03-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne	Au 3rd g/tonne
46536	0.02	-	-	-	-	-
46537	0.13	-	-	-	-	-
46538	0.03	-	-	-	-	-
46539	0.11	-	-	-	-	-
46540	0.07	-	-	-	-	-
46541	5.28	4.73	13.44	11.25	3.50	-
46542	0.06	-	-	-	-	-
46543	0.35	-	-	-	-	-
46544	5.86	1.44	6.51	5.55	5.62	-
46545	2.50	-	-	-	-	-
46546	3.81	-	-	-	-	-
46547	0.15	-	-	-	-	-
46548	1.49	-	-	5.52	0.41	-
46549	1.61	2.47	1.92	7.06	7.78	2.33
46550	8.33	8.43	-	0.69	0.21	-
46551	0.75	-	-	0.12	0.36	-
46552	0.75	-	-	-	-	-
46553	0.38	-	-	-	-	-
46554	0.15	-	-	-	-	-
46555	0.51	-	-	-	-	-
46556	6.34	4.80	-	-	-	-
46557	0.36	-	-	-	-	-
46558	0.30	-	-	-	-	-
46559	1.51	-	-	-	-	-
46560	0.04	-	-	-	-	-
46561	0.43	-	-	-	-	-
46562	11.07	10.97	-	11.73	13.10	-
46563	2.57	-	-	-	-	-
46564	1.06	-	-	-	-	-
46565	0.43	-	-	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0

Telephone (705) 642-3244

Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1023-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: Nugget  
 Attn: J. Bolen

Date: APR-07-00

We hereby certify the following Assay of 37 Percussion Drill samples submitted APR-03-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne	Au 3rd g/tonne
46566	0.57	-	-	-	-	-
46567	0.93	-	-	-	-	-
46568	1.03	-	-	-	-	-
46569	0.01	-	-	-	-	-
46570	0.05	-	-	0.49	0.25	-
46571	5.14	4.97	-	1.06	10.35	-
46572	5.45	5.69	-	0.84	1.11	1.30
Blank	Nil	-	-	-	-	-
STD TT-23	0.68	-	-	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-1029-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Attn: **J. Bolen**

Date: APR-07-00

We hereby certify the following Assay of 42 Percussion Drill samples submitted APR-03-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46573	0.66	-	-	-
46574	0.07	-	-	-
46575	1.71	-	-	-
46576	0.17	-	-	-
46577	1.41	-	-	-
46578	11.86	12.00	9.74	-
46579	1.06	-	-	-
46580	0.10	-	-	-
46581	0.28	-	-	-
46582	7.41	-	-	-
46583	6.41	5.49	6.54	-
46584	0.50	-	-	-
46585	0.06	-	-	-
46586	2.78	-	-	-
46587	0.44	-	-	-
46588	0.40	-	-	-
46589	Nil	-	-	-
46590	0.01	-	-	-
46591	0.03	-	-	-
46592	0.11	-	-	-
46593	0.04	-	-	-
46594	0.03	-	-	-
46595	0.14	-	-	-
46596	0.02	-	-	-
46597	11.18	13.58	-	-
46598	12.51	17.42	13.20	15.29
46599	9.22	-	-	-
46600	6.48	-	-	-
46601	4.01	-	-	-
46602	8.19	-	6.45	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1029-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Au: **J. Bolen**

Date: APR-07-00

We hereby certify the following Assay of 42 Percussion Drill samples submitted APR-03-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46603	13.44	9.26	2.61	3.63
46604	3.53	3.12	5.14	4.46
46605	4.66	-	-	-
46606	5.18	-	-	-
46607	16.46	14.06	6.86	6.17
46608	2.67	-	-	-
46609	3.32	-	-	-
46610	3.57	-	-	-
46611	1.17	-	-	-
46612	2.67	-	-	-
46613	1.51	-	-	-
46614	1.47	-	-	-
Blank	Nil	-	-	-
STD TT-23	0.62	-	-	-

One assay ton portion used.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 1 of 2

## Assay Certificate

0W-1039-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Attn: **J. Boien**

Date: APR-10-00

We hereby certify the following Assay of 46 Percussion Drill samples submitted APR-04-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46614 *	-	-	-	-
46615	3.15	6.31	9.29	25.51
46616	1.41	-	-	-
46617	0.25	-	-	-
46618	0.40	-	-	-
46619	0.16	-	-	-
46620	0.06	-	-	-
46621	5.86	3.87	-	-
46622	0.25	-	-	-
46623	0.19	-	-	-
46624	0.39	-	-	-
46625	4.66	4.77	-	-
46626	0.14	-	-	-
46627	1.85	-	-	-
46628	0.77	-	-	-
46629	0.22	-	-	-
46630	0.14	-	-	-
46631	0.12	0.10	-	-
46632	Nil	-	-	-
46633	4.11	6.41	-	-
46634	0.29	-	-	-
46635	0.37	-	-	-
46636	0.09	-	-	-
46637	0.75	-	-	-
46638	0.33	-	-	-
46639	4.87	5.49	2.16	3.43
46640	1.85	-	-	-
46641	4.15	-	-	-
46642	0.41	-	-	-
46643	0.27	-	-	-

One assay ton portion used.

\* Indicates where sample was received previously.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300



Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

Page 2 of 2

## Assay Certificate

0W-1039-RA1

Company: **HEXAGON GOLD (ONTARIO) LTD**  
 Project: **Nugget**  
 Attu: **J. Bolen**

Date: APR-10-00

We hereby certify the following Assay of 46 Percussion Drill samples submitted APR-04-00 by .

Sample Number	Au g/tonne	Au Check g/tonne	Au 2nd g/tonne	Au Check g/tonne
46644	2.43	2.85	-	-
46645	0.41	-	-	-
46646	28.25	30.72	16.29	12.69
46647	3.12	-	-	-
46648	0.65	-	-	-
46649	0.13	-	-	-
46650	0.02	-	-	-
46651	0.05	-	-	-
46652	33.60	25.13	18.86	16.11
46653	9.39	9.33	-	-
46654	0.09	-	-	-
46655	6.38	-	-	-
46656	1.66	-	-	-
46657	0.18	-	-	-
46658	0.28	-	-	-
46659	5.35	6.17	-	-
46660	0.39	-	-	-

One assay ton portion used.

\* Indicates where sample was received previously.

Certified by

1 Cameron Ave., P.O. Box 10, Swastika, Ontario P0K 1T0  
 Telephone (705) 642-3244 Fax (705) 642-3300





Established 1928

# Swastika Laboratories Ltd

Assaying - Consulting - Representation

## Metallic Assay Certificate

0W-1123-RM1

Company: **HEXAGON GOLD (ONTARIO) LTD**

Date: APR-25-00


Project:

Attn: J. Bolen

We hereby certify the following Metallic Assay of 17 Percussion Drill samples submitted APR-11-00 by .

Sample Number	Total Wt (g)	+100 M Wt (g)	Assay Value Au		Total Weight Au		Metallic Au		Net Au	
			+100(g/t)	-100(g/t)	+100(mg)	-100(mg)	(oz/ton)	(g/t)	(oz/ton)	(g/t)
46652	1086.51	24.61	528.80	13.38	13.014	14.208	0.349	11.98	0.731	25.05
46607	481.11	15.61	83.53	7.36	1.304	3.426	0.079	2.71	0.287	9.83
46639	1751.38	21.18	141.50	2.30	2.997	3.979	0.050	1.71	0.116	3.98
46508	1968.92	30.42	68.31	1.63	2.078	3.160	0.031	1.06	0.078	2.66
46564	2567.62	22.02	24.25	1.48	0.534	3.767	0.006	0.21	0.049	1.68
46615	834.21	22.41	164.17	4.32	3.679	3.507	0.129	4.41	0.251	8.61
46646	975.73	29.33	284.59	15.29	8.347	14.470	0.250	8.55	0.682	23.39
46502	1742.36	21.76	57.12	0.22	1.243	0.379	0.021	0.71	0.027	0.93
46572	1930.23	34.03	13.66	1.00	0.465	1.896	0.007	0.24	0.036	1.22
46616	1068.35	25.45	419.99	4.51	10.689	4.703	0.292	10.00	0.420	14.41
46539	1004.43	16.23	5.85	0.12	0.095	0.119	0.003	0.09	0.006	0.21
46586	1774.20	36.90	206.34	3.24	7.614	5.629	0.125	4.29	0.218	7.46
46556	1113.00	29.80	132.31	2.88	3.943	3.120	0.103	3.54	0.185	6.35
46529	879.29	16.99	3.83	0.25	0.065	0.216	0.002	0.07	0.009	0.32
46598	1658.85	25.95	210.13	10.13	5.453	16.541	0.096	3.29	0.387	13.26
46549	774.92	6.92	534.10	3.72	3.696	2.857	0.139	4.77	0.247	8.46
46525	652.81	13.91	7.91	1.22	0.110	0.779	0.005	0.17	0.040	1.36

One assay ton portion used.

Certified by 

**HEXAGON GOLD (ONTARIO) LTD**

Attention: J. Bolen

Project:

Sample: Percussion Drill

**Swastika Laboratories Ltd.**

1 Cameron Ave., Swastika, Ontario, P0K 1T0

Tel: (705) 642-3244 Fax: (705) 642-3300

Report No : 0W1124 RJ

Date : Apr-19-00


**MULTI-ELEMENT ICP ANALYSIS**

Aqua Regia Digestion

Sample Number	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Sc ppm	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Y ppm	Zn ppm	Zr ppm
46652	24.8	0.16	25	20	<0.5	65	0.44	35	23	220	94	1.76	0.10	0.10	140	2	0.01	12	230	2846	<5	<1	<10	18	<0.01	5	10	1	4835	
46607	17.0	0.08	10	10	<0.5	15	0.32	10	22	466	26	1.43	0.07	0.07	105	2	0.01	12	160	614	5	<1	<10	11	<0.01	7	<10	1	1321	
46639	4.8	0.17	35	20	<0.5	15	0.23	<1	15	386	19	0.73	0.10	0.06	105	2	0.01	10	170	396	5	<1	<10	10	<0.01	7	<10	1	271	
46508	4.4	0.17	<5	30	<0.5	15	0.67	3	15	394	12	0.94	0.15	0.14	205	6	0.01	12	270	634	5	<1	<10	23	<0.01	/	<10	2	336	
46564	35.8	0.09	10	10	<0.5	105	0.39	36	31	480	79	1.54	0.08	0.10	125	2	0.01	15	150	3180	5	<1	<10	13	<0.01	8	10	1	4940	
46615	6.2	0.16	10	20	<0.5	20	0.37	14	28	382	162	1.85	0.12	0.08	140	2	0.01	17	210	912	5	<1	<10	12	<0.01	8	<10	1	1892	
46646	18.6	0.10	110	20	<0.5	10	0.28	5	17	343	42	2.34	0.07	0.07	105	<2	0.01	10	170	512	5	<1	<10	10	<0.01	7	<10	1	1542	
46502	3.8	0.23	<5	30	<0.5	10	0.87	6	18	521	12	1.19	0.16	0.23	270	<2	0.02	14	340	572	5	<1	<10	33	0.01	11	<10	2	684	
46572	16.6	0.08	<5	10	<0.5	50	0.24	12	23	592	55	0.98	0.07	0.05	100	10	0.01	14	120	1428	5	<1	<10	7	<0.01	10	<10	1	1554	
46616	3.6	0.15	<5	20	<0.5	10	0.82	5	14	282	117	1.15	0.17	0.16	210	2	0.01	10	300	592	5	<1	<10	25	<0.01	6	<10	2	1629	
46539	1.0	0.17	5	20	<0.5	5	0.41	1	14	280	87	0.90	0.14	0.10	135	<2	0.01	12	300	106	5	<1	<10	13	<0.01	5	<10	3	141	
46586	0.8	0.20	<5	30	<0.5	5	0.57	3	12	244	19	1.03	0.14	0.15	205	<2	0.01	10	340	182	<5	<1	<10	20	<0.01	6	<10	2	113	
46556	1.8	0.14	<5	20	<0.5	10	0.70	7	34	382	38	2.06	0.11	0.16	210	4	0.01	13	250	226	5	<1	<10	25	<0.01	7	<10	2	965	
46529	0.6	0.21	<5	30	<0.5	5	0.67	1	15	327	18	1.10	0.16	0.19	230	<2	0.01	11	330	112	5	<1	<10	28	<0.01	7	<10	3	136	
46598	15.2	0.21	20	30	<0.5	50	0.87	20	25	231	14	2.63	0.16	0.20	200	<2	0.02	12	340	1552	<5	<1	<10	33	<0.01	6	10	2	2707	
46549	5.2	0.10	<5	20	<0.5	15	0.32	5	25	636	37	1.13	0.08	0.08	125	2	0.01	15	170	422	10	<1	<10	12	<0.01	11	<10	1	589	
46525	16.4	0.18	10	20	<0.5	55	0.62	4	43	391	85	2.90	0.12	0.18	205	<2	0.01	20	270	1490	5	<1	<10	25	<0.01	9	<10	2	568	

A .5 gm sample is digested with 10 ml 3:1 HCl/HNO3 at 95c for 2 hours and diluted to 25ml with D.I.H2O.

Signed:





Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)
W0010.00077
Assessment Files Research Imaging



Subsection 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, this report work and correspond with the mining land holder. Questions about this collection should be directed to the Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5

52C10NE2005 2.20538 BAD VERMILION LAKE 900

INSTRUCTIONS: - FOR WORK PERFORMED ON CROWN LANDS BEFORE RECORDING A CLAIM, USE FORM 0240. - Please type or print in ink.

2.20538

1. Recorded holder(s) (Attach a list if necessary)


Name	Hexagon Gold (Ontario) Ltd	Client Number	303633
Address	1215-2nd Street East	Telephone Number	807-274-5138
	Ft. Frances, Ontario	Fax Number	807-274-0863
Name		Client Number	
Address		Telephone Number	
		Fax Number	

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

- Geotechnical: prospecting, surveys, assays and work under section 18 (regs)       Physical: drilling stripping, trenching and associated assays       Rehabilitation

Work Type		Office Use	
		Commodity	
		Total \$ Value of Work Claimed	85,588
		NTS Reference	
Dates Work From Performed	1 Day   Month 3   Year 2000	To	Day 30   Month 6   Year 2000
Global Positioning System Data (if available)	Township/Area	Mining Division	Kenora
	Bad Vermilion Lake	Resident Geologist District	Kenora
	M or G-Plan Number		G 2665

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; - provide proper notice to surface rights holders before starting work; - complete and attach a Statement of Costs, form 0212; - provide a map showing contiguous mining lands that are linked for assigning work; - include two copies of your technical report.



3. Person or companies who prepared the technical report (Attach a list if necessary)

Name	Jack A. Bolan	Telephone Number	807-274-5138
Address	1215-2nd St E, Ft. Frances, Ontario, P9A-1P5	Fax Number	807-274-0863
Name		Telephone Number	
Address		Fax Number	
Name		Telephone Number	
Address		Fax Number	

4. Certification by Recorded Holder or Agent

I, Jack A. Bolan, do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent	J. Bolan	Date	Aug 15/2000
Agent's Address	1215-2nd St E, Ft. Frances, Ont	Telephone Number	807-274-5138
		Fax Number	807-274-0863

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

WOOD. 00077

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank Value of work to be distributed at a future date
eg TB 7227	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 K875544	1	21,347	0	8000	13,347
2 875547	1	21,347	0	8000	13,347
3 875548	1	42,894	0	14,900	27,994
4 855740	1	0	400	0	0
6 855741	1	0	400	0	0
6 855742	1	0	400	0	0
7 1018601	1	0	400	0	0
8 1018602	1	0	400	0	0
9 1018603	1	0	400	0	0
10 1018604	1	0	400	0	0
11 1018605	1	0	400	0	0
12 1018606	1	0	400	0	0
13 1018607	1	0	400	0	0
14 1018608	1	0	400	0	0
15 1018609	1	0	400	0	0
Column Totals		85,588	4800	39,900	54,688

I, TACH A. Bolen (Print Full Name), do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/98 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing: T. A. Bolen Date: Aug 31, 2000

6. Instruction for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:


- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first followed by option number 2 if necessary.

For Office Use Only

Received Stamp	Deemed Approved Date	Date Notification Sent
	Date Approved	Total Value of Credit Approved
	Approved for Recording by Mining Recorder (Signature)	

0241 (02/97)





Ministry of  
Northern Development  
and Mines

**Schedule for Declaration of  
Assessment Work on Mining Land**

Transaction Number (office use)  
**W0040.00077**

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Estim. Value of work to be distributed at a future date.
				<b>2,2053,8</b>	
K1018610	1	0	400	0	0
1018611	1	0	400	0	0
1018612	1	0	400	0	0
1024616	1	0	400	0	0
1024617	1	0	400	0	0
1024618	1	0	400	0	0
1024619	1	0	400	0	0
1024911	1	0	400	0	0
1024912	1	0	400	0	0
1024913	1	0	400	0	0
1024915	1	0	400	0	0
1024927	1	0	400	0	0
1024928	1	0	400	0	0
1024929	1	0	400	0	0
1025126	1	0	400	0	0
1050200	1	0	400	0	0
1050202	1	0	400	0	0
1050214	1	0	400	0	0
1050215	1	0	400	0	0
1050216	1	0	400	0	0
1050217	1	0	400	0	0
1050223	1	0	400	0	0
1050224	1	0	400	0	0
1050225	1	0	400	0	0
1050226	1	0	400	0	0
1050227	1	0	400	0	0
1050234	1	0	400	0	0
1050236	1	0	400	0	0
1050332	1	0	400	0	0
1050333	1	0	400	0	0
1050563	1	0	400	0	0
1104655	1	0	400	0	0
1104656	1	0	400	0	0
1104657	1	0	400	0	0
1104658		0	400	0	0
<b>Column Totals</b>		<b>85,588</b>	<b>18,800</b>	<b>30,900</b>	<b>54,688</b>

0290 (02/98)

*RB*

**RECEIVED**  
SEP 05 2000  
GEOSCIENCE ASSESSMENT  
OFFICE






Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

2.20538

Work Type	Units of work Depending on the type of work, list the number of hours/day worked, metres of drilling, kilometres of grid line, number of samples, etc.	Cost Per Unit of work	Total Cost
Drilling & Blasting	4000' drilling, mat rental	\$5. per foot	29,836.95
Access Roads	Witherspoon Sand & gravel	dozer \$85.00/hr	1,455.20
much blast, move mats	hump Sand & gravel	\$100.00/hr	11,090.25
Assay's Swastika			4,947.68
Site Prep	A.E. M' Cormick		2,340.00
harbour - sample blast	Brow, Trumble, Bolen		12,800.00
stripping	Cousineau Bros		3,888.00
<b>Associated Costs (e.g. supplies, mobilization and demobilization).</b>			
	Mobilization - John Eichel Trucking		1605.00
	Demobilization - M.L. Judson Trucking		1091.40
	Austin Powder - explosives, mag rental		11,367.78
	Mine Centre Resort & Great Bear - fuel etc		2,588.81
<b>Transportation Costs</b>			
	Shipping Cost of Samples		327.23
<b>Food and Lodging Costs</b>			
	Driller & helper @ A.E. M' Cormick's @ Woddy		2400.00

Total Value of Assessment Work 85,588.20



Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK x 0.50 = Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, Jack A. Bolen, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as Vice President - Hexagon Gold Int'l I am authorized to make this certification. (recorded holder, agent, or state company position with signing authority)

Signature: J.A. Bolen Date: Aug 15/2000

December 29, 2000

HEXAGON GOLD (ONTARIO) LTD.  
1215 SECOND STREET EAST  
FORT FRANCES, ONTARIO  
P9A-1P5

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (888) 415-9845  
Fax: (877) 670-1555

Dear Sir or Madam:

**Submission Number:** 2.20538

**Status**

**Subject: Transaction Number(s):** W0010.00077 Approval After Notice

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in **DUPLICATE** to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact JIM MCAULEY by e-mail at james.mcauley@ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,



ORIGINAL SIGNED BY  
Lucille Jerome  
Acting Supervisor, Geoscience Assessment Office  
Mining Lands Section



# Work Report Assessment Results

**Submission Number:** 2.20538

**Date Correspondence Sent:** December 29, 2000

**Assessor:** JIM MCAULEY

<b>Transaction Number</b>	<b>First Claim Number</b>	<b>Township(s) / Area(s)</b>	<b>Status</b>	<b>Approval Date</b>
W0010.00077	875544	BAD VERMILION LAKE	Approval After Notice	December 22, 2000

**Section:**

10 Physical PBORE

17 Assays ASSAY

The 45 days outlined in the Notice dated November 7, 2000 have passed and no new information has been provided.

Assessment work credit has been approved as outlined on the attached Distribution of Assessment Work Credit sheet.

The assessment credit is being reduced by \$38,209. The TOTAL VALUE of assessment credit that will be allowed, based on the information provided in this submission, is \$47,379.

The assessment credits related to the bulk sampling are not eligible at this time, as the results of the bulk sampling have not been provided. Should you complete this portion of the program in the future, then the ineligible credits may be filed and will be assessed at that time.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

**Correspondence to:**

Resident Geologist  
Kenora, ON

Assessment Files Library  
Sudbury, ON

**Recorded Holder(s) and/or Agent(s):**

Jack A. Bolen  
FORT FRANCIS, ONTARIO, CANADA

HEXAGON GOLD (ONTARIO) LTD.  
FORT FRANCES, ONTARIO

# Distribution of Assessment Work Credit

The following credit distribution reflects the value of assessment work performed on the mining land(s).

Date: December 29, 2000

Submission Number: 2.20538


---

Transaction Number: W0010.00077

<u>Claim Number</u>	<u>Value Of Work Performed</u>
875544	11,817.00
875547	11,817.00
875548	23,745.00
<b>Total: \$</b>	<b>47,379.00</b>

---

LITTLE TURTLE LAKE - G-2682



**LEGEND**

- PATENTED LAND
- CROWN LAND SALE
- LEASES
- LOCATED LAND
- LICENSE OF OCCUPATION
- MINING RIGHTS ONLY
- SURFACE RIGHTS ONLY
- ROADS
- IMPROVED ROADS
- RAILWAYS
- POWER LINES
- MARSH OR MUCKEG
- RIVERS
- CANCELLED PATENTED S.P.

**REFERENCES**

AREAS WITHDRAWN FROM DISPOSITION

- M.R.O. - MINING RIGHTS ONLY
- S.R.O. - SURFACE RIGHTS ONLY
- M+S - MINING AND SURFACE RIGHTS


DESCRIPTION	ORDER NO.	DATE	DISPOSITION	FILE
M.R.O. FORFEITED JAN. 1/84 RE-OPENED JUNE 1/84 (A.D. 4 RE) OCT. 20/87				
LANDS OPEN TO STAKING, PROSPECTING ETC. JUNE 3, 1984 C-3-84				

SCALE : 1 INCH = 40 CHAINS



**BAD VERMILLION LAKE**  
M.N.R ADMINISTRATIVE DISTRICT  
FORT FRANCES

MINING DIVISION  
KENORA

LAND TITLES / REGISTRY DIVISION  
RAINY RIVER



JULY, 1986 **G-2665**



K875544


K875547

**EXAGON GOLD (ONTARIO) LTD.**  
**PERCUSSION DRILL HOLE LAYOUT & ASSAYS**  
**NUGGET VEIN**



Scale 1 : 50 April 8, 2000

**RECEIVED**  
 SEP 05 2000  
 GEOLOGICAL ASSESSMENT  
 OFFICE

Hole Number/Assay eg. 603/10.23  
 All assays in grams  
 All holes 12 feet deep unless otherwise indicated  
 All holes 2.5 inch diameter



- 810/67 ○ ○ 811/07/08
- 812/02 ○ ○ 809/1.10
- 808/1.25 ○ ○ 807/1.71/2.26  
○ 806/07
- 805/33
- 803/3.12/4.25 ○ ○ 804/14
- 802/1.65
- 800/3.6 ○ ○ 801/1.65
- 799/9.35/8.85/8.61
- 798/24 ○ ○ 797/21
- 795/39/47 ○ ○ 796/37
- 794/03
- 793/12 ○ ○ 791/45
- 792/07 ○ ○ 790/03
- 789/29 ○ ○ 786/56
- 788/20 ○ ○ 787/12
- 783/79
- 785/5.21/3.87 ○ ○ 784/16
- 782/45
- 781/5.45/4.46/3.39 ○ ○ 779/02
- 778/02
- 780/1.17 ○ ○ 777/07
- 776/05
- 773/17 ○ ○ 774/30
- 775/07
- 772/16 ○ ○ 771/57
- 770/54
- 769/2.61/1.73/4.46 ○ ○ 768/29
- 766/23
- 767/31 ○ ○ 765/05
- 763/08 ○ ○ 764/25
- 762/4.73/3.53
- 761/2.85 ○ ○ 760/31
- 759/2.61/3.12/3.53
- 757/2.5 ○ ○ 758/1.03
- 756/5.45/5.11/4.56
- 754/2.06 ○ ○ 755/2.85
- 753/25.52.30.24/20.61
- 750/10 ○ ○ 752/62
- 751/2.61
- 749/35 ○ ○ 747/1.37
- 748/12
- 745/07
- 746/14 ○ ○ 743/11/13
- 744/02
- 742/14 ○ ○ 739/38
- 740/07
- 738/77 ○ ○ 741/14
- 736/06
- 737/1.40/1.71 ○ ○ 734/13
- 735/18
- 733/16/17 ○ ○ 732/08
- 731/08
- 729/17 ○ ○ 727/15
- 730/17
- 728/68/63 ○ ○ 725/55
- 724/1.43/1.58 ○ ○ 726/27
- 722/21
- 723/55 ○ ○ 721/41/34
- 717/10
- 720/09
- 716/24 ○ ○ 718/1.6/1/71
- 719/17
- 712/06 ○ ○ 715/12
- 714/10
- 713/25 ○ ○ 710/20
- 708/04
- 709/17 ○ ○ 711/19/21
- 705/18
- 706/12
- 704/08 ○ ○ 701/31
- 703/42
- 700/03
- 698/2.40/2.7/2.02
- 699/16 ○ ○ 697/05
- 696/02
- 695/06 ○ ○ 694/07
- 693/26
- 692/4.39/1.82/1.44/1.92 ○ ○ 690/31
- 691/53
- 688/1.03 ○ ○ 687/1.75
- 689/12
- 686/3.43/2.95/3.77 ○ ○ 685/08
- 684/1.28 ○ ○ 681/02
- 683/12 ○ ○ 682/7
- 679/56
- 678/1.23/1.37/1.61
- 677/04 ○ ○ 676/08
- 675/2
- 674/10/15 ○ ○ 673/11
- 672/03 ○ ○ 670/31
- 669/16
- 667/20 ○ ○ 668/24
- 665/2.19/2.73/2.73 ○ ○ 664/43
- 664/63 ○ ○ 663/15
- 661/32/30 ○ ○ 660/19



K875548

**HEXAGON GOLD (ONTARIO) LTD.**  
**PERCUSSION DRILL HOLES & ASSAYS'S**  
**BASELINE VEIN**

**RECEIVED**  
 SEP 05 2000  
 GEOSCIENCE ASSESSMENT  
 OFFICE

Hole Number/Assay eg. 603/10.23 ○  
 All assays in grams  
 All holes 12 feet deep unless otherwise indicated  
 All Holes 2.5 inch diameter

