



52E09SE2002 2.20137 CODE

010

MAK - 6 ZUUU

GEOSCIENCE ASSESSMENT
OFFICE

PROVINCIAL RECORDS
OFFICE - SUDBURY
RECEIVED
MAR 06 2000
A.M. *NU* P.M.
7 | 8 | 9 | 10 | 11 | 12 | 1 | 2 | 3 | 4 | 5 | 6

DISTRICT OF KENORA
CODE TOWNSHIP
KENORA MINING DIVISION
CLAIM MAP G-1326
NTS 52E/9SE
LATITUDE 49 36' LONGITUDE 94 10'

CLAIM 1220416

Staked May 4, 1998
Recorded May 19, 1998

ACCESS:

This claim consisting of two units, is located approximately 35km south-east of Kenora. Access is east on Highway #17 from Kenora, south on Highway #71, and then west on the Witch Bay Road for 6km, then south-east on the Gibi Lake Road. A trail leads 400 meters north from Gibi Lake to the claim.

GEOLOGY

The Geology of the area is predominantly fine grain Mafic flows. To the north and east the Volcanics are intruded by the Dryberry Batholith. The irregular margin of the Batholith lies about 1km to the north and north-east of the claim. Two small bodies of Granodiorite crop out, one on the old Triggs Mine property adjacent to my claim and another on my claim along the north south line between posts #1 and #2.

2.20137

This report is to cover the Assessment work for the 1999 Field Season, and is in addition to assessment work in 1998 which has been filed with the Department.

A flagged grid was implemented over the Claim with north-south lines at 100 meter intervals and flagged at 25 meter intervals. This permits an accurate control over the entire area.

Geological Map with Grid noted attached. A Beep Mat survey was conducted over a large area of the Claim.

Prospecting, manual trenching and samples were taken for Assay. Copies of Assay Reports attached.

Daily Log attached.

Two Associates assisted me, H.K. Etherington, License #H-11402, and R.L. Thompson, License #C-38433.

Respectively submitted,

R.P. Etherington
Robert P. Etherington, Lic. #H-11398

ASSESSMENT WORK PERFORMED ON MINING LAND

DAILY LOG

DAY 1

TUESDAY, MAY 11, 1999

With Associate, R.L. Thompson, measured and flagged Grid lines over one claim unit.

DAY 2

WEDNESDAY, MAY 12, 1999

With Associate, R.L. Thompson, measured and flagged Grid lines over second unit of claim completing flagging.

DAY 3

TUESDAY, MAY 18, 1999

Beep Matted large areas of east claim unit while Associate H.K. Etherington prospected in same area and did Geological Mapping.

DAY 4

WEDNESDAY, MAY 19, 1999

Beep Matted large area of west claim unit while Associate H.K. Etherington prospected in same area and did Geological Mapping.

DAY 5

TUESDAY, JUNE 1, 1999

With Associate R.L. Thompson, prospected Anticline to the north-east. Strike is 55 degrees N. Quartz vein approximately 10 feet in width was further stripped and manually trenched. Did Geological Mapping. Grid Location is : L5+33W/2+88S

DAY 6

WEDNESDAY, JUNE 2, 1999

With Associate R.L. Thompson, flagged Anticline using Quartz Vein as strike guide. Flagged to the north-east for an approximate distance of 1400 feet. Prospected areas on either side of flagging. Did Geological Mapping.

DAY 7

THURSDAY, JUNE 3, 1999

With Associate R.L. Thompson, continued prospecting on Anticline at the north-east terminus. Mineralized zones in metavolcanics located and samples taken for study. Pyrite and Chalcopyrite. Located at L2+20W/1+00S. Did Geological Mapping.

DAY 8

THURSDAY, AUGUST 5, 1999

With Associate R.L. Thompson prospected and stripped overburden in vicinity of Air Shaft. Samples taken for Assay. Did Geological Mapping.

Location: 2+60W/0+20S

#1 Assay - Gold -Fire Assay

Assay - ICP 70

DAY 9

WEDNESDAY, SEPTEMBER 8, 1999

With Associate R.L. Thompson, manually stripped , trenched and took samples from area of West Shaft from Quartz Veins and Rusty Shears. Minerals observed were pyrite and chalcopyrite. Did Geological Mapping.

Location: L6+06W/0+75S

#2. Assay - Gold -Fire Assay
 Assay -ICP 70

Location: L6+06W/0+80S

#3. Assay - Gold -Fire Assay
 Assay - ICP 70

DAY 10

WEDNESDAY, SEPTEMBER 22, 1999

With Associate R.L. Thompson, manually stripped and trenched side of Ridge along mineralized zone in Basalt and rusty shears. Took samples for Assay and did Geological Mapping.

Location: 4+50W/2+75S

#4. Assay - Gold -Fire Assay
 Assay -ICP70

Location; L4+50W/2+80S

#5. Assay - Gold -Fire Assay
 Assay - ICP70



XRAL Laboratories
A Division of SGS Canada Inc.

Work Order: 057629

Date: 18/11/99

FINAL

Page 1 of 2

Element.	Au	Be	Na	Mg	Al	P	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni
Method.	FA301	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70
Det. Lim.	1	0.5	0.01	0.01	0.01	0.01	0.01	0.01	0.5	0.01	2	1	2	0.01	1	1
Units.	ppb	ppm	%	%	%	%	%	%	ppm	%	ppm	ppm	ppm	%	ppm	ppm
1-99	1820	<0.5	0.03	1.43	1.62	0.02	0.40	2.45	1.6	0.05	47	50	570	7.23	124	115
2-99	21	<0.5	0.02	0.10	0.14	<0.01	<0.01	0.10	<0.5	0.01	7	13	65	1.98	23	164
3-99	3	<0.5	0.02	0.06	0.08	<0.01	<0.01	0.02	0.5	<0.01	5	10	35	1.33	24	39
4-99	16	<0.5	0.03	0.51	0.92	0.02	0.24	0.15	1.8	0.05	60	30	297	8.62	20	16
5-99	7	<0.5	0.02	0.53	0.56	0.01	0.04	1.56	0.8	0.03	17	18	376	1.80	11	29
*Dup 1-99	1770	<0.5	0.03	1.45	1.65	0.02	0.40	2.46	1.6	0.05	47	51	576	7.31	125	116



XRAL Laboratories
A Division of SGS Canada Inc.

Work Order: 057629

Date: 18/11/99

FINAL

Page 2 of 2

Element.	Cu	Zn	As	Sr	Y	Zr	Mo	Ag	Cd	Sn	Sb	Ba	La	W	Pb	Bi
Method.	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70	ICP70
Det.Lim.	0.5	0.5	3	0.5	0.5	0.5	1	0.2	1	10	5	1	0.5	10	2	5
Units.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
1-99	807	76.5	<3	5.7	2.0	6.2	3	0.9	1	<10	<5	48	5.8	77	3	<5
2-99	148	8.5	<3	0.7	0.5	<0.5	1	0.2	<1	<10	<5	<1	1.4	<10	<2	<5
3-99	109	4.7	<3	<0.5	<0.5	0.7	1	0.2	<1	<10	<5	<1	0.9	<10	<2	<5
4-99	617	34.5	<3	1.7	3.7	6.8	135	0.7	2	<10	<5	27	6.5	<10	3	<5
5-99	155	26.8	<3	3.3	0.7	0.9	6	0.2	<1	<10	<5	16	0.7	<10	3	<5
*Dup 1-99	789	77.4	<3	5.8	1.9	5.9	3	0.6	2	<10	<5	48	6.1	67	2	<5



Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use) W 0010 00028 Assessment Files Research Imaging

Perso this in collec Ontar



52E09SE2002 2.20137 CODE

900

ons 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, int work and correspond with the mining land holder. Questions about this Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury.

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240. - Please type or print in ink.

1. Recorded holder(s) (Attach a list if necessary)

Form for recorded holder(s) with fields for Name, Address, Client Number, Telephone Number, and Fax Number. Includes handwritten entry for Robert Paul Etherington.

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Form for type of work performed with checkboxes for Geotechnical, Physical, and Rehabilitation. Includes handwritten work type: FLAGGING GRID OVER CLAIM, FLAGGING ANTICLINE, BEEP MATTING OVER CLAIM, MANUAL STRIPPING AND TRENCHING, SAMPLING FOR ASSAY, GEOLOGICAL MAPPING, PROSPECTING.

- Please remember to: - obtain a work permit from the Ministry of Natural Resources as required; - provide proper notice to surface rights holders before starting work; - complete and attach a Statement of Costs, form 0212; - provide a map showing contiguous mining lands that are linked for assigning work; - include two copies of your technical report.



3. Person or companies who prepared the technical report (Attach a list if necessary)

Form for person or companies who prepared the technical report. Includes a 'RECORDED' stamp dated MAR - 6 2000.

4. Certification by Recorded Holder or Agent

I, ROBERT PAUL ETHERINGTON, do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent: R.P. Etherington, Date: March 1, 2000, Agents Address: Box 1, Ingolf, Ont PoY 1A0, Telephone Number: 1-807-733-2941



Handwritten number 20102

5. Work to be recorded and distributed. Work can only be assigned to claims that are contiguous (adjoining) to the mining land where work was performed, at the time work was performed. A map showing the contiguous link must accompany this form.

W. 0010. 00028

Mining Claim Number. Or if work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Claim Units. For other mining land, list hectares.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Bank. Value of work to be distributed at a future date
eg TB 7827	16 ha	\$26,825	N/A	\$24,000	\$2,825
eg 1234567	12	0	\$24,000	0	0
eg 1234568	2	\$ 8,892	\$ 4,000	0	\$4,892
1 1220416	2	3,800			3,800
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals		3,800			3,800

I, ROBERT PAUL ETHERINGTON, do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing R.P. Etherington Date March 1, 2000

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe).

RECORDED
MAR - 6 2000

TOTAL VALUE OF ASSESSMENT WORK

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Stamp	Deemed Approved Date	Date Notification Sent
	Date Approved	Total Value of Credit Approved
	Approved for Recording by Mining Recorder (Signature)	

0241 (03/97)

RECEIVED
MAR - 6 2000
GEOSCIENCE ASSESSMENT
OFFICE

2.20157

Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of Work <small>Depending on the type of work, list the number of hours/days worked, metres of drilling, kilometres of grid line, number of samples, etc.</small>	Cost Per Unit of work	Total Cost
RECORDED HOLDER (H-11378)	8 DAYS	150.00	1200.00
RECORDED HOLDER (BEEP MAT)	2 DAYS - 6 KMS	150.00	300.00
ASSOCIATE (H-11402)	2 DAYS	150.00	300.00
ASSOCIATE (G-38433)	8 DAYS	150.00	1200.00
PROSPECTING, MANUAL STRIPPING, TRENCHING, GEOLOGICAL MAPPING, FLAGGING GRID, FLAGGING ANTICLINE	2 CLAIM UNITS 5 KM 2 CLAIM UNITS		
ASSAYS	10 SAMPLES	9.98	99.80
Associated Costs (e.g. supplies, mobilization and demobilization).			
FLAGGING TAPE FOR GRID LINES AND OTHER ZONES.			16.05
<div style="border: 1px solid black; padding: 5px; display: inline-block;"> RECORDED MAR - 6 2000 </div>			
Transportation Costs			
228 KM'S X 10 DAYS X 2280 KM'S X 30¢		68.40	684.00
Food and Lodging Costs			
Total Value of Assessment Work			3800.00

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK \times 0.50 = Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, ROBERT PAUL ETHERINGTON (please print full name), do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as RECORDED HOLDER (recorded holder, agent, or state company position with signing authority) I am authorized to make this certification.

RECEIVED
 MAR - 6 2000
 GEOSCIENCE ASSESSMENT OFFICE

<small>Signature</small> <i>RP Etherington</i>	<small>Date</small> March 1, 2000
---	--------------------------------------

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9845
Fax: (877) 670-1555

March 29, 2000

ROBERT PAUL ETHERINGTON
BOX 9
INGOLF, ONTARIO
P0Y-1A0

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpge.htm

Dear Sir or Madam:

Submission Number: 2.20137

Status

Subject: Transaction Number(s): W0010.00028 Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. **WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.**

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact STEVE BENETEAU by e-mail at steve.beneteau@ndm.gov.on.ca or by telephone at (705) 670-5855.

Yours sincerely,



ORIGINAL SIGNED BY
Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.20137

Date Correspondence Sent: March 29, 2000

Assessor: STEVE BENETEAU

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W0010.00028	1220416	CODE	Approval	March 29, 2000

Section:
10 Physical PSTRIIP
9 Prospecting PROSP

Correspondence to:
Resident Geologist
Kenora, ON

Recorded Holder(s) and/or Agent(s):
ROBERT PAUL ETHERINGTON
INGOLF, ONTARIO

Assessment Files Library
Sudbury, ON

LeMay Twp. - G 1341

THE TOWNSHIP OF

CODE

DISTRICT OF KENORA

KENORA MINING DIVISION

SCALE: 1-INCH = 40 CHAINS

DATE PUT IN SERVICE

JUL 15 1996

KENORA MINING DIVISION

LEGEND

PATENTED LAND	⊙
CROWN LAND SALE	C.S.
LEASES	⊙
LOCATED LAND	Loc.
LICENSE OF OCCUPATION	L.O.
MINING RIGHTS ONLY	M.R.O.
SURFACE RIGHTS ONLY	S.R.O.
ROADS	—
IMPROVED ROADS	—
KING'S HIGHWAYS	—
RAILWAYS	—
POWER LINES	—
MARSH OR MUSKEG	—
MINES	★
CANCELLED	C

NOTES

400' Surface Rights Reservation around all lakes and rivers.

UPDATES

PLAN NO. G-1326

DEPARTMENT OF MINES

- ONTARIO -

Yellow Girl Bay & Manross Twp. - G 2656

Work Twp. - G 1360

2.20137
PSTRIP
PROSP


MacQuarrie Twp. - G 1342




THE INFORMATION THAT APPEARS ON THIS MAP HAS BEEN COMPILED FROM VARIOUS SOURCES, AND ACCURACY IS NOT GUARANTEED. THOSE WISHING TO STAKE MINING CLAIMS SHOULD CONSULT WITH THE MINING RECORDER, MINISTRY OF NORTHERN DEVELOPMENT AND MINES, FOR ADDITIONAL INFORMATION ON THE STATUS OF THE LANDS SHOWN HEREON.

440058

CLAIM 1220416



- LEGEND**
- 1 GRANITICS
 - 2 MAFIC METAVOLCANICS
- SYMBOLS**
- QV QUARTZ VEIN
 - SHAFT
 - PIT
 - TRENCH
 - ANTICLINE
 - SHEAR ZONE
 - C CALCIUM CARBONIZATION
 - SWAMP
 - BM BEEP MAT
 - S SAMPLES FOR ASSAY
 - TRAIL
 - OUTCROP



CODE TOWNSHIP
 DISTRICT OF KENORA
 MAP G-1326
 NTS 52E/9 SE
 LAT 49°36' LONG 94°01'

GRID LINES
 NORTH-SOUTH LINES - 100 METER INTERVALS
 NORTH-SOUTH LINES FLAGGED AT
 25 METER INTERVALS

SCALE 1:2400

