

May 25, 2004

2.27148

James D. Resky

Prospector's Licence No: C38778

## Project: Graphic Lake

The area of interest is the south shore of Graphic Lake from Highway #71 to the south end of Graphic Lake. The area includes a strip from the south lake shore extending approximately 300 meters south at the highway. This area extends from the northeast end of the lake to the southwest end of the lake narrowing to approximately 200 metres wide near the south end of the lake. 400 metres east of line 50 there is an expansion of the zone of interest to the south in a pie shape meeting line 50 about 150 metres south of the base line.


Claims 1221266, 1221037, 1221036, and 1221035 are mainly sedimentary rock with pegmatite veins. The area is heavily tree covered with a layer of moss up to 1 foot in depth. Even areas that have no overburden are moss covered and traveling in this is like walking on a soft sponge. The sedimentary rock has in most areas weathered more than the pegmatite veins creating areas with heavy overburden and mini swamp areas. Even the pegmatite rock faces area heavily covered with moss making it difficult to determine the veins.


Stripping was done at sample 22 approximately 5 metres by 4 metres. At samples 19 and 44 stripping was done 6 metres by 4 metres. At sample 36 stripping was 3 metres by 3 metres and at samples 25 and 26 stripping was 3 metres by 7 metres. All stripping was of moss and very little humus material exposing white pegmatite rock in all cases. All stripping was done manually on areas that were not heavily overburdened for the purpose of collecting rock samples for assay.

Transverse Line 0 marked from the baseline in a southeast direction for 220 metres followed the western edge of a grainy magnetic igneous type rock fault. The fault extended in a northwest to southeast direction. The high point of the fault is about 30 metres south of the base line sloping to the southeast until it disappears into a swamp reappearing south of the swampy area near the Bug Lake Road. The western edge of the fault is approximately 2 to 3 metres to the west of line 0. The width of the fault varies from on line 50 near the south end of transverse line 50 to 10 metres east of line 50 at the base line. On the east side of the fault the height is approximately 25 to 30 metres above the sedimentary rock to the east and the east side of the fault is very steep as it joins the sedimentary rock. On the west side of the fault the slope is more gradual with the intersection of fault and sedimentary rock is at the same height. To the north the height of the fault quickly lessens and the fault actually widens to the west and east until it reaches an unnamed creek at the end of graphic lake. Samples were taken along or near the transverse lines where rock exposure made collection of samples possible.



Resky





2. 373.48

## ASSESSMENT REPORT

Report of Claims 1221034, 1221035, 1221036, 1221037, 1221266.

Claims are located 55 kilometres south-east of Kenora on Highway 71. Travel time is one hour by highway and 30 minutes by trail from the Bug Lake Road by ATV for a total of 3 hours travel time per day.

Attached are two articles taken from Ontario Geological Survey, Report 5522 and Report 5718. These two articles explain reasons for staking of this property.


Six days were spent of prospecting to learn the area and discover areas of interest.

Eight days were spent of cutting and marking of base line and three intersecting lines. Base line was started on the west edge of claim 1221034 and continued through claim 1221035 and into claim 1221036. Intersecting lines were marked and started from base line and continued south for 220 metres on claim 1221034.

Eight days were spent on manual stripping on selected areas of claims 1221034, 1221035, and 1221036 to expose bed rock for detailed examination.

Geologist Alisdair Mowat spent two days on the claims to verify targets of interest.

Rock samples were taken from various areas and assayed in an effort to narrow the target area. A total of 44 samples were taken and assayed over the course of exploration of the claims. At this time the assay results are not ready for publication as more samples are required to verify the value of these claims.



## F 4 GRAPHIC LAKE

COMMODITY: Flagstone

STATUS: Occurrence

LOCATION: 52 E/9 SE

The deposit is located in north-western Work Township, District of Kenora  
49°36'12" North Latitude 94°04'26" West Longitude  
UTM Grid 422350mE 5494850mN Zone 15.  
Sample 83-70 was used as a location point.

ACCESS: The area is crossed by Highway 71 and an old logging road.

DESCRIPTION: Geological Setting: The area is underlain by metasediments and minor metavolcanics intruded by granitoid rocks.

Previous Geological Work: The area has been mapped by Suffel (1931) who described the rocks as "gneissoid biotite schist."

Geology: The rock is a well foliated dark grey biotite bearing metasandstone. The foliation trends 060° to 065° and dips vertically. The metasediment splits into slabs as thin as 6 mm in the outcrops exposed along the highway. There is a narrow unit of amphibolite interpreted as mafic metavolcanic by Blackburn et al (1981) along the south margin of the metasediment belt. Both this rock and the metasediments split to flagstone. Rocks in the area to the east of the highway including the amphibolite do not split as thinly; most slabs here are 1 to 2 cm. The contact of amphibolite with granitoid rocks of the Dryberry Batholith marks the south boundary of the flagstone. There are numerous white or light pink muscovite-quartz-feldspar pegmatites cutting the amphibolite near the contact zone. Both the amphibolite and the biotite metasediment show a rusty colour on the foliation surfaces. The colour of the fresh surface varies from light grey, with black biotite layers, to dark grey and black in the amphibolite. There is incipient gneissic layering developed in most of the metasediment. Often the rock splits along the biotite layers. The flagstone material is limited to an area between the north end of Graphic Lake and the contact with the Dryberry Batholith. To the north towards Gibi Lake the metasediments continue but are not fissile.


HISTORY: There has been no recorded quarrying of this rock.

REFERENCES: NTS Map 52E/9

Blackburn, C. E., Beard, R.C. and Rivett, S.  
 1981: Kenora-Fort Frances Geological Compilation  
 Series; Ontario Geological Survey, Map 2443  
 Scale 1:253 440.

Suffel, G.G.

1931: Geology of the Bigstone Bay Area, Lake of the Woods, District of Kenora; Ontario Department of Mine Annual Report, Volume 39 part. 3 for 1930 p57 to 71.



#### LEGEND

- 3 Granitoid Rocks
- 2 Metasediments
- 1 Metavolcanics

Figure 13 Graphic Lake Area

## PG 4 GRAPHIC LAKE

COMMODITY: Rare elements

GROUP: Rare element

STATUS: Occurrence

LOCATION: NTS 52E/9 SE Work Township, District of Kenora.  
49°36'30" North Latitude, 94°03'24" West Longitude  
UTM Grid 423650mE, 5495450mN Zone 15.  
The largest pegmatite in the east part of the group was used as a location point.

ACCESS: The pegmatites are crossed by Highway 71; further access is provided by Graphic Lake and old logging roads (Figure 21).

DESCRIPTION: Geological Setting: The area is underlain by metasediments intruded by pink and white pegmatites.

Previous Geological Work: The area has been mapped by Trowell (1979, 1980) and in part by Suffel (1931).

Geology: A large number of white to pale pink pegmatites intrude the metasediments and metavolcanics in this area. They are roughly parallel to the foliation of the host rocks (040° to 050°). Rudimentary zoning is evident in one pegmatite observed near the south end of Graphic Lake, where small quartz segregations were observed. The remainder of the pegmatites are homogeneous but some of the large ones have minor replacement or fracture filling zones. The major minerals present are pale green muscovite, biotite, quartz, white to pale pink microcline and microcline graphic granite. Trowell (1979) tentatively identified beryl from some of these pegmatites. Xenoliths of the host rocks are common.

Chemistry: Samples of these pegmatites are included with the pegmatite reconnaissance work sample numbers 84-2001 to 2009, 84-2022 to 2030, 84-2075 to 2079 (Table 27). Samples of the metavolcanic host rock show elevated lithium values. One sample near the main dike contains 158 ppm and one at the south end of Graphic Lake contains 860 ppm.

HISTORY: The area was apparently staked and explored circa 1980 (old claim posts) but no information on this work is available.

REFERENCES: NTS Map 52E/9

Suffel, G. G.  
1931: Geology of the Bigstone Bay Area, Lake of the Woods.

District of Kenora Ontario Department of Mines Annual Report  
Vol. 39, p. 3 for 1930.

Trowell, N. F.

1979: Gibi Lake Area, District of Kenora; p.31-34 in Summary of Field Work, 1979 by the Ontario Geological Survey, edited by V. G. Milne, O.L. White, R. B. Barlow, and C. R. Kustra, Ontario Geological Survey, Miscellaneous Paper 90, 245p.

Trowell, N. F. Logothetis V., Caldwell, G. F.

1980: Gibi Lake Area, District of Kenora; p. 17-20 in Summary of Field Work, 1980, by the Ontario Geological Survey, edited by V. G. Milne, O.L. White, R. B. Barlow, J. A. Robertson and A. C. Colvine, Ontario Geological Survey, Miscellaneous Paper 96, 201p.





FIGURE 21. Graphic Lake Area





The centre of your map is in: Division: Kenora Township: WORK





**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 068986

Date: 27/08/02

FINAL

Page 1 of 4

Element. Method. Det.Lim. Units.	Al ICMS80 0.01 %	Ca ICMS80 0.01 %	Cr ICMS80 1 ppm	Fe ICMS80 0.01 %	K ICMS80 0.01 %	Li ICMS80 1 ppm	Mg ICMS80 0.01 %	Mn ICMS80 5 ppm	Na ICMS80 0.01 %	P ICMS80 50 ppm	S ICMS80 0.01 %	Sc ICMS80 0.1 ppm	Ti ICMS80 0.01 %	V ICMS80 1 ppm	Zn ICMS80 1 ppm	Zr ICMS80 0.5 ppm
1	6.31	0.13	3	0.91	0.95	52	0.02	2470	4.01	132	<0.01	2.4	<0.01	2	16	53.2
2	6.51	0.08	4	0.68	1.74	57	0.04	384	2.27	156	<0.01	2.5	<0.01	<1	33	6.3
3	6.80	0.11	2	0.75	2.93	52	0.03	1390	2.58	180	<0.01	1.8	<0.01	<1	11	11.5
4	6.21	0.17	4	0.54	2.19	51	0.03	997	3.71	211	<0.01	1.2	<0.01	<1	13	25.9
5	6.81	0.16	4	0.79	2.09	38	0.02	1050	3.94	292	<0.01	1.6	<0.01	<1	27	9.8
6	7.33	0.13	8	2.55	2.15	53	0.03	>10000	3.02	293	<0.01	11.2	<0.01	3	33	112
7	6.32	0.13	4	1.84	0.27	33	0.02	7110	5.35	161	<0.01	4.2	<0.01	1	24	117
*Dup 1	6.66	0.14	3	0.94	0.97	53	0.03	2510	4.14	137	<0.01	2.9	<0.01	1	16	57.3
*Blk BLANK	<0.01	<0.01	<1	<0.01	<0.01	<1	<0.01	<5	<0.01	<50	<0.01	<0.1	<0.01	<1	<1	<0.5
*Std SO3	3.23	14.86	21	1.54	1.23	10	5.16	528	0.76	455	0.14	4.7	0.15	33	46	56.9



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 068986

Date: 27/08/02

**FINAL**

Page 2 of 4

Element. Method. Det.Lim. Units.	Ag ICMS80 0.02 ppm	As ICMS80 0.2 ppm	Ba ICMS80 5 ppm	Be ICMS80 0.1 ppm	Bi ICMS80 0.04 ppm	Cd ICMS80 0.02 ppm	Ce ICMS80 0.05 ppm	Co ICMS80 0.1 ppm	Cs ICMS80 0.05 ppm	Cu ICMS80 0.5 ppm	Ga ICMS80 0.05 ppm	Ge ICMS80 0.1 ppm	Hf ICMS80 0.02 ppm	In ICMS80 0.02 ppm	La ICMS80 0.5 ppm	Lu ICMS80 0.01 ppm
1	0.38	2.3	<5	4.5	12.0	0.29	5.03	0.3	8.69	7.2	26.2	0.8	4.90	<0.02	2.0	0.56
2	0.12	1.6	<5	4.9	22.8	0.06	2.78	0.2	17.1	6.5	41.1	0.2	0.82	0.03	0.9	0.02
3	0.21	1.6	<5	4.7	0.77	0.18	4.67	0.2	8.12	5.4	25.4	0.2	0.97	<0.02	1.9	0.18
4	0.25	1.4	<5	5.6	6.73	0.22	3.08	0.2	12.2	4.8	27.0	0.2	1.94	<0.02	1.3	0.21
5	0.12	1.8	<5	5.0	5.59	0.10	1.87	0.3	15.3	7.6	26.2	0.5	0.97	<0.02	0.8	0.08
6	0.62	1.6	<5	4.7	11.9	1.07	14.7	0.2	12.5	7.5	32.3	1.8	10.3	<0.02	4.6	1.50
7	0.56	1.7	<5	4.2	11.5	0.69	7.41	0.3	4.54	6.9	27.3	0.8	9.74	<0.02	2.4	1.55
*Dup 1	0.37	2.6	<5	5.0	13.2	0.24	5.43	0.3	8.78	6.2	28.1	0.6	4.67	<0.02	2.2	0.67
*Blk BLANK	<0.02	<0.2	<5	<0.1	<0.04	<0.02	<0.05	<0.1	<0.05	<0.5	<0.05	<0.1	<0.02	<0.02	<0.5	<0.01
*Std SO3	0.63	1.1	271	0.8	0.04	0.26	32.6	5.4	1.07	15.4	6.45	0.1	1.46	0.03	15.8	0.25



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 068986 Date: 27/08/02

**FINAL**

Page 3 of 4

Element.	Mo ICMS80	(Nb) ICMS80	Ni ICMS80	Pb ICMS80	(Rb) ICMS80	Sb ICMS80	Se ICMS80	Sn ICMS80	Sr ICMS80	(Ta) ICMS80	Tb ICMS80	Te ICMS80	Th ICMS80	Tl ICMS80	U ICMS80	W ICMS80
Method.	0.05	0.1	0.5	0.5	0.2	0.05	0.2	0.1	0.5	0.05	0.05	0.02	0.2	0.02	0.1	
Det.Lim.																
Units.	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
1	1.78	87.1	3.2	31.5	174	0.50	0.2	2.4	1.6	9.23	0.58	<0.02	3.8	1.19	5.1	4.8
2	1.63	85.9	2.4	5.0	499	0.23	1.1	10.0	1.1	4.98	0.08	0.08	2.8	2.57	2.2	8.5
3	0.95	63.9	1.8	10.7	457	0.22	0.5	3.8	1.0	8.25	0.20	<0.02	3.5	3.06	3.8	5.2
4	1.07	53.9	1.4	7.6	306	0.15	<0.2	3.7	1.3	5.98	0.18	<0.02	3.6	2.15	2.8	5.3
5	1.62	26.4	2.4	5.5	366	0.22	0.8	3.6	0.8	2.57	0.10	<0.02	1.1	2.53	1.0	2.9
6	1.56	68.1	2.2	8.7	368	0.32	1.9	3.7	1.2	7.77	1.78	<0.02	8.9	2.48	11.9	6.1
7	1.80	119	2.0	2.8	39.2	0.16	1.5	1.1	1.1	12.6	1.44	<0.02	6.3	0.38	1.6	5.9
*Dup 1	1.68	81.6	2.9	35.7	185	0.40	<0.2	2.5	1.9	8.53	0.67	<0.02	4.4	1.16	5.5	4.9
*Blk BLANK	<0.05	<0.1	<0.5	<0.5	<0.2	<0.05	<0.2	<0.1	<0.5	<0.05	<0.05	<0.02	<0.2	<0.02	<0.1	<0.1
*Std SO3	1.56	6.2	13.1	15.0	36.0	0.18	1.0	0.7	226	0.39	0.51	<0.02	3.9	0.24	1.1	0.7



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 068986

Date: 27/08/02

**FINAL**

Page 4 of 4

Element.	Y	Yb
Method.	ICMS80	ICMS80
Det. Lim.	0.1	0.5
Units.	ppm	ppm
1	25.8	3.6
2	1.3	<0.5
3	6.7	1.2
4	5.3	1.3
5	2.9	0.5
6	66.7	10.3
7	53.4	10.0
*Dup 1	24.7	4.3
*Blk BLANK	<0.1	<0.5
*Std SO3	13.4	1.4



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069743

Date: 17/10/02

**FINAL**

Page 1 of 4

Element. Method. Det.Lim. Units.	Al ICMS70 0.01 %	B ICMS70 10 ppm	Ba ICMS70 5 ppm	Ca ICMS70 0.01 %	Cr ICMS70 1 ppm	Cu ICMS70 0.5 ppm	Fe ICMS70 0.01 %	K ICMS70 0.01 %	Li ICMS70 1 ppm	Mg ICMS70 0.01 %	Mn ICMS70 5 ppm	Na ICMS70 0.01 %	P ICMS70 50 ppm	S ICMS70 0.01 %	Sc ICMS70 0.1 ppm	Sr ICMS70 0.5 ppm
8	1.43	< 10	187	0.09	280	30.4	2.94	0.96	19	0.76	285	0.09	198	< 0.01	4.2	15.8
9 <i>&amp; NOT FOUND C-AHFHC</i>	3.78	< 10	6	0.17	242	948	6.52	0.03	17	3.16	970	0.02	121	0.05	1.4	1.9
10	0.26	< 10	10	0.46	325	11.7	1.28	0.02	< 1	0.10	126	0.03	148	< 0.01	0.3	47.8
11	1.44	< 10	132	1.06	153	18.9	4.66	0.62	8	0.46	348	0.07	344	0.01	1.7	45.5
12	1.05	< 10	51	0.84	161	25.4	6.52	0.22	3	0.33	166	0.10	828	0.02	1.7	22.7
13	0.78	< 10	17	0.29	121	125	4.12	0.11	3	0.28	153	0.02	763	0.15	1.4	53.8
14	1.77	< 10	92	0.95	158	11.7	2.93	0.60	12	0.47	330	0.08	428	< 0.01	1.6	137
15	1.30	< 10	115	0.09	55	10.6	2.14	0.94	16	0.61	94	0.05	318	< 0.01	2.1	6.9
*Dup 9	3.88	< 10	6	0.18	247	946	6.52	0.03	17	3.21	985	0.02	120	0.05	1.5	2.0
*Blk BLANK	< 0.01	< 10	< 5	< 0.01	< 1	< 0.5	< 0.01	< 0.01	< 1	< 0.01	< 5	< 0.01	< 50	< 0.01	< 0.1	< 0.5
*Std XRAL01	0.74	< 10	118	0.84	257	71.3	3.03	0.09	10	0.81	523	0.05	1120	0.07	1.8	41.6



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069743

Date: 17/10/02

**FINAL**

Page 2 of 4

Element.	Ti ICMS70	V ICMS70	Zn ICMS70	Zr ICMS70
Method.	0.01	1	1	0.5
Det.Lim.				
Units.	%	ppm	ppm	ppm
8	0.10	46	40	9.3
9	0.09	109	89	<0.5
10	<0.01	5	8	1.5
11	0.06	23	21	2.5
12	0.04	29	13	2.0
13	0.01	18	12	2.3
14	0.04	16	30	2.5
15	0.10	25	49	6.9
*Dup 9	0.10	112	90	<0.5
*Blk BLANK	<0.01	<1	<1	<0.5
*Std XRAL01	0.04	25	76	4.8



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069913

Date: 04/10/02

**FINAL**

Page 1 of 4

Element. Method. Det.Lim. Units.	Al ICMS70 0.01 %	As ICMS70 0.1 ppm	B ICMS70 10 ppm	Ba ICMS70 5 ppm	Ca ICMS70 0.01 %	Co ICMS70 0.1 ppm	Cr ICMS70 1 ppm	Cu ICMS70 0.5 ppm	Fe ICMS70 0.01 %	K ICMS70 0.01 %	Li ICMS70 1 ppm	Mg ICMS70 0.01 %	Mn ICMS70 5 ppm	Na ICMS70 0.01 %	Ni ICMS70 0.5 ppm	P ICMS70 50 ppm
16	2.12	75.4	<10	244	0.10	12.4	243	25.0	3.65	1.58	33	1.23	298	0.05	36.3	407
17	0.24	15.5	<10	<5	<0.01	0.5	287	8.6	0.33	0.21	2	<0.01	56	0.05	6.5	<50
18	0.09	9.4	<10	<5	0.01	0.5	217	4.4	0.24	0.06	1	<0.01	34	0.02	4.5	<50
19	0.22	1.3	<10	<5	0.01	0.5	258	4.4	0.30	0.20	6	<0.01	85	0.06	6.1	<50
20	0.11	2.6	<10	<5	<0.01	0.3	169	3.1	0.22	0.07	2	<0.01	187	0.04	3.2	<50
21	0.19	0.2	<10	<5	0.01	0.4	268	4.0	0.29	0.12	6	<0.01	110	0.08	6.1	<50
22	1.37	1.2	<10	115	0.09	8.7	277	11.0	2.48	0.75	22	0.86	228	0.03	33.9	393
23	0.07	<0.1	<10	6	0.02	1.3	480	8.0	0.55	0.03	3	0.04	55	<0.01	12.0	62
24	0.12	0.6	<10	<5	<0.01	0.4	207	4.2	0.25	0.07	2	<0.01	158	0.06	4.2	<50
25	0.22	0.2	<10	<5	0.02	0.5	239	4.8	0.34	0.08	2	<0.01	336	0.10	6.1	53
26	0.10	0.6	<10	<5	<0.01	0.4	158	3.1	0.24	0.06	<1	<0.01	182	0.04	3.4	<50
*Dup 16	2.11	76.9	<10	247	0.11	12.2	247	24.7	3.56	1.65	33	1.27	311	0.05	35.9	410
*Blk BLANK	<0.01	<0.1	<10	<5	<0.01	<0.1	<1	<0.5	<0.01	<0.01	<1	<0.01	<5	<0.01	<0.5	<50
*Std XRAL01	0.74	471	<10	121	0.84	502	260	70.8	3.18	0.09	10	0.85	532	0.05	686	1230



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 069913

Date: 04/10/02

**FINAL**

Page 2 of 4

Element. Method. Det.Lim. Units.	Pb ICMS70 0.2 ppm	S ICMS70 0.01 %	Sr ICMS70 0.5 ppm	Ti ICMS70 0.01 %	V ICMS70 1 ppm	Y ICMS70 0.05 ppm	Zn ICMS70 1 ppm	Zr ICMS70 0.5 ppm
16	203	0.07	4.1	0.20	94	2.14	101	3.1
17	61.8	0.03	1.3	<0.01	5	0.61	37	1.8
18	23.0	<0.01	1.1	<0.01	6	0.32	10	1.4
19	6.3	<0.01	0.7	<0.01	4	0.97	12	1.9
20	9.4	<0.01	<0.5	<0.01	5	4.15	7	2.6
21	4.0	<0.01	0.6	<0.01	4	1.67	7	5.2
22	4.9	0.01	3.7	0.09	55	2.30	36	2.1
23	1.5	<0.01	1.3	<0.01	9	0.35	6	2.5
24	3.8	<0.01	0.7	<0.01	6	2.11	10	2.0
25	8.5	<0.01	1.0	<0.01	4	5.45	17	5.5
26	5.6	<0.01	0.5	<0.01	4	3.56	12	4.4
*Dup 16	202	0.07	4.2	0.21	93	2.18	104	3.1
*Blk BLANK	<0.2	<0.01	<0.5	<0.01	<1	<0.05	<1	<0.5
*Std XRAL01	21.5	0.07	39.6	0.04	27	8.19	77	6.4



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 070445 Date: 22/11/02

**FINAL**

Page 1 of 4

Element. Method. Det.Lim. Units.	Al ICMS80 0.01	Ba ICMS80 5	Ca ICMS80 0.01	Cr ICMS80 1	Cu ICMS80 0.5	Fe ICMS80 0.01	K ICMS80 0.01	Li ICMS80 1	Mg ICMS80 0.01	Mn ICMS80 5	Na ICMS80 0.01	Ni ICMS80 0.5	P ICMS80 50	Pb ICMS80 0.5	S ICMS80 0.01	Sc ICMS80 0.1
	%	ppm	%	ppm	ppm	%	%	ppm	%	ppm	%	ppm	ppm	ppm	%	ppm
16	7.58	352	1.69	290	28.0	3.84	1.80	27	1.32	593	2.05	45.3	478	239	0.08	13.5
17	6.85	6	0.05	229	11.8	0.61	4.24	19	0.03	233	1.98	8.0	112	58.7	0.03	3.3
18	4.02	<5	0.05	81	6.0	0.45	1.00	16	0.03	139	1.50	5.7	146	23.7	<0.01	0.4
19	7.15	<5	0.09	210	5.9	0.53	4.30	37	0.03	451	2.25	6.9	180	12.5	<0.01	2.3
20	7.43	<5	0.08	162	7.1	0.61	3.45	23	0.02	2000	2.99	4.9	153	8.5	<0.01	6.1
21	5.26	<5	0.09	137	6.8	0.53	1.81	47	0.03	794	2.69	6.7	114	1.1	<0.01	2.0
22	4.08	294	0.42	369	13.8	2.68	1.14	23	0.92	301	0.50	43.2	437	10.4	0.01	8.9
23	0.27	16	0.04	234	8.9	0.59	0.09	4	0.05	59	0.04	14.2	60	2.3	<0.01	0.3
24	5.27	<5	0.09	103	5.8	0.50	1.28	8	0.01	1220	3.73	4.4	77	1.3	<0.01	0.2
25	5.60	<5	0.17	153	8.4	0.77	0.94	14	0.03	2420	3.69	7.2	158	0.9	<0.01	2.0
26	5.18	6	0.10	75	5.8	0.53	3.21	6	0.01	2090	3.04	3.9	106	8.7	<0.01	2.0
*Dup 16	7.70	337	1.70	270	29.2	3.93	1.81	27	1.34	595	2.12	43.7	467	235	0.08	12.9
*Blk BLANK	<0.01	<5	<0.01	<1	<0.5	<0.01	<0.01	<1	<0.01	<5	<0.01	<0.5	<50	<0.5	<0.01	<0.1
*Std SO3	3.32	265	14.93	24	15.6	1.56	1.23	10	5.08	536	0.75	13.0	448	11.4	0.02	4.8



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 070445

Date: 22/11/02

FINAL

Page 2 of 4

Element.	Sr ICMS80	Ti ICMS80	V ICMS80	Zn ICMS80	Zr ICMS80
Method.	0.5	0.01	1	1	0.5
Det.Lim.	ppm	%	ppm	ppm	ppm
Units.					
16	193	0.33	104	110	86.4
17	13.2	0.02	7	48	7.1
18	7.2	<0.01	13	28	6.7
19	8.7	<0.01	6	29	7.7
20	9.4	<0.01	8	20	37.7
21	4.3	<0.01	6	23	15.9
22	79.2	0.20	81	46	49.3
23	4.9	<0.01	14	8	3.9
24	6.4	<0.01	8	17	18.9
25	3.8	<0.01	6	27	38.2
26	7.1	<0.01	8	20	30.9
*Dup 16	199	0.34	99	109	84.3
*Blk BLANK	<0.5	<0.01	<1	<1	<0.5
*Std SO3	232	0.17	33	45	55.2



Member of the SGS Group (Société Générale de Surveillance)



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 070445 Date: 22/11/02

**FINAL**

Page 3 of 4

Element. Method. Det.Lim. Units.	Ag ICMS80 0.02 ppm	As ICMS80 0.2 ppm	Be ICMS80 0.1 ppm	Bi ICMS80 0.04 ppm	Cd ICMS80 0.02 ppm	Ce ICMS80 0.05 ppm	Co ICMS80 0.1 ppm	Cs ICMS80 0.05 ppm	Ga ICMS80 0.05 ppm	Ge ICMS80 0.1 ppm	Hf ICMS80 0.02 ppm	In ICMS80 0.02 ppm	La ICMS80 0.5 ppm	Lu ICMS80 0.01 ppm	Mo ICMS80 0.05 ppm	Nb ICMS80 0.1 ppm
16	1.29	89.9	1.2	0.31	1.02	49.8	11.9	4.86	16.2	0.1	2.09	0.05	27.8	0.10	1.99	7.5
17	0.21	20.1	2.5	90.6	0.45	1.84	0.5	24.7	38.5	<0.1	0.36	0.03	0.5	0.02	1.86	101
18	0.04	8.7	3.1	16.7	0.39	1.00	0.4	26.4	28.4	<0.1	0.28	<0.02	<0.5	<0.01	1.09	39.9
19	<0.02	1.8	1.7	2.29	0.27	1.89	0.4	25.7	24.4	<0.1	0.36	<0.02	0.7	0.05	1.62	58.5
20	<0.02	2.6	2.2	2.97	0.32	17.9	0.3	19.3	27.8	<0.1	2.04	<0.02	6.1	0.98	1.08	175
21	<0.02	0.7	2.6	4.30	0.22	3.90	0.4	12.7	26.7	<0.1	0.94	<0.02	1.4	0.11	1.57	90.5
22	<0.02	1.8	0.4	0.30	0.08	29.7	7.8	2.67	8.28	<0.1	0.86	<0.02	16.1	0.04	2.71	5.0
23	<0.02	0.3	<0.1	0.14	<0.02	1.72	1.1	0.29	0.73	<0.1	0.03	<0.02	0.8	<0.01	2.80	0.9
24	<0.02	0.3	2.4	0.09	0.51	6.30	0.3	9.18	30.6	<0.1	1.80	<0.02	2.0	0.02	0.89	88.4
25	<0.02	<0.2	2.1	0.98	0.37	10.8	0.5	4.76	25.4	<0.1	1.77	<0.02	4.2	0.36	1.45	176
26	<0.02	<0.2	2.0	1.45	0.28	12.2	0.3	8.23	22.8	<0.1	1.55	<0.02	4.4	0.41	0.71	119
*Dup 16	1.13	86.8	1.2	0.33	0.95	49.0	11.7	4.86	15.5	0.2	2.09	0.05	27.1	0.10	1.80	7.0
*Blk BLANK	<0.02	<0.2	<0.1	<0.04	<0.02	<0.05	<0.1	<0.05	<0.05	<0.1	<0.02	<0.02	<0.5	<0.01	<0.05	<0.1
*Std SO3	0.12	2.3	0.7	0.05	0.18	30.2	5.1	0.95	5.91	<0.1	1.10	0.02	16.1	0.17	0.55	6.0



**XRAL Laboratories**  
A Division of SGS Canada Inc.

Work Order: 070445

Date: 22/11/02

**FINAL**

Page 4 of 4

Element. Method. Det.Lim. Units.	Rb ICMS80 0.2 ppm	Sb ICMS80 0.05 ppm	Se ICMS80 2 ppm	Sn ICMS80 0.1 ppm	Ta ICMS80 0.05 ppm	Te ICMS80 0.2 ppm	Th ICMS80 0.2 ppm	Tl ICMS80 0.02 ppm	U ICMS80 0.1 ppm	W ICMS80 0.1 ppm	Y ICMS80 0.1 ppm	Yb ICMS80 0.5 ppm
16	84.6	3.35	<2	0.7	1.05	<0.2	8.7	1.48	2.5	0.7	7.0	0.6
17	706	1.03	<2	8.0	13.7	<0.2	1.8	6.62	0.6	2.5	1.3	<0.5
18	348	0.42	<2	8.3	7.35	<0.2	1.1	2.37	0.6	1.5	1.0	<0.5
19	535	0.17	<2	5.1	7.91	<0.2	0.9	4.41	0.6	1.8	2.6	<0.5
20	509	0.19	<2	4.1	25.2	<0.2	6.8	4.50	1.1	2.2	27.1	5.9
21	259	0.11	<2	3.7	11.6	<0.2	1.9	2.09	1.9	2.1	6.9	0.7
22	51.9	0.13	<2	<0.1	0.52	<0.2	5.3	0.38	1.3	0.6	4.1	<0.5
23	4.7	0.14	<2	<0.1	0.07	<0.2	<0.2	0.04	<0.1	0.1	0.3	<0.5
24	338	0.12	<2	9.9	22.6	<0.2	2.4	2.01	0.3	1.2	7.5	<0.5
25	158	0.11	<2	4.8	13.9	<0.2	5.7	0.99	0.9	1.9	18.3	2.4
26	357	0.10	<2	3.7	11.1	<0.2	6.8	3.42	1.2	1.3	13.9	2.6
*Dup 16	83.3	3.33	<2	0.7	1.25	<0.2	8.8	1.49	2.6	0.7	6.9	0.6
*Blk BLANK	<0.2	<0.05	<2	<0.1	<0.05	<0.2	<0.2	<0.02	<0.1	<0.1	<0.1	<0.5
*Std SO3	33.7	0.23	<2	1.1	0.34	<0.2	3.1	0.24	0.9	0.3	14.8	1.1



Work Order: 073629

Date: 23/09/03

FINAL

Page 1 of 4

Element Method. Det.Lim. Units.	Au FA30P	Ag FA30G	Al ICMS80	Ba ICMS80	Ca ICMS80	Cr ICMS80	Cu ICMS80	Fe ICMS80	K ICMS80	Li ICMS80	Mg ICMS80	Na ICMS80	P ICMS80	S ICMS80	Sr ICMS80	Ti ICMS80
	ppb	g/ml	%	ppm	%	ppm	ppm	%	%	ppm	%	ppm	ppm	%	ppm	%
27	<1	--	8.70	1060	1.09	234	38.8	4.66	3.11	39	1.55	1.65	629	0.01	262	0.37
28	104	--	6.67	61	6.02	118	79.3	13.26	0.29	16	2.74	1.87	884	0.08	108	0.99
29	1	--	7.40	58	6.57	90	96.5	13.25	0.27	19	3.04	1.88	759	0.10	118	1.26
30	11	--	6.39	57	4.74	99	449	14.03	0.30	12	2.38	1.96	1270	0.10	123	1.19
31	<1	--	7.08	71	5.93	84	112	12.48	0.27	12	2.71	1.90	865	0.06	114	1.24
32 Ag FA40 LANTIC >10000	20.7	0.17	<5	0.03	288	>10000	8.52	<0.01	<1	0.10	0.02	689	>5.00	2.5	6.02	
*Dip 27 LANTC	<1	--	8.87	1070	1.13	202	40.1	1.78	3.15	38	1.56	1.67	634	0.02	269	0.37



Work Order: 073629

Date: 23/09/03

FINAL

Page 3 of 4

Element Method. Det. Lito. Units.	V	Zn	Zr	Ag	As	Be	Bi	Cd	Ce	Co	Cs	Ga	Ge	Hf	In	La
	ICMS80 1 ppm	ICMS80 1 ppm	ICMS80 0.5 ppm	ICMS80 0.02 ppm	ICMS80 0.2 ppm	ICMS80 0.1 ppm	ICMS80 0.04 ppm	ICMS80 0.02 ppm	ICMS80 0.05 ppm	ICMS80 0.1 ppm	ICMS80 0.05 ppm	ICMS80 0.1 ppm	ICMS80 0.1 ppm	ICMS80 0.02 ppm	ICMS80 0.02 ppm	ICMS80 0.1 ppm
27	122	81	95.3	0.12	<0.2	1.2	0.27	0.06	52.2	12.6	6.37	21.3	0.1	2.70	0.07	26.5
28	328	108	117	0.07	<0.2	0.9	0.12	0.16	24.7	47.9	2.08	20.3	0.3	3.56	0.13	9.4
29	557	144	97.6	0.08	<0.2	0.5	0.07	0.22	17.0	49.1	1.27	19.5	0.4	2.86	0.12	6.5
30	380	115	168	0.79	<0.2	0.7	0.12	0.19	28.6	39.4	1.51	21.5	0.5	4.94	0.22	10.7
31	441	155	111	0.11	<0.2	0.6	0.84	0.27	20.0	44.5	0.99	19.7	0.5	3.04	0.11	7.5
32	5	77	3.7	>10.0	0.8	<0.1	820	0.79	2.96	83.3	<0.05	1.0	<0.1	0.07	1.30	1.0
*Dup 27	120	80	93.3	0.16	<0.2	1.1	0.29	0.05	45.1	11.9	5.83	20.0	<0.1	2.35	0.06	23.7



Work Order: 073629

Date: 23/09/03

## FINAL

Page 3 of 4

Element Method Det.Lim. Units.	Lu ICMS80	Mo ICMS80	Nb ICMS80	Ni ICMS80	Pb ICMS80	Rb ICMS80	Sb ICMS80	Sc ICMS80	Sr ICMS80	Sn ICMS80	Ta ICMS80	Tb ICMS80	Te ICMS80	Th ICMS80	Tl ICMS80	U ICMS80
27	0.16	2.55	7.2	34.9	21.4	125	<0.05	17.5	<2	1.6	0.83	0.49	<0.05	11.7	0.84	3.4
28	0.78	0.63	1.2	42.2	3.1	13.3	0.90	41.6	<2	1.1	0.08	1.43	<0.05	0.9	0.09	0.2
29	0.59	0.95	3.9	59.9	2.4	14.3	1.03	40.4	<2	1.1	0.26	1.03	<0.05	0.7	0.08	0.2
30	0.93	1.33	8.7	89.7	6.7	14.2	0.63	37.7	<2	2.4	0.59	1.60	0.11	1.2	0.15	0.3
31	0.63	1.00	5.8	51.4	2.4	13.6	<0.05	38.1	<2	1.3	0.39	1.15	<0.05	0.7	0.11	0.2
32	0.03	7.94	0.2	166	6.2	0.5	0.10	1.5	<2	1.7	<0.05	9.15	34.3	<0.2	0.03	<0.1
*Dup 27	0.15	2.65	6.5	33.9	19.1	120	<0.05	16.1	<2	1.6	0.71	0.39	<0.05	11.4	0.85	3.4




Work Order: 073629

Date: 23/09/03

FINAL

Page 1 of 4

Element	W	Yb
Method	ICMS80	ICMS80
Det. Lim.	0.1	0.1
Units	ppm	ppm
27	2.6	1.1
28	<0.1	5.0
29	0.2	3.9
30	0.2	5.9
31	0.3	4.2
32	3.3	0.2
*Dup 27	2.4	1.0



A DIVISION OF ASSAY LABORATORY SERVICES INC.  
MINERAL ASSAY DIVISION



1070 LITHIUM DRIVE, UNIT 2  
PHONE (807) 626-1630 FAX (807) 623 6820

THUNDER BAY, ONTARIO P7B 6G3  
EMAIL accuracy@tbaytel.net WEB www.accurassay.com

## Certificate of Analysis

Friday, October 03, 2003

Resky, Jim  
438 3rd St. North  
Kenora, ON, CA  
P9N2M1  
Ph#: (807) 468-7375  
Fax#: (807) 468-5302  
Email

Date Received : 26-Sep-03

Date Completed : 03-Oct-03

Job # 200341384

Reference :

Sample #: 12 Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
59287	33	11	<0.001	0.011
59288	34	<5	<0.001	<0.005
59289	35	<5	<0.001	<0.005
59290	36	<5	<0.001	<0.005
59291	37	<5	<0.001	<0.005
59292	38	<5	<0.001	<0.005
59293	39	<5	<0.001	<0.005
59294	40	<5	<0.001	<0.005
59295	41	<5	<0.001	<0.005
59296	42	<5	<0.001	<0.005
59297 Check	42	<5	<0.001	<0.005
59298	43	<5	<0.001	<0.005
59299	44	<5	<0.001	<0.005

PROCEDURE CODES: AL4A43, AL4ICPMA

Certified By:

Derek Demaniuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested

The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory

Page 1 of 1

AL903-0417-10/03/2003 02:21 PM

Resky, Jim

Date Created: 03-10-09 08:04 AM

Job Number: 200341384

Date Received: 9/26/2003

Number of Samples: 12

Type of Sample: Rock

Date Completed: 10/3/2003

Project ID:

\* The results included on this report relate only to the items tested

\* This Certificate of Analysis should not be reproduced except in full, without the written approval  
of the laboratory.

\*The methods used for these analysis are not accredited under ISO/IEC 17025

Page: 1

Accr. #	Client Tag	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sr ppm	Ti ppm	Tl ppm	V ppm	Y ppm	Zn ppm
59287	✓ 33 <1	2.92	22	N/A	374	7	0.87	<10	4	243	8	1.01	2.79	0.22	317	30	2.05	10	391	17	<10	<1	5.86	159	656	<1	<2	3	51	
59288	✓ 34 <1	2.98	7	N/A	243	4	0.31	<10	<1	270	3	0.44	3.40	0.02	<100	25	1.51	6	<100	12	<10	<1	5.00	60	<100	5	<2	1	30	
59289	35 <1	2.94	<3	N/A	576	4	1.29	<10	15	322	34	2.91	2.72	0.72	576	16	2.25	29	463	22	<10	<1	6.16	257	2345	<1	<2	7	114	
59290	✓ 36 <1	3.16	<3	N/A	230	3	0.24	<10	<1	174	3	0.29	5.79	0.01	708	11	2.61	5	315	21	<10	<1	7.56	62	<100	8	<2	5	4	
59291	✓ 37 <1	3.07	<3	N/A	289	2	0.34	<10	<1	235	4	0.33	5.00	0.01	366	14	2.67	5	252	24	<10	<1	6.92	66	<100	4	<2	4	5	
59292	38 <1	2.93	<3	N/A	767	1	1.49	<10	13	508	12	3.33	3.02	0.89	592	15	2.51	23	560	28	<10	<1	7.59	304	2782	<1	<2	10	74	
59293	39 <1	2.81	<3	N/A	390	<1	5.35	<10	60	145	72	9.68	2.61	1.43	1575	21	2.86	50	883	19	<10	<1	>10.00	199	>4,000	<1	91	40	131	
59294	40 <1	2.90	<3	N/A	723	<1	0.93	<10	10	487	37	1.97	3.34	0.49	251	31	2.61	33	121	28	<10	5	>10.00	207	1245	<1	<2	4	25	
59295	41 <1	2.72	<3	N/A	250	<1	4.48	<10	53	85	58	8.66	1.54	1.29	1384	12	2.04	36	875	13	<10	<1	9.27	148	>4,000	<1	94	33	116	
59296	42 <1	2.88	<3	N/A	576	<1	1.30	<10	15	323	28	2.15	2.70	0.59	335	17	2.45	39	406	19	<10	<1	8.44	331	1792	<1	<2	8	56	
59297	42 <1	2.91	<3	N/A	537	<1	1.22	<10	13	308	26	2.03	2.51	0.56	316	15	2.29	37	395	17	<10	<1	7.68	309	1706	<1	<2	7	54	
59298	✓ 43 <1	2.87	<3	N/A	133	3	0.25	<10	<1	196	2	0.36	1.96	0.01	640	10	2.32	5	329	12	<10	2	5.87	33	<100	5	<2	5	7	
59299	✓ 44 <1	3.01	<3	N/A	213	2	0.31	<10	<1	226	5	0.43	3.58	0.03	225	17	2.16	6	<100	10	<10	<1	8.63	45	130	2	<2	3	27	

Certified By:  
Derek Demianiuk, H.Bsc.

Work Report Summary

Transaction No: W0410.00224 Status: APPROVED  
Recording Date: 2004-FEB-06 Work Done from: 2002-JUN-06  
Approval Date: 2004-MAY-30 to: 2003-OCT-15

Client(s):  
392655 RESKY, JAMES DANIEL

## Survey Type(s):

ASSAY LC PROSP

Work Report Details:

Claim#	Perform	Perform Approve	Applied	Applied Approve	Assign	Assign Approve	Reserve	Reserve Approve	Due Date
K 1221034	\$0	\$1,986	\$800	\$800	\$0	1,186	\$0	\$0	2006-FEB-07
K 1221035	\$0	\$1,986	\$800	\$800	\$0	1,186	\$0	\$0	2006-FEB-07
K 1221036	\$5,677	\$0	\$1,600	\$1,600	\$4,000	0	\$77	\$0	2006-FEB-07
K 1221037	\$0	\$1,705	\$1,600	\$1,600	\$0	28	\$0	\$77	2006-FEB-07
K 1221266	\$0	\$0	\$800	\$800	\$0	0	\$0	\$0	2006-FEB-07
	\$5,677	\$5,677	\$5,600	\$5,600	\$4,000	\$2,400	\$77	\$77	

External Credits: \$0

Reserve:  
\$77 Reserve of Work Report#: W0410.00224

\$77 Total Remaining

Status of claim is based on information currently on record.



52E09SE2007 2.27148 WORK

900

Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines

Date: 2004-JUN-02



GEOSCIENCE ASSESSMENT OFFICE  
933 RAMSEY LAKE ROAD, 6th FLOOR  
SUDBURY, ONTARIO  
P3E 6B5

JAMES DANIEL RESKY  
422 2ND ST. SOUTH  
KENORA, ONTARIO  
P9N 1G6 CANADA

Tel: (888) 415-9845  
Fax:(877) 670-1555

Dear Sir or Madam

**Submission Number:** 2.27148  
**Transaction Number(s):** W0410.00224

**Subject: Approval of Assessment Work**

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

The revisions outlined in the Notice dated April 15, 2004 have in part been corrected. The work report has been much improved. Accordingly, assessment work credit has been approved as outlined on the Declaration of Assessment Work Form that accompanied this submission.

Prior to any future assessment work submissions refer to the regulations regarding the necessary reporting requirements.

If you have any question regarding this correspondence, please contact BRUCE GATES by email at bruce.gates@ndm.gov.on.ca or by phone at (705) 670-5856.

Yours Sincerely,

A handwritten signature in black ink, appearing to read 'R. Denomme'.

Roy Denomme  
Senior Manager(A), Mining Lands Section

**Cc:** Resident Geologist

James Daniel Resky  
(Claim Holder)

Assessment File Library

James Daniel Resky  
(Assessment Office)


Date / Time of Issue: Tue Jun 29 15:50:39 EDT 2004

**TOWNSHIP / AREA PLAN  
WORK****G-1360****ADMINISTRATIVE DISTRICTS / DIVISIONS**

**Mining Division** Kenora  
**Land Titles/Registry Division** KENORA  
**Ministry of Natural Resources District** KENORA

**TOPOGRAPHIC**

Land Tenure	
Fewhold Patent	<input type="checkbox"/> Surface And Mining Rights <input checked="" type="checkbox"/> Surface Rights Only <input type="checkbox"/> Mining Rights Only
Landed Patent	<input type="checkbox"/> Surface And Mining Rights <input checked="" type="checkbox"/> Surface Rights Only <input type="checkbox"/> Mining Rights Only
Concession	<input type="checkbox"/> Licence of Occupation <input type="checkbox"/> Open Not Specified <input type="checkbox"/> Surface And Mining Rights <input type="checkbox"/> Surface Rights Only <input type="checkbox"/> Mining Rights Only
Min Shfts	<input type="checkbox"/> Open Not Specified <input type="checkbox"/> Surface And Mining Rights <input type="checkbox"/> Surface Rights Only <input type="checkbox"/> Mining Rights Only
Min Headcrns	<input type="checkbox"/> Open Not Specified <input type="checkbox"/> Surface And Mining Rights <input type="checkbox"/> Surface Rights Only <input type="checkbox"/> Mining Rights Only
Railway	<input type="checkbox"/> Order In Council (Not open for bidding) <input type="checkbox"/> Water Power Lease Agreement
Road	<input type="checkbox"/> Mining Claim <input type="checkbox"/> Filed Only Mining Claims
Trail	
Natural Gas Pipeline	
Utility	
Tower	

**IMPORTANT NOTICES****LAND TENURE WITHDRAWALS**

Identifier	Type	Date	Description
822	Wmin	Jan 1, 2004	MINE RESERVE 1224
823	Wmin	Jan 1, 2004	MINE RESERVE 1224
824	Wmin	Jan 1, 2004	MINE RESERVE 1224
825	Wmin	Jan 1, 2004	MINE RESERVE 1224
826	Wmin	Jan 1, 2004	MINE RESERVE 1224
827	Wmin	Jan 1, 2004	MINE RESERVE 1224
828	Wmin	Jan 1, 2004	MINE RESERVE 1224
829	Wmin	Jan 1, 2004	MINE RESERVE 1224
830	Wmin	Jan 1, 2004	MINE RESERVE 1224
831	Wmin	Jan 1, 2004	MINE RESERVE 1224
832	Wmin	Jan 1, 2004	MINE RESERVE 1224
833	Wmin	Jan 1, 2004	MINE RESERVE 1224
834	Wmin	Jan 1, 2004	MINE RESERVE 1224
835	Wmin	Jan 1, 2004	MINE RESERVE 1224
836	Wmin	Jan 1, 2004	MINE RESERVE 1224
837	Wmin	Jan 1, 2004	MINE RESERVE 1224
838	Wmin	Jan 1, 2004	MINE RESERVE 1224
839	Wmin	Jan 1, 2004	MINE RESERVE 1224
840	Wmin	Jan 1, 2004	MINE RESERVE 1224
841	Wmin	Jan 1, 2004	MINE RESERVE 1224
842	Wmin	Jan 1, 2004	MINE RESERVE 1224
843	Wmin	Jan 1, 2004	MINE RESERVE 1224
844	Wmin	Jan 1, 2004	MINE RESERVE 1224
845	Wmin	Jan 1, 2004	MINE RESERVE 1224
846	Wmin	Jan 1, 2004	MINE RESERVE 1224
847	Wmin	Jan 1, 2004	MINE RESERVE 1224
848	Wmin	Jan 1, 2004	MINE RESERVE 1224
849	Wmin	Jan 1, 2004	MINE RESERVE 1224
850	Wmin	Jan 1, 2004	MINE RESERVE 1224
851	Wmin	Jan 1, 2004	MINE RESERVE 1224
852	Wmin	Jan 1, 2004	MINE RESERVE 1224
853	Wmin	Jan 1, 2004	MINE RESERVE 1224
854	Wmin	Jan 1, 2004	MINE RESERVE 1224
855	Wmin	Jan 1, 2004	MINE RESERVE 1224
856	Wmin	Jan 1, 2004	MINE RESERVE 1224
857	Wmin	Jan 1, 2004	MINE RESERVE 1224
858	Wmin	Jan 1, 2004	MINE RESERVE 1224
859	Wmin	Jan 1, 2004	MINE RESERVE 1224
860	Wmin	Jan 1, 2004	MINE RESERVE 1224
861	Wmin	Jan 1, 2004	MINE RESERVE 1224
862	Wmin	Jan 1, 2004	MINE RESERVE 1224
863	Wmin	Jan 1, 2004	MINE RESERVE 1224
864	Wmin	Jan 1, 2004	MINE RESERVE 1224
865	Wmin	Jan 1, 2004	MINE RESERVE 1224
866	Wmin	Jan 1, 2004	MINE RESERVE 1224
867	Wmin	Jan 1, 2004	MINE RESERVE 1224
868	Wmin	Jan 1, 2004	MINE RESERVE 1224
869	Wmin	Jan 1, 2004	MINE RESERVE 1224
870	Wmin	Jan 1, 2004	MINE RESERVE 1224
871	Wmin	Jan 1, 2004	MINE RESERVE 1224
872	Wmin	Jan 1, 2004	MINE RESERVE 1224
873	Wmin	Jan 1, 2004	MINE RESERVE 1224
874	Wmin	Jan 1, 2004	MINE RESERVE 1224
875	Wmin	Jan 1, 2004	MINE RESERVE 1224
876	Wmin	Jan 1, 2004	MINE RESERVE 1224
877	Wmin	Jan 1, 2004	MINE RESERVE 1224
878	Wmin	Jan 1, 2004	MINE RESERVE 1224
879	Wmin	Jan 1, 2004	MINE RESERVE 1224
880	Wmin	Jan 1, 2004	MINE RESERVE 1224
881	Wmin	Jan 1, 2004	MINE RESERVE 1224
882	Wmin	Jan 1, 2004	MINE RESERVE 1224
883	Wmin	Jan 1, 2004	MINE RESERVE 1224
884	Wmin	Jan 1, 2004	MINE RESERVE 1224
885	Wmin	Jan 1, 2004	MINE RESERVE 1224
886	Wmin	Jan 1, 2004	MINE RESERVE 1224
887	Wmin	Jan 1, 2004	MINE RESERVE 1224
888	Wmin	Jan 1, 2004	MINE RESERVE 1224
889	Wmin	Jan 1, 2004	MINE RESERVE 1224
890	Wmin	Jan 1, 2004	MINE RESERVE 1224
891	Wmin	Jan 1, 2004	MINE RESERVE 1224
892	Wmin	Jan 1, 2004	MINE RESERVE 1224
893	Wmin	Jan 1, 2004	MINE RESERVE 1224
894	Wmin	Jan 1, 2004	MINE RESERVE 1224
895	Wmin	Jan 1, 2004	MINE RESERVE 1224
896	Wmin	Jan 1, 2004	MINE RESERVE 1224
897	Wmin	Jan 1, 2004	MINE RESERVE 1224
898	Wmin	Jan 1, 2004	MINE RESERVE 1224
899	Wmin	Jan 1, 2004	MINE RESERVE 1224
900	Wmin	Jan 1, 2004	MINE RESERVE 1224
901	Wmin	Jan 1, 2004	MINE RESERVE 1224
902	Wmin	Jan 1, 2004	MINE RESERVE 1224
903	Wmin	Jan 1, 2004	MINE RESERVE 1224
904	Wmin	Jan 1, 2004	MINE RESERVE 1224
905	Wmin	Jan 1, 2004	MINE RESERVE 1224
906	Wmin	Jan 1, 2004	MINE RESERVE 1224
907	Wmin	Jan 1, 2004	MINE RESERVE 1224
908	Wmin	Jan 1, 2004	MINE RESERVE 1224
909	Wmin	Jan 1, 2004	MINE RESERVE 1224
910	Wmin	Jan 1, 2004	MINE RESERVE 1224
911	Wmin	Jan 1, 2004	MINE RESERVE 1224
912	Wmin	Jan 1, 2004	MINE RESERVE 1224
913	Wmin	Jan 1, 2004	MINE RESERVE 1224
914	Wmin	Jan 1, 2004	MINE RESERVE 1224
915	Wmin	Jan 1, 2004	MINE RESERVE 1224
916	Wmin	Jan 1, 2004	MINE RESERVE 1224
917	Wmin	Jan 1, 2004	MINE RESERVE 1224
918	Wmin	Jan 1, 2004	MINE RESERVE 1224
919	Wmin	Jan 1, 2004	MINE RESERVE 1224
920	Wmin	Jan 1, 2004	MINE RESERVE 1224
921	Wmin	Jan 1, 2004	MINE RESERVE 1224
922	Wmin	Jan 1, 2004	MINE RESERVE 1224
923	Wmin	Jan 1, 2004	MINE RESERVE 1224
924	Wmin	Jan 1, 2004	MINE RESERVE 1224
925	Wmin	Jan 1, 2004	MINE RESERVE 1224
926	Wmin	Jan 1, 2004	MINE RESERVE 1224
927	Wmin	Jan 1, 2004	MINE RESERVE 1224
928	Wmin	Jan 1, 2004	MINE RESERVE 1224
929	Wmin	Jan 1, 2004	MINE RESERVE 1224
930	Wmin	Jan 1, 2004	MINE RESERVE 1224
931	Wmin	Jan 1, 2004	MINE RESERVE 1224
932	Wmin	Jan 1, 2004	MINE RESERVE 1224
933	Wmin	Jan 1, 2004	MINE RESERVE 1224
934	Wmin	Jan 1, 2004	MINE RESERVE 1224
935	Wmin	Jan 1, 2004	MINE RESERVE 1224
936	Wmin	Jan 1, 2004	MINE RESERVE 1224
937	Wmin	Jan 1, 2004	MINE RESERVE 1224
938	Wmin	Jan 1, 2004	MINE RESERVE 1224
939	Wmin	Jan 1, 2004	MINE RESERVE 1224
940	Wmin	Jan 1, 2004	MINE RESERVE 1224
941	Wmin	Jan 1, 2004	MINE RESERVE 1224
942	Wmin	Jan 1, 2004	MINE RESERVE 1224
943	Wmin	Jan 1, 2004	MINE RESERVE 1224
944	Wmin	Jan 1, 2004	MINE RESERVE 1224
945	Wmin	Jan 1, 2004	MINE RESERVE 1224
946	Wmin	Jan 1, 2004	MINE RESERVE 1224
947	Wmin	Jan 1, 2004	MINE RESERVE 1224
948	Wmin	Jan 1, 2004	MINE RESERVE 1224
949	Wmin	Jan 1, 2004	MINE RESERVE 1224
950	Wmin	Jan 1, 2004	MINE RESERVE 1224
951	Wmin	Jan 1, 2004	MINE RESERVE 1224
952	Wmin	Jan 1, 2004	MINE RESERVE 1224
953	Wmin	Jan 1, 2004	MINE RESERVE 1224
954	Wmin	Jan 1, 2004	MINE RESERVE 1224
955	Wmin	Jan 1, 2004	MINE RESERVE 1224
956</td			