

52E10SW8544 2.11577 SHOAL LAKE

010

M. P. D. CONSULTANTS

(formerly 678620 Ontario Inc.)

MINE PLANNING & DEVELOPMENT

August 18, 1988

Teeshin Resources Ltd.
581 Argus Road, Suite 100
Oakville, Ontario
L6J 3J4

581 Argus Road
Suite 100
Oakville, ON
L6J 3J4

Box 684
Smithers, BC
V0J 2N0

Attention: A. M. de Quadros

Dear Mr. de Quadros,

Re: Shoal Lake and Squaw Lake Properties

Assay costs based on our invoices to you for the period January 1 to June 30, 1988 show the amount as \$7199.63.

These amounts have been paid in full by Teeshin Resources Ltd. Should you require any further information, you may contact the writer.

Yours truly
M.P.D. CONSULTANTS INC.


per: John W. Jones, Accountant

RECEIVED

SEP - 2 1988
AD

MINING LANDS SECTION

MEL DE QUADROS,
40 HOLWOOD AVENUE
TORONTO, ONTARIO
M6M 1P5

01 SEPTEMBER, 1988

MR. W. R. COWAN, MANAGER,
MINING LANDS SECTION,
MINES AND MINERALS SECTION,
WHITNEY BLOCK, ROOM 6610,
QUEEN'S PARK,
TORONTO, ONTARIO
M7A 1W3

Dear Sir,

YOUR LETTER DATED AUGUST 24TH, 1988

RE: REPORT OF WORK W8801-175

Attached please find two copies of the receipts and the results of the assaying of the drill core from the Squaw Lake Property. The logs for the three drill holes have been submitted to the Mining Recorder at Kenora, and these logs give the drill core intercept for each sample on these sheets, as well as the drill hole locations.

I wish to thank you for so kindly reminding us in such a timely fashion to submit the reports to you. It is amazing how quickly the sixty days go by.


Yours sincerely,

Mel de Quadros, Ph. D., P.Eng.,
Geologist.

M. P. D. CONSULTANTS INC.

(formerly 678620 Ontario Inc.)

MINE PLANNING & DEVELOPMENT

August 18, 1988

Teeshin Resources Ltd.
581 Argus Road, Suite 100
Oakville, Ontario
L6J 3J4

Attention: A. M. de Quadros

Dear Mr. de Quadros,

Re: Shoal Lake and Squaw Lake Properties

Assay costs based on our invoices to you for the period January 1 to June 30, 1988 show the amount as \$7199.63.


These amounts have been paid in full by Teeshin Resources Ltd. Should you require any further information, you may contact the writer.

Yours truly
M.P.D. CONSULTANTS INC.


per: John W. Jones, Accountant

581 Argus Road
Suite 100
Oakville, ON
L6J 3J4

Box 684
Smithers, BC
V0J 2N0



S



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

=====

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: MPD CONSULTING LTD.
ADDRESS: 100-581 Argus Rd.
: Oakville, Ont.
: L6J 3J4

DATE: July 7 1988

REPORT#: 880639 GA
JOB#: 880639

PROJECT#: None given
SAMPLES ARRIVED: June 30 1988
REPORT COMPLETED: July 7 1988
ANALYSED FOR: Ag Au (FA/AAS) ICP

INVOICE#: 880639 NA
TOTAL SAMPLES: 72
SAMPLE TYPE: 72 CORES/ROCKS
REJECTS: SAVED

SAMPLES FROM: Toronto, B.C.
COPY SENT TO: Oakville and Toronto office

PREPARED FOR: Mr. Mel de Quadros

ANALYSED BY: VGC Staff

SIGNED: _____


GENERAL REMARK: Invoice sent to Oakville office.



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1989 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 880639 GA

JOB NUMBER: 880639

MPD CONSULTING LTD.

PAGE 1 OF 2

SAMPLE #	Ag ppm	Au ppb
SQ 1	.4	50
SQ 2	.7	30
SQ 3	.4	nd
SQ 4	.1	5
SQ 03001	.4	50
SQ 03002	.4	nd
SQ 03003	.5	40
SQ 03004	.5	40
SQ 03005	.3	5
SQ 03006	.3	nd
SQ 03007	.4	nd
SQ 03008	.3	nd
SQ 03009	.2	nd
SQ 03010	.4	nd
SQ 03011	.4	nd
SQ 03012	.5	35
SQ 03013	.1	20
SQ 03014	.5	30
SQ 03015	.8	60
SQ 03016	1.7	80
SQ 03017	.6	10
SQ 03018	4.5	330
SQ 03019	.7	10
SQ 03020	.5	nd
SQ 03021	.5	nd
SQ 03022	.6	25
SQ 03023	2.2	470
SQ 03024	2.0	290
SQ 03025	.9	nd
SQ 03026	.4	nd
SQ 03027	1.4	150
SQ 03028	.4	nd
SQ 03029	.4	nd
SQ 03030	.1	60
SQ 03031	.8	170
SQ 03032	.7	30
SQ 03033	.8	nd
SQ 03034	.4	nd
SQ 03035	.3	nd

DETECTION LIMIT

0.1 5

nd = none detected

-- = not analysed

is = insufficient sample

*Sample locations on
DD logs on #8801-164
Report of Work
at A.F.R.O.*



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1928 Triumph Street
Vancouver, B.C. V5L 1K3
(604) 251-5655 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 880639 6A

JOB NUMBER: 880639

MPD CONSULTING LTD.

PAGE 2 OF 2

SAMPLE #	Ag ppm	Au ppb
SQ 03036	5.3	300
SQ 03037	.3	25
SQ 03038	1.6	30
SQ 03039	.7	20
SQ 03040	.2	20
SQ 03041	1.4	20
SQ 03042	1.7	nd
SQ 03043	.9	15
SQ 03044	1.5	nd
SQ 03045	1.9	nd
SQ 03046	1.0	nd
SQ 03047	1.0	nd
SQ 03048	3.1	65
SQ 03049	1.3	15
SQ 03050	1.0	nd
SQ 03051	.6	nd
SQ 03052	.5	30
SQ 03053	1.1	10
SQ 03054	1.3	15
SQ 03055	.7	nd
SQ 03056	.7	nd
SQ 03057	.8	nd
SQ 03058	.7	nd
SQ 03059	.6	nd
SQ 03060	.6	nd
SQ 03061	.6	15
SQ 03062	.6	40
SQ 03063	.5	nd
SQ 03064	.7	nd
SQ 03065	.4	nd
SQ 03066	.5	nd
SQ 03067	.5	nd
SQ 03068	.4	nd

DETECTION LIMIT 0.1 5

nd = none detected -- = not analysed is = insufficient sample

Sample Number	Ag	Al	As	Au	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Mg	Mn	Mo	Na	Ni	P	Pb	Pd	Pt	Sb	Se	Sr	U	V	Zn
	ppm	I	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	I	I	I	ppm	ppm	I	ppm	I	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
SO 1	0.1	>10.00	<3	<3	>1000	<3	0.53	0.6	6	57	13	1.20	0.04	0.34	104	<1	0.01	12	0.01	26	<3	<5	<2	<2	143	<5	<3	15
SO 2	0.4	4.61	13	<3	>1000	6	4.04	0.6	31	>1000	120	5.30	0.17	<0.01	1070	1	0.01	165	0.02	2	<3	<5	<2	10	46	<5	<3	44
SO 3	0.1	>10.00	<3	<3	>1000	<3	0.80	0.6	10	116	34	1.39	0.05	0.42	226	<1	0.01	15	0.03	18	<3	<5	<2	<2	282	<5	<3	10
SO 4	9.9	>10.00	<3	<3	>1000	73	6.13	2.5	67	23	169	>10.00	0.22	3.26	2036	<1	0.01	32	0.10	15	<3	<5	<2	33	212	<5	<3	143
SO 03001	0.1	>10.00	<3	<3	>1000	<3	1.39	0.4	9	87	37	1.61	0.08	0.38	209	<1	0.01	6	0.03	10	<3	<5	<2	<2	372	<5	<3	26
SO 03002	0.1	8.37	<3	<3	>1000	<3	1.48	0.3	6	48	14	1.30	0.00	0.31	226	<1	0.01	4	0.02	8	<3	<5	<2	<2	245	<5	<3	27
SO 03003	0.1	>10.00	<3	<3	>1000	<3	1.43	0.4	8	83	42	1.48	0.00	0.35	231	<1	0.01	5	0.03	6	<3	<5	<2	<2	260	<5	<3	30
SO 03004	0.1	>10.00	<3	<3	>1000	<3	1.48	0.3	8	64	12	1.45	0.00	0.33	266	<1	0.01	7	0.02	8	<3	<5	<2	<2	317	<5	<3	36
SO 03005	0.1	8.73	<3	<3	>1000	<3	1.99	0.4	6	59	26	1.70	0.10	0.39	329	<1	0.01	8	0.03	4	<3	<5	<2	<2	270	<5	<3	39
SO 03006	0.1	9.04	<3	<3	>1000	<3	1.48	0.3	5	66	18	1.31	0.00	0.29	286	<1	0.01	7	0.03	5	<3	<5	<2	<2	303	<5	<3	21
SO 03007	0.1	8.37	<3	<3	>1000	<3	2.07	0.4	5	59	14	1.09	0.10	0.23	292	<1	0.01	9	0.02	3	<3	<5	<2	<2	274	<5	<3	24
SO 03008	0.1	9.72	<3	<3	>1000	<3	2.09	0.4	4	51	7	1.08	0.10	0.29	337	<1	0.01	7	0.03	2	<3	<5	<2	<2	296	<5	<3	22
SO 03009	0.1	9.93	<3	<3	>1000	<3	0.74	0.1	1	71	2	0.33	0.03	0.07	86	<1	0.01	2	0.01	2	<3	<5	<2	<2	185	<5	<3	5
SO 03010	0.1	>10.00	<3	<3	>1000	<3	2.93	1.2	20	63	21	3.57	0.14	1.15	786	<1	0.01	37	0.04	3	<3	<5	<2	<2	305	<5	<3	113
SO 03011	6.1	>10.00	<3	<3	>1000	54	5.91	2.4	72	19	139	9.17	0.22	2.64	2042	<1	0.01	52	0.08	6	<3	<5	<2	23	220	<5	<3	180
SO 03012	8.9	9.59	<3	<3	>1000	61	5.91	2.5	74	46	128	8.41	0.24	3.09	1894	3	0.01	98	0.07	33	<3	<5	<2	27	188	<5	<3	171
SO 03013	7.1	>10.00	<3	<3	>1000	51	4.47	2.1	56	14	105	8.31	0.21	2.35	1680	1	0.01	26	0.08	24	<3	<5	<2	20	178	<5	<3	185
SO 03014	5.9	9.98	<3	<3	>1000	44	6.02	1.9	57	11	173	7.42	0.23	1.92	1629	1	0.01	23	0.09	23	<3	<5	<2	20	211	<5	<3	143
SO 03015	0.3	>10.00	<3	<3	427	<3	2.50	1.2	27	39	161	3.77	0.14	0.72	638	<1	0.01	10	0.09	20	<3	<5	<2	<2	310	<5	<3	31
SO 03016	6.2	>10.00	<3	<3	54	56	2.96	2.9	125	15	281	>10.00	0.13	1.87	1410	2	0.01	56	0.09	8	<3	<5	<2	15	164	<5	<3	123
SO 03017	5.2	>10.00	<3	<3	251	44	3.64	2.2	58	3	269	8.73	0.17	1.97	1510	<1	0.01	25	0.10	17	<3	<5	<2	11	263	<5	<3	131
SO 03018	9.1	>10.00	<3	<3	79	73	1.96	3.4	142	3	2668	>10.00	0.13	2.33	1697	2	0.01	65	0.08	9	<3	<5	<2	15	160	<5	<3	174
SO 03019	1.2	>10.00	<3	<3	>1000	<3	1.41	1.2	26	61	115	3.23	0.10	0.80	479	1	0.01	15	0.06	32	<3	<5	<2	<2	301	<5	<3	56
SO 03020	0.9	8.28	43	<3	>1000	<3	1.60	0.7	11	37	<1	1.51	0.12	0.27	291	3	0.01	8	0.03	38	<3	<5	<2	<2	270	<5	<3	21
SO 03021	0.1	7.81	148	<3	>1000	<3	1.35	0.5	10	54	28	1.19	0.11	0.26	257	2	0.01	6	0.03	25	<3	<5	<2	<2	181	<5	<3	17
SO 03022	2.2	9.82	28	<3	136	8	1.78	1.4	34	22	293	4.97	0.12	0.86	393	2	0.01	5	0.15	25	<3	<5	<2	2	120	<5	<3	57
SO 03023	0.9	5.32	>2000	<3	151	8	>10.00	0.1	33	7	65	4.06	0.28	1.56	2352	5	0.01	5	0.06	82	<3	<5	<2	11	290	<5	<3	94
SO 03024	4.5	>10.00	24	<3	150	45	2.95	2.3	54	10	637	9.05	0.14	1.31	1823	2	0.01	1	0.25	31	<3	<5	<2	5	250	<5	<3	97
SO 03025	4.6	>10.00	<3	<3	>1000	35	3.46	2.1	44	7	165	7.77	0.19	1.23	1290	2	0.01	1	0.23	37	<3	<5	<2	12	332	<5	<3	93
SO 03026	5.2	>10.00	<3	<3	>1000	38	3.37	2.1	41	16	129	7.67	0.19	1.52	1569	3	0.01	10	0.21	67	<3	<5	<2	14	233	<5	<3	117
SO 03027	4.2	>10.00	<3	<3	50	48	2.26	2.7	188	10	220	>10.00	0.15	1.43	1186	3	0.01	6	0.19	21	<3	<5	<2	6	217	<5	<3	106
SO 03028	9.9	6.24	30	<3	>1000	68	5.40	2.1	73	15	157	8.14	0.23	2.41	1885	4	0.01	5	0.08	30	<3	<5	<2	36	146	<5	<3	127
SO 03029	9.3	6.73	44	<3	>1000	62	5.49	2.1	81	8	93	7.95	0.22	2.54	1725	4	0.01	3	0.09	28	<3	<5	<2	33	141	<5	<3	119
SO 03030	6.6	9.61	22	<3	>1000	35	6.17	2.2	80	1	122	9.06	0.23	2.62	1847	3	0.01	4	0.07	28	<3	<5	<2	21	147	<5	<3	159
SO 03031	6.1	9.80	47	<3	327	58	8.90	2.5	97	1	465	>10.00	0.24	3.11	2357	3	0.01	4	0.06	22	<3	<5	<2	19	193	<5	<3	161
SO 03032	6.9	9.35	29	<3	>1000	59	5.11	2.4	104	1	279	9.70	0.22	2.85	1738	3	0.01	6	0.07	24	<3	<5	<2	20	123	<5	<3	165
SO 03033	6.9	8.21	<3	<3	625	53	4.57	2.1	81	11	294	9.43	0.21	2.66	1583	4	0.01	34	0.05	21	<3	<5	<2	21	134	<5	<3	119
SO 03034	7.9	8.59	<3	<3	>1000	61	4.67	2.1	81	3	191	9.14	0.21	2.78	1496	3	0.01	38	0.05	21	<3	<5	<2	23	117	<5	<3	130
SO 03035	7.2	7.63	23	<3	>1000	54	5.19	2.1	77	30	96	7.70	0.22	2.88	1684	5	0.01	14	0.07	26	<3	<5	<2	26	167	<5	<3	124

Minimum Detection 0.1 0.01 3 3 1 3 0.01 0.1 1 1 1 0.01 0.01 0.01 1 1 0.01 1 0.01 2 3 5 2 2 1 5 3 1
 Maximum Detection 50.0 10.00 2000 100 1000 1000 10.00 1000.0 20000 1000 20000 10.00 10.00 10.00 20000 1000 10.00 20000 10.00 20000 100 100 2000 1000 10000 100 1000 20000
 (= Less than Minimum is = Insufficient Sample ns = No sample) = Greater than Maximum AuFA = Five assay/AAS

Sample Number	Ag	Al	As	Au	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	Hg	Mn	Mo	Na	Ni	P	Pb	Pd	Pt	Sb	Se	Sr	U	V	Zn
	ppm	I	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	ppm	I	I	I	ppm	ppm	I	ppm	I	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
90 03036	5.2	7.93	19	<3	683	54	5.50	2.4	142	6	1071	>10.00	0.23	3.16	1062	2	0.01	36	0.06	19	<3	<5	<2	22	106	<5	<3	141
90 03037	5.5	9.90	9	<3	>1000	46	5.25	1.9	74	2	120	0.53	0.22	2.97	1710	1	0.01	15	0.07	22	<3	<5	<2	25	162	<5	<3	132
90 03038	9.3	>10.00	<3	<3	178	67	6.66	3.1	120	6	487	>10.00	0.24	3.22	2290	1	0.01	62	0.05	12	<3	<5	<2	28	107	<5	<3	179
90 03039	7.2	>10.00	11	<3	>1000	54	4.92	2.2	89	5	208	9.11	0.23	3.09	1745	1	0.01	42	0.06	29	<3	<5	<2	24	135	<5	<3	151
90 03040	7.2	>10.00	4	<3	>1000	55	5.63	2.2	79	11	142	0.53	0.23	3.31	1761	1	0.01	46	0.06	26	<3	<5	<2	27	167	<5	<3	135
90 03041	5.5	9.28	9	<3	>1000	46	5.16	2.4	127	1	353	9.83	0.23	2.96	1507	1	0.01	35	0.05	21	<3	<5	<2	21	111	<5	<3	124
90 03042	6.6	9.86	<3	<3	>1000	54	6.50	2.1	71	7	479	9.53	0.24	3.34	1077	1	0.01	70	0.06	23	<3	<5	<2	25	153	<5	<3	137
90 03043	8.6	8.80	8	<3	>1000	65	6.01	2.6	94	7	399	>10.00	0.24	3.52	1779	2	0.01	154	0.05	20	<3	<5	<2	36	83	<5	<3	143
90 03044	13.3	7.02	19	<3	>1000	91	5.02	3.5	150	27	767	>10.00	0.24	3.37	1332	3	0.01	375	0.03	14	<3	<5	<2	45	111	<5	<3	180
90 03045	9.6	7.99	32	<3	773	73	6.15	3.1	125	66	1048	>10.00	0.23	3.68	1343	2	0.01	368	0.04	13	<3	<5	<2	36	107	<5	<3	183
90 03046	8.3	8.70	4	<3	>1000	69	6.36	2.7	112	62	561	>10.00	0.24	4.72	1335	2	0.01	307	0.04	20	<3	<5	<2	35	121	<5	<3	139
90 03047	3.7	6.66	15	<3	>1000	37	5.72	1.9	87	97	354	0.56	0.22	6.25	1341	1	0.01	353	0.04	10	<3	<5	<2	23	77	<5	<3	112
90 03048	4.3	6.60	18	<3	>1000	33	5.67	2.2	92	89	1365	0.49	0.21	6.78	1300	4	0.01	342	0.03	2	<3	<5	<2	21	76	<5	<3	149
90 03049	2.7	6.58	16	<3	>1000	33	5.86	1.8	107	88	586	5.21	0.21	7.34	1430	3	0.01	436	0.03	2	<3	<5	<2	20	79	<5	<3	123
90 03050	2.4	4.39	56	<3	>1000	29	3.39	1.7	83	60	332	0.13	0.17	5.88	1114	2	0.01	409	0.03	11	<3	<5	<2	18	57	<5	<3	80
90 03051	1.6	3.67	63	<3	948	29	3.63	1.4	85	63	225	0.36	0.18	6.67	1335	2	0.01	494	0.03	4	<3	<5	<2	16	61	<5	<3	62
90 03052	0.1	>10.00	<3	<3	>1000	<3	2.92	0.8	22	61	121	2.35	0.17	0.97	470	1	0.01	30	0.06	44	<3	<5	<2	<2	313	<5	<3	36
90 03053	0.2	9.67	8	<3	>1000	<3	1.15	0.8	16	77	244	1.50	0.09	0.45	229	4	0.01	17	0.03	43	<3	<5	<2	<2	235	<5	<3	23
90 03054	0.5	>10.00	<3	<3	>1000	<3	0.81	0.9	24	69	306	2.00	0.07	0.33	259	2	0.01	31	0.03	45	<3	<5	<2	<2	256	<5	<3	28
90 03055	0.3	9.74	8	<3	>1000	<3	0.86	0.7	20	48	116	1.82	0.08	0.43	224	1	0.01	14	0.03	49	<3	<5	<2	<2	307	<5	<3	26
90 03056	0.5	8.50	15	<3	928	<3	0.46	0.8	17	35	100	1.67	0.05	0.36	223	2	0.01	14	0.03	56	<3	<5	<2	<2	195	<5	<3	30
90 03057	0.7	8.34	11	<3	918	<3	0.56	0.6	20	82	137	1.83	0.06	0.34	229	5	0.01	12	0.03	35	<3	<5	<2	<2	251	<5	<3	30
90 03058	1.6	7.86	14	<3	961	<3	0.49	0.5	21	69	82	1.64	0.07	0.26	160	3	0.01	8	0.02	52	<3	<5	<2	<2	211	<5	<3	20
90 03059	0.7	8.07	20	<3	>1000	<3	0.63	0.5	20	52	74	1.35	0.07	0.27	204	2	0.01	9	0.02	47	<3	<5	<2	<2	173	<5	<3	19
90 03060	1.6	6.87	17	<3	904	<3	0.87	0.6	9	56	56	1.11	0.10	0.21	205	6	0.01	4	0.02	48	<3	<5	<2	<2	146	<5	<3	15
90 03061	1.1	6.95	27	<3	>1000	<3	1.42	0.7	11	33	39	1.24	0.12	0.24	333	2	0.01	4	0.02	44	<3	<5	<2	<2	180	<5	<3	20
90 03062	0.5	8.31	12	<3	844	<3	0.23	0.8	18	67	70	1.78	0.04	0.41	239	3	0.01	21	0.02	46	<3	<5	<2	<2	134	<5	<3	33
90 03063	0.7	9.74	520	<3	>1000	18	0.35	0.8	284	463	115	4.90	0.05	2.13	756	6	0.01	316	0.03	48	<3	<5	<2	2	91	<5	<3	114
90 03064	0.2	7.90	39	<3	>1000	<3	1.83	0.5	7	81	14	1.19	0.14	0.30	266	5	0.01	7	0.01	44	<3	<5	<2	<2	136	<5	<3	17
90 03065	0.1	6.76	71	<3	>1000	<3	1.09	0.5	3	39	7	0.59	0.09	0.19	166	1	0.01	11	0.01	35	<3	<5	<2	3	121	<5	<3	12
90 03066	0.1	7.90	57	<3	>1000	<3	1.20	0.4	2	56	4	0.79	0.10	0.30	195	4	0.01	5	0.01	52	<3	<5	<2	2	141	<5	<3	9
90 03067	0.2	7.38	67	<3	>1000	<3	1.31	0.5	6	56	4	0.56	0.11	0.13	110	1	0.01	7	0.01	56	<3	<5	<2	<2	118	<5	<3	18
90 03068	0.1	8.38	30	<3	>1000	<3	1.09	0.4	2	67	3	0.64	0.10	0.30	131	3	0.01	3	0.01	46	<3	<5	<2	<2	127	<5	<3	7
Minimum Detection	0.1	0.01	3	3	1	3	0.01	0.1	1	1	1	0.01	0.01	0.01	1	1	0.01	1	0.01	2	3	5	2	2	1	5	3	1
Maximum Detection	50.0	10.00	2000	100	1000	1000	10.00	1000.0	20000	1000	20000	10.00	10.00	10.00	20000	1000	10.00	20000	10.00	20000	100	100	2000	1000	10000	100	1000	20000
< = Less than Minimum is = Insufficient Sample ns = No sample > = Greater than Maximum AuFA = Fire assay/AAS																												

**ANOMALOUS RESULTS:
 FURTHER ANALYSES
 BY ALTERNATE
 METHODS SUGGESTED**

NO. 875

VANGEOCHEM LAB LIMITED

15:30

07/22/88

P002/003

REPORT #: 880631 PA

WPD CONSULTANTS

Proj:

Date In: 08/06/88

Date Out: 08/07/88

ANL: NEL DE GRASSIS

WBC ICP REPORT

Page 1

Sample Number	Ag	Al	As	Au	Ba	Bi	Ca	Cd	Co	Cr	Cu	Fa	K	Mg	Mn	Ni	P	Pb	Pd	Pt	Sb	Se	Sr	U	V	Zn		
	ppm	I	ppm	ppm	ppm	ppm	I	ppm	ppm	ppm	I	I	I	ppm	ppm	I	I	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm		
88 01	0.1	>10.00	(3)	(3)	>1000	(3)	0.33	0.5	6	57	13	1.20	0.04	0.34	104	<1	0.01	12	0.01	26	(3)	(3)	(2)	(2)	143	(3)	(3)	15
88 02	0.4	4.61	13	(3)	>1000	6	4.94	0.6	31	>1000	120	5.30	0.17	(0.01)	1070	1	0.01	165	0.02	2	(3)	(5)	(2)	10	46	(5)	(3)	44
88 03	0.1	>10.00	(3)	(3)	>1000	(3)	0.00	0.5	10	116	54	1.35	0.05	0.42	226	<1	0.01	15	0.03	18	(3)	(5)	(2)	(2)	282	(5)	(3)	10
88 04	9.9	>10.00	(3)	(3)	>1000	73	6.13	2.5	67	23	169	>10.00	0.22	3.26	2936	<1	0.01	32	0.10	15	(3)	(5)	(2)	33	212	(5)	(3)	143
88 03001	0.1	>10.00	(3)	(3)	>1000	(3)	1.35	0.4	9	87	37	1.61	0.00	0.30	209	<1	0.01	6	0.03	10	(3)	(5)	(2)	(2)	372	(5)	(3)	26
88 03002	0.1	8.37	(3)	(3)	>1000	(3)	1.40	0.3	6	40	14	1.30	0.00	0.31	226	<1	0.01	4	0.02	8	(3)	(5)	(2)	(2)	245	(5)	(3)	27
88 03003	0.1	>10.00	(3)	(3)	>1000	(3)	1.43	0.4	8	83	42	1.40	0.00	0.35	231	<1	0.01	5	0.03	6	(3)	(5)	(2)	(2)	260	(5)	(3)	30
88 03004	0.1	>10.00	(3)	(3)	>1000	(3)	1.40	0.3	8	64	12	1.45	0.00	0.33	266	<1	0.01	7	0.02	8	(3)	(5)	(2)	(2)	317	(5)	(3)	36
88 03005	0.1	8.73	(3)	(3)	>1000	(3)	1.99	0.4	6	59	26	1.70	0.10	0.39	329	<1	0.01	8	0.03	4	(3)	(5)	(2)	(2)	270	(5)	(3)	39
88 03006	0.1	9.04	(3)	(3)	>1000	(3)	1.40	0.3	5	66	18	1.31	0.00	0.29	286	<1	0.01	7	0.03	5	(3)	(5)	(2)	(2)	303	(5)	(3)	21
88 03007	0.1	8.37	(3)	(3)	>1000	(3)	2.07	0.4	5	39	14	1.09	0.10	0.23	292	<1	0.01	9	0.02	3	(3)	(5)	(2)	(2)	274	(5)	(3)	24
88 03008	0.1	9.72	(3)	(3)	>1000	(3)	2.09	0.4	4	31	7	1.00	0.10	0.29	337	<1	0.01	7	0.03	2	(3)	(5)	(2)	(2)	296	(5)	(3)	22
88 03009	0.1	9.53	(3)	(3)	>1000	(3)	0.74	0.1	1	71	2	0.33	0.03	0.07	86	<1	0.01	2	0.01	2	(3)	(5)	(2)	(2)	185	(5)	(3)	5
88 03010	0.1	>10.00	(3)	(3)	>1000	(3)	2.93	1.2	20	63	21	3.57	0.14	1.15	786	<1	0.01	37	0.04	3	(3)	(5)	(2)	(2)	305	(5)	(3)	113
88 03011	6.1	>10.00	(3)	(3)	>1000	54	5.91	2.4	72	19	139	9.17	0.22	2.64	2042	<1	0.01	32	0.00	6	(3)	(5)	(2)	23	220	(5)	(3)	100
88 03012	8.9	9.59	(3)	(3)	>1000	61	5.91	2.5	74	46	120	8.41	0.24	3.09	1094	3	0.01	30	0.07	33	(3)	(5)	(2)	27	180	(5)	(3)	171
88 03013	7.1	>10.00	(3)	(3)	>1000	51	4.47	2.1	36	14	105	8.21	0.21	2.35	1680	1	0.01	26	0.00	24	(3)	(5)	(2)	20	170	(5)	(3)	185
88 03014	5.9	9.90	(3)	(3)	>1000	44	6.02	1.9	57	11	173	7.42	0.22	1.92	1629	1	0.01	23	0.09	23	(3)	(5)	(2)	20	211	(5)	(3)	143
88 03015	0.3	>10.00	(3)	(3)	427	(3)	2.50	1.2	27	39	161	3.77	0.14	0.72	630	<1	0.01	10	0.09	20	(3)	(5)	(2)	(2)	310	(5)	(3)	51
88 03016	6.2	>10.00	(3)	(3)	54	36	2.06	2.9	125	15	201	>10.00	0.13	1.07	1410	2	0.01	36	0.09	8	(3)	(5)	(2)	15	164	(5)	(3)	123
88 03017	5.2	>10.00	(3)	(3)	251	44	3.64	2.2	30	3	269	8.73	0.17	1.97	1310	<1	0.01	25	0.10	17	(3)	(5)	(2)	11	263	(5)	(3)	131
88 03018	9.1	>10.00	(3)	(3)	79	73	1.96	3.4	142	3	2660	>10.00	0.13	2.33	1697	2	0.01	65	0.00	9	(3)	(5)	(2)	15	160	(5)	(3)	174
88 03019	1.2	>10.00	(3)	(3)	>1000	(3)	1.41	1.2	26	61	115	3.25	0.10	0.90	479	1	0.01	15	0.06	32	(3)	(5)	(2)	(2)	301	(5)	(3)	56
88 03020	0.9	8.20	43	(3)	>1000	(3)	1.60	0.7	11	37	<1	1.51	0.12	0.27	291	3	0.01	8	0.03	30	(3)	(5)	(2)	(2)	270	(5)	(3)	21
88 03021	0.1	7.81	100	(3)	>1000	(3)	1.55	0.5	10	54	20	1.19	0.11	0.26	257	2	0.01	6	0.02	25	(3)	(5)	(2)	(2)	181	(5)	(3)	17
88 03022	2.2	9.02	20	(3)	136	8	1.70	1.4	34	22	293	4.97	0.12	0.86	393	2	0.01	5	0.15	25	(3)	(5)	(2)	2	120	(5)	(3)	57
88 03023	0.9	5.32	>2000	(3)	151	8	>10.00	0.1	33	7	65	4.06	0.20	1.36	2352	5	0.01	5	0.06	82	(3)	(5)	(2)	11	290	(5)	(3)	94
88 03024	4.5	>10.00	24	(3)	190	45	2.05	2.3	54	10	637	9.05	0.14	1.31	1023	2	0.01	1	0.23	31	(3)	(5)	(2)	3	250	(5)	(3)	97
88 03025	4.6	>10.00	(3)	(3)	>1000	25	3.46	2.1	44	7	165	7.77	0.19	1.23	1290	2	0.01	1	0.23	37	(3)	(5)	(2)	12	332	(5)	(3)	93
88 03026	5.2	>10.00	(3)	(3)	>1000	30	3.37	2.1	41	16	129	7.67	0.19	1.52	1369	3	0.01	10	0.21	67	(3)	(5)	(2)	14	233	(5)	(3)	117
88 03027	4.2	>10.00	(3)	(3)	50	40	2.26	2.7	100	10	220	>10.00	0.15	1.43	1106	3	0.01	6	0.19	21	(3)	(5)	(2)	6	217	(5)	(3)	106
88 03028	9.9	6.24	30	(3)	>1000	60	5.40	2.1	73	15	157	8.14	0.23	2.41	1005	4	0.01	5	0.00	30	(3)	(5)	(2)	36	146	(5)	(3)	127
88 03029	9.3	6.73	44	(3)	>1000	62	5.09	2.1	81	8	93	7.95	0.22	2.54	1725	4	0.01	3	0.09	20	(3)	(5)	(2)	33	141	(5)	(3)	119
88 03030	6.6	9.61	22	(3)	>1000	35	6.17	2.2	80	1	122	9.06	0.23	2.62	1947	3	0.01	4	0.07	20	(3)	(5)	(2)	21	147	(5)	(3)	159
88 03031	6.1	9.00	47	(3)	327	30	8.90	2.5	97	1	465	>10.00	0.24	3.11	2357	3	0.01	4	0.06	22	(3)	(5)	(2)	19	193	(5)	(3)	161
88 03032	6.9	9.35	29	(3)	>1000	99	5.11	2.4	104	1	279	9.70	0.22	2.85	1730	3	0.01	6	0.07	24	(3)	(5)	(2)	20	123	(5)	(3)	165
88 03033	6.9	8.21	(3)	(3)	625	33	4.57	2.1	81	11	294	9.43	0.21	2.66	1502	4	0.01	34	0.05	21	(3)	(5)	(2)	21	134	(5)	(3)	119
88 03034	7.9	8.59	(3)	(3)	>1000	61	4.57	2.1	81	3	191	9.14	0.21	2.70	1496	3	0.01	30	0.05	21	(3)	(5)	(2)	22	117	(5)	(3)	130
88 03035	7.2	7.63	23	(3)	>1000	54	5.19	2.1	77	30	96	7.70	0.22	2.80	1604	5	0.01	14	0.07	26	(3)	(5)	(2)	26	167	(5)	(3)	124

Minimum Detection 0.1 0.01 3 3 1 3 0.01 0.1 1 1 1 0.01 0.01 0.01 1 1 0.01 1 0.01 2 3 5 2 2 1 5 3 1
 Maximum Detection 50.0 10.00 2000 100 1000 1000 10.00 1000.0 20000 1000 20000 10.00 10.00 10.00 20000 1000 10.00 20000 10.00 20000 100 100 2000 1000 10000 100 1000 20000
 < = Less than Minimum I = Insufficient Sample > = Greater than Maximum duA = Five assay/ANL



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
 450 MATHURSON BLVD., E., UNIT 54, MISSISSAUGA,
 ONTARIO, CANADA L4Z-1R5
 PHONE (416) 890-0310

To: M P D CONSULTANTS

100 - 581 ARGUS RD.
 OAKVILLE, ON
 L6J 3J4

Project :
 Comments : MEL DEQUADROS

**Page No. : 1
 Tot. Pages : 1
 Date : 23-MA.
 Invoice # : I-8815.
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8815501

SAMPLE DESCRIPTION	PREP CODE	Ag ppm Aqua R	Au ppb AFS	Pd ppb AFS	Pt ppb AFS						
1006	205 ---	1.9	300	<< 2	< 5						
1034	205 ---	1.0	440	<< 2	< 5						
1035	205 ---	0.5	68	<< 2	< 5						
1041	205 ---	0.1	2	<< 2	< 5						
1051	205 ---	0.7	1070	< 2	< 5						
1072	205 ---	0.4	48	<< 2	< 5						
1082	205 ---	1.1	10	<< 2	< 5						
1085	205 ---	1.0	78	<< 2	< 5						
1096	205 ---	4.1	440	<< 2	< 5						
1097	205 ---	10.7	410	<< 2	< 5						
1110	205 ---	9.5	104	<< 10	< 15						
1126	205 ---	0.2	2	<< 2	< 5						
2010	205 ---	0.2	6	<< 2	< 5						
2022	205 ---	0.8	52	<< 2	< 5						
2048	205 ---	1.0	56	<< 2	< 5						
2068	205 ---	5.7	30	<< 4	< 5						
2078	205 ---	0.3	8	<< 10	< 10						
2082	205 ---	0.7	16	<< 8	< 10						
2109	205 ---	1.5	22	<< 8	< 10						
2119	205 ---	0.2	10	< 2	< 5						
2128	205 ---	1.7	28	< 2	< 5						

CERTIFICATION :



Chemex Labs Ltd.

Analytical Chemists * Geochemists * Registered Assayers
450 MATHESON BLVD. E., UNIT 54, MISSISSAUGA,
ONTARIO, CANADA L4Z-1R5
PHONE (416) 890-0310

To: M P D CONSULTANTS

100 - 581 ARGUS RD.
OAKVILLE, ON
L6J 3J4

Project: MEL DEQUADROS
Comments:

**Page No.: 1-A
Tot. Pages: 1
Date: 24-MAY-88
Invoice #: I-8815502
P.O. # ONE

CERTIFICATE OF ANALYSIS A8815502

SAMPLE DESCRIPTION	PREP CODE	Mb ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)	P ppm (ICP)	Pb ppm (ICP)	Bi ppm (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Ni ppm (ICP)	Ba ppm (ICP)	Fe % (ICP)	Mn ppm (ICP)	Cr ppm (ICP)	Mg % (ICP)
1006	299 232	1	< 10	233	880	44	< 4	< 1.5	85	159	120	10.85	2030	207	4.21
1034	299 232	1	< 10	132	2540	6	< 2	< 0.5	47	< 1	320	9.26	1915	19	1.44
1035	299 232	< 1	< 10	151	2680	18	4	0.5	45	< 1	360	9.08	2200	20	1.50
1041	299 232	< 2	< 10	136	2550	2	4	0.5	39	< 1	500	9.71	2200	33	1.49
1051	299 232	< 1	< 10	154	1240	< 2	22	< 0.5	65	3	300	10.55	2870	8	3.22
1072	299 232	< 1	< 10	145	870	< 2	10	0.5	77	81	160	11.50	1935	4	4.33
1082	299 232	< 1	< 10	173	610	< 2	2	0.5	122	393	330	18.05	2020	80	4.75
1085	299 232	< 1	< 10	134	520	< 2	8	0.5	98	332	100	11.85	1820	150	5.80
1096	299 232	< 1	< 10	132	470	< 2	14	0.5	96	467	60	8.25	2090	2020	6.55
1097	299 232	< 1	< 10	152	400	< 2	8	3.0	281	1798	10	12.05	2240	2770	13.05
1110	299 232	< 1	< 10	215	350	< 2	6	2.0	250	2525	< 10	11.40	1815	5240	13.35
1126	299 232	< 1	< 10	21	590	< 2	< 2	< 0.5	12	29	220	2.51	294	110	0.80
2010	299 232	< 1	< 10	8	590	< 6	< 2	< 0.5	17	20	220	2.35	333	100	0.78
2022	299 232	< 1	< 10	127	580	< 2	10	< 0.5	83	291	240	11.65	2180	142	5.26
2048	299 232	< 1	< 10	141	520	< 2	2	0.5	92	280	210	11.15	1855	153	5.19
2068	299 232	< 1	< 10	139	460	< 2	6	< 0.5	88	686	40	10.05	2110	2350	7.36
2078	299 232	< 1	< 10	180	420	< 2	< 2	< 0.5	163	1458	< 10	12.25	1745	5240	15.45
2082	299 232	< 1	< 10	149	390	< 2	< 2	< 0.5	171	1445	< 10	13.05	1690	4540	14.95
2109	299 232	< 1	< 10	65	390	< 2	< 2	< 0.5	124	1166	< 10	8.16	1975	2740	11.20
2119	299 232	< 1	< 10	36	900	4	< 2	< 0.5	26	58	430	3.88	418	119	1.46
2128	299 232	< 1	< 10	90	560	< 2	2	< 0.5	122	573	10	7.79	2210	1595	9.06

CERTIFICATION:



Chemex Labs Ltd.

Analytical Chemists • Geochemists • Registered Assayers
 450 MATHESON BLVD., E., UNIT 54, MISSISSAUGA,
 ONTARIO, CANADA L4Z-1R5
 PHONE (416) 890-0310

To: M P D CONSULTANTS

100 - 581 ARGUS RD.
 OAKVILLE, ON
 L6J 3J4

Project :
 Comments: CC: MEL DEQUADROS

**Page No.
 Tot. Pages: 1
 Date : 24
 Invoice # : I-88
 P.O. # : NONE

CERTIFICATE OF ANALYSIS A8815502

SAMPLE DESCRIPTION	PREP CODE	V ppm (ICP)	Al % (ICP)	Be ppm (ICP)	Ca % (ICP)	Cu ppm (ICP)	Ag ppm AAS	Ti % (ICP)	Sr ppm (ICP)	Na % (ICP)	K % (ICP)				
1006	299 232	581	5.35	< 0.5	8.89	191	3.5	2.22	386	1.25	0.46				
1034	299 232	10	7.60	0.5	5.50	217	0.5	1.27	541	3.40	0.50				
1015	299 232	16	7.77	1.0	6.10	73	0.5	1.53	615	3.33	0.55				
1041	299 232	23	7.78	4.0	5.26	7	0.5	1.34	609	3.73	0.56				
1051	299 232	441	6.24	< 0.5	7.23	98	1.5	2.38	357	1.87	0.49				
1072	299 232	715	5.06	< 0.5	8.73	176	0.5	2.24	194	1.27	0.46				
1082	299 232	1455	4.20	< 0.5	7.15	655	1.5	3.58	150	0.51	0.74				
1085	299 232	754	3.73	< 0.5	8.91	550	0.5	2.16	158	0.60	0.32				
1096	299 232	346	3.05	< 0.5	11.55	1765	5.0	1.14	238	0.23	0.29				
1097	299 232	228	1.78	< 0.5	6.77	5130	17.5	0.73	52	0.12	< 0.01				
1110	299 232	248	2.17	< 0.5	4.09	7030	12.5	0.76	22	0.07	< 0.01				
1126	299 232	43	7.27	< 0.5	2.33	89	0.5	0.16	206	2.58	1.28				
2010	299 232	42	8.18	< 0.5	2.04	49	0.5	0.27	371	4.82	0.42				
2022	299 232	805	3.89	< 0.5	8.91	316	0.5	2.29	100	0.31	1.64				
2048	299 232	694	3.94	< 0.5	7.73	396	2.0	1.99	193	0.25	1.87				
2068	299 232	350	3.06	< 0.5	9.75	2670	7.5	1.14	120	0.47	< 0.06				
2078	299 232	202	1.89	< 0.5	1.34	173	0.5	0.68	24	0.07	< 0.01				
2082	299 232	203	1.76	< 0.5	2.20	623	0.5	0.66	24	0.04	< 0.01				
2109	299 232	212	1.83	< 0.5	9.08	233	0.5	0.74	47	0.02	< 0.01				
2119	299 232	2	6.60	< 0.5	1.15	92	0.5	0.38	334	3.27	1.45				
2128	299 232	222	2.94	< 0.5	15.50	1375	2.5	0.86	103	0.21	< 0.01				

CERTIFICATION :



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K3
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

CLIENT: MPD CONSULTANTS LTD.
ADDRESS: 100-581 Argus Rd.
: Oakville, Ont.
: L6J 3J4

DATE: Apr 22 1988

REPORT#: 880395 GA
JOB#: 880395

PROJECT#: None given
SAMPLES ARRIVED: Apr 18 1988
REPORT COMPLETED: Apr 21 1988
ANALYSED FOR: Au (FA/AAS)

INVOICE#: 880395 NA
TOTAL SAMPLES: 83
SAMPLE TYPE: B3 Drill core
REJECTS: SAVED

SAMPLES FROM: Oakville, Ont.
COPY SENT TO: Mr. Mel De Quadros & Mr. Stafford Kelly.

PREPARED FOR: Mr. Mel De Quadros

ANALYSED BY: VGC Staff

SIGNED: _____


GENERAL REMARK: Invoice sent to Oakville office.



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 880395 6A

JOB NUMBER: 880395

MPD CONSULTANTS LTD.

PAGE 1 OF 3

SAMPLE #	Au
02001	nd
02003	nd
02005	nd
02007	nd
02009	nd
02010	10
02011	nd
02013	10
02015	nd
02017	nd
02019	nd
02022	10
02023	nd
02024	nd
02025	nd
02026	nd
02028	nd
02030	nd
02032	nd
02034	nd
02036	nd
02038	nd
02040	nd
02042	nd
02044	nd
02046	nd
02047	nd
02048	nd
02049	nd
02051	10
02053	10
02055	10
02057	nd
02059	10
02061	10
02063	10
02065	nd
02067	nd
02068	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-3656 FAX: 254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5658

REPORT NUMBER: 880395 GA

JOB NUMBER: 880395

NPD CONSULTANTS LTD.

PAGE 2 OF 3

SAMPLE #	Au
	ppb
02069	nd
02070	nd
02072	10
02074	nd
02076	nd
02078	nd
02080	nd
02082	10
02084	nd
02086	nd
02088	nd
02090	nd
02091	nd
02092	nd
02093	nd
02095	nd
02096	nd
02098	nd
02100	nd
02102	nd
02104	nd
02105	nd
02106	nd
02107	nd
02108	nd
02109	10
02110	nd
02111	nd
02113	nd
02115	nd
02117	nd
02119	40
02120	nd
02121	nd
02124	nd
02126	nd
02128	20
02130	nd
02132	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604) 251-5656 FAX: 254-5717

BRANCH OFFICE
1830 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-6656

REPORT NUMBER: 880395 GA

JOB NUMBER: 880395

MPD CONSULTANTS LTD.

PAGE 3 OF 3

SAMPLE #	Au ppb
02134	nd
02136	nd
02138	nd
02140	nd
02141	nd

DETECTION LIMIT
nd = none detected

5
-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-6656

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: MPD CONSULTANTS LTD.
ADDRESS: 100-581 Argus Rd.
: Oakville, Ont.
: L6J 3J4

DATE: Apr 22 1988

REPORT#: 880395 GB
JOB#: 880395

PROJECT#: None given
SAMPLES ARRIVED: Apr 18 1988
REPORT COMPLETED: Apr 21 1988
ANALYSED FOR: Pd Pt

INVOICE#: 880395 NA
TOTAL SAMPLES: 14
SAMPLE TYPE: 14 Drill core
REJECTS: SAVED

SAMPLES FROM: Oakville, Ont.
COPY SENT TO: Mr. Mel De Quadros & Mr. Stafford Kelly.

PREPARED FOR: Mr. Mel De Quadros

ANALYSED BY: VGC Staff

SIGNED: _____



GENERAL REMARK: Invoice sent to Oakville office.



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5658

REPORT #1880395 GB JOB #1880395 MPD CONSULTANTS LTD. PAGE 1 OF 1

SAMPLE #	Pd ppm	Pt ppm
02048	nd	.05
02049	nd	nd
02051	nd	nd
02053	nd	nd
02059	nd	nd
02068	nd	nd
02069	nd	nd
02086	nd	nd
02088	nd	nd
02104	nd	nd
02108	nd	nd
02109	nd	nd
02110	nd	nd
02111	nd	nd

DETECTION LIMIT .05 .05
nd = none detected -- = not analysed is = insufficient sample

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR SM, MN, FE, CA, P, CR, NG, BA, PD, AL, NA, K, U, PT AND SR. AU AND PB DETECTION IS 3 PPM.
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: MPD CONSULTANTS LTD
 ATTENTION:
 PROJECT:

REPORT#: 880395 PA
 JOB#: 880395
 INVOICE#: 880395 NA

DATE RECEIVED: 88/04/18
 DATE COMPLETED: 88/04/25
 COPY SENT TO: MEL DE GUADROS

ANALYST *[Signature]*

PAGE 1 OF 3

SAMPLE NAME	AG PPH	AL %	AS PPH	AU PPH	BA PPH	BI PPH	CA %	CD PPH	CO PPH	CR PPH	CU PPH	FE %	K %	MG %	MN PPH	MO PPH	NA %	NI PPH	P %	PB PPH	PD PPH	PT PPH	SB PPH	SN PPH	SR PPH	U PPH	V PPH	ZN PPH
02001	.1	1.01	6	ND	48	ND	.36	.5	13	76	15	1.79	.07	.53	245	3	.01	20	.04	5	ND	ND	ND	4	13	ND	ND	133
02003	.1	1.26	9	ND	57	ND	.55	.4	13	82	9	1.88	.09	.58	239	1	.01	18	.05	5	ND	ND	ND	5	27	ND	ND	31
02005	.1	1.31	9	ND	69	ND	.58	.4	13	86	8	1.82	.08	.57	239	4	.01	19	.05	5	ND	ND	ND	5	31	ND	ND	28
02007	.1	1.20	9	ND	59	ND	.49	.5	13	59	8	1.83	.07	.59	246	1	.01	14	.05	5	ND	ND	ND	5	25	ND	ND	31
02009	.3	1.54	7	ND	86	4	.69	.6	21	91	39	2.73	.08	.86	390	4	.01	25	.05	5	ND	ND	ND	8	32	ND	ND	44
02010	.1	1.08	4	ND	29	ND	.46	.4	15	95	27	1.97	.06	.65	264	ND	.01	18	.05	5	ND	ND	ND	5	24	ND	ND	28
02011	2.2	2.59	25	ND	159	ND	2.27	1.0	56	20	103	5.31	.13	1.65	906	3	.01	57	.06	11	ND	ND	ND	21	41	ND	ND	72
02013	2.7	1.95	21	ND	132	ND	2.87	1.1	60	11	536	5.25	.12	1.31	915	1	.01	84	.06	13	ND	ND	ND	18	40	ND	ND	66
02015	3.1	1.94	24	ND	110	ND	2.23	1.1	67	12	352	6.22	.11	1.36	739	1	.01	134	.05	15	ND	ND	ND	21	30	ND	ND	72
02017	3.9	2.13	19	ND	44	ND	2.57	1.6	81	13	326	8.82	.09	1.60	882	1	.01	227	.05	18	ND	ND	ND	24	24	ND	ND	94
02019	5.1	2.34	25	ND	117	ND	2.80	1.9	86	28	767	11.18	.12	1.74	946	1	.01	313	.04	24	ND	ND	ND	26	27	ND	ND	123
02022	3.9	3.01	33	ND	220	ND	4.45	1.5	73	67	343	6.97	.22	2.23	1056	3	.01	290	.05	18	ND	ND	ND	29	44	ND	ND	72
02023	.1	1.42	7	ND	15	ND	1.12	1.0	7	71	13	2.56	.07	.96	423	1	.01	35	.01	6	ND	ND	ND	4	11	ND	ND	73
02024	2.4	3.30	76	ND	129	ND	3.89	1.5	75	82	354	5.80	.23	3.03	992	4	.01	338	.04	13	ND	ND	ND	19	36	ND	ND	87
02025	.1	.29	ND	ND	57	4	.32	.1	3	52	6	.34	.07	.11	83	2	.02	9	.01	4	ND	ND	ND	1	6	ND	ND	5
02026	.1	.36	13	ND	84	4	1.66	.1	2	49	2	.30	.10	.10	215	1	.02	5	.01	4	ND	ND	ND	ND	19	ND	ND	4
02028	.1	.21	3	ND	46	3	.63	.1	2	69	6	.22	.08	.01	90	ND	.02	4	.01	6	ND	ND	ND	ND	14	ND	ND	11
02030	.1	.28	9	ND	62	ND	.60	.2	2	74	2	.18	.08	.02	90	1	.03	4	.01	4	ND	ND	ND	ND	15	ND	ND	6
02032	.1	.20	14	ND	47	3	.67	.1	2	54	ND	.13	.08	.01	99	ND	.02	5	.01	5	ND	ND	ND	ND	13	ND	ND	6
02034	.1	.25	ND	ND	56	ND	.51	.1	2	78	2	.16	.07	.01	83	1	.02	3	.01	5	ND	ND	ND	ND	11	ND	ND	9
02036	.1	.23	9	ND	54	3	.61	.1	2	79	2	.20	.07	.01	114	1	.02	4	.01	4	ND	ND	ND	ND	13	ND	ND	6
02038	.1	.24	ND	ND	56	ND	.63	.1	1	88	4	.25	.07	.01	100	ND	.02	3	.01	3	ND	ND	ND	ND	14	ND	ND	15
02040	.1	.19	12	ND	42	ND	.57	.2	2	56	2	.16	.06	.01	87	ND	.02	3	.01	1	ND	ND	ND	ND	13	ND	ND	4
02042	.1	.26	ND	ND	59	3	.52	.1	2	72	1	.14	.07	.01	75	1	.02	2	.01	4	ND	ND	ND	ND	12	ND	ND	5
02044	.1	.25	ND	ND	63	ND	.51	.2	2	79	2	.16	.07	.01	83	1	.02	3	.01	3	ND	ND	ND	ND	10	ND	ND	9
02046	.1	.20	ND	ND	61	ND	.36	.1	2	80	4	.26	.06	.02	93	ND	.02	4	.01	4	ND	ND	ND	ND	8	ND	ND	10
02047	.1	.29	ND	ND	39	3	.56	.3	2	59	9	.48	.06	.08	123	ND	.01	7	.01	4	ND	ND	ND	ND	22	ND	ND	31
02048	3.5	2.95	30	ND	226	ND	2.92	1.4	71	79	366	6.30	.24	2.21	828	3	.01	258	.04	15	ND	ND	ND	28	39	ND	ND	92
02049	3.1	2.07	18	ND	41	ND	2.54	1.5	60	89	488	5.79	.10	1.89	660	2	.01	245	.05	14	ND	ND	ND	20	34	ND	ND	83
02051	3.2	2.54	43	ND	18	ND	2.05	1.8	136	72	744	8.59	.07	3.15	714	2	.01	431	.05	16	ND	ND	ND	17	33	ND	ND	102
02053	2.6	1.78	21	ND	6	ND	.79	1.7	94	61	745	7.13	.05	2.50	543	1	.01	407	.04	13	ND	ND	ND	12	9	ND	ND	89
02055	1.4	1.66	15	ND	7	ND	.69	1.6	82	57	393	9.11	.04	2.62	436	ND	.01	459	.04	13	ND	ND	ND	10	10	ND	ND	56
02057	2.5	1.22	8	ND	46	8	1.86	.9	35	89	150	2.16	.08	1.16	444	1	.01	93	.04	11	ND	ND	ND	19	53	ND	ND	35
02059	1.3	1.98	15	ND	4	ND	.78	1.5	81	68	518	8.58	.04	3.81	447	1	.01	480	.03	11	ND	ND	ND	10	7	ND	ND	60
02061	2.9	1.04	7	ND	37	7	2.58	1.1	35	77	408	1.98	.08	1.01	397	1	.01	120	.04	11	ND	ND	ND	16	32	ND	ND	54
02063	2.5	.99	9	ND	29	8	1.58	1.2	36	108	423	1.97	.09	.96	366	ND	.01	139	.04	11	ND	ND	ND	14	22	ND	ND	40
02065	2.8	.94	5	ND	30	9	1.85	.8	27	153	296	1.74	.09	.83	360	ND	.01	83	.05	10	ND	ND	ND	16	36	ND	ND	41
02067	2.7	.91	5	ND	13	8	1.65	.6	24	250	583	1.68	.07	.94	335	ND	.01	95	.04	10	ND	ND	ND	14	28	ND	ND	29
02068	6.5	.90	4	ND	12	ND	1.85	1.2	49	332	2561	2.85	.07	1.00	377	ND	.01	486	.03	10	ND	ND	ND	10	22	ND	ND	52
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AG PPM	AL I	AS PPM	AU PPM	BA PPM	BI PPM	CA I	CD PPM	CO PPM	CR PPM	CU PPM	FE I	K I	MG I	MN PPM	NO PPM	NA I	NI PPM	P I	PB PPM	PD PPM	PT PPM	SB PPM	SN PPM	SR PPM	U PPM	W PPM	ZN PPM
02069	1.1	1.64	21	ND	4	ND	.98	1.6	114	1223	263	5.96	.03	4.09	536	3	.01	895	.03	15	ND	ND	ND	7	11	ND	ND	45
02070	.3	1.39	9	ND	3	ND	.66	1.6	120	1942	126	9.87	.02	9.31	712	3	.01	1334	.02	22	ND	ND	ND	3	10	ND	ND	51
02072	.6	1.23	7	ND	3	ND	.51	1.7	134	1948	240	9.81	.01	8.65	695	2	.01	1379	.02	21	ND	ND	ND	3	10	ND	ND	49
02074	.5	1.21	17	ND	2	ND	.73	1.5	133	1822	475	9.80	.01	8.82	789	2	.01	1341	.02	17	ND	ND	ND	2	12	ND	ND	49
02076	.1	1.50	12	ND	4	ND	.26	1.2	127	1800	179	8.65	.01	8.91	625	2	.01	1377	.03	15	ND	ND	ND	2	6	ND	ND	49
02078	.1	1.42	26	ND	4	ND	.26	1.5	130	1766	120	9.14	.01	10.02	702	3	.01	1344	.02	16	ND	ND	ND	2	6	ND	ND	54
02080	.2	1.25	34	ND	4	ND	.43	1.7	132	1717	266	9.48	.01	9.08	815	2	.01	1318	.02	18	ND	ND	ND	2	8	ND	ND	58
02082	.6	1.31	50	ND	2	ND	.61	1.8	142	1809	607	10.33	.01	8.96	726	2	.01	1437	.02	18	ND	ND	ND	3	9	ND	ND	53
02084	.1	1.25	ND	ND	2	ND	.37	1.6	120	1638	105	9.18	.01	9.06	663	2	.01	1400	.03	16	ND	ND	ND	2	7	ND	ND	49
02086	.1	1.12	4	ND	2	ND	.47	1.7	121	1415	223	8.50	.01	8.22	613	2	.01	1301	.02	16	ND	ND	ND	2	7	ND	ND	41
02088	1.0	1.12	15	ND	2	ND	1.01	1.7	120	1418	806	8.96	.02	6.28	727	2	.01	1368	.02	19	ND	ND	ND	3	14	ND	ND	40
02090	.4	1.22	13	ND	2	ND	1.19	1.8	55	1977	26	8.20	.03	5.26	933	2	.01	693	.02	18	ND	ND	ND	4	19	ND	ND	32
02091	.1	1.15	15	ND	2	ND	.63	1.5	89	1849	78	8.21	.01	6.91	650	2	.01	1027	.02	16	ND	ND	ND	3	7	ND	ND	40
02092	.1	1.41	30	ND	1	ND	.50	1.5	51	2240	31	7.82	.01	5.20	427	2	.01	476	.02	16	ND	ND	ND	4	6	ND	ND	35
02093	.1	5.59	33	ND	1	ND	.13	.5	55	29	25	4.04	.01	9.72	658	8	.01	213	.05	1	ND	ND	ND	5	2	ND	ND	73
02095	.3	1.60	20	ND	1	ND	.18	1.4	90	2050	53	5.07	.01	4.77	316	3	.01	1190	.03	14	ND	ND	ND	5	3	ND	ND	32
02096	.1	1.28	21	ND	2	ND	.28	1.6	116	1959	102	8.08	.01	5.76	438	2	.01	1504	.02	14	ND	ND	ND	4	5	ND	ND	37
02098	.1	1.64	12	ND	2	ND	.19	1.4	176	1729	54	8.36	.01	6.76	418	2	.01	2246	.03	14	ND	ND	ND	3	4	ND	ND	39
02100	.1	1.46	16	ND	3	ND	.45	1.6	107	1377	36	9.65	.01	9.09	658	2	.01	1379	.02	15	ND	ND	ND	2	9	ND	ND	48
02102	.1	1.14	38	ND	2	ND	.41	1.6	122	1242	242	9.22	.01	8.04	542	2	.01	1338	.02	17	ND	ND	ND	2	8	ND	ND	41
02104	.1	1.13	20	ND	2	ND	2.20	1.5	103	1362	106	8.95	.04	8.57	1174	2	.01	1183	.02	17	ND	ND	ND	2	35	ND	ND	38
02105	.3	2.50	103	ND	126	ND	1.83	1.0	104	971	92	4.67	.15	4.64	938	4	.01	768	.06	8	ND	ND	ND	6	29	ND	ND	58
02106	.6	3.99	26	ND	501	ND	.86	1.2	32	316	8	6.14	.40	3.40	811	5	.01	116	.14	9	ND	ND	ND	10	27	ND	ND	124
02107	.8	2.43	221	ND	27	ND	2.57	1.2	91	1144	74	4.96	.07	5.33	1233	5	.01	829	.05	10	ND	ND	ND	3	57	ND	ND	51
02108	1.2	.84	604	ND	2	ND	6.54	1.0	89	778	199	4.23	.84	4.25	1699	3	.01	688	.03	20	ND	ND	ND	1	70	ND	ND	16
02109	1.4	1.27	665	ND	4	ND	7.92	1.0	92	985	190	4.73	.06	3.15	1262	3	.01	1018	.03	20	ND	ND	ND	2	35	ND	ND	21
02110	.9	1.65	355	ND	2	ND	2.98	1.4	97	1475	187	7.98	.05	4.50	855	4	.01	1134	.03	17	ND	ND	ND	3	28	ND	ND	25
02111	.1	1.51	191	ND	2	ND	2.60	1.4	118	1365	73	9.20	.04	5.35	1001	2	.01	1049	.03	17	ND	ND	ND	2	50	ND	ND	23
02113	.1	1.65	112	ND	2	ND	1.37	1.3	97	1461	81	9.42	.02	6.40	661	2	.01	1130	.03	13	ND	ND	ND	2	28	ND	ND	29
02115	.1	1.97	12	ND	7	ND	.23	1.4	135	1653	304	6.72	.01	3.85	316	3	.01	1262	.04	12	ND	ND	ND	5	4	ND	ND	36
02117	.5	1.00	4	ND	88	ND	.29	.5	27	67	149	2.56	.07	.71	227	1	.01	81	.05	10	ND	ND	ND	4	8	ND	ND	23
02119	.8	2.08	10	ND	178	ND	.58	.9	25	53	94	4.06	.15	1.45	432	3	.01	59	.08	11	ND	ND	ND	8	15	ND	ND	62
02120	.2	2.26	19	ND	48	ND	.25	1.6	106	1157	183	7.68	.05	3.32	410	3	.01	1020	.05	11	ND	ND	ND	5	6	ND	ND	73
02121	.1	1.45	15	ND	4	ND	.89	1.7	90	1532	93	9.79	.01	4.87	522	2	.01	1152	.04	16	ND	ND	ND	3	23	ND	ND	45
02124	.8	1.62	66	ND	2	ND	1.91	1.7	95	1418	336	8.61	.04	4.93	871	3	.01	919	.03	17	ND	ND	ND	4	45	ND	ND	47
02126	.2	1.69	76	ND	2	ND	1.21	1.6	102	1349	222	8.94	.01	4.02	499	2	.01	960	.05	20	ND	ND	ND	3	22	ND	ND	46
02128	1.5	1.97	69	ND	3	ND	9.70	1.1	73	712	660	4.33	.02	3.53	842	3	.01	461	.04	16	ND	ND	ND	4	48	ND	ND	57
02130	.1	.24	ND	ND	51	3	.64	.1	4	93	19	.37	.03	.07	81	4	.02	5	.01	13	ND	ND	ND	ND	13	ND	ND	12
02132	.1	.31	ND	ND	35	4	.76	.2	1	96	14	.48	.03	.06	95	3	.02	4	.01	6	ND	ND	ND	ND	16	ND	ND	7
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AG PPH	AL I	AS PPH	AU PPH	BA PPH	BI PPH	CA I	CD PPH	CO PPH	CR PPH	CU PPH	FE I	K I	MG I	MN PPH	MO PPH	NA I	NI PPH	P I	PB PPH	PD PPH	PT PPH	SB PPH	SM PPH	SR PPH	U PPH	W PPH	ZN PPH
02134	.3	.28	ND	ND	19	ND	.89	.1	2	52	10	.52	.07	.06	105	2	.02	9	.01	7	ND	ND	ND	ND	18	ND	ND	13
02136	.1	.32	66	ND	21	4	.86	.1	3	77	18	.61	.07	.07	111	4	.02	8	.01	6	ND	ND	ND	ND	19	ND	ND	10
02138	.3	.35	ND	ND	23	3	1.01	.3	2	87	16	.64	.07	.07	117	4	.02	7	.01	6	ND	ND	ND	ND	23	ND	ND	13
02140	.3	.38	ND	ND	23	ND	.99	.1	1	70	10	.59	.07	.08	110	4	.02	5	.01	5	ND	ND	ND	ND	23	ND	ND	10
02141	.3	.27	ND	ND	15	4	1.04	.1	1	50	10	.57	.07	.09	106	1	.02	7	.01	6	ND	ND	ND	ND	23	ND	ND	15
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

CLIENT: MPD CONSULTING LTD.
ADDRESS: 100 - 581 Argus Rd.
: Oakville, Ont.
: L6J 3J4

DATE: Apr 18 1988

REPORT#: 880376 GA
JOB#: 880376

PROJECT#: SQUAW LAKE
SAMPLES ARRIVED: Apr 11 1988
REPORT COMPLETED: Apr 15 1988
ANALYSED FOR: Au (FA/AAS)

INVOICE#: 880376 NA
TOTAL SAMPLES: 52
SAMPLE TYPE: 52 Rock
REJECTS: SAVED

SAMPLES FROM: Kenora, Ont.
COPY SENT TO: Mr. Stafford Kelly and Mr. Mel De Quadros.

PREPARED FOR: Mr. Mel De Quadros

ANALYSED BY: VGC Staff

SIGNED: _____

GENERAL REMARK: Invoice sent to Oakville office.



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 880376 GA

JOB NUMBER: 880376

MPD CONSULTING LTD.

PAGE 1 OF 2

SAMPLE #	Au
	ppb
SQ 01001	nd
SQ 01002	nd
SQ 01003	nd
SQ 01004	nd
SQ 01005	60
SQ 01006	140
SQ 01008	nd
SQ 01010	nd
SQ 01012	nd
SQ 01014	nd
SQ 01016	20
SQ 01018	nd
SQ 01020	nd
SQ 01022	nd
SQ 01024	nd
SQ 01025	50
SQ 01026	nd
SQ 01028	nd
SQ 01030	nd
SQ 01032	20
SQ 01033	nd
SQ 01034	180
SQ 01035	nd
SQ 01037	nd
SQ 01039	nd
SQ 01041	10
SQ 01043	nd
SQ 01045	100
SQ 01048	nd
SQ 01049	120
SQ 01050	nd
SQ 01051	1400
SQ 01052	10
SQ 01054	nd
SQ 01055	nd
SQ 01058	nd
SQ 01062	nd
SQ 01063	nd
SQ 01064	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1908 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT NUMBER: 880376 GA

JOB NUMBER: 880376

MPD CONSULTING LTD.

PAGE 2 OF 2

SAMPLE #	Au ppb
SQ 01068	nd
SQ 01072	nd
SQ 01073	10
SQ 01074	10
SQ 01076	nd
SQ 01078	nd
SQ 01080	nd
SQ 01082	nd
SQ 01085	25
SQ 01087	nd
SQ 01088	nd
SQ 01089	nd
SQ 01090	nd

DETECTION LIMIT

5

nd = none detected

-- = not analysed

is = insufficient sample



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

GEOCHEMICAL ANALYTICAL REPORT

=====

CLIENT: MPD CONSULTANTS LTD.
ADDRESS: 100-581 Argus Rd.
: Oakville, Ont.
: L6J 3J4

DATE: Apr 18 1988

REPORT#: 880376 GB
JOB#: 880376

PROJECT#: SQUAW LAKE
SAMPLES ARRIVED: Apr 11 1988
REPORT COMPLETED: Apr 15 1988
ANALYSED FOR: Pd (FA/AAS) Pt (FA/AAS)

INVOICE#: 880376 NA
TOTAL SAMPLES: 15
SAMPLE TYPE: 15 Rock
REJECTS: SAVED

SAMPLES FROM: Kenora, Ont.
COPY SENT TO: Mr. Stafford Kelly and Mel De Quadros.

PREPARED FOR: Mr. Mel De Quadros

ANALYSED BY: VGC Staff

SIGNED: _____



GENERAL REMARK: Invoice sent to Oakville office.



VANGEOCHEM LAB LIMITED

MAIN OFFICE AND LABORATORY
1988 Triumph Street
Vancouver, B.C. V5L 1K5
(604)251-5656 FAX:254-5717

BRANCH OFFICE
1630 PANDORA ST.
VANCOUVER, B.C. V5L 1L6
(604) 251-5656

REPORT #:880376 GB JOB #:880376 MPD CONSULTANTS LTD. PAGE 1 OF 1

SAMPLE #	Pd ppm	Pt ppm
SQ 01020	.05	nd
SQ 01024	nd	nd
SQ 01033	nd	nd
SQ 01034	nd	nd
SQ 01035	nd	.05
SQ 01041	.10	nd
SQ 01049	nd	nd
SQ 01050	.10	nd
SQ 01051	nd	nd
SQ 01058	nd	nd
SQ 01072	.10	nd
SQ 01073	nd	nd
SQ 01074	nd	nd
SQ 01076	nd	nd
SQ 01080	nd	nd

DETECTION LIMIT .05 .05
nd = none detected -- = not analysed is = insufficient sample

VANGEOCHEM LAB LIMITED

MAIN OFFICE: 1521 PEMBERTON AVE. N. VANCOUVER B.C. V7P 2S3 PH: (604) 986-5211 TELEX: 04-352578
 BRANCH OFFICE: 1630 PANDORA ST. VANCOUVER B.C. V5L 1L6 PH: (604) 251-5656

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIGESTED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR SN, MN, FE, CA, P, CR, MG, BA, PD, AL, NA, K, W, PT AND SR. AU AND PD DETECTION IS 3 PPM.
 IS= INSUFFICIENT SAMPLE, ND= NOT DETECTED, -- NOT ANALYZED

COMPANY: MFD CONSULTANTS LTD
 ATTENTION:
 PROJECT: SQUAWLAKE

REPORT#: 880376 PA
 JOB#: 880376
 INVOICE#: 880376 NA

DATE RECEIVED: 88/04/11
 DATE COMPLETED: 88/04/15
 COPY SENT TO: MEL DE GUARDOS

ANALYST *[Signature]*

PAGE 1 OF 2

SAMPLE NAME	AG PPM	AL %	AS PPM	AU PPM	BA PPM	BI PPM	CA %	CO PPM	CR PPM	CU PPM	FE %	K %	MG %	MN PPM	MO PPM	NA %	NI PPM	P %	PB PPM	PD PPM	PT PPM	SB PPM	SN PPM	SR PPM	U PPM	W PPM	ZN PPM	
SQ 01001	.1	1.19	16	ND	32	ND	1.91	.1	1	58	4	.24	.05	.02	348	ND	.01	6	.01	4	ND	ND	ND	ND	15	ND	ND	14
SQ 01002	.1	2.62	ND	ND	110	ND	2.91	.3	15	29	26	4.32	.11	1.45	1282	1	.01	63	.04	1	ND	ND	ND	ND	38	ND	ND	123
SQ 01003	.1	2.77	ND	ND	99	ND	2.25	.2	22	82	15	4.59	.12	1.72	1059	1	.01	81	.05	1	ND	ND	ND	ND	46	ND	ND	133
SQ 01004	.7	3.02	ND	ND	432	ND	2.25	.3	47	188	32	5.80	.20	1.70	908	1	.01	161	.08	2	ND	ND	ND	10	51	ND	ND	151
SQ 01005	.7	1.95	ND	ND	120	ND	2.24	.4	45	75	136	4.62	.12	1.35	741	ND	.01	106	.08	4	ND	ND	ND	10	38	ND	ND	92
SQ 01006	.7	1.31	7	ND	55	ND	1.92	.3	50	51	167	3.64	.08	.93	507	1	.01	85	.08	8	ND	ND	ND	10	38	ND	ND	58
SQ 01008	2.1	1.35	12	ND	32	5	2.37	1.1	50	86	227	3.25	.08	1.11	532	1	.01	136	.05	10	ND	ND	ND	16	35	ND	ND	64
SQ 01010	1.3	1.72	5	ND	51	3	1.95	.2	54	19	109	4.32	.10	1.13	588	ND	.01	51	.06	8	ND	ND	ND	14	41	ND	ND	75
SQ 01012	1.3	1.82	9	ND	68	ND	2.20	.3	48	25	34	4.01	.10	1.16	641	1	.01	37	.05	8	ND	ND	ND	18	54	ND	ND	82
SQ 01014	.1	1.43	ND	ND	112	ND	1.56	.5	28	26	32	5.44	.13	.69	531	ND	.01	19	.22	8	ND	ND	ND	3	54	ND	ND	64
SQ 01016	.7	2.02	ND	ND	75	ND	1.62	.1	42	27	409	8.25	.15	1.11	746	1	.01	40	.19	19	ND	ND	ND	ND	45	ND	ND	75
SQ 01018	.1	1.62	ND	ND	184	ND	1.53	.1	20	12	23	4.64	.13	.71	755	ND	.01	17	.22	5	ND	ND	ND	ND	41	ND	ND	93
SQ 01020	.1	2.12	ND	ND	265	ND	1.56	.3	22	17	13	5.51	.14	.88	911	2	.01	18	.24	5	ND	ND	ND	ND	60	ND	ND	116
SQ 01022	.1	1.95	ND	ND	222	ND	1.53	.3	26	19	33	5.76	.14	.88	852	2	.02	21	.20	5	ND	ND	ND	2	45	ND	ND	115
SQ 01024	.1	3.29	ND	ND	428	ND	3.95	.2	23	12	17	8.03	.20	1.45	1363	2	.01	27	.19	7	ND	ND	ND	ND	96	5	ND	152
SQ 01025	.1	3.22	ND	ND	78	ND	4.69	.3	21	5	37	7.55	.17	1.37	1528	1	.01	22	.20	3	ND	ND	ND	ND	113	5	ND	148
SQ 01026	.1	2.82	ND	ND	398	ND	2.70	.2	20	8	27	7.05	.17	1.22	1086	1	.01	24	.24	3	ND	ND	ND	ND	75	ND	ND	135
SQ 01028	.1	1.95	ND	ND	203	ND	1.67	.4	17	17	15	4.98	.13	.78	930	1	.01	17	.25	3	ND	ND	ND	ND	53	ND	ND	100
SQ 01030	.1	2.20	ND	ND	367	ND	1.81	.3	22	18	32	5.69	.15	.88	996	1	.02	20	.22	3	ND	ND	ND	1	60	ND	ND	120
SQ 01032	.1	1.50	ND	ND	171	ND	1.54	.2	28	11	103	5.75	.13	.68	774	ND	.01	19	.20	7	ND	ND	ND	2	36	ND	ND	96
SQ 01033	.7	1.91	6	ND	100	ND	3.41	.2	40	17	214	8.19	.16	.96	1570	1	.01	28	.20	11	ND	ND	ND	ND	47	ND	ND	113
SQ 01034	.7	2.08	7	ND	126	ND	2.65	.4	42	17	247	7.20	.15	1.02	1135	2	.01	24	.24	10	ND	ND	ND	ND	50	ND	ND	110
SQ 01035	.1	1.82	ND	ND	175	ND	2.25	.4	25	8	59	5.07	.13	.83	847	1	.01	18	.25	8	ND	ND	ND	1	43	ND	ND	110
SQ 01037	.1	2.08	ND	ND	290	ND	2.02	.4	21	16	18	5.64	.14	.83	994	2	.02	18	.24	7	ND	ND	ND	ND	47	ND	ND	111
SQ 01039	.1	2.22	3	ND	258	ND	2.08	.1	20	19	8	6.22	.15	.93	1091	1	.01	21	.25	8	ND	ND	ND	ND	56	ND	ND	119
SQ 01041	.1	1.77	ND	ND	304	ND	1.81	.4	24	21	11	5.69	.14	.79	863	2	.02	19	.22	8	ND	ND	ND	2	48	ND	ND	98
SQ 01043	.7	1.70	14	ND	353	ND	1.46	.6	47	7	25	5.19	.12	1.04	536	1	.01	21	.07	10	ND	ND	ND	9	32	ND	ND	86
SQ 01045	1.1	2.25	10	ND	282	ND	1.70	.4	57	8	56	6.58	.13	1.45	689	1	.01	26	.08	14	ND	ND	ND	9	36	ND	ND	94
SQ 01048	.7	2.02	32	ND	262	ND	2.27	.1	45	7	27	5.25	.13	1.25	641	1	.01	21	.10	9	ND	ND	ND	5	43	ND	ND	84
SQ 01049	.7	3.54	10	ND	1087	ND	5.25	.5	48	4	68	7.58	.26	2.33	1212	2	.01	27	.08	8	ND	ND	ND	2	151	22	ND	148
SQ 01050	.1	4.26	29	ND	586	ND	4.25	.1	58	7	105	8.64	.22	2.91	1256	1	.01	36	.11	1	ND	ND	ND	ND	130	ND	ND	161
SQ 01051	.1	4.33	32	ND	270	ND	6.16	.2	54	3	103	8.32	.17	3.02	1627	1	.01	37	.10	1	ND	ND	ND	ND	181	ND	ND	160
SQ 01052	.1	3.24	33	ND	155	ND	4.26	.2	96	9	188	9.30	.20	1.79	1281	2	.01	30	.27	4	ND	ND	ND	ND	103	ND	ND	107
SQ 01054	.1	2.50	16	ND	203	ND	3.00	.1	40	7	77	6.19	.14	1.37	931	1	.01	22	.13	3	ND	ND	ND	ND	63	ND	ND	90
SQ 01055	.1	3.12	17	ND	246	ND	5.55	.2	42	4	75	6.83	.16	1.87	1311	1	.01	26	.11	1	ND	ND	ND	ND	119	ND	ND	118
SQ 01058	.1	2.36	21	ND	177	ND	2.67	.2	42	7	66	5.66	.12	1.45	855	1	.01	22	.14	1	ND	ND	ND	2	46	ND	ND	101
SQ 01062	.1	2.45	76	ND	243	ND	4.01	.1	96	4	176	5.84	.14	1.54	986	1	.01	25	.08	3	ND	ND	ND	6	66	ND	ND	115
SQ 01063	.1	2.79	ND	ND	254	ND	2.06	.1	74	2	107	7.84	.13	1.67	886	ND	.01	42	.08	4	ND	ND	ND	4	32	ND	ND	109
SQ 01064	.7	3.20	3	ND	235	ND	2.12	.3	94	6	196	8.50	.14	1.87	958	3	.01	52	.07	6	ND	ND	ND	5	34	ND	ND	120
DETECTION LIMIT	.3	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AG PPM	AL %	AS PPM	AU PPM	BA PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	K %	MG %	MN PPM	MO PPM	NA %	NI PPM	P %	PB PPM	PD PPM	PT PPM	SB PPM	SN PPM	SR PPM	U PPM	W PPM	ZN PPM
SQ 01068	.1	2.41	28	ND	195	ND	4.00	.1	55	6	77	4.91	.13	1.63	893	ND	.01	53	.07	1	ND	ND	ND	4	61	ND	ND	42
SQ 01072	.1	2.33	24	ND	96	ND	3.17	.1	52	2	172	5.19	.11	1.62	798	ND	.01	82	.07	2	ND	ND	ND	3	45	ND	ND	81
SQ 01073	.1	2.08	30	ND	602	ND	9.71	.1	67	3	478	5.25	.22	1.41	1284	1	.01	102	.03	5	ND	ND	ND	2	135	5	ND	82
SQ 01074	.6	2.12	27	ND	103	ND	3.25	.3	66	5	329	5.09	.11	1.45	744	ND	.01	82	.07	3	ND	ND	ND	6	39	ND	ND	78
SQ 01076	1.1	2.20	ND	ND	140	ND	2.58	.3	50	11	161	4.94	.11	1.52	681	ND	.01	80	.06	5	ND	ND	ND	11	42	ND	ND	75
SQ 01078	1.2	2.29	ND	ND	339	ND	1.53	.5	60	5	299	7.55	.13	1.67	601	ND	.01	139	.05	8	ND	ND	ND	8	21	ND	ND	93
SQ 01080	1.5	2.33	ND	ND	302	ND	1.72	.3	83	15	471	11.80	.16	1.62	601	ND	.01	282	.05	11	ND	ND	ND	7	30	ND	ND	110
SQ 01082	2.2	2.83	3	ND	344	ND	1.92	.3	104	54	672	13.76	.19	2.08	659	1	.01	409	.04	12	ND	ND	ND	8	24	ND	ND	132
SQ 01085	1.1	1.82	ND	ND	81	ND	2.83	.5	64	69	573	5.84	.12	1.66	505	1	.01	284	.04	7	ND	ND	ND	6	37	ND	ND	79
SQ 01087	1.1	1.79	28	ND	6	ND	1.86	.5	98	62	902	6.24	.08	2.24	508	1	.01	366	.04	6	ND	ND	ND	1	11	ND	ND	88
SQ 01088	.3	1.56	7	ND	3	ND	1.25	.1	106	55	670	7.55	.08	2.45	380	4	.01	551	.04	7	ND	ND	ND	ND	9	ND	ND	53
SQ 01089	1.1	1.45	4	ND	26	4	2.57	.5	42	70	373	2.58	.08	1.58	493	1	.01	164	.04	10	ND	ND	ND	9	36	ND	ND	55
SQ 01090	.7	.88	ND	ND	20	6	2.91	.3	23	74	212	1.56	.08	.81	351	1	.01	69	.04	4	ND	ND	ND	10	37	ND	ND	28
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

VANGUARD IEM LAB LIMITED

MAIN OFFICE: 1521 PEMBERTON AVE. N. VANCOUVER B.C. V7P 2S3 PH: (604)986-5211 TELEX: 04-352578
 BRANCH OFFICE: 1630 PANDORA ST. VANCOUVER B.C. V5L 1L6 PH: (604)251-5656

ICAP GEOCHEMICAL ANALYSIS

A .5 GRAM SAMPLE IS DIESTERED WITH 5 ML OF 3:1:2 HCL TO HNO3 TO H2O AT 95 DEG. C FOR 90 MINUTES AND IS DILUTED TO 10 ML WITH WATER.
 THIS LEACH IS PARTIAL FOR SA, MA, FE, CA, P, CR, MG, BA, FD, AL, NA, K, W, PT AND SR. AU AND PD DETECTION IS 3 PPM.
 ES= INSUFFICIENT SAMPLE, ND= NOT DETECTED, --= NOT ANALYZED

COMPANY: MPD CONSULTANTS LTD
 ATTENTION:
 PROJECT: SOUAW LAE

REPORT#: 880385 PA
 JOB#: 880385
 INVOICE#: 880385 NA

DATE RECEIVED: 88/04/14
 DATE COMPLETED: 88/04/19
 COPY SENT TO:

ANALYST *EBJ*

SAMPLE NAME	AG	AL	AS	AU	BA	BI	CA	CD	CO	CR	CU	FE	K	MG	MN	MO	NA	NI	P	PB	PD	PT	SB	SN	SR	U	W	ZN
	PPM	%	PPM	PPM	PPM	PPM	%	PPM	PPM	PPM	PPM	%	%	%	PPM	PPM	%	PPM	%	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM	PPM
01092	2.7	1.08	14	ND	19	8	2.22	.3	34	145	391	1.95	.07	.97	349	2	.01	91	.04	11	ND	ND	ND	14	37	ND	ND	35
01094	2.2	1.00	14	ND	17	7	3.34	.5	29	194	343	1.84	.08	.95	492	2	.01	94	.04	10	ND	ND	ND	13	29	ND	ND	39
01096	5.5	1.62	11	ND	51	6	6.29	1.2	78	669	1782	3.46	.11	1.95	813	7	.01	444	.04	15	ND	ND	ND	9	31	ND	ND	80
01097	5.8	1.11	ND	ND	4	ND	1.96	2.7	242	1195	4681	8.85	.09	5.59	891	1	.01	1694	.02	6	ND	ND	ND	ND	19	ND	ND	117
01098	4	1.32	15	ND	5	ND	.85	1.6	143	1525	720	9.13	.06	9.16	695	1	.01	1382	.02	5	ND	ND	ND	ND	11	ND	ND	80
01099	.1	1.30	26	ND	5	ND	.77	.1	121	1553	406	9.58	.07	9.52	697	ND	.01	1214	.02	2	ND	ND	ND	ND	10	ND	ND	45
01101	.1	1.38	18	ND	5	ND	.19	.1	111	1554	46	9.31	.05	9.43	576	ND	.01	1235	.02	2	ND	ND	ND	ND	5	ND	ND	40
01103	.1	1.10	277	ND	2	ND	1.00	.1	257	1694	68	8.19	.06	7.83	749	ND	.01	1222	.02	1	ND	ND	ND	ND	16	ND	ND	36
01105	.1	1.20	6	ND	3	ND	.15	.5	122	1851	50	8.99	.05	7.78	536	ND	.01	1277	.02	3	ND	ND	ND	ND	3	ND	ND	42
01107	1.1	1.25	26	ND	3	ND	.17	1.1	126	1725	1119	7.11	.04	5.00	370	1	.01	1233	.03	3	ND	ND	ND	ND	3	ND	ND	45
01108	.1	1.34	19	ND	3	ND	.14	.6	111	1577	263	6.61	.04	4.68	349	1	.01	1154	.03	4	ND	ND	ND	ND	3	ND	ND	36
01109	.1	1.35	7	ND	2	ND	.13	.5	137	1498	242	8.52	.04	7.79	534	1	.01	1518	.02	1	ND	ND	ND	ND	3	ND	ND	47
01110	8.7	1.61	17	ND	3	ND	.13	2.5	251	1584	6130	8.15	.04	6.06	431	3	.01	2636	.02	5	ND	ND	ND	ND	3	ND	ND	81
01112	.1	2.14	13	ND	5	ND	.15	.5	102	1640	193	5.82	.03	5.26	362	2	.01	1055	.03	1	ND	ND	ND	ND	3	ND	ND	40
01113	.1	1.53	9	ND	2	ND	.15	3.1	114	1770	368	5.45	.03	3.79	319	1	.01	1206	.04	3	ND	ND	ND	ND	3	ND	ND	132
01114	.1	1.32	ND	ND	2	ND	.96	.5	133	1619	284	7.83	.06	6.24	714	1	.01	1314	.02	1	ND	ND	ND	ND	16	ND	ND	43
01115	.1	1.57	7	ND	1	ND	.63	.5	102	1512	500	7.19	.05	3.80	393	1	.01	1067	.03	2	ND	ND	ND	ND	5	ND	ND	34
01116	.1	1.76	9	ND	2	ND	.15	.5	114	1633	99	4.82	.03	4.44	312	2	.01	1576	.02	2	ND	ND	ND	ND	4	ND	ND	37
01117	.1	.45	11	ND	37	ND	2.36	.1	2	52	9	.43	.07	.22	286	1	.01	16	.01	3	ND	ND	ND	ND	38	ND	ND	10
01118	.1	.39	10	ND	33	ND	2.16	.1	3	50	17	.51	.07	.16	201	2	.01	12	.01	5	ND	ND	ND	ND	41	ND	ND	12
01119	.1	.32	7	ND	22	ND	1.39	.1	2	74	10	.43	.06	.07	128	1	.01	9	.01	4	ND	ND	ND	ND	25	ND	ND	12
01120	.1	.41	12	ND	23	ND	1.04	.1	2	72	11	.54	.05	.12	121	3	.01	15	.01	9	ND	ND	ND	ND	16	ND	ND	16
01121	.1	.34	7	ND	16	ND	.90	.2	2	65	5	.43	.06	.07	117	4	.01	5	.01	11	ND	ND	ND	ND	13	ND	ND	20
01122	.1	.25	6	ND	13	ND	.88	.1	2	53	8	.64	.05	.07	136	1	.01	5	.01	6	ND	ND	ND	ND	13	ND	ND	15
01123	.1	.46	8	ND	15	ND	.72	.3	2	78	9	.80	.05	.09	124	4	.01	7	.01	16	ND	ND	ND	ND	12	ND	ND	25
01124	.1	.48	5	ND	11	ND	.81	.1	2	78	6	.79	.05	.15	133	1	.01	5	.01	5	ND	ND	ND	ND	13	ND	ND	20
01125	.1	1.79	19	ND	20	ND	1.90	.3	9	54	25	2.64	.08	.82	306	4	.01	25	.06	3	ND	ND	ND	ND	30	ND	ND	82
01126	.1	1.50	13	ND	13	ND	2.10	.2	8	43	37	2.59	.08	.76	314	2	.01	25	.05	3	ND	ND	ND	ND	21	ND	ND	47
01127	.1	.42	13	ND	16	ND	.80	.1	2	89	14	.65	.05	.12	126	4	.01	8	.01	4	ND	ND	ND	ND	14	ND	ND	14
01128	.1	.50	9	ND	19	ND	1.43	.1	2	81	15	.73	.06	.16	161	1	.01	7	.01	4	ND	ND	ND	ND	20	ND	ND	11
01129	.1	.77	6	ND	32	ND	1.07	.1	1	53	1	.81	.06	.50	177	3	.01	9	.01	4	ND	ND	ND	ND	19	ND	ND	17
01130	.1	.56	7	ND	23	ND	1.94	.3	1	47	2	.81	.07	.51	273	1	.01	8	.01	4	ND	ND	ND	ND	22	ND	ND	14
01131	.1	.63	6	ND	27	ND	2.19	.1	1	65	3	.77	.07	.43	230	3	.01	8	.01	4	ND	ND	ND	ND	22	ND	ND	17
01132	.1	.64	7	ND	24	ND	.97	.1	1	65	1	.79	.06	.54	170	ND	.01	7	.01	3	ND	ND	ND	ND	13	ND	ND	14
01133	.1	.66	6	ND	22	ND	.92	.1	1	51	2	.72	.05	.61	184	3	.01	6	.01	3	ND	ND	ND	ND	14	ND	ND	14
01134	.1	.73	5	ND	16	ND	.69	.1	2	42	1	.60	.05	.37	71	1	.01	6	.01	3	ND	ND	ND	ND	9	ND	ND	17
01135	.1	.98	10	ND	20	3	.99	.1	2	57	2	.87	.06	.47	97	3	.01	7	.01	4	ND	ND	ND	ND	13	ND	ND	22
01136	.2	.66	8	ND	13	ND	1.50	.1	2	60	9	.70	.07	.26	136	1	.01	6	.01	4	ND	ND	ND	ND	23	ND	ND	14
01137	.2	.58	20	ND	17	ND	1.62	.1	2	67	5	.59	.07	.19	122	3	.01	6	.01	4	ND	ND	ND	ND	20	ND	ND	11
DETECTION LIMIT	.1	.01	3	3	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	3	1

SAMPLE NAME	AS PPM	AL %	AS PPM	AU PPM	BA PPM	BI PPM	CA %	CD PPM	CO PPM	CR PPM	CU PPM	FE %	Z %	MG %	MN PPM	MO PPM	NA %	NI PPM	P %	PB PPM	PD PPM	PT PPM	SB PPM	SN PPM	SR PPM	U PPM	W PPM	ZN PPM
01138	.1	.57	16	ND	14	5	1.80	.1	2	36	5	.61	.06	.22	129	ND	.01	3	.01	3	ND	ND	ND	ND	21	ND	ND	12
01139	.1	.70	14	ND	22	3	1.21	.2	2	84	4	.62	.05	.20	96	3	.01	3	.01	2	ND	ND	ND	ND	22	ND	ND	10
01140	.1	.73	3	ND	20	ND	1.57	.1	2	72	2	.84	.06	.31	125	ND	.01	3	.01	2	ND	ND	ND	ND	22	ND	ND	13
01141	.1	1.16	6	ND	22	ND	1.12	.1	2	57	2	1.05	.06	.69	132	3	.01	7	.01	2	ND	ND	ND	ND	18	ND	ND	25
01142	.1	.97	7	ND	16	ND	1.23	.1	1	42	1	.86	.05	.59	129	ND	.01	5	.01	1	ND	ND	ND	ND	15	ND	ND	20
01143	.1	.97	217	ND	24	ND	1.93	.1	3	64	9	.80	.07	.47	145	2	.01	5	.01	3	ND	ND	ND	ND	19	ND	ND	17
DETECTION LIMIT	.1	.01	0	0	1	3	.01	.1	1	1	1	.01	.01	.01	1	1	.01	1	.01	2	3	5	2	2	1	5	0	1



Report of Work
(Geophysical, Geological,
Geochemical and Expenditures)

DOCUMENT No.
W8801-17



52E10SW8544 2.11577 SHOAL LAKE

Aug 27

Minin

900

Type of Survey(s): **ASSAYS**
 Claim Holder(s): **2.11577**
FRESH IN RESOURCES LTD
 Address: **100-581 ARGUS DRIVE**
 Survey Company: **MPD CONSULTANTS**
 Name and Address of Author (of Geo-Technical report):
 Township or Area: **SHOAL LAKE-CLEARWATERBAY**
 Prospector's Licence No.: **6.2642**
T 1598
OAKVILLE, ONTARIO
~~KENORA~~ **L6J3J4**
 Date of Survey (from & to):
 02 Day 02 Mo 88 Day 02 Mo 88
 Total Miles of line Cut: **—**

Credits Requested per Each Claim in Columns at right

Mining Claims Traversed (List in numerical sequence)

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	
	- Magnetometer	
For each additional survey: using the same grid: Enter 20 days (for each)	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Man Days Complete reverse side and enter total(s) here	Geophysical	Days per Claim
	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Airborne Credits Note: Special provisions credits do not apply to Airborne Surveys.	Electromagnetic	Days per Claim
	Magnetometer	
	Radiometric	

Mining Claim			Mining Claim		
Prefix	Number	Expend. Days Cr.	Prefix	Number	Expend. Days Cr.
K	978477	20	K	977900	20
	978478				
	978479				
	978480				
	978481				
	978482	✓			
	978484				
	978485				
	978486				
	978487				
	978488				
	978489	✓			
	978490				
	978491				
	978492				
	978493				
	978494				
	978495				
	978496				
	978497				
	978498	✓			
	978499				
	978500				

RECEIVED

JUL 18 1988

MINING LANDS SECTION

KENORA MINING DIV.
 RECEIVED
 JUL - 4 1988
 AM 8:15 PM
 7 8 9 10 11 12 1 2 3 4 5 6

Expenditures (excludes power stripping)

Type of Work Performed: **CHEMICAL ASSAYS**
 Performed on Claim(s): **K977858**
 ONTARIO GEOLOGICAL SURVEY ASSESSMENT FILES OFFICE
 NOV 10 1988

Calculation of Expenditure Days Credits:
 Total Expenditures: **\$7200.00** ÷ **15** = **480**

Instructions
 Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

978477 Total number of mining claims covered by this report of work. **24**

Date: **29 JUNE 88**
 Recorded by Holder or Agent (Signature): *[Signature]*

For Office Use Only
 Total Days Credits Recorded: **480**
 Date Recorded: **July 4/88**
 Mining Recorder: *[Signature]*
 Date Approved as Recorded: **Nov 88**
 Approved by: *[Signature]*

Certification Verifying Report of Work
 I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying:
Hel de Quadros 40 Halwood Avenue Toronto Ontario M4M 1P5
 Date Certified: **29 June 88**
 Signature: *[Signature]*

