

Ft. Au Au
PPB OPT

0.0'
3.0'
6.0' 29
9.0' 75
12.0' 118
15.0' 33
18.0' 36
21.0' 21
24.0' 4
27.0' 8
30.0'
33.0' 41
36.0' 30
39.0' 21
42.0' 23
45.0' 36
48.0' 14
51.0' 25
54.0' 3
57.0' 6
60.0' 10
63.0' 8
66.0' 53
69.0' 34
72.0' 19
75.0' 12
78.0' 8
81.0' 15
84.0' 29
87.0' 77
90.0' 27
93.0' 89
96.0' 60
99.0' 171 0.005

0' - 24' Light grey, tan moderately sheared porphyry--waxy bedding planes. Stretched quartz eyes and altered lenses. Few 8-12' zones with rust brown crumbly schistos material. Some milky white irregular quartz veins. Strike 70-75 degrees. Same material as in Trench 15.

0.026 21' - 24' Chalky rust orange intensely altered material with few quartz eyes.

24' - 51' Weakly sheared light grey green--scattered disseminated pyrite and black mineral. Red brown altered streaks are common. Strike at 75 degrees.



52F04NE0006 2.12386 BROOKS LAKE


010

51' - 60' Medium tan sericite schist with light tan orange alteration. Abundant disseminated pyrite and black cubes parallel to schistos


60' - 66' Intensely sheared orange brown altered quartz sericite schist--disseminated pyrite. Strike 80-85 degrees. Dip 80 degrees south.

66' - 69' Medium grey green massive. No structure or pyrite

Ft. PPB OPT
Au Au




Trench # 12



50' Abrupt drop to lake.

30' - 42' Medium grey greenish weak sheared porphyry with light rust orange altered clusters and yellow orange siliceous blebs parallel to schistos - strike 82 degrees, dip 85 degrees south. Similar to the north end two trenches to west.

0' - 30' Light grey tan sericite schist - flaky with orange brown altered and fine black cubes parallel to schistos - trace pyrite. Strike 75 degrees. Dip 80 degrees south.



Trench # 13
Scale 1"=10'

AU

Ft. PPB OPT

107.0'	149	
104.0'	92	
101.0'	66	
98.0'	36	
95.0'	19	
92.0'	14	
89.0'	11	
86.0'	29	
83.0'	8	
80.0'	26	
77.0'	29	
75.0'	33	
72.0'	10	
69.0'	36	
66.0'	40	
63.0'	26	
60.0'	174	0.005
57.0'	88	
54.0'	64	
51.0'	408	0.011
48.0'	195	0.007
45.0'	233	0.007
42.0'	95	
39.0'	29	
36.0'	26	
33.0'	10	
30.0'	15	
27.0'	29	
24.0'	36	
21.0'	123	0.004
18.0'	75	
15.0'	18	
12.0'		0.020
9.0'		
6.0'	43	0.004
3.0'	47	
0.0'	88	


76' - 104' Poor exposure about 10' lower in elevation than 60'-76' interval. Trench bottom is very irregular.

60' - 76' Medium dark grey green sericite schist with waxy bedding planes and some rust orange alteration--strike 82 degrees, dip 88 degrees south.


30' - 60' Light tan soft platy sericite schist with varying degrees of red orange alteration.

0' - 30' Light medium grey green - no structure - 1/4' milky white quartz along surficial bedding plane

Ft. PPB OPT
Au Au



Trench # 14
Scale 1"=10'



Ft.	Au PPB	Au DPT
0.0'		
3.0'	77	
6.0'	66	
9.0'	11	
12.0'	18	
15.0'	21	
18.0'	15	
21.0'	23	
24.0'	7	
27.0'		11
30.0'		6
33.0'		17
36.0'		12
39.0'		6
42.0'		12
45.0'		114
48.0'		32
51.0'		33
53.0'		206
56.0'		29
59.0'		17
62.0'		59
66.0'		
FT.	PPB	DPT
	Au	Au

0' - 6' Light medium tan sericite schist - waxy and platy with disseminated black cubes.


6' - 12' Light medium tan sheared porphyry with stretched fragments and rust orange altered stain-- strike 80-85 degrees. Dip possibly 85 degrees south.

12' - 39' Light medium grey green massive. Scattered disseminated pyrite and rust orange dissolution cavities. Some sugary textured milky white quartz veining.

39' - 66' Medium grey green massive. Scattered rust orange altered specks.

0.003

0.006



Trench # 15
Scale 1"=10'

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 9 of 13
DATE SEPT. 30/88

TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM ASSAYS PPB			oz/TON	TRUE WIDTH	REMARKS
			FROM	TO		Ag		Al			
12	1510	4954	0	3	3	0.8		15			
		4955	3	6	3	0.6		29			
		4956	6	9	3	0.2		75			
		4957	9	12	3	ND		118			CLAIM K. 896091
		4958	12	15	3	0.2		33			
		4959	15	18	3	0.2		36			
		4960	18	21	3	0.2			0.026		
		4961	21	24	3	0.2		21			
		4962	24	27	3	ND		4			
		4963	27	30	3	0.2		8			
12		4964	30	33	3	0.2		41			
		4965	33	36	3	ND		30			
		4966	36	39	3	ND		21			NOTE:
		4967	39	42	3	0.2		23			SAMPLES TAKEN NORTH
		4968	42	45	3	0.2		36			TO SOUTH = 99'
		4969	45	48	3	0.2		14			
		4970	48	51	3	0.2		25			
		4971	51	54	3	ND		3			
		4972	54	57	3	0.2		6			
		4973	57	60	3	ND		10			
12		4974	60	63	3	0.4		8			
		4975	63	66	3	0.4		53			
		4976	66	69	3	ND		34			
		4977	69	72	3	ND		19			
		4978	72	75	3	ND		12			
		4979	75	78	3	0.2		8			
		4980	78	81	3	ND		15			TOTAL 33 SAMPLES
		4981	81	84	3	ND		29			
		4982	84	87	3	0.2		77			
		4983	87	90	3	ND		27			
12	1510	4984	90	93	3	ND		89			
		4985	93	96	3	0.4		60			
		4986	96	99	3	ND		171	0.005		

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 10 of 13
DATE SEPT. 30/88

TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM ASSAYS			TRUE WIDTH	REMARKS
			FROM	TO		Ag	ppb Au	oz/Ton Au		
13	1510	4837	0	3	3	0.4		14		
		4838	3	6	3	0.6		22		
		4839	6	9	3	0.8		17		CLAIM K. 896091
		4840	9	12	3	0.6		14		
		4841	12	15	3	0.4		12		
		4842	15	18	3	0.4		12		
		4843	18	21	3	0.4		11		
		4844	21	24	3	0.6		15		
4845	24	27	3	0.8		14				
4846	27	30	3	0.8		15				
13	1510	4847	30	33	3	1.0		12		
		4848	33	36	3	0.8		12		
		4849	36	39	3	1.2		14		
		4850	39	42	3	1.2		14		
13	1510	4951	42	45	3	0.8		7		
		4952	45	48	3	1.0		21		TOTAL 17 SAMPLES
13	1510	4953	48	50	2	0.6		10		
										NOTE:
										SAMPLES TAKEN SOUTH TO NORTH - 50'

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 11 of 13
DATE SEPT. 30/88

TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM ASSAYS			TRUE WIDTH	REMARKS
			FROM	TO		Ag	ppb Au	oz/TON Au		
14	1510	4801	0	3	3	0.4		88		
		4802	3	6	3	0.4		47		
		4803	6	9	3	0.6		43		CLAIM K. 896091
		4804	9	12	3	0.8			0.020	
		4805	12	15	3	0.6		18		
		4806	15	18	3	0.6		75		
14		4807	18	21	3	0.6		123	0.004	
		4808	21	24	3	0.6		36		
		4809	24	27	3	0.6		29		
		4810	27	30	3	0.2		15		
		4811	30	33	3	0.4		10		
		4812	33	36	3	0.4		26		
14		4813	36	39	3	0.8		29		
		4814	39	42	3	0.8		95		
		4815	42	45	3	1.0		233	0.007	
		4816	45	48	3	0.4		195	0.007	
		4817	48	51	3	0.4		408	0.011	
		4818	51	54	3	0.6		64		
14		4819	54	57	3	0.4		88		
		4820	57	60	3	0.6		174	0.005	
		4821	60	63	3	0.6		26		
		4822	63	66	3	0.4		40		
		4823	66	69	3	0.6		36		NOTE: SAMPLES TAKEN SOUTH TO NORTH ~
		4824	69	71	3	0.6		10		
14	1510	4825	72	75	3	0.6		33		
		4826	75	77	2	0.6		29		
		4827	77	80	3	0.6		26		
		4828	80	83	3	0.6		8		
		4829	83	86	3	0.4		29		
		4830	86	89	3	0.4		11		
14		4831	89	92	3	0.4		14		
		4832	92	95	3	0.6		19		
SEE NEXT PAGE										

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 12 of 13
DATE SEPT. 30/88

TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM ASSAYS PPB O ₂ /TON			TRUE WIDTH	REMARKS
			FROM	TO		Ag	Al	Al		
14	1510	4833	95	98	3	0.4		36		CLAIM K. 896091
		4834	98	101	3	0.4		66		
		4835	101	104	3	0.6		92		
14	1510	4836	104	107	3	0.4		149	0.004	TOTAL 36 SAMPLES
		GRAB SAMPLES -								
14		4929				0.6				LOOSE, OXIDIZED, BROWN STAIN
		4930				0.4				SOUTH SIDE EAST ISLAND
		4931				1.0				EAST ISLAND
		4932			3	1.2				EAST ISLAND
		4933			3	1.0		149	0.004	EAST ISLAND
		No A				0.8		26		SEE PLAN 86-0
		B				0.4		95		"
		C				1.0		23		"
		D				0.8		51		"
		E				0.4		45		"
		F				1.0		25		"
		G				1.2		106	0.003	SEE PLAN 86-02
										TOTAL 12 GRAB SAMPLES

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 13 of 13
DATE SEPT. 30/88

TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM ASSAYS			TRUE WIDTH	REMARKS		
			FROM	TO		Ag	Ppb Au	oz/TON Au				
15	1510	4987	0	3	3	ND		77				
		4988	3	6	3	0.2		66				
		4989	6	9	3	0.2		11		CLAIM K. 896091 K. 365049		
		4990	9	12	3	ND		18				
		4991	12	15	3	0.2		21				
		4992	15	18	3	0.2		15				
		4993	18	21	3	ND		23				
		4994	21	24	3	0.2		7				
		4995	24	27	3	0.4		11				
		4996	27	30	3	0.6		6				
		4997	30	33	3	1.0		17				
		15		4998	33	36	3	1.0		12		
				4999	36	39	3	0.6		6		
5000	39			42	3	0.6		12				
4901	42			45	3	0.6		114	0.003			
4902	45			48	3	0.4		32				
4903	48			51	3	0.4		33		TOTAL 20 SAMPLES		
4904	51			53	2	0.6		206	0.006			
4905	53			56	3	0.4		29				
15	1510	4906	56	59	3	0.6		17				
		4907	59	62	3	0.4		59				
		4908	62	66	4					LOST SAMPLE		
										NOTE: SAMPLES TAKEN NORTH TO SOUTH - 66'		



BELL - WHITE ANALYTICAL LABORATORIES LTD.

P.O. Box 187, 374 Browning St., Haileybury, Ontario P0J 1K0
(705) 672-3107

INVOICE

NO.

DATE 33322

PAGE 09-23-88

1 of 1

SOLD TO:

SHIP TO:

R.M. Blais & Assoc. Ltd.
1354 Franklin St.
North Bay, Ontario
P1B 2M3

Same

ITEM NO	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	AMOUNT
1510	271	1	Au	8.500	[REDACTED]
1510	271	1	Ag	2.000	
1510	271	1	Sample Preparation	2.500	
COMMENTS:				TOTAL	3,523.00
Net 30 Days.					

*paid Oct 8/88
CH# 014*


NOTE:

COST PER SAMPLE = \$13.00

TOTAL SAMPLES TRENCHES #12, #13 & #14 = 98
PLUS GRABS

98 x \$13.00 = \$1274.00

RE: CLAIM K. 896091



4

R.M. BLAIS & ASSOCIATES LTD
(LARAMIDE DIVISION)
1354 FRANKLIN ST. 474-4110
NORTH BAY, ONT. P1B 2M3

0000019

NOV. 9 19 88

\$ 1100.00

PAY TO THE ORDER OF

Bell-White Labs

Eleven Hundred Dollars — x/100 DOLLARS



Canadian Imperial Bank of Commerce
MAIN AND FRASER
NORTH BAY, ONT.

R.M. BLAIS & ASSOCIATES LTD

FOR

Assays

PER

R.M. Blais

⑈0000019⑈ ⑆00792⑈0101⑆ 14⑈03419⑈

⑈000010000⑈

R. M. BLAIS & ASSOCIATES LTD.
CIVIL AND MINING ENGINEERS
1354 FRANKLIN STREET,
NORTH BAY, ONTARIO P1B 2M3
(705) 474-4110

2782

NOV. 9 19 88

PAY TO THE ORDER OF

Bell-White Labs

\$ 2423.00

SUM OF

Two Thousand Four Hundred Twenty Three — x/100 DOLLARS

R. M. BLAIS & ASSOCIATES LTD.

THE TORONTO-DOMINION BANK
COMMERCIAL BANKING CENTRE
199 MAIN ST. E. & WYLD ST.,
NORTH BAY, ONTARIO P1B 8H5

PER

R.M. Blais

⑈002782⑈ ⑆31202⑈0041⑆ 0390⑈0850403⑈

⑈0000242300⑈



BELL - WHITE ANALYTICAL LABORATORIES LTD.

P.O. BOX 187.

HAILEYBURY, ONTARIO

TEL: 672-3107

Certificate of Analysis

Page 3 of 5

NO. 1510

DATE: September 22, 1988

SAMPLE(S) OF: Rock (271)

RECEIVED: September 1988

SAMPLE(S) FROM: R.M. Blais & Associates

Sample No.	Au ppb	Oz. Gold	Ag ppm	Sample No.	Au ppb	Ag ppm
4625	123		0.2	4823	36	0.6
6	342		0.4	4	10	0.6
7	111		0.2	5	33	0.6
8	145		0.4	6	29	0.6
9	247		0.6	7	26	0.6
4630	108		0.4	8	8	0.6
1	156		1.2	9	29	0.4
2	274		1.2	4830	11	0.4
4801	88		0.4	1	14	0.4
2	47		0.4	2	19	0.6
3	43		0.6	3	36	0.4
4		0.020**	0.8	4	66	0.4
5	18		0.6	5	92	0.6
6	75		0.6	6	149	0.4
7	123		0.6	7	14	0.4
8	36		0.6	8	22	0.6
9	29		0.6	9	17	0.8
4810	15		0.2	4840	14	0.6
1	10		0.4	1	12	0.4
2	26		0.4	2	12	0.4
3	29		0.8	3	11	0.4
4	95		0.8	4	15	0.6
5	233		1.0	5	14	0.8
6	195		0.4	6	15	0.8
7	408		0.4	7	12	1.0
8	64		0.6	8	12	0.8
9	88		0.4	9	14	1.2
4820	174		0.6	4850	14	1.2
1	26		0.6	4901	114	0.6
2	40		0.4	2	32	0.4

**Checked

IN ACCORDANCE WITH LONG-ESTABLISHED NORTH AMERICAN CUSTOM, UNLESS IT IS SPECIFICALLY STATED OTHERWISE GOLD AND SILVER VALUES REPORTED ON THESE SHEETS HAVE NOT BEEN ADJUSTED TO COMPENSATE FOR LOSSES AND GAINS INHERENT IN THE FIRE ASSAY PROCESS.

BELL-WHITE ANALYTICAL LABORATORIES LTD.

PER 



BELL - WHITE ANALYTICAL LABORATORIES LTD.

P.O. BOX 187,

HAILEYBURY, ONTARIO

TEL: 672-3107

Certificate of Analysis

Page 4 of 5

NO. 1510

DATE: September 22, 1988

SAMPLE(S) OF: Rock (271)

RECEIVED: September 1988

SAMPLE(S) FROM: R.M. Blais & Associates

Sample No.	Au ppb	Ag ppm	Sample No.	Au ppb	Oz. Gold	Ag ppm
4903	33	0.4	4934	17		0.8
4	206	0.6	5	169		0.2
5	29	0.4	6	21		0.4
6	17	0.6	7	25		1.4
7	59	0.4	4951	7		0.8
9	27	1.0	2	21		1.0
4910	21	1.0	3	10		0.6
1	12	1.2	4	15		0.8
2	49	1.0	5	29		0.6
3	64	1.2	6	75		0.2
4	143	1.2	7	118		N.D
5	93	1.0	8	33		0.2
6	70	1.4	9	36		0.2
7	89	0.4	4960		0.026**	0.2
8	85	0.4	1	21		0.2
9	548	0.6	2	4		N.D
4920	262	0.2	3	8		0.2
1	29	0.4	4	41		0.2
2	21	0.2	5	30		N.D
3	104	0.4	6	21		N.D
4	284	0.6	7	23		0.2
5	248	0.2	8	36		0.2
6	64	0.4	9	14		0.2
7	4	0.2	4970	25		0.2
8	69	0.4	1	3		N.D
9	10	0.6	2	6		0.2
4930	12	0.4	3	10		N.D
1	56	1.0	4	8		0.4
2	59	1.2	5	53		0.4
3	149	1.0	6	34		N.D

NOTE: N.D. denotes not detected.

**Checked

IN ACCORDANCE WITH LONG-ESTABLISHED NORTH AMERICAN CUSTOM, UNLESS IT IS SPECIFICALLY STATED OTHERWISE GOLD AND SILVER VALUES REPORTED ON THESE SHEETS HAVE NOT BEEN ADJUSTED TO COMPENSATE FOR LOSSES AND GAINS INHERENT IN THE FIRE ASSAY PROCESS.

BELL-WHITE ANALYTICAL LABORATORIES LTD.

PER 



BELL - WHITE ANALYTICAL LABORATORIES LTD.

P.O. BOX 187,

HAILEYBURY, ONTARIO

TEL: 672-3107

Certificate of Analysis

Page 5 of 5

NO. 1510

DATE: September 22, 1988

SAMPLE(S) OF: Rock (271)

RECEIVED: September 1988

SAMPLE(S) FROM: R.M. Blais & Associates

<u>Sample No.</u>	<u>Au ppb</u>	<u>Ag ppm</u>
4977	19	N.D
8	12	N.D
9	8	0.2
4980	15	N.D
1	29	N.D
2	77	0.2
3	27	N.D
4	89	N.D
5	60	0.4
6	171	N.D
7	77	N.D
8	66	0.2
9	11	0.2
4990	18	N.D
1	21	0.2
2	15	0.2
3	23	N.D
4	7	0.2
5	11	0.4
6	6	0.6
7	17	1.0
8	12	1.0
9	6	0.6
5000	12	0.6
No#A	26	0.8
B	95	0.4
C	23	1.0
D	51	0.8
E	45	0.4
F	25	1.0
G	106	1.2

NOTE: N.D. denotes not detected.

IN ACCORDANCE WITH LONG-ESTABLISHED NORTH AMERICAN CUSTOM, UNLESS IT IS SPECIFICALLY STATED OTHERWISE GOLD AND SILVER VALUES REPORTED ON THESE SHEETS HAVE NOT BEEN ADJUSTED TO COMPENSATE FOR LOSSES AND GAINS INHERENT IN THE FIRE ASSAY PROCESS.

BELL-WHITE ANALYTICAL LABORATORIES LTD.

PER 



DOCL W83



52F04NE0006 2.12396 BROOKS LAKE

#105 Minir.

900

Name of Survey(s): **ASSAYS** Township or Area: **2.12396 BROOKS LAKE - G.2670**

Claim Holder(s): **LARAMIDE RESOURCES LTD.** Prospector's Licence No.: **T.4731**

Address: **904-675 WEST HASTINGS ST., VANCOUVER, BC V6B 1N2**

Survey Company: **R.M. BLAIS & ASSOCIATES LTD.** Date of Survey (from & to): **02 08 88 18 09 88** Total Miles of line Cut: **EXISTING GRID**

Name and Address of Author (of Geo-Technical report): **R.M. BLAIS 1354 FRANKLIN ST., NORTH BAY, ONTARIO P1B 2M3**

Credits Requested per Each Claim in Columns at right

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
For each additional survey: using the same grid: Enter 20 days (for each)	- Other	
	Geological	
	Geochemical	
Man Days Complete reverse side and enter total(s) here	Geophysical	Days per Claim
	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Airborne Credits Note: Special provisions credits do not apply to Airborne Surveys.	Electromagnetic	Days per Claim
	Magnetometer	
	Radiometric	

Mining Claims Traversed (List in numerical sequence)

Mining Claim			Mining Claim		
Prefix	Number	Expend. Days Cr.	Prefix	Number	Expend. Days Cr.
K	896091	7			
	896092	9			
	896096	9			
	896097	9			
	896099	9			
	896104	20			
	896110	9			
	896111	13			

RECEIVED
MAY 1 1989
MINING LANDS SECTION

Expenditures (excludes power stripping)

Type of Work Performed: **ASSAYS**

Performed on Claim(s): **K. 896091**

TRENCHES 12, 13 & 14 PLUS GRABS

Calculation of Expenditure Days Credits

Total Expenditures: **\$ 1274.00** ÷ **15** = **85** Total Days Credits

Instructions: Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

ONTARIO GEOLOGICAL SURVEY
ASSESSMENT FILES
OFFICE
MAY -1 1989
RECEIVED

RECEIVED
MAY 9 1989
173

896091 Total number of mining claims covered by this report of work: **8**

For Office Use Only

Total Days Cr. Recorded: **85** Date Recorded: **89 APR 10** Mining Recorder: *Scott Rivett*

Date Approved as Recorded: **28 APR 89** Branch Director: *[Signature]*

R.M.


Date: **APRIL 4, 1989** Recorded Holder or Agent (Signature): *R.M. Blais*

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying: **R.M. BLAIS 1354 FRANKLIN ST., NORTH BAY, ONT. P1B 2M3**

Date Certified: **APRIL 4, 1989** Certified by (Signature): *R.M. Blais*



NOTE
 1987 GRID ON ICE
 1986 GRID
 K 896091

NOTE
 ALL FIGURES ON DRAWING ARE GRID VALUES

1986 SAMPLE LOCATION
 888 1000 1000 1000
 888 1000 1000 1000
 PLAN SHOWING LOCATION
 OF 1986 TRENCHING & ASSAYS
 CLAIM K 896091

LARAMIE RESOURCES LTD
 KAKAGI LAKE PROJECT
 GEOLOGY PLAN
 EAST ISLAND 2.12396
 SHOWING
 DIAMOND DRILL HOLES AND ASSAY DATA
 KENORA MINING DIVISION, ONTARIO
 TECHNICAL WORK BY: R.M.B. SCALE: 1" = 100'
 DRAWN BY: J.R.B. DATE: NOVEMBER, 1986
 APPROVED BY: R.M.B. DRAWING NO.: 86-02

- 1 1986 SAMPLE LOCATION
- 2 DIAMOND DRILL HOLES
- 3 FELSIC VOLCANICS
- 4 MAFIC VOLCANICS
- 5 SEDIMENTS
- 6 DIABASE
- 7 FELSIC/INTERMEDIATE INTRUSIVES (DNE)
- 8 MAFIC/INTERMEDIATE INTRUSIVES (DNE)
- 9 FELSIC VOLCANICS
- 10 MAFIC VOLCANICS
- 11 SEDIMENTS
- 12 DIABASE
- 13 FELSIC/INTERMEDIATE INTRUSIVES
- 14 MAFIC/INTERMEDIATE INTRUSIVES
- 15 SEDIMENTS
- 16 DIABASE
- 17 FELSIC VOLCANICS
- 18 MAFIC VOLCANICS
- 19 SEDIMENTS
- 20 DIABASE
- 21 FELSIC/INTERMEDIATE INTRUSIVES
- 22 MAFIC/INTERMEDIATE INTRUSIVES
- 23 SEDIMENTS
- 24 DIABASE
- 25 FELSIC VOLCANICS
- 26 MAFIC VOLCANICS
- 27 SEDIMENTS
- 28 DIABASE
- 29 FELSIC/INTERMEDIATE INTRUSIVES
- 30 MAFIC/INTERMEDIATE INTRUSIVES
- 31 SEDIMENTS
- 32 DIABASE
- 33 FELSIC VOLCANICS
- 34 MAFIC VOLCANICS
- 35 SEDIMENTS
- 36 DIABASE
- 37 FELSIC/INTERMEDIATE INTRUSIVES
- 38 MAFIC/INTERMEDIATE INTRUSIVES
- 39 SEDIMENTS
- 40 DIABASE
- 41 FELSIC VOLCANICS
- 42 MAFIC VOLCANICS
- 43 SEDIMENTS
- 44 DIABASE
- 45 FELSIC/INTERMEDIATE INTRUSIVES
- 46 MAFIC/INTERMEDIATE INTRUSIVES
- 47 SEDIMENTS
- 48 DIABASE
- 49 FELSIC VOLCANICS
- 50 MAFIC VOLCANICS
- 51 SEDIMENTS
- 52 DIABASE
- 53 FELSIC/INTERMEDIATE INTRUSIVES
- 54 MAFIC/INTERMEDIATE INTRUSIVES
- 55 SEDIMENTS
- 56 DIABASE
- 57 FELSIC VOLCANICS
- 58 MAFIC VOLCANICS
- 59 SEDIMENTS
- 60 DIABASE
- 61 FELSIC/INTERMEDIATE INTRUSIVES
- 62 MAFIC/INTERMEDIATE INTRUSIVES
- 63 SEDIMENTS
- 64 DIABASE
- 65 FELSIC VOLCANICS
- 66 MAFIC VOLCANICS
- 67 SEDIMENTS
- 68 DIABASE
- 69 FELSIC/INTERMEDIATE INTRUSIVES
- 70 MAFIC/INTERMEDIATE INTRUSIVES
- 71 SEDIMENTS
- 72 DIABASE
- 73 FELSIC VOLCANICS
- 74 MAFIC VOLCANICS
- 75 SEDIMENTS
- 76 DIABASE
- 77 FELSIC/INTERMEDIATE INTRUSIVES
- 78 MAFIC/INTERMEDIATE INTRUSIVES
- 79 SEDIMENTS
- 80 DIABASE
- 81 FELSIC VOLCANICS
- 82 MAFIC VOLCANICS
- 83 SEDIMENTS
- 84 DIABASE
- 85 FELSIC/INTERMEDIATE INTRUSIVES
- 86 MAFIC/INTERMEDIATE INTRUSIVES
- 87 SEDIMENTS
- 88 DIABASE
- 89 FELSIC VOLCANICS
- 90 MAFIC VOLCANICS
- 91 SEDIMENTS
- 92 DIABASE
- 93 FELSIC/INTERMEDIATE INTRUSIVES
- 94 MAFIC/INTERMEDIATE INTRUSIVES
- 95 SEDIMENTS
- 96 DIABASE
- 97 FELSIC VOLCANICS
- 98 MAFIC VOLCANICS
- 99 SEDIMENTS
- 100 DIABASE

ROCK CHIP SAMPLE

1 (C) GEOLOGICAL BOUNDARY - OBSERVED

2 (C) SHARP

3 (C) BUILDING

4 (C) FRENCH

5 (C) STRIKE & DIP

6 (C) PILLARS

7 (C) TRENCH

8 (C) TRENCH

9 (C) TRENCH

10 (C) TRENCH

11 (C) TRENCH

12 (C) TRENCH

13 (C) TRENCH

14 (C) TRENCH

15 (C) TRENCH

16 (C) TRENCH

17 (C) TRENCH

18 (C) TRENCH

19 (C) TRENCH

20 (C) TRENCH

21 (C) TRENCH

22 (C) TRENCH

23 (C) TRENCH

24 (C) TRENCH

25 (C) TRENCH

26 (C) TRENCH

27 (C) TRENCH

28 (C) TRENCH

29 (C) TRENCH

30 (C) TRENCH

31 (C) TRENCH

32 (C) TRENCH

33 (C) TRENCH

34 (C) TRENCH

35 (C) TRENCH

36 (C) TRENCH

37 (C) TRENCH

38 (C) TRENCH

39 (C) TRENCH

40 (C) TRENCH

41 (C) TRENCH

42 (C) TRENCH

43 (C) TRENCH

44 (C) TRENCH

45 (C) TRENCH

46 (C) TRENCH

47 (C) TRENCH

48 (C) TRENCH

49 (C) TRENCH

50 (C) TRENCH

51 (C) TRENCH

52 (C) TRENCH

53 (C) TRENCH

54 (C) TRENCH

55 (C) TRENCH

56 (C) TRENCH

57 (C) TRENCH

58 (C) TRENCH

59 (C) TRENCH

60 (C) TRENCH

61 (C) TRENCH

62 (C) TRENCH

63 (C) TRENCH

64 (C) TRENCH

65 (C) TRENCH

66 (C) TRENCH

67 (C) TRENCH

68 (C) TRENCH

69 (C) TRENCH

70 (C) TRENCH

71 (C) TRENCH

72 (C) TRENCH

73 (C) TRENCH

74 (C) TRENCH

75 (C) TRENCH

76 (C) TRENCH

77 (C) TRENCH

78 (C) TRENCH

79 (C) TRENCH

80 (C) TRENCH

81 (C) TRENCH

82 (C) TRENCH

83 (C) TRENCH

84 (C) TRENCH

85 (C) TRENCH

86 (C) TRENCH

87 (C) TRENCH

88 (C) TRENCH

89 (C) TRENCH

90 (C) TRENCH

91 (C) TRENCH

92 (C) TRENCH

93 (C) TRENCH

94 (C) TRENCH

95 (C) TRENCH

96 (C) TRENCH

97 (C) TRENCH

98 (C) TRENCH

99 (C) TRENCH

100 (C) TRENCH

TRENCH SECTIONS - 1986 ASSAYS
 TRENCH # 1
 WEST FACE - TRENCH 1
 EAST FACE - TRENCH 1
 TRENCH # 2
 WEST FACE - TRENCH 2
 EAST FACE - TRENCH 2
 TRENCH # 3
 WEST FACE - TRENCH 3
 EAST FACE - TRENCH 3

TRENCH SECTIONS - 1986 ASSAYS
 TRENCH # 6
 TRENCH # 7
 TRENCH # 5 (LOOKING WEST) ALONG EAST END OF EAST ISLAND

AG SILVER
 Au GOLD
 Py PYRRHOTITE
 Qtz QUARTZ
 Chk CHALCOPRITE
 P.P.P. PLAGIOCLASE
 K.F. KALIFORNITE
 S.P. STROTTITE
 M.M. MONTICELITE
 C.C. CROCOITE
 T.T. TITANITE
 S.S. STRENGERITE
 P.P. PEARCEITE
 M.M. MONTICELITE
 C.C. CROCOITE
 T.T. TITANITE
 S.S. STRENGERITE
 P.P. PEARCEITE

TRENCH SECTIONS - 1986 ASSAYS
 TRENCH # 5 (LOOKING WEST) ALONG EAST END OF EAST ISLAND

TRENCH SECTIONS - 1986 ASSAYS
 TRENCH # 6
 TRENCH # 7
 TRENCH # 5 (LOOKING WEST) ALONG EAST END OF EAST ISLAND

TRENCH SECTIONS - 1986 ASSAYS
 TRENCH # 6
 TRENCH # 7
 TRENCH # 5 (LOOKING WEST) ALONG EAST END OF EAST ISLAND