

BELL - WHITE

P.O. BOX 187,



52F04NE8131 2.12393 BROOKS LAKE

010

Certificate of Analysis

Page 1 of 5

NO. 1510

DATE: September 22, 1988

SAMPLE(S) OF: Rock (271)

RECEIVED: September 1988

SAMPLE(S) FROM: R.M. Blais & Associates


Sample No.	Au ppb	Oz. Gold	Ag ppm	Sample No.	Au ppb	Ag ppm
4501	93		1.2	4531	22	1.0
2	117		1.4	2	23	0.8
3		0.304**	1.4	3	12	0.8
4		0.054**	1.2	4	11	0.4
5		0.080**	1.0	5	11	0.6
6		0.014**	0.6	6	64	0.8
7	52		0.6	7	14	1.0
8	137		0.4	8	12	1.0
9	43		0.6	9	18	1.2
4510	70		1.2	4540	11	0.8
1	93		1.0	1	18	1.2
2	25		1.2	2	15	0.6
3	12		1.4	3	12	0.8
4	21		0.6	4	25	1.0
5	22		0.8	5	23	0.6
6	11		0.8	6	6	1.2
7	36		0.6	7	10	0.8
8	63		1.0	8	6	0.6
9	14		0.8	9	8	2.2
4520	47		1.2	4550	18	0.8
1	38		0.8	1	73	0.8
2	74		1.2	2	17	0.6
3	62		0.4	3	7	0.8
4	58		0.4	4	14	0.6
5	49		0.6	5	10	1.0
6	43		0.8	6	36	1.0
7	166		1.2	7	25	1.2
8	225		1.2	8	96	1.0
9	21		1.0	9	41	1.0
4530	14		1.2	4560	10	0.8

**Checked

IN ACCORDANCE WITH LONG-ESTABLISHED NORTH AMERICAN CUSTOM, UNLESS IT IS SPECIFICALLY STATED OTHERWISE GOLD AND SILVER VALUES REPORTED ON THESE SHEETS HAVE NOT BEEN ADJUSTED TO COMPENSATE FOR LOSSES AND GAINS INHERENT IN THE FIRE ASSAY PROCESS.

BELL-WHITE ANALYTICAL LABORATORIES LTD.

PER. 



BELL - WHITE ANALYTICAL LABORATORIES LTD.

P.O. BOX 187,

HAILEYBURY, ONTARIO

TEL: 672-3107

Certificate of Analysis

Page 2 of 5

NO. 1510

DATE: September 22, 1988

SAMPLE(S) OF: Rock (271)

RECEIVED: September 1988

SAMPLE(S) FROM: R.M. Blais & Associates

<u>Sample No.</u>	<u>Au ppb</u>	<u>Ag ppm</u>	<u>Sample No.</u>	<u>Au ppb</u>	<u>Ag ppm</u>
4561	15	1.0	4593	66	1.4
2	12	1.4	4	3	1.0
3	15	1.2	5	6	1.2
4	14	0.6	6	10	1.0
6	11	0.8	7	4	1.0
7	12	0.6	8	4	0.8
8	18	0.8	9	3	1.0
9	239	1.0	4600	3	1.0
4570	17	1.0	1	30	0.8
1	25	0.8	2	7	0.8
2	10	0.6	3	14	1.0
3	26	1.0	4	32	1.2
4	64	0.6	5	56	0.8
5	95	0.6	6	14	0.6
6	117	0.6	7	2	0.8
7	74	0.4	8	7	0.6
8	58	0.4	9	4	0.4
9	19	0.6	4610	6	0.2
4580	147	0.6	1	23	0.2
1	151	0.8	2	8	0.4
2	27	0.6	3	21	0.2
3	53	0.4	4	12	0.2
4	10	0.4	5	8	0.2
6	11	0.6	6	129	0.2
7	8	0.2	7	55	0.2
8	59	0.4	8	92	0.4
9	49	0.6	9	130	0.4
4590	3	0.4	4620	8	0.6
1	12	0.4	1	14	0.4
2	49	0.6	2	11	0.4

IN ACCORDANCE WITH LONG-ESTABLISHED NORTH AMERICAN CUSTOM, UNLESS IT IS SPECIFICALLY STATED OTHERWISE GOLD AND SILVER VALUES REPORTED ON THESE SHEETS HAVE NOT BEEN ADJUSTED TO COMPENSATE FOR LOSSES AND GAINS INHERENT IN THE FIRE ASSAY PROCESS.

BELL-WHITE ANALYTICAL LABORATORIES LTD.

PER 

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 5 of 13
DATE SEPT. 30/88

TRNCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	ASSAYS		oz/TON	TRUE WIDTH	REMARKS
			FROM	TO		ppm Ag	ppb Au			
4	1510	4501	0	3	3	1.2	93			
		4502	3	6	3	1.4	117			
		4503	6	9	3	1.4		0.304		CLAIM K. 590290
		4504	9	10.8	1.8	1.2		0.054		
		4505	10.8	13.8	3	1.0		0.080		
		4506	13.8	16.8	3	0.6		0.014		
		4507	16.8	19.8	3	0.6		52		
		4508	19.8	22.8	3	0.4		137		
		4509	22.8	25.8	3	0.6		43		
		4510	25.8	28.8	3	1.2		70		
		4	1510	4511	28.8	31.8	3	1.0	93	
TOTAL 11 SAMPLES										
NOTE: SAMPLES TAKEN SOUTH TO NORTH ~ 31.8										

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 2 of 13
DATE SEPT. 30/88


TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	PPM	ASSAYS	PPB	0% / TON	TRUE WIDTH	REMARKS
			FROM	TO		Ag		AU	AU		
5	1510	4512	0	3	3	1.2		25			
		4513	3	6	3	1.4		12			
		4514	6	9	3	0.6		21			CLAIM K. 590290
		4515	9	12	3	0.8		22			
		4516	12	15	3	0.8		11			
		4517	15	18	3	0.6		36			
		4518	18	21	3	1.0		63			
		4519	21	24	3	0.8		14			
		4520	24	27	3	1.2		47			
		4521	27	30	3	0.8		38			
		4522	30	33	3	1.2		74			
		4523	33	36	3	0.4		62			
		4524	36	39	3	0.4		58			
		4525	39	42	3	0.6		49			
		4526	42	45	3	0.8		43			
		4527	45	48	3	1.2		166	0.005		
		4528	48	51	3	1.2		225	0.007		
		4529	51	54	3	1.0		21			
5	1510	4530	54	57	3	1.2		14			TOTAL 19 SAMPLES
											NOTE: SAMPLES TAKEN SOUTH TO NORTH - 57'

ASSAY DATA SHEET

JOB KAKAGI LAKE

SHEET 3 of 13
DATE SEPT. 30/88


TRENCH No.	LAB CODE	SAMPLE No.	FEET		SAMPLE WIDTH	ASSAYS			TRUE WIDTH	REMARKS
			FROM	TO		ppm Ag	ppb Au	oz/Ton Au		
6	1510	4531	0	3	3	1.0		22		
		4532	3	6	3	0.8		23		
		4533	6	9	3	0.8		12		CLAIM K. 590290
		4534	9	12	3	0.4		11		
		4535	12	15	3	0.6		11		
		4536	15	18	3	0.8		64		
		4537	18	21	3	1.0		14		
		4538	21	24	3	1.0		12		
		4539	24	27	3	1.2		18		
		4540	27	30	3	0.8		11		
		4541	30	33	3	1.2		18		
		4542	33	36	3	0.6		15		
		4543	36	39	3	0.8		12		
		4544	39	42	3	1.0		25		
		4545	42	44	2	0.6		23		
TOTAL 15 SAMPLES										
NOTE: SAMPLES TAKEN SOUTH TO NORTH ~ 44'										




16.8' - 28.8' Moderately sheared medium grey green sericite schist with minor disseminated pyrite.

6' - 16.8' Intermediate sheared soft crumbly, chalky, dark rust orange - distinctive north and south contacts. Strike at 82 degrees, can not get dip.

0' - 6' Medium grey weakly sheared minor disseminated pyrite



Trench # 4
Scale 1"=10'




45' - 51' Grey green siliceous with weak - moderate shearing and rust orange alteration parallel to schistosity. Strike 65-70 degrees.

24' - 45' Dark grey greenish weakly sheared with disseminated pyrite cubes - possibly an altered porphyry - Strike of lineations 70 degrees. Some shearing from 39 - 45' is 85 degrees.


15' - 24' Medium grey green sericite schist - weak moderate shearing some disseminated pyrite. Schistosity strikes 70 degrees. About 10' of overburden from here to the south end of the trench

0' - 15' Medium grey moderately sheared very fine grained with disseminated pyrite - Light yellowish tan and orange brown surfacial alteration.



Trench # 5

Scale 1"=10'



Ft. Au
PPB

44.0' 23

42.0' 25

39.0' 12

36.0' 15

33.0' 18

30.0' 11

27.0' 18

24.0' 12

21.0' 14

18.0' 64

15.0' 11

12.0' 11

9.0' 12

6.0' 23

3.0' 22


0.0' PPB

Au


33' - 44' Dark grey massive - no pyrite,
no structure.

18' - 33' Medium grey green massive
with disseminated pyrite. Occasional
irregular streak of carbonate.

0' - 18' Light grey green
weak to moderate sheared
rust orange altered along
shear planes. Strike 82
degrees, dip 82-86 degrees



Trench # 6
Scale 1"=10'




FT.	PPB	OPT
84.0'	26	
81.0'	10	
78.0'	25	
75.0'	17	
72.0'	239	0.007
69.0'	18	
66.0'	12	
63.0'	11	
60.0'		
57.0'	14	
54.0'	15	
51.0'	12	
48.0'	15	
45.0'	10	
42.0'	41	
39.0'	96	
36.0'	25	
33.0'	36	
30.0'	10	
27.0'	14	
24.0'	7	
21.0'	17	
18.0'	73	
15.0'	18	
12.0'	8	
9.0'	6	
6.0'	10	
3.0'	6	
0.0'		

66' - 84' Dark grey massive - no pyrite - weak sheared strike 70 degrees - dip vertical

21' - 66' Dark green massive disseminated pyrite not sheared. Strike at 70 degrees.

18-21 Light green tan sericite schist with rust orange alternate streaks and pyrite dissolution cavities-Shearing strikes at 85 degrees dip vertical.

0-18 Dark green massive- no pyrite, no structure



Trench # 7
Scale 1" = 10'



Ministry of Northern Development and Mines

Report of Work

(Geophysical, Geological, Geochemical and Expenditures)

DOC WE



52F04NE8131 2.12393 BROOKS LAKE

900

8901.104 Mini

Type of Survey(s) **ASSAYS 2.12393** Township or Area **BROOKS LAKE - G.2670**

Claim Holder(s) **FRANCES RESOURCES LTD.** Prospector's Licence No. **T. 1316**

Address **625 HOWE STREET, SUITE 860, VANCOUVER, BC. V6C 2T6**

Survey Company **R.M. BLAIS & ASSOCIATES LTD.** Date of Survey (from & to) **02 08 88 18 09 88** Total Miles of line Cut **EXISTING GRID**

Name and Address of Author (of Geo-Technical report) **R.M. BLAIS, 1354 FRAULKIN ST., NORTH BAY, ONTARIO P1B 2M3**

Credits Requested per Each Claim in Columns at right

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	
	- Magnetometer	
For each additional survey: using the same grid: Enter 20 days (for each)	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Man Days	Geophysical	Days per Claim
Complete reverse side and enter total(s) here	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Airborne Credits	Geophysical	Days per Claim
Note: Special provisions credits do not apply to Airborne Surveys.	- Electromagnetic	
	- Magnetometer	
	- Radiometric	

Mining Claims Traversed (List in numerical sequence)

Mining Claim		Expend. Days Cr.	Mining Claim		Expend. Days Cr.
Prefix	Number		Prefix	Number	
K	590290	62			
		10			
	* CREDITS REDUCED				
	SO AS NOT TO EXCEED 60 DAYS SECTION 77(19)				
		KK			

ONTARIO GEOLOGICAL SURVEY ASSESSMENT FILES OFFICE

MAY - 1 1989

RECEIVED

RECEIVED APR 10 1989

Expenditures (excludes power stripping)

Type of Work Performed **ASSAYS**

Performed on Claim(s) **K. 590290**

TRENCHES 4, 5, 6 & 7

Calculation of Expenditure Days Credits

Total Expenditures **\$ 936.00** + **15** = **62** Total Days Credits

Instructions
Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

590290

Total number of mining claims covered by this report of work. **1**

Date **APRIL 3, 1989** Record Holder or Agent (Signature) **R.M. Blais**

For Office Use Only

Total Days Cr. Recorded **10** Date Recorded **89 APR 10** Mining Recorder **Scott Rivett**

62 Date Approved as Recorded **28 April 89** Branch Director **R.M. Blais**

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying **R.M. Blais**



BELL-WHITE ANALYTICAL LABORATORIES LTD.

P.O. Box 187, 374 Browning St., Haileybury, Ontario P0J 1K0
(705) 672-3107

INVOICE

NO.

DATE 33322

PAGE: 09-23-88

1 of 1

SOLD TO:

SHIP TO:

R.M. Blais & Assoc. Ltd.
1354 Franklin St.
North Bay, Ontario
P1B 2M3

Same

ITEM NO	QUANTITY	UNIT	DESCRIPTION	UNIT PRICE	AMOUNT
1510	271	1	Au	8.500	2,303.50
1510	271	1	Ag	2.000	542.70
1510	271	1	Sample Preparation	2.500	677.80
COMMENTS:				TOTAL	3,523.00
Net 30 Days.					

*paid Oct 8/88
CH# 014*

NOTE:

COST PER SAMPLE = \$13.00

TOTAL SAMPLES TRENCHES

#4, #5, #6 & #7 = 72 SAMPLES


72 x \$13.00 = \$936.00

RE: CLAIM K. 590290

RECEIVED

APR 21 1989

MINING LANDS SECTION



4

R.M. BLAIS & ASSOCIATES LTD
(LARAMIDE DIVISION)
1354 FRANKLIN ST. 474-4110
NORTH BAY, ONT. P1B 2M3

0000019

NOV. 9 19 88

PAY TO THE ORDER OF

Bell-White Labs

\$ 1100.00

Eleven Hundred Dollars ~~1100~~ 100 DOLLARS



Canadian Imperial Bank of Commerce
MAIN AND FRASER
NORTH BAY, ONT.

R.M. BLAIS & ASSOCIATES LTD

FOR

Assays

PER

R.M. Blais

⑈0000019⑈ ⑆00792⑈010⑆ 14⑈03419⑈

⑈000001100000⑈

R. M. BLAIS & ASSOCIATES LTD.
CIVIL AND MINING ENGINEERS
1354 FRANKLIN STREET,
NORTH BAY, ONTARIO P1B 2M3
(705) 474-4110

2782

NOV. 9 19 88

PAY TO THE ORDER OF

Bell-White Labs

\$ 2423.00

SUM OF

Two Thousand Four Hundred Twenty Three ~~2423~~ 100 DOLLARS

R. M. BLAIS & ASSOCIATES LTD.

THE TORONTO-DOMINION BANK
COMMERCIAL BANKING CENTRE
199 MAIN ST. E. & WYLD ST.,
NORTH BAY, ONTARIO P1B 8H5

PER

R.M. Blais

⑈002782⑈ ⑆31202⑈004⑆ 0390⑈0850403⑈

⑈0000242300⑈

DEPOSIT TO THE CREDIT OF
Bell-White Analytical
Laboratories Ltd.

80382-002

THE BANK OF NOVA SCOTIA
HAILEYBURY, ONTARIO

NOV 21 1988
I.B.C.
80382-002

09:02-010

NOV 21 3
NOVA BANK
DATA CENTRE
TORONTO

430106098

430106097

DEPOSIT TO THE CREDIT OF
Bell-White Analytical
Laboratories Ltd.

80382-002

THE BANK OF NOVA SCOTIA
HAILEYBURY, ONTARIO

NOV 21 1988
I.B.C.
80382-002

NOV 21 3
NOVA BANK
DATA CENTRE
TORONTO

430106098

430106097

