

010

Diamond Drilling

Township OF BRIDGES

Report Nº 18


Work performed by: $_{\mbox{\scriptsize ART L. WILSON}}$

 Claim Nº
 Hole Nº
 Footage
 Date
 Note

 K.18146
 1
 146.0'
 1955

Notes:








DIAMOND OR CORE DRILLING SUBMITTED AS ASSESSMENT WORK

The information desired with respect to diamond or core drilling submitted as assessment work under the provisions of Subsection 3, Section 78, The Mining Act, effective June 1, 1947, is as follows:-

l. A plan, drawn to scale showing the location of the holes (numbered) drilled with reference to a claim corner or to a picket line tied to claimcorners as illustrated below:-



Scale: | inch to feet.

- 2. A core log for each hole giving:-
 - (a) Direction (bearing).

 Angle of inclination (dip).

 Length.

 146 feet
 - (b) Thickness and type of overburden penetrated. I follows:
 Footages, in sequence from top to bottom of hole, of various rock types intersected. I follows:
 Dip and direction of tops of sedimentary beds or flows.
 Evidence of faults.
 - (c) Name and address of person who logged the core. Ast to Wilson Disposal of core; if stored, where. 75 feet at 75 King Street, Dryst Valeuwee not turned in yet by andy Lantz, Waligoon, ast