

DIAMOND



52F16NW0013 39 ECHO

010

TOWNSHIP: ECHO

REPORT NO: 39

WORK PERFORMED FOR: NORANDA EXPLORATION CO. LTD.

RECORDED HOLDER: SAME AS ABOVE []

: OTHER [X] CAMRECO INC. & GOLDLUND GOLD MINES

<u>CLAIM NO.</u>	<u>HOLE NO.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
18775	91-1	406.82'	DEC/91	(1)
18809	91-2	177.17'	"	"
18809	91-3	134.48'	"	"

NOTES:

(1) W9230.0039, FILED OCTOBER/92.

W9230-0039

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

CLARK # 18775

PROPERTY: GOLDFUND

HOLE No.: 91-1

Collar Eastings: 8100.00

Collar Northings: 800.00

Collar Elevation: 0.00

Grid:

Collar Inclination: -45.00
Grid Bearing: 180.00
Final Depth: 406.82 feet

LOGGED BY: M. MacIsaac/W. BELLINGER
DATE: DEC 19/91 - Dec 21/91
Down-hole Survey:

Core Size: 1 1/2"

W. Bellinger

FROM TO LITHOLOGICAL DESCRIPTION

FROM TO WIDTH ASSAYS Au g/t

4.92 106.30 (Casing)

4.92 106.30 (Mafic Volcanics)

- fine grained, dark green, moderate foliation with local fracture zones, 44 degrees to c.a., 6.5m, moderate-strong pervasive ca-carbonate alteration as stockwork along fractures and within groundmass, Fe-carbonate present along fractures locally, weak to moderate chlorite, py, 1-3%, disseminated and cubic, po tr-1%, magnetite disseminated, tr-1% 33.14 37.07 shear zone, 27 degrees to c.a., 1m, pervasive ca-carbonate, Fe-carbonate, moderate chlorite, minor sericite 1-3% py, 1-3% magnetite, tr po chlorite clots within carbonate stringers

46.92 49.87 feldspar porphyry; coarse grained, fine groundmass, feldspars up to 8 mm; subhedral-euhedral, 25-35% feldspar grains, weakly silicified, weak chlorite, weak-moderate ca-carbonate alteration along fractures, contact @ 49 degrees to c.a., 15.2m; 1m and hem along fractures, tr py, 2-3% py locally along contact in volcanics

74.48 76.77 shear zone; moderate-strong chlorite, moderate-strong, ca-carbonate with stockwork, sheared @ 42 degrees to c.a., 22.8m; tr-1% po, tr-1% py, 1-2% magnetite

106.30 116.14 (Sheared Altered Granodiorite)

- moderately sheared, @ 38 degrees to c.a., 33.0m; weak-moderate chlorite, weak sericite, moderate-strong carbonate alteration as stringers in groundmass, tr-2% py, locally 5-7% tr-1% po

116.14 121.72 (Altered Granodiorite)

- medium grained, relatively massive, weak to moderate carbonate, sugary texture, blue quartz eyes, tr py, mag

121.72 159.78 (Silicified Altered Granodiorite)

- fine-medium grained, moderately foliated @ 45 degrees to c.a., moderate chlorite, silicified greyish in colour, slight tinge of blue, tr-2% py, locally 4-6%, quartz veins up to 4 cm @ 10 degrees to c.a. chloritic clots within veins

RECEIVED

SEP 24 1992

MINING LANDS BRANCH

MINING DIVISION

92 SEP 16 49:38

HOLE No: 91-1

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

PROPERTY: GOLDFUND
HOLE No.: 91-1

Page 2

FROM TO LITHOLOGICAL DESCRIPTION

FROM TO WIDTH AU OZ/T AU PPB AU G/T

ASSAYS

159.78	178.81	(Leached Altered Granodiorite)	157.48	160.76	3.28	0.000	5.000	0.005
		- dark grey, fine-medium grained, leached weak chlorite, weak-	160.76	164.04	3.28	0.001	22.000	0.022
		moderate sericite stockwork of quartz stringers up to 7 cm with	164.04	167.32	3.28	0.001	18.000	0.018
		py, several exhibit a perthitic texture, silicified chloritic	167.32	170.60	3.28	0.000	6.000	0.006
		clots within quartz vein, moderately foliated @ 45 degrees to	170.60	173.88	3.28	0.000	10.000	0.010
		c.a., 2-3% py, locally 4-6% py, tr sphalerite py disseminated	173.88	177.17	3.28	0.000	12.000	0.012
		along fractures by as cubic and anhedral grains, no carbonate						
		alteration						

178.81 228.02 (Altered Granodiorite)

177.17 180.45 3.28 0.000 11.000 0.011

- fine to medium grained dark grey - light green, weak chlorite
weak sericite, weak carbonate alteration, tr-1% py, finely
disseminated locally 3-5% py along fractures Fe-carbonate along
fractures exhibiting Fe-halo 5 mm into rock, moderately
foliated @ 45 degrees to c.a., occasional quartz stringer

180.45 183.73 3.28 0.003 93.000 0.093
183.73 187.01 3.28 0.005 163.000 0.163
187.01 190.29 3.28 0.001 45.000 0.045
190.29 193.57 3.28 0.004 150.000 0.150
193.57 196.85 3.28 0.000 11.000 0.011
196.85 200.13 3.28 0.000 10.000 0.010
200.13 203.41 3.28 0.001 39.000 0.039
203.41 206.69 3.28 0.003 117.000 0.117
206.69 209.97 3.28 0.001 24.000 0.024
209.97 213.25 3.28 0.000 5.000 0.005
213.25 216.54 3.28 0.000 13.000 0.013
216.54 219.82 3.28 0.000 7.000 0.007
219.82 223.10 3.28 0.000 7.000 0.007
223.10 226.38 3.28 0.000 7.000 0.007

228.02 238.85 (Fracture Zone)

226.38 229.66 3.28 0.000 5.000 0.005

- altered Granodiorite, carbonatized along fractures, hem, lim,
Fe staining, 1-3% py-cubic, anhedral quartz veining 12 cm py,
chlorite, random fractures blocky 80% recovery

229.66 232.94 3.28 0.000 5.000 0.005
232.94 236.22 3.28 0.000 13.000 0.013

238.85 334.97 (Altered Granodiorite)

236.22 239.50 3.28 0.000 8.000 0.008

- weak chlorite, weak sericite, weak-moderate carbonate
alteration, 1-2% py, locally along fractures 5-7% py well
foliated @ 46 degrees to c.a.

239.50 242.78 3.28 0.000 11.000 0.011
242.78 246.06 3.28 0.000 7.000 0.007
246.06 249.34 3.28 0.000 5.000 0.005

250.50 271.65 Feldspar porphyry: coarse grained, feldspar
up to 8 mm weak chlorite, weak-moderate sericite, weak
carbonate alteration, minor quartz veining, no py

249.34 252.63 3.28 0.000 12.000 0.012
252.63 255.91 3.28 0.000 5.000 0.005
255.91 259.19 3.28 0.000 5.000 0.005

HOLE No: 91-1

RECEIVED

SEP 24 1992

MINING LANDS DIVISION

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

PROPERTY: GOLDLUND
HOLE No.: 91-1

Page 3

FROM	TO	LITHOLOGICAL DESCRIPTION	FROM	TO	WIDTH	Au OZ/T	Au PPB	Au g/t
259.19	262.47		334.65	337.93	3.28	0.000	5.000	0.006
262.47	265.75		337.93	341.21	3.28	0.001	18.000	0.018
265.75	269.03		341.21	344.49	3.28	0.000	13.000	0.013
269.03	272.31		344.49	347.77	3.28	0.000	6.000	0.006
272.31	275.59		347.77	351.05	3.28	0.000	14.000	0.014
275.59	278.87		351.05	354.33	3.28	0.000	13.000	0.013
278.87	282.15		354.33	357.61	3.28	0.000	17.000	0.017
282.15	285.43		357.61	360.89	3.28	0.000	10.000	0.010
285.43	288.71		360.89	364.17	3.28	0.005		
288.71	292.00		364.17	367.45	0.000	0.005		
292.00	295.28		367.45	370.74	3.28	0.000	5.000	0.005
295.28	298.56		370.74	374.02	3.28	0.000	5.000	0.005
298.56	301.84		374.02	377.30	3.28	0.000	5.000	0.005
301.84	305.12		377.30	380.58	3.28	0.000	5.000	0.005
305.12	308.40		380.58	383.86	3.28	0.000	5.000	0.005
308.40	311.68		383.86	387.14	3.28	0.000	13.000	0.013
311.68	314.96		387.14	390.42	3.28	0.000	5.000	0.005
314.96	318.24							
318.24	321.52							
321.52	324.80							
324.80	328.08							
328.08	331.37							
331.37	334.65							

RECEIVED

SEP 24 1992

MINING LANDS BRANCH

NORANDA EXPLORATION CO. LTD.

PROPERTY: GOLDLUND
Hole No.: 91-1

DIAMOND DRILL LOG

Page 4

FROM TO LITHOLOGICAL DESCRIPTION

FROM TO WIDTH AU OZ/T AU PPB AU g/t

DOWN-HOLE SURVEY DATA

DEPTH INCLINATION BEARING
406.82

RECEIVED

SEP 24 1992

MINING LANDS DIVISION

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

CLAIM # 18869

PROPERTY: GOLDLUND

Hole No.: 91-2

Collar Eastings: -300.00

Collar Northings: 65.00

Collar Elevation: 9945.00

Grid:

Collar Inclination: -45.00
Grid Bearing: 180.00
Final Depth: 177.17 feet

Located By: M. Matisack/W. Bellingier
Drilled By: ~~W. Bellingier~~ MIDWEST DR.
Date: DEC 21/91
Down-hole Survey:
Core Size: NA

FROM	TO	LITHOLOGICAL DESCRIPTION	FROM	TO	WIDTH	ASSAYS Au 02/T	Au PPB	Au g/t
0.0	24.93	(Casing)						
24.93	100.07	(Mafic Volcanics) - fine grained, dark grey-dark green, well fractured with stockwork of ca-carbonate, moderately chlorite, weak-moderate carbonate, weakly to moderately foliated @ 42 degrees to c.a.	95.14	98.43	3.28	0.000	5.000	0.005
100.07	128.94	(Altered Diorite) - medium grained, dark green, moderate-pervasive chlorite as clots, 1-2 mm, weak carbonate, minor quartz veining, nil to tr py, moderately foliated @ 43 degrees to c.a., 32.6m	98.43	101.71	3.28	0.000	5.000	0.005
			101.71	104.99	3.28	0.000	5.000	0.005
			104.99	108.27	3.28	0.000	5.000	0.005
			108.27	111.55	3.28	0.000	5.000	0.005
			111.55	114.83	3.28	0.000	5.000	0.005
			114.83	118.11	3.28	0.000	7.000	0.007
			118.11	121.39	3.28	0.000	10.000	0.010
			121.39	124.67	3.28	0.000	5.000	0.005
			124.67	127.95	3.28	0.000	5.000	0.005
128.94	155.51	(Altered Granodiorite) - medium grained, bluish-grey, silicious, weak chlorite, tr-il py, occasional qtz stringer, moderately foliated @ 45 degrees to c.a., moderate carbonate	127.95	131.23	3.28	0.000	5.000	0.005
			131.23	134.51	3.28	0.000	7.000	0.007
			134.51	137.80	3.28	0.001	38.000	0.038
			137.80	141.08	3.28	0.000	8.000	0.008
			141.08	144.36	3.28	0.000	5.000	0.005
			144.36	147.64	3.28	0.006	205.000	0.205
			147.64	150.92	3.28	0.099	3391.000	3.391
			150.92	154.20	3.28	0.000	8.000	0.008
154.20	177.17	(Mineralized Altered Granodiorite) - fine grained, light grey, leached, highly silicified, weak chlorite, stockwork of qtz stringers, up to 6 cm, 2-6% py, dics and cubic patches, qtz veins @ 20 degrees to c.a., possible VC @ 47.8m	154.20	157.48	3.28	0.004	132.000	0.132
			157.48	160.76	3.28	0.238	8172.000	8.172
			160.76	164.04	3.28	0.032	1089.000	1.089
			164.04	167.32	3.28	0.017	573.000	0.573
			167.32	170.60	3.28	0.139	4781.000	4.781
			170.60	173.88	3.28	0.005	160.000	0.160
			173.88	177.17	3.28	0.014	480.000	0.480
177.17		END OF HOLE - 777 development raise						

RECEIVED

SEP 24 1992

MINING LANDS BRANCH

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

PROPERTY: GOLDLUND
HOLE No.: 91-2

Page 2

FROM	TO	LITHOLOGICAL DESCRIPTION	FROM	TO	WIDTH	AU OZ/T	AU PPB	AU G/T
DOWN-HOLE SURVEY DATA								
DEPTH INCLINATION BEARING								
177.17								

ASSAYS

RECEIVED

SEP 24 1992

MINING LANDS BRANCH

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

PROPERTY: GOLDFUND

HOLE NO.: 91-3

Collar Eastings: -300.00

Collar Northings: -50.00

Collar Elevation: 9939.00

Grid:

Collar Inclination: -45.00

Grid Bearing: 180.00

Final Depth: 134.48 feet

Located By: M. MacIsaac/W. Bellinger

Drilled By: MIDWEST DR.

Date: DEC 21/91

Down-hole Survey:

CLAIM # 18809

Core Size

FROM TO LITHOLOGICAL DESCRIPTION

FROM TO WIDTH AU OZ/T AU PPS AU g/t

ASSAYS

REC
SEP 24 1992

MINING LANDS BRANCH

36.09	123.03	(Granodiorite)	36.09	39.37	3.28	0.000	11.000	0.011
		- medium grained, bluish grey, moderate to pervasive chloritization, weak carbonatization, tr-clx pyrite, occasionally foliated at 40-45 degrees to c.a. minor qtz	39.37	42.65	3.28	0.000	12.000	0.012
		veining and fracture filled stringers at 13.8-13.9, 14.5-14.6, 19.8-20.2, 21.4-21.5, 21.8-22.7, 23.6-24.1, 24.4-24.6, 25.5-25.6, 25.7-25.8, 26.1-26.2, 26.7-26.9, 27.5-28.4, 29.9-30.0, 30.2-30.6, 31.7, 32.1-32.2, 33.3, 33.7	42.65	45.93	3.28	0.000	9.000	0.009
		- most notably qtz veining between 19.8-32.2 with bleached, albic, alteration and 1-3/2 diss py, local sections of 5-10% py, eg 27.7-27.8	45.93	49.21	3.28	0.023	775.000	0.775
			49.21	52.49	3.28	0.000	17.000	0.017
			52.49	55.77	3.28	0.000	14.000	0.014
			55.77	59.06	3.28	0.000	6.000	0.006
			59.06	62.34	3.28	0.000	5.000	0.005
			62.34	65.62	3.28	0.065	2219.000	2.219
			65.62	68.90	3.28	0.076	2616.000	2.616
			68.90	72.18	3.28	0.030	1036.000	1.036
			72.18	75.46	3.28	0.035	1185.000	1.185
			75.46	78.74	3.28	0.028	950.000	0.950
			78.74	82.02	3.28	0.014	490.000	0.490
			82.02	85.30	3.28	0.001	34.000	0.034
			85.30	88.58	3.28	0.006	213.000	0.213
			88.58	91.86	3.28	0.217	7430.000	7.430
			91.86	95.14	3.28	0.006	208.000	0.208
			95.14	98.43	3.28	0.021	712.000	0.712
			98.43	101.71	3.28	0.052	1768.000	1.768
			101.71	104.99	3.28	0.002	85.000	0.085
			104.99	108.27	3.28	0.000	10.000	0.010
			108.27	111.55	3.28	0.190	6517.000	6.517
			111.55	114.83	3.28	0.000	7.000	0.007
			114.83	118.11	3.28	0.002	58.000	0.058
			118.11	121.39	3.28	0.000	15.000	0.015
123.03	134.51	(Mafic Metavolcanics)	121.39	124.67	3.28	0.002	53.000	0.053
		- fine grained, dark grey green, moderate chloritization, weak carbonatization, weakly to moderately foliated at 45 degrees to c.a.	124.67	127.95	3.28	0.000	5.000	0.005
			127.95	131.23	3.28	0.000	5.000	0.005
			131.23	134.51	3.28	0.003	116.000	0.116

134.51 END OF HOLE

NORANDA EXPLORATION CO. LTD.

DIAMOND DRILL LOG

PROPERTY: GOLDLUND
HOLE No.: 91-3

Page 2

FROM TO LITHOLOGICAL DESCRIPTION

FROM TO WIDTH Au OZ/T Au PPB Au g/t

DOWN-HOLE SURVEY DATA

DEPTH INCLINATION BEARING

134.48

FCR 134.51

RECEIVED

SEP 24 1992

MINING LANDS REG. CO.



Personal information collected on this form is obtained under the authority
this collection should be directed to the Provincial Manager, Mining La
Sudbury, Ontario, P3E 6A5, telephone (705) 670-7264.



52F16NW0013 39 ECHO

about
street,


- Instructions:**
- Please type or print and submit in duplicate
 - Refer to the Mining Act and Regulations for requirements of mining assessment work or consult the Mining Recorder.
 - A separate copy of this form must be completed for each Work Group.
 - Technical reports and maps must accompany this form in duplicate.
 - A sketch, showing the claims the work is assigned to, must accompany this form.

2325

Recorded Holder(s) Camreço Inc. & Goldlund Gold Mines		Client No. 115290/137878
Address c/o Noranda Exploration Company, Limited, 960 Alloy Dr., Thunder Bay, Ont. P7B 6A1		Telephone No. (807) 623-4339
Mining Division Patricia	Township/Area Echo Township	M or G Plan No. G-3368
Dates Work Performed	From: October, 1991	To: January 3, 1992

Work Performed (Check One Work Group Only)

Work Group	Type
☐ Geotechnical Survey	
☒ Physical Work, Including Drilling	Diamond Drilling (NQ Core - Holes 91-1, 91-2 & 91-3)
☐ Rehabilitation	
☐ Other Authorized Work	
☐ Assays	
☐ Assignment from Reserve	



RECEIVED

SEP 24 1992

MINING LANDS BRANCH

Total Assessment Work Claimed on the Attached Statement of Costs \$ 33,490

Note: The Minister may reject for assessment work credit all or part of the assessment work submitted if the recorded holder cannot verify expenditures claimed in the statement of costs within 30 days of a request for verification.

Persons and Survey Company Who Performed the Work (Give Name and Address of Author of Report)

Name	Address
Reg Felix (Supervisor)	c/o 960 Alloy Drive, Thunder Bay, Ontario P7B 6A1
W.Bellinger & M. MacIsaac (Core Loggers)	c/o 960 Alloy Drive, Thunder Bay, Ontario P7B 6A1
Midwest Drilling	180 Cree Crescent, Winnipeg, Manitoba R3J 3W1

(attach a schedule if necessary)

Certification of Beneficial Interest * See Note No. 1 on reverse side

I certify that at the time the work was performed, the claims covered in this work report were recorded in the current holder's name or held under a beneficial interest by the current recorded holder.	Date Sept 9, 1992	Recorded Holder or Agent (Signature) <i>Barrett</i>
--	----------------------	--

Certification of Work Report

I certify that I have a personal knowledge of the facts set forth in this Work report, having performed the work or witnessed same during and/or after its completion and annexed report is true.		
Name and Address of Person Certifying Cecilia M. Barrett, 960 Alloy Drive, Thunder Bay, Ontario P7B 6A1		
Telephone No. (807) 623-4339	Date Sept 9/92	Certified By (Signature) <i>Barrett</i>

For Office Use Only

Total Value Cr. Recorded \$ 33,490	Date Recorded Sept 16/92	Mining Recorder Richard Knyaz	Received Stamp RECORDED SEP 16 1992
	Deemed Approval Date Dec 15/92	Date Approved	
	Date Notice for Amendments Sent		

Receipt

[illegible]

Total Number of Claims	Units	Total Value Work Done	Total Value Work Applied	Total Assigned From	Total Reserve
1	1	1	1	1	1
2	2	2	2	2	2
3	3	3	3	3	3
4	4	4	4	4	4
5	5	5	5	5	5
6	6	6	6	6	6
7	7	7	7	7	7
8	8	8	8	8	8
9	9	9	9	9	9
10	10	10	10	10	10
11	11	11	11	11	11
12	12	12	12	12	12
13	13	13	13	13	13
14	14	14	14	14	14
15	15	15	15	15	15
16	16	16	16	16	16
17	17	17	17	17	17
18	18	18	18	18	18
19	19	19	19	19	19
20	20	20	20	20	20
21	21	21	21	21	21
22	22	22	22	22	22
23	23	23	23	23	23
24	24	24	24	24	24
25	25	25	25	25	25
26	26	26	26	26	26
27	27	27	27	27	27
28	28	28	28	28	28
29	29	29	29	29	29
30	30	30	30	30	30
31	31	31	31	31	31
32	32	32	32	32	32
33	33	33	33	33	33
34	34	34	34	34	34
35	35	35	35	35	35
36	36	36	36	36	36
37	37	37	37	37	37
38	38	38	38	38	38
39	39	39	39	39	39
40	40	40	40	40	40
41	41	41	41	41	41
42	42	42	42	42	42
43	43	43	43	43	43
44	44	44	44	44	44
45	45	45	45	45	45
46	46	46	46	46	46
47	47	47	47	47	47
48	48	48	48	48	48
49	49	49	49	49	49
50	50	50	50	50	50
51	51	51	51	51	51
52	52	52	52	52	52
53	53	53	53	53	53
54	54	54	54	54	54
55	55	55	55	55	55
56	56	56	56	56	56
57	57	57	57	57	57
58	58	58	58	58	58
59	59	59	59	59	59
60	60	60	60	60	60
61	61	61	61	61	61
62	62	62	62	62	62
63	63	63	63	63	63
64	64	64	64	64	64
65	65	65	65	65	65
66	66	66	66	66	66
67	67	67	67	67	67
68	68	68	68	68	68
69	69	69	69	69	69
70	70	70	70	70	70
71	71	71	71	71	71
72	72	72	72	72	72
73	73	73	73	73	73
74	74	74	74	74	74
75</					

- ☐ Credits are to be cut back starting with claim listed last, working backwards.
- ☐ Credits are to be cut back equally over all claims contained in this report of work.
- ☐ Credits are to be cut back as prioritized on the attached appendix.

I certify that the recorded holder had a beneficial interest in the patented or leased land at the time the work was performed.	Signature: <i>Barry</i>	Date: <i>Sept 9 00.</i> <i>August 24, 1992</i>
--	--------------------------------	---



Statement of Costs
for Assessment Credit

État des coûts aux fins
du crédit d'évaluation

Mining Act/Loi sur les mines

Transaction No./N° de transaction

W9230 - 0039

Personal information collected on this form is obtained under the authority of the Mining Act. This information will be used to maintain a record and ongoing status of the mining claim(s). Questions about this collection should be directed to the Provincial Manager, Minings Lands, Ministry of Northern Development and Mines, 4th Floor, 159 Cedar Street, Sudbury, Ontario P3E 6A5, telephone (705) 670-7264.

Les renseignements personnels contenus dans la présente formule sont recueillis en vertu de la Loi sur les mines et serviront à tenir à jour un registre des concessions minières. Adresser toute question sur la collecte de ces renseignements au chef provincial des terrains miniers, ministère du Développement du Nord et des Mines, 159, rue Cedar, 4^e étage, Sudbury (Ontario) P3E 6A5, téléphone (705) 670-7264.

2325

1. Direct Costs/Coûts directs

Type	Description	Amount Montant	Totals Total global
Wages Salaires	Labour Main-d'œuvre	6,825	
	Field Supervision Supervision sur le terrain	2,583	9,408
Contractor's and Consultant's Fees Droits de l'entrepreneur et de l'expert- conseil	Type Drilling	13,900	
			13,900
Supplies Used Fournitures utilisées	Type Core boxes, Gen.Gas,		
	Drafting Supples, etc	3,974	
			3,974
Equipment Rental Location de matériel	Type Generator	626	
			626
Total Direct Costs Total des coûts directs			27,908

2. Indirect Costs/Coûts indirects

** Note: When claiming Rehabilitation work Indirect costs are not allowable as assessment work.
Pour le remboursement des travaux de réhabilitation, les coûts indirects ne sont pas admissibles en tant que travaux d'évaluation.

Type	Description	Amount Montant	Totals Total global
Transportation Transport	Type Ground	5,538	
	Freight	32	
Sub Total of Indirect Costs Total partiel des coûts indirects			5,570
Food and Lodging Nourriture et hébergement		3,950	3,950
Mobilization and Demobilization Mobilisation et démobilisation			
Amount Allowable (not greater than 20% of Direct Costs) Montant admissible (n'excédant pas 20 % des coûts directs)			5,582
Total Value of Assessment Credit (Total of Direct and Allowable Indirect costs)			33,490

Note: The recorded holder will be required to verify expenditures claimed in this statement of costs within 30 days of a request for verification. If verification is not made, the Minister may reject for assessment work all or part of the assessment work submitted.

Note : Le titulaire enregistré sera tenu de vérifier les dépenses demandées dans le présent état des coûts dans les 30 jours suivant une demande à cet effet. Si la vérification n'est pas effectuée, le ministre peut rejeter tout ou une partie des travaux d'évaluation présentés.

Filing Discounts

- Work filed within two years of completion is claimed at 100% of the above Total Value of Assessment Credit.
- Work filed three, four or five years after completion is claimed at 50% of the above Total Value of Assessment Credit. See calculations below:

Total Value of Assessment Credit	Total Assessment Claimed
	× 0.50 =

Remises pour dépôt

- Les travaux déposés dans les deux ans suivant leur achèvement sont remboursés à 100 % de la valeur totale susmentionnée du crédit d'évaluation.
- Les travaux déposés trois, quatre ou cinq ans après leur achèvement sont remboursés à 50 % de la valeur totale du crédit d'évaluation susmentionné. Voir les calculs ci-dessous.

Valeur totale du crédit d'évaluation	Évaluation totale demandée
	× 0,50 =

Certification Verifying Statement of Costs

I hereby certify: NOISIAI
that the amounts shown are as accurate as possible and these costs were incurred while conducting assessment work on the lands shown on the accompanying Report of Work form.

that as Lands Administrator I am authorized
(Recorded Holder, Agent, Position in Company)

to make this certification


Attestation de l'état des coûts


J'atteste par la présente :
que les montants indiqués sont le plus exact possible et que ces dépenses ont été engagées pour effectuer les travaux d'évaluation sur les terrains indiqués dans la formule de rapport de travail ci-joint.

Et qu'à titre de Land Administrator je suis autorisé
(titulaire enregistré, représentant, poste occupé dans la compagnie)

à faire cette attestation.

Signature [Signature] Date Sept 13/92
108-31192





210

RECEIVED

SEP 24 1992

MINING LANDS BY
Wayne Bellinger

NORANDA EXPLORATION Co. LTD.

SECTION 8100E

GOLD LUND PROJ.

ASSAYS VALUE Au oz/t

PROJECT No.

DATE: FEBRUARY/92

SCALE: 1" = 20'

DMP-5

W9230-0039

