



52F16NW0096 2.11478 MCAREE

010

Geophysical Assessment Report
Magnetometer Survey
Sandybeach Project, Ontario
Patricia Mining Division
McAree Township
NTS: 52-F-16

RECEIVED

AUG 9 1988

MINING LANDS SECTION

E. K. Berrer M.Sc.
Inco Gold Company
Copper Cliff, Ontario
July 1988

Final 2.1526



52F16NW0096 2.11478 MCAREE

010C

Table of contents

| | <u>Page</u> |
|--------------------------------|-------------|
| General | 1 |
| Property | 1 |
| Location | 1 |
| Previous Work | 1 |
| Gridding | 1 |
| Geology | 1 |
| Instruments | 2 |
| Survey Procedure | 2 |
| Results | 2 |
| Recommendations | 3 |
| Statistics | 3 |
| Location Map | 3 |
| Claim Map | |
| Instrument Specification | |
| Pockets: Magnetic Contour Maps | |

General

A magnetometer survey was carried out over a group of claims in the McAree Township in north-western Ontario. The survey was conducted to explore the claim group for its mineral potential and in particular to map the area for its magnetic responses that may indicate geological features of interest in the exploration for gold. The area is extensively covered by overburden. The survey was carried out by personnel of the Inco Gold Company during the period from March 21 to April 7, 1988.

Property

The property consists of 135 contiguous claims that carry the following designation:

Pa 915194-200 inclusive
Pa 972351-389 inclusive
Pa 986076-080 inclusive
Pa 1007339-352 inclusive
Pa 1004282-284 inclusive
Pa 1018481-510 inclusive
Pa 1025132-168 inclusive

Part of the claim group was optioned by Inco Gold from Mr. C. Kuryliw and S. Johnson in 1987. The remaining claims were staked by Inco Gold Company.

Location

The property is located in McAree Township in north-western Ontario on the north side of Sandybeach Lake. Highway No. 72 between the towns Dinorwic and Sioux Lookout straddles the northern portion of the claim group.

Previous Work

Mr. S. Johnson discovered a gold showing near the shores of Sandybeach Lake. Subsequently the property was optioned to Noranda and later dropped. In 1987 an airborne magnetic and electromagnetic survey was flown over the area with the Geotrex Geotem system under contract from the Ontario Geological Survey. The results were published as Map No's. 809060 and 80966 of the Dryden Area Project, 1987.

Gridding

In the fall of 1987 a grid was cut over the land area of the optioned claims. During the early winter of 1988 the grid was expanded to cover the remaining land and ice covered property. Base lines were established at an azimuth of 60° E. Lines were cut at 90° to these base lines.

These lines are 100 metres apart with stations chained in at 25 metre intervals along the cross lines.

Geology

The Sandybeach Lake area is underlain by the Wabigoon metavolcanic-metasedimentary belt. It is comprised of mafic metavolcanics and a thick metamorphosed graywacke sequence with minor conglomeratic units all of Precambrian age. Granitic to granodioritic stocks penetrate the metavolcanic - metasedimentary, isoclinally folded sequence (see Assessment Report, Geological Survey, Sandybeach by E. J. Debicki, Inco Gold Company, March 1988. Further descriptions of the geology were published by P. A. Paloman and A. A. Speed, Summary of Field Work, No. 6, Sandybeach Area, 1974 Misc. Paper 59, pp 48-51.

Instruments

Proton Precession Magnetometers were used to carry out the survey. The OMNI II Microprocessor Controlled Tie Line Magnetometers measure the strength of the total earth magnetic field. They were manufactured by EDA Instrument Inc. of Toronto, Ontario. These magnetometers measure the magnetic field with an accuracy of 2 nT over a temperature range from -45°C to +55°C. Further details of the instrument specifications are attached to this report.

Survey Procedure

Readings of the magnetic field intensity were taken at 12.5 m intervals along the grid lines together with the recorded coordinates. Simultaneously with the field survey a base station magnetometer was recording automatically the diurnal variation of the earth magnetic field at 30 seconds. This data is used to correct the field reading for possible diurnal changes. The corrected data is stored with a personal computer on diskettes. After further editing this data is then used to produce computer plotting and contouring on maps of a scale of 1:2500. The contour interval is 20 nT.

Results

The area surveyed is magnetically quite active. Between lines 1000W and 2500E numerous strong magnetic anomalies were located. They are of short strike lengths and have amplitudes of several thousand nanoteslas (nT) and are very likely caused by magnetite concentration in a broken up iron formation. Between 3300E and 7200E over the eastern portion of the grid an oval magnetic feature can be detected that has a long axis of 3500 m and a short axis of 1500 m. Numerous small magnetic anomalies in the range of 100 to 200 nT fill the inside of this structure. Some of the outcrop was mapped as mafic metavolcanics.

The contoured magnetic maps should be used to trace known geological features under area covered by overburden. The gold showings occur near strong magnetic features and may therefore be related to the iron formation. Structures in this area appear however to be of short strike lengths.

Statistics

| | |
|-------------------------------------|-----------|
| Base line surveyed and control line | 12.70 km |
| Lines cut | 229.80 km |
| Magnetic Readings | 18479 |



EKB/cdb
Aug. 2/88




FIGURE 2
 Canadian Nickel Company Limited
 SANDYBEACH PROJECT, ONTARIO
 (Canico, Kuryliw - Johnson Claims)
 Claim Location Map

SCALE 1:50 000

MARCH 30/88

52 F/16




FIGURE 1
Canadian Nickel Company Limited
SANDYBEACH PROJECT, ONTARIO
(Canico, Kuryliw - Johnson Claims)
Location Map

SCALE 1:250000

52K
 52F

MARCH 30/88

OMNI IV "Tie-Line" Magnetometer



Specifications

| | |
|-------------------------------------|--|
| Dynamic Range | 18,000 to 110,000 gammas. Roll-over display feature suppresses first significant digit upon exceeding 100,000 gammas. |
| Tuning Method | Tuning value is calculated accurately utilizing a specially developed tuning algorithm |
| Automatic Fine Tuning | ± 15% relative to ambient field strength of last stored value |
| Display Resolution | 0.1 gamma |
| Processing Sensitivity | ± 0.02 gamma |
| Statistical Error Resolution | 0.01 gamma |
| Absolute Accuracy | ± 1 gamma at 50,000 gammas at 23°C ± 2 gamma over total temperature range |
| Standard Memory Capacity | |
| Total Field or Gradient | 1,200 data blocks or sets of readings |
| Tie-Line Points | 100 data blocks or sets of readings |
| Base Station | 5,000 data blocks or sets of readings |
| Display | Custom-designed, ruggedized liquid crystal display with an operating temperature range from -40°C to +55°C. The display contains six numeric digits, decimal point, battery status monitor, signal decay rate and signal amplitude monitor and function descriptors. |
| RS 232 Serial I/O Interface | 2400 baud, 8 data bits, 2 stop bits, no parity |
| Gradient Tolerance | 6,000 gammas per meter (field proven) |
| Test Mode | A. Diagnostic testing (data and programmable memory) B. Self Test (hardware) |
| Sensor | Optimized miniature design. Magnetic cleanliness is consistent with the specified absolute accuracy. |
| Gradient Sensors | 0.5 meter sensor separation (standard), normalized to gammas/meter. Optional 1.0 meter sensor separation available. Horizontal sensors optional. |
| Sensor Cable | Remains flexible in temperature range specified, includes strain-relief connector |
| Cycling Time (Base Station Mode) | Programmable from 5 seconds up to 60 minutes in 1 second increments |
| Operating Environmental Range | -40°C to +55°C; 0-100% relative humidity; weatherproof |
| Power Supply | Non-magnetic rechargeable sealed lead-acid battery cartridge or belt; rechargeable NiCad or Disposable battery cartridge or belt; or 12V DC power source option for base station operation. |
| Battery Cartridge/Belt Life | 2,000 to 5,000 readings, for sealed lead acid power supply, depending upon ambient temperature and rate of readings |
| Weights and Dimensions | |
| Instrument Console Only | 2.8 kg, 238 x 150 x 250mm |
| NiCad or Alkaline Battery Cartridge | 1.2 kg, 235 x 105 x 90mm |
| NiCad or Alkaline Battery Belt | 1.2 kg, 540 x 100 x 40mm |
| Lead-Acid Battery Cartridge | 1.8 kg, 235 x 105 x 90mm |
| Lead-Acid Battery Belt | 1.8 kg, 540 x 100 x 40mm |
| Sensor | 1.2 kg, 56mm diameter x 200mm |
| Gradient Sensor | |
| (0.5 m separation - standard) | 2.1 kg, 56mm diameter x 790mm |
| (1.0 m separation - optional) | 2.2 kg, 56mm diameter x 1300mm |
| Standard System Complement | Instrument console; sensor; 3-meter cable, aluminum sectional sensor staff, power supply, harness assembly, operations manual. |
| Base Station Option | Standard system plus 30 meter cable |
| Gradiometer Option | Standard system plus 0.5 meter sensor |


EDA Instruments Inc.
4 Thorncliffe Park Drive
Toronto, Ontario
Canada M4H 1H1
Telex: 06 23222 EDA TOR
Cable: Instruments Toronto
(416) 425 7800


In U.S.A.
EDA Instruments Inc.
5151 Ward Road
Wheat Ridge, Colorado
U.S.A. 80033
(303) 422 9112

Printed in Canada

Mining Claims Traversed

| | | | | |
|-----------|------------|------------|------------|------------|
| Pa 915194 | Pa 972371 | Pa 1007339 | Pa 1018494 | Pa 1025142 |
| Pa 915195 | Pa 972372 | Pa 1007340 | Pa 1018495 | Pa 1025143 |
| Pa 915196 | Pa 972373 | Pa 1007341 | Pa 1018496 | Pa 1025144 |
| Pa 915197 | Pa 972374 | Pa 1007342 | Pa 1018497 | Pa 1025145 |
| Pa 915198 | Pa 972375 | Pa 1007343 | Pa 1018498 | Pa 1025146 |
| Pa 915199 | Pa 972376 | Pa 1007344 | Pa 1018499 | Pa 1025147 |
| Pa 915200 | Pa 972377 | Pa 1007345 | Pa 1018500 | Pa 1025148 |
| Pa 972351 | Pa 972378 | Pa 1007346 | Pa 1018501 | Pa 1025149 |
| Pa 972352 | Pa 972379 | Pa 1007347 | Pa 1018502 | Pa 1025150 |
| Pa 972353 | Pa 972380 | Pa 1007348 | Pa 1018503 | Pa 1025151 |
| Pa 972354 | Pa 972381 | Pa 1007349 | Pa 1018504 | Pa 1025152 |
| Pa 972355 | Pa 972382 | Pa 1007350 | Pa 1018505 | Pa 1025153 |
| Pa 972356 | Pa 972383 | Pa 1007351 | Pa 1018506 | Pa 1025154 |
| Pa 972357 | Pa 972384 | Pa 1007352 | Pa 1018507 | Pa 1025155 |
| Pa 972358 | Pa 972385 | Pa 1018481 | Pa 1018508 | Pa 1025156 |
| Pa 972359 | Pa 972386 | Pa 1018482 | Pa 1018509 | Pa 1025157 |
| Pa 972360 | Pa 972387 | Pa 1018483 | Pa 1018510 | Pa 1025158 |
| Pa 972361 | Pa 972388 | Pa 1018484 | Pa 1025132 | Pa 1025159 |
| Pa 972362 | Pa 972389 | Pa 1018485 | Pa 1025133 | Pa 1025160 |
| Pa 972363 | Pa 986076 | Pa 1018486 | Pa 1025134 | Pa 1025161 |
| Pa 972364 | Pa 986077 | Pa 1018487 | Pa 1025135 | Pa 1025162 |
| Pa 972365 | Pa 986078 | Pa 1018488 | Pa 1025136 | Pa 1025163 |
| Pa 972366 | Pa 986079 | Pa 1018489 | Pa 1025137 | Pa 1025164 |
| Pa 972367 | Pa 986080 | Pa 1018490 | Pa 1025138 | Pa 1025165 |
| Pa 972368 | Pa 1004282 | Pa 1018491 | Pa 1025139 | Pa 1025166 |
| Pa 972369 | Pa 1004283 | Pa 1018492 | Pa 1025140 | Pa 1025167 |
| Pa 972370 | Pa 1004284 | Pa 1018493 | Pa 1025141 | Pa 1025168 |






LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low >


2.11478



| | |
|----|----|
| B7 | B8 |
| C7 | C8 |

| | | | |
|--------------------------------------|---------------------------|------------------------------------|---------|
| INCO GOLD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET | FIGURE |
| Project SANDY BEACH | | Area: DRYDEN, ONTARIO (McAREE TWP) | |
| Supervisor E. BERGER | Instrument EDA OMNI-IV | Survey Date MAR 1988 | |
| Compiled by M.A. J. K./C. KOEHLER | Drawn by ZETA | Date Drawn JULY 05/1988 | Revised |
| Scale 1:2500 | File SANDYB XYZ | N.T.S. | 52 F 16 |





4000 N



LEGEND

Magnetometer Readings in nanotesla
 Filtered Contours
 Station Spacing 10.5 m
 Contour Interval 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2000 nT contours

Relative low
 Annotated low

2.11478


3000 N



B7 B8

INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD. Upper cliff Ontario 100M 100





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing . 12.5 m
 Contour Interval 20 nT

20 nT contours
 100 nT contours

500 nT contours

2500 nT contours

Relative Low
 Annotated Low >

2.11478

| | | |
|----|----|----|
| | C7 | C8 |
| 06 | D7 | D8 |


INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD. Copper Cliff, Ontario
 P.M. 1102

MAGNETIC SURVEY SHEET **C7** FIGURE

SANDY BEACH DRYDEN, ONTARIO (McAREE TWP)

| | | |
|------------------------------------|---------------------------|----------------------------|
| Supervisor E. BERRER | Instrument EDA OMNI-TV | Survey Date MAR 1988 |
| Compiled by M. A. J. K. KOEHLER | Drawn by ZETA | Date Drawn JULY 05/1988 |
| Scale 1:2500 | File SANDYB.XYZ | Revised N.T.S. 52 F 16 |





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low

2.11478

0 25 50 100
 METRES

| | | |
|----|----|----|
| B7 | B8 | |
| C7 | C8 | C9 |
| D7 | D8 | D9 |

INCO GOLD
 INCO GOLD COMPANY, A UNIT OF INCO LTD
 Copper Cliff, Ontario
 P0M 1N0

MAGNETIC SURVEY


Project: SANDY BEACH
 Area: DRYDEN, ONTARIO (McAREE TWP)

Supervisor: E. BERNER
 Instrument: EDA QMHT-IV
 Survey Date: MAR 1988

Drawn by: M. A. J. K. KOEHLER
 Date Drawn: JUL 17 1988
 Reviewed: [Signature]

Scale: 1 : 2500
 File: SANDYB.XYZ
 N.T.S. 52 F 16





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours


Relative Low
 Annotated Low

2.11478

| | |
|----|----|
| B8 | |
| C8 | C9 |
| D8 | D9 |

| | | | | | |
|------------------------------------|---------------------------|---------------------------------------|----------|-----------------------|--|
| INCO GOLD | | INCO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET C9 | | FIGURE | |
| SANDY BEACH | | DRYDEN, ONTARIO (McAREE TWP) | | | |
| Supervisor E. BERRER | Instrument EDA OMNI-TV | Survey Date MAR 1988 | | Scale: 1 : 2500 | |
| Compiled by M. A. J. K. KOEHLER | Drawn by ZETA | Date Drawn JULY 12/1988 | Revised: | N.T.S. 52 F 16 | |





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low
 BOREHOLE 78758

2.11478

| | | |
|----|----|----|
| D5 | D6 | D7 |
| E5 | E6 | E7 |

INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD. Copper Cliff, Ontario P0M 1N0

MAGNETIC SURVEY SHEET D6 FIGURE


Project: SANDY BEACH Area: OROYDEN, ONTARIO (McAREE TWP)

Supervisor: E. BERRER Instrument: FGA OMNI-IV Survey Date: MAR. 1988

Compiled by: M. A. J. Z. KOEHLER Drawn by: ZETA Data Drawn: JULY 03/1988 Revised:

Scale: 1:2500 File: SANDYB.XYZ M.F.S. 52 F 16






LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours


Relative Low
 Annotated Low

2.11478



| | | |
|----|----|----|
| C7 | C8 | C9 |
| D7 | D8 | D9 |
| E7 | | |

| | | | |
|---|----------------------------|------------------------------------|----------|
| INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD. | | Copper Cliff, Ontario P6M 1N0 | |
| MAGNETIC SURVEY | | SHEET | FIGURE |
| Project: SANDY BEACH | | Area: DRYDEN, ONTARIO (McAREE TWP) | |
| Supervisor: E. BERNER | Instrument: EDA OMNI-TV | Survey Date: MAY 1988 | |
| Compiled by: M. A. J. R. Z. KOEHLER | Drawn by: ZETA | Date Drawn: JULY 11/1988 | Revised: |
| Scale: 1 : 2500 | File: SANDVB.XYZ | N.T.S. | 52 F 16 |



1000 N

500 N

7500 E

7000 E

6500 E

6000 E

0

0 25 50 100 METRES

LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing 12.5 m
 Contour Interval 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low *

2.11478

| | | | |
|----|--|----|--|
| C8 | | C9 | |
| D8 | | D9 | |

INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD. Copper Cliff, Ontario
 POM 1ND


MAGNETIC SURVEY SHEET D9 FIGURE

Project SANDY BEACH Area DRYDEN, ONTARIO (McAREE TWP)

Supervisor E. BERGER Instrument EDA OMNI-IV Survey Date MAR 1988

Compiled by M. A. J. K. KOEHLER Drawn by ZETA Date Drawn: JULY 12/1988 Revised

Scale 1:2500 File: SANDBY XYZ N.T.S. 52 F 16




LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing - 12.5 m
 Contour Interval - 20 nT

20 nT contours
 100 nT contours =====
 500 nT contours =====
 2500 nT contours =====

Relative Low -----
 Annotated Low +


2.11478



| | |
|----|----|
| D5 | D6 |
| E5 | E6 |
| F5 | F6 |

| | | | |
|--|--------------------|----------------------------|------------------------------|
| INCO GOLD INCO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET | FIGURE |
| Project SANDY BEACH | | Area | DRYDEN, ONTARIO (McAREE TWP) |
| Supervisor E. SEIBERER | Instrument ZETA | Survey Date MAY 1988 | Revised |
| Compiled by M. A. J. K. KOEHLER | Drawn by ZETA | Date Drawn JUNE 30/1988 | NTS |
| Scale 1:2500 | File SANDYB.XYZ | 52 F 16 | |





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low
 BOREHOLE 7857


2.11478

1500 S

| | | |
|----|----|----|
| D5 | D6 | D7 |
| E5 | E6 | E7 |
| F5 | F6 | F7 |

| | | | | | |
|---------------------------------|--------------------------|--|-----------------------------------|-----------------------|--|
| INCO GOLD | | INCO GOLD COMPANY, A UNIT OF NICO LTD. | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET E6 | | FIGURE | |
| Project SANDY BEACH | | | Area DRYDEN, ONTARIO (McAREE TWP) | | |
| Supervisor E. BERRER | Instrument EDA OHM-IV | Survey Date MAY 1988 | | | |
| Compiled by M. J. K. KOEHLER | Drawn by ZETA | Date Drawn JUNE 30/1988 | Revised | | |
| Scale 1 : 2500 | File SANDYB.XYZ | N.T.S. | 52 F 16 | | |





LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low
 BOREHOLE
 78756


2.11478

0 25 50 100 METRES

| | | |
|----|----|----|
| D6 | D7 | D8 |
| E6 | E7 | |
| F6 | F7 | |

INCO GOLD INC. GOLD COMPANY, A UNIT OF INCO LTD. Copper Cliff, Ontario
MAGNETIC SURVEY SHEET E7 FIGURE
 SANDY BEACH DRYPDEN, ONTARIO (MCAREE TWP.)
 Supervisor: F. BERBER Instrument: EDI QMNI-IV Survey Date: MAR 1988
 Compiled by: M. A. J. C. KOEHLER Drawn by: ZETA Date Drawn: JULY 05/1988
 Scale: 1:2500 File: SANDVBY.XYZ N.T.S. 52 F 16





LEGEND

Magnetometer Readings in nanotesla
 Filtered Contours
 Station Spacing - 12.5 m
 Contour Interval - 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low ▶


2.11478



| | |
|----|----|
| E5 | E6 |
| F5 | F6 |

| | | | | | |
|---------------------------------|---------------------------|---------------------------------------|---------|----------------------|--|
| INCO GOLD | | INCO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff Ontario | |
| MAGNETIC SURVEY | | F5 | | FIGURE | |
| Project: SANDY BEACH | | Area: DRYDEN, ONTARIO (McAREE TWP) | | | |
| Supervisor E. BERRER | Instrument EDA OMNI-IV | Survey Date MAR 1988 | | | |
| Compiled by M. A. J. KOEHLER | Drawn by ZETA | Date Drawn JUNE 30/1988 | Revised | | |
| Scale 1:2500 | File SANDYB XYZ | NTS | 52 F 16 | | |





2000 S

2500 S

3000 S



LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing 12.5 m
 Contour Interval 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative low
 Annotated Low *



2.11478



| | | |
|----|----|----|
| E5 | E6 | E7 |
| F5 | F6 | F7 |

| | | | | | |
|---------------------------------|---------------------------|---------------------------------------|----------------------------|-------------------------|--|
| INCO GOLD | | INCO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | | SHEET | FIGURE | |
| | | | F6 | | |
| Project SANDY BEACH | | Area DRYDEN, ONTARIO (McAREE TWP) | | Survey Date MAR 1988 | |
| Supervisor E. BERNER | Instrument EDA OMNI-TV | Drawn by ZETA | Date Drawn JUNE 30/1988 | Revised | |
| Compiled by M.A.J.K. KOEHLER | Scale 1 2500 | File SANDYB.XYZ | N.T.S. | 52 F 16 | |






LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low ▶



2.11478



| | |
|----|----|
| E6 | E7 |
| F6 | F7 |

| | | | | | |
|--------------------------------|-------------------------|---------------------------------------|--|-----------------------|--|
| INCO GOLD | | INCO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET | | FIGURE | |
| Project: SANDY BEACH | | Area: DRYDEN, ONTARIO (McAREE TWP) | | F7 | |
| Supervisor: E-BERRER | Instrument: EDA OMNI-IV | Survey Date: MAR 1988 | | SHEET | |
| Compiled by: M.A.J.K./C.KOEHLE | Drawn by: ZETA | Data Drawn: JULY 93/1988 | | Revised | |
| Scale: 1:2500 | File: SANDYB XYZ | N.T.S. | | 52 F 16 | |





LEGEND

Magnetometer Readings in nanoTesla
 Filled Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low

2.11478


0 25 50 100
 METRES

| | | |
|----|----|----|
| | C7 | C8 |
| D6 | D7 | D8 |
| E6 | E7 | |

| | | | | | |
|--|--|---|--|-----------------------------------|--------|
| INCO GOLD | | NICO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | | | SHEET | FIGURE |
| | | | | D7 | |
| Project SANDY BEACH | | Area DRYDEN, ONTARIO (McAREE TWP) | | Survey Date MAR 1988 | |
| Supervisor E. BERRER | | Instrument EDA OMNI-IV | | Date Drawn JULY 05/1988 | |
| Compiled by M. A. J. K. V.C. KOEHLER | | Drawn by ETA | | Revised | |
| Scale 1 : 2500 | | File: SANDYB XYZ | | NTS 52 F 16 | |



50 MAG 0



LEGEND

Magnetometer Readings in nanoTesla
 Filtered Contours
 Station Spacing : 12.5 m
 Contour Interval : 20 nT

20 nT contours
 100 nT contours
 500 nT contours
 2500 nT contours

Relative Low
 Annotated Low

2.11478

| | |
|----|----|
| D5 | D6 |
| E5 | E6 |

| | | | | | |
|---------------------------------|---------------------------|---------------------------------------|---------|-----------------------|--|
| INCO GOLD | | NICO GOLD COMPANY, A UNIT OF INCO LTD | | Copper Cliff, Ontario | |
| MAGNETIC SURVEY | | SHEET | | FIGURE | |
| | | D5 | | | |
| Project SANDY BEACH | | Area DRYDEN, ONTARIO (McAREE TW) | | | |
| Supervisor E BERRER | Instrument EDA OMNI-IV | Survey Date MAR 1988 | | | |
| Compiled by M. A. J. KOEHLER | Drawn by ZETA | Date Drawn JULY 02/1988 | Revised | | |
| Scale 1 : 2500 | File SANDYB.XYZ | N.T.S. | 52 F 16 | | |

