


**INTERIM GEOLOGICAL REPORT  
ON THE  
CORONA – RIIVES OPTION  
*TROUTFLY LAKE GOLD PROPERTY*  
*for CORONA GOLD CORPORATION***

**LOCATED IN  
LAVAL TOWNSHIP,  
KENORA MINING DIVISION,  
SIOUX LOOKOUT AREA,  
ONTARIO, CANADA**



**2 . 1 6 9 5 2**

**prepared by:**

***sda geological services, limited***

***215 Van Norman Street***

***Thunder Bay, Ontario, P7A-4B6***

***(807) 345-3330***

***November 22, 1996***



52F16SW0008 2.16952 LAVAL

010



010C

## **TABLE OF CONTENTS**

	PAGE
1.0 INTRODUCTION	1
1.1 Property Location	2
1.2 Property Access	2
1.3 Mining Claim Status	2
2.0 GEOLOGY	
2.1 Regional Geology	4
2.2 Property Geology	6
3.0 1996 WORK PROGRAM	6
3.1 Geological Mapping, Prospecting and Sampling Program	6
3.2 Geochemical Rock Sampling	7
4.0 RESULTS	7
5.0 CONCLUSIONS AND RECOMMENDATIONS	7
REFERENCES	9
CERTIFICATE	10
APPENDIX (Rear Pocket)	11
Figure 1      Claim Map	3
Figure 2      Abram Lake/Minnitaki Lake Greenstone Belt	5
Table 1      Claim Information	2

## **1.0 INTRODUCTION**

In July, 1996, Corona Gold Corporation contracted the services of SDA Geological Services, Limited, to assess the gold and base metal mineral potential of it's ***Corona-Riives Troutfly Lake Gold Property***. A work program of geological mapping, prospecting and rock sampling were carried out on the property using a new cut survey grid. This interim report concerns the geology and rock sample results over a portion of the Corona Riives Option including unpatented mining claim K1205129 and contiguous mining lands.

Supervision of the field project was by Abraham Drost, President of SDA Geological Services, Limited, of Thunder Bay, Ontario. The field staff included the following employees of SDA Geological Services, Limited: D. Beilhartz, A.J. Drost, M. Innes, D. MacMillan and D.G. Sargent. The base for all field operations was at Donnelly's Minnitaki Lodge located 20 km from the property near Sioux Lookout, Ontario. Field mapping on the Corona-Riives Option was carried out between August 13-30, 1996. A total of approximately 15 line miles of geological mapping were carried out over this portion of the property. Using 2-person field crews, this equates to 15 man days of crew time with the average working day in the field being 8:00am to 5:00 pm.

Digitizing services and map generation using MAP-INFO GIS were provided by Bob Auld of Geo-Sat Enterprises, located in Thunder Bay, Ontario.

The map area reported herein contains approximately 15 line miles of a 58 line-mile grid which was cut by Exsics Exploration Ltd. of Timmins, Ontario and employed 6-10 linecutters. The baseline and some of the tie lines were surveyed and then geo-referenced using a Trimble GeoExplorer II GPS unit. The grid is cut in imperial units with 400 ft. spacings between survey lines which trend nominally at 130°N azimuth. The grid was cut to allow a complete and systematic examination of the property ultimately integrating a geology, geophysics and geochemistry exploration database.

The ground geophysical survey was also contracted out to Exsics Exploration Ltd. of Timmins, Ontario. Ground magnetics and VLF-EM surveys were conducted by a 2-3 person crew and was performed concurrently while the geologically mapping was being conducted on the grid. A separate report detailing the ground geophysics is in preparation at the time of this writing.

All rock samples and soil samples were prepped and analyzed by Accurassay Laboratories (Division of Assay Laboratory Services Inc.) of Thunder Bay, Ontario. Lab All samples were analyzed for gold in ppb and oz/ton by fire assay and atomic absorption and an analytical package known as ICAP 28 (Inductively Coupled Argon Plasma) which is a "first-look" multi-element package that measures 28 elements using an *aqua regia* digest, from which the base metal analyses were derived.

### **1.1 Property Location**

The ***Corona-Riives Troutfly Lake Gold Property*** is located on the west side of Highway 72, 20 km north of Dinorwic, Ontario. Dinorwic is 28 kilometres east of Dryden on the Trans Canada Highway. The property consists of 13 unpatented mining claims between Troutfly Lake and Laval Lakes (Table 1; Figure 1). The property lies within the N.T.S. map sheets, 52 F/15 and 52 F/16.

### **1.2 Property Access**

The ***Corona-Riives Troutfly Lake Gold Property*** is accessible by gravel and logging roads northwest off of Highway 72. Numerous trails allow for further access by all-terrain vehicles (ATVs). Portions of the property are accessible by boat from landings at the Baptist Mission on Troutfly Lake.

### **1.3 Mining Claim Status**

The ***Corona - Riives Troutfly Lake Gold Property*** is a contiguous group of unpatented mining claims in Laval Township, Kenora Mining Division, Sioux Lookout area, Ontario. The property consists of 13 claims composed of 77 units covering an area of 3,080 acres (7,700 hectares) (Table 1).

**Table 1: Claim Information**

<b>1208259</b>	Corona Gold Corporation	Laval	1	400	31-May-98	
<b>1224627</b>	Corona Gold Corporation	Laval	8	3,200	26-Apr-97	
<b>1224626</b>	Corona Gold Corporation	Laval	9	3,600	26-Apr-97	
<b>1208256</b>	Corona Gold Corporation	Laval	1	400	31-May-97	
<b>1208257</b>	Corona Gold Corporation	Laval	12	4,800	31-May-97	
<b>1208258</b>	Corona Gold Corporation	Laval	2	800	31-May-97	
<b>1205129</b>	Corona Gold Corporation	Laval	1	400	24-Nov-96	
<b>1205127</b>	Corona Gold Corporation	Laval	2	800	1-Nov-97	
<b>1178674</b>	Corona Gold Corporation	Laval	16	6,400	18-Apr-98	
<b>1178675</b>	Corona Gold Corporation	Laval	3	1,200	18-Apr-98	
<b>1178676</b>	Corona Gold Corporation	Laval	8	3,200	2-May-98	
<b>1178700</b>	Corona Gold Corporation	Laval	12	4,800	2-May-98	
<b>1178677</b>	Corona Gold Corporation	Laval	2	800	2-May-98	
<b>Totals:</b>			<b>13</b>	<b>77</b>	<b>\$30,800</b>	




FIGURE 1 CLAIM MAP

## 2.0 GEOLOGY

### 2.1 Regional Geology

The **Corona-Riives Troutfly Lake Gold Property** is located within the Wabigoon Subprovince of the Superior Province of the Canadian Shield. The Wabigoon Subprovince is a 900 km long east-trending granite-greenstone subprovince composed of metavolcanic and subordinate metasedimentary rocks, ranging in age from 3 to 2.71 Ga and intruded by a suite of 3 to 2.69 Ga granitoid batholiths, gabbroic sills and stocks. The subprovince is bounded on the north by the Winnipeg River and English River subprovinces and on the south by the Quetico Subprovince.

The Wabigoon Subprovince is divided into three regions based on rock type and structural style. The property is located within the western region of the Wabigoon Subprovince - Sioux Lookout Section (Figure 2). The Sioux Lookout Section is characterized by the Minnitaki and Abram Lake greenstone belts. Volcanic rock compositions range from komatiitic ultramafic rocks through tholeiitic, calc-alkaline, alkalic and komatiitic mafic rocks to calc alkalic felsic rocks. These rock units were subsequently intruded and surrounded by granitoid batholiths and granitoid to gabbroic sills and stocks. Overlying sedimentary rock compositions are mostly clastic rocks of alluvial fan - fluvial, turbidite and platform facies units. Chemical sedimentary rocks are predominantly oxide-facies iron formation rocks.

Structural data between Dryden and Sioux Lookout have identified 4 discrete stages of deformation. Berger (1991) identifies flat lying folds (D1) within iron formation units and associated premetamorphic axial planar schistosity. A second stage of deformation (D2) associated with plutonic activity, produced contact strain and thermal aureoles adjacent to plutons and subsequently developed steeply dipping foliation and aureoles with amphibolite-facies metamorphic grade. The third (D3) stage of regional deformation interfered with D1 folds to produce complex outcrop patterns of domes and basins. The resulting shear zones are characterized by steep dipping, northeast trending, southwest plunging mineral assemblages. The final stage (D4) of deformation produced continued convergence and subsequently formed the Wabigoon shear zone and its associated splays. The resultant structural complexities within the Abram and Minnitaki Lake belts, along with strong evidence of layer-parallel shearing, suggests the belts have been tectonically stacked and subsequently form repetitive volcanic and sedimentary sequences.

Mineral deposits and prospects of the Wabigoon Subprovince include volcanogenic copper-gold and zinc-copper-silver deposits within volcanic units and in Algoma-type iron formations. Mafics and ultramafic rocks contain mineralization associated with pegmatite-related rare metals (esp. lithium), uranium and molybdenum deposits, copper, copper-nickel, chromite and platinum group elements deposits and prospects. Gold deposits are known to be associated with late shear zones, contact strain aureoles




FIGURE 2  
Detailed geology, Abram Lake & Minnitaki Lake greenstone belt showing approximate property location. (modified from Johns 1991)

pegmatite-related rare metals (esp. lithium), uranium and molybdenum deposits, copper, copper-nickel, chromite and platinum group elements deposits and prospects. Gold

deposits are known to be associated with late shear zones, contact strain aureoles developed around batholiths and quartz-carbonate altered granodiorites (after Lapierre, K., 1996).

## **2.2 Property Geology**

Briefly stated, the property geology consists predominantly of a southwest to northeast trending series of mafic volcanic rocks with felsic metavolcanic lenses interspersed locally therein. This sequence is in contact with a sedimentary group of rocks in the southern portion of the map area and has been intruded by granitoid and mafic intrusive stocks and sills within the map area.

More precisely, this portion of the Corona-Riives option contains an interbedded series of mainly massive to pillow, amygdaloidal and tuffaceous mafic metavolcanics which are interbedded with volumetrically lesser hornblende-rich, locally massive to locally pillow and tuffaceous mafic to intermediate mafic metavolcanics as well as with lenses of locally spherulitic, massive and locally brecciated felsic to intermediate volcanics. This belt of metavolcanic rocks formed part of the northeast striking, variable dipping, southeast younging Neepawa Group. The Neepawa Group metavolcanics are bounded to the south on the property by the Minnitaki Group of sedimentary rocks. These sediments are composed mainly of wackes, siltstones, argillaceous schists, sulphide to oxide facies iron formation and quartz-mica schists. All sediment phases generally display well defined bedding characteristics and well developed structural fabric/cleavage.

The Gardnar Lake granodiorite Stock intrudes the west portion of the mapsheet area. Quartz porphyry, quartz-feldspar porphyry, feldspar porphyry, granodiorite and aplite sills and dykes are common on the property. Gabbro sills and stocks are a notable and common intrusive phase on the Corona-Riives property.

## **3.0 1996 WORK PROGRAM**

### **3.1 Geological Mapping, Prospecting & Sampling Program**

Geological mapping at a 1"=200' (1:2400) scale was undertaken in order to systematically map, prospect and rock sample outcrop exposure on the property. The existing government geological database in the area is comprehensive and for this reason, the emphasis in the present program was prospecting oriented. The geological mapping was therefore more confirmatory than generative in nature and the legend used is that of Berger (1990) (OGS Map 2534, Precambrian Geology, Laval and Hartman Townships).

### **3.2 Geochemical Rock Sampling**

Rock samples were collected for gold assay by fire assay with atomic absorption finish and ICP analysis in order to ascertain gold and base metal content, and to identify pathfinder elements which correlate positively with gold. Samples were taken from areas of prospective precious/base metal deposition based on observed alteration, mineralization and presence of quartz veining. Representative outcrop samples were also taken at structural and stratigraphic breaks, lithological contacts and at regular intervals within the granitoid plutons to provide continuity of sampling across the property. Analyses of Au, Ag, Cu, Pb and Zn for a total of 90 rock samples are available and reported herein for this portion of the Corona-Riives option property.

### **4.0 RESULTS**

Results of geological mapping and rock sampling on the Corona-Riives property are herewith presented on Mapsheet B-3 (Appendix; rear pocket). Most notably, the main established mineral occurrence on this portion of the Corona-Riives property, namely, the Mistango Main Showing did not return any anomalous gold, silver or base metal values. Previous assessment mapping, geophysics and drilling on the property (Kuryliw, 1987; Langelaar, 1987/89; Low, 1951 per Calder-Bousquet Mines) would indicate that the altered feldspar porphyry host to Mistango mineralization is part of a series of at least three subparallel feldspar porphyry sills traversing the property in a southwest -northeast direction.

Sampling at what is thought to represent the "Mistango Southwest" occurrence did return two (2) select grab samples of sulphide mineralized quartz vein-rich material which were weakly anomalous with gold, silver and lead. The Mistango Southwest may be associated with a second separate feldspar porphyry which may be represented geophysically (ground magnetics; Langelaar, 1987) through the swamp immediately south of the Mistango Southwest occurrence.

Sampling on the island located in Troutfly Lake immediately southeast of the Mistango Main Showing, returned values which are anomalous in gold, silver, copper and lead.

Sporadic weakly anomalous values in gold, silver, copper and zinc are also noted along the south contact of the Neepawa metavolcanic rocks with the Minnitaki sediments. Much of the volcanic-sediment contact is however obscured by overburden.

### **5.0 CONCLUSIONS AND RECOMMENDATIONS**

The rock sampling carried out over this portion of the ***Corona-Riives Troutfly Lake Gold Property*** reveals at least 20 out of 90 samples (22%) which display weakly elevated gold, silver, copper, lead or zinc basemetal values. In the author's opinion, such a trend may indicate the presence of a mineralized structure or lithology on the Corona-Riives

property. It is too early at this juncture to isolate a specific deposit type, but it does seem certain that if economic concentrations of metallic mineralization do occur, they are likely to be polymetallic in nature. An epigenetic structural control is also favoured given the relative paucity of felsic volcanic rocks (ie. rhyolite dome) which might give rise to a volcanogenic massive sulphide deposit, although these are present and may give a clue to the metallogenic history of the area.

The high proportion of overburden on the property relative to outcrop exposure necessitates the application of remote geophysical methods in order to better define and assist with interpretation of the lithologies and structure on the property. A detailed program of ground magnetics and VLF-EM will be of use in identification of anomalous conductive and magnetic areas which may in part represent metal bearing structures or horizons.

Once interpreted geophysical data is received, a specific program of reconnaissance geochemistry is recommended over these areas. Selection of either B-Horizon soils or humus sampling should be made on the basis of an orientation survey in the area of the Mistango Southwest Occurrence. The axes of VLF-EM conductors should be tested at various points along their length in order to test their gold and base metal potential.


## **REFERENCES**

- Berger, B.R. 1990; Precambrian Geology, Laval and Hartman townships; Ontario Geological Survey, Report 272, 74p.
- Chorlton, L. 1991; Geological History of the Sandybeach Lake area, Sioux Lookout-Dinorwic Belt, Wabigoon Subprovince and its Implications for Gold Exploration. Ontario Geological Survey Open File Report 5752
- Kuryliw, C.J. 1987; Report on Diamond Drilling Mistango Consolidated Resources Claim Group, Northwestern Ontario; MNDM Assessment Files, Kenora
- Langelaar, J. et al  
1987; Mistango Consolidated Resources Limited, 1987 Exploration Program, Troutfly Lake area, NW Ontario
- 1987; Camreco Inc Camreco-Troutfly Lake Property, NW Ontario, Combined Mag/VLF Survey, Sept. 1987
- 1989; Reconnaissance Geochemical Survey, Troutfly Lake - Mission Claims; Camreco Inc.
- Lapierre, K.J. 1996; Compilation Report for Corona Gold Corporation on their Troutfly Lake Gold property located in Laval, Webb, McAree and Echo Townships, Kenora and Patricia mining divisions, districts of Kenora and Sioux Lookout, Ontario, Canada; internal report, Corona Gold Corporation.
- Low, J.H., 1951; Geology of the Property of Calder-Bousquet Mines Limited, Laval Township, Ontario

**CERTIFICATE**

I, ABRAHAM PETER DROST of the City of Thunder Bay, District of Thunder Bay do certify that:

- 1) I am a graduate of the University of Waterloo (B.Sc. 1984) and Queen's University (M.Sc. 1987) in geological sciences;
- 2) I have practised my profession continuously for 12 years since my graduation from the University of Waterloo;
- 3) I am a member of the Canadian Institute of Mining and Metallurgy, Prospectors and Developers Association of Canada and a Fellow of the Geological Association of Canada.
- 4) I have no beneficial interest in the property discussed in this report nor do I expect to receive any in the future.

  
ABRAHAM P. DROST  
November 22, 1996

APPENDIX  
GEOLOGY OF THE CORONA-RIIVES OPTION  
TROUTFLY LAKE PROPERTY  
(MAP POCKET)



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820  
 Page 1

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Aug 17, 1996

Job# 9641073

SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer		
1	26501	15	<0.001
2	26502	12	<0.001
3	26503	15	<0.001
4	26504	16	<0.001
5	26505	6	<0.001
6	26506	17	<0.001
7	26507	9	<0.001
8	26508	67	0.002
9	26509	13	<0.001
10	26510	7	<0.001
11 Check	26510	9	<0.001
12	26511	17	<0.001
13	26512	133	0.004
14	26513	7	<0.001
15	26514	<5	<0.001
16	26515	10	<0.001
17	26516	7	<0.001
18	26517	64	0.002
19	26518	6	<0.001
20	26519	9	<0.001
21 Check	26519	10	<0.001
22	26801	9	<0.001
23	26802	10	<0.001
24	26803	7	<0.001
25	26804	10	<0.001
26	26805	<5	<0.001
27	26806	<5	<0.001
28	26807	59	0.002
29	26808	<5	<0.001

Certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 1  
Aug 17, 1996

Job# 9641073

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26501	<.1	0.67	13	11	38	0.1	<3	0.02	<.5	22	339	19	1.75	<3	3
26502	1.0	1.12	9	28	241	1.3	<3	2.75	0.5	30	182	117	7.61	<3	7
26503	0.1	1.21	12	37	183	0.7	<3	0.52	<.5	35	171	60	7.86	<3	4
26504	<.1	0.33	2	11	507	0.3	<3	0.08	<.5	7	153	6	1.11	<3	8
26505	0.6	2.27	10	17	187	0.7	<3	0.54	<.5	27	407	21	6.49	<3	27
26506	<.1	0.14	<2	<5	51	<.1	<3	0.21	<.5	17	388	3	0.54	<3	3
26507	<.1	1.06	4	19	84	0.2	<3	0.11	<.5	14	392	13	4.24	<3	11
26508	6.7	0.23	6	6	131	<.1	44	0.07	<.5	25	655	8	1.07	<3	2
26509	<.1	0.04	3	<5	19	<.1	<3	0.05	<.5	28	692	5	0.44	<3	<1
26510	0.7	1.40	9	9	126	1.9	<3	6.37	<.5	14	287	18	3.89	<3	7
26511	<.1	0.63	14	<5	93	0.1	<3	0.06	<.5	25	552	15	1.50	<3	9
26512	0.5	1.02	13	208	106	0.3	<3	0.10	<.5	24	379	80	7.00	<3	24
26513	<.1	0.84	14	16	86	<.1	<3	0.01	<.5	37	668	28	2.19	<3	5
26514	0.3	0.69	12	138	84	0.1	<3	0.09	<.5	26	347	60	2.90	<3	10
26515	<.1	0.66	14	22	66	<.1	<3	0.06	<.5	31	722	35	1.92	<3	6
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
✓ 26501	0.40	254	49	<.01	17	130	2	2	0.03	3	0.03	20	<2	40	
✓ 26502	0.98	1275	4	0.04	19	968	4	3	0.03	38	0.31	187	<2	132	
✓ 26503	0.86	636	<1	0.05	17	855	<1	4	0.03	11	0.32	171	<2	94	
✓ 26504	0.20	158	<1	0.02	4	459	12	<2	0.03	15	0.05	27	<2	38	
✓ 26505	0.48	1265	<1	0.04	14	622	<1	3	0.03	16	0.28	12	<2	141	
✓ 26506	0.06	137	<1	0.01	7	120	<1	<2	0.02	7	0.02	9	<2	14	
✓ 26507	0.23	495	<1	0.04	7	554	<1	<2	0.03	7	0.17	22	<2	66	
✓ 26508	0.11	268	<1	0.03	11	276	116	2	0.03	9	0.04	22	<2	54	
✓ 26509	0.03	141	<1	<.01	12	112	<1	<2	0.02	3	<.01	13	<2	7	
✓ 26510	0.63	1264	2	0.03	8	779	<1	<2	0.05	44	0.14	13	<2	103	
✓ 26511	0.41	203	<1	0.01	18	140	7	<2	0.02	3	0.08	31	<2	21	
✓ 26512	0.78	275	<1	0.04	55	365	4	<2	0.03	15	0.08	51	<2	163	
✓ 26513	0.50	268	<1	0.02	41	42	2	<2	0.02	4	0.10	34	<2	44	
✓ 26514	0.58	321	3	0.02	38	495	8	2	0.03	5	0.05	18	<2	319	
✓ 26515	0.43	298	<1	0.01	21	395	5	<2	0.03	7	0.05	25	11	44	

Certified By: Jeanne Wolford



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
Page 1

S. GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 25, 1996

Job# 961102

	SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer			
1		26520	<5	<0.001
2		26521	<5	<0.001
3		26522	<5	<0.001
4		26523	<5	<0.001
5		26524	<5	<0.001
6		26525	73	0.002
7		26526	<5	<0.001
8		26527	<5	<0.001
9		26528	<5	<0.001
10		26529	<5	<0.001
11	Check	26529	<5	<0.001
12		26530	<5	<0.001
13		26531	<5	<0.001
14		26532	<5	<0.001
15		26533	<5	<0.001
16		26534	<5	<0.001
17		26535	<5	<0.001
18		26536	<5	<0.001
19		26537	<5	<0.001
20		26538	<5	<0.001
21	Check	26538	<5	<0.001
22		26539	<5	<0.001
23		26540	<5	<0.001
24		26541	<5	<0.001
25		26853	<5	<0.001
26		26854	<5	<0.001
27		26855	14	<0.001
28		26856	24	<0.001
29		26857	<5	<0.001

certified

Suzanne Wolford





# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
Page 2

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 25, 1996

Job# 961102

SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer		
30	26858	<5	<0.001
31 Check	26858	<5	<0.001
32	26859	20	<0.001
33	26860	<5	<0.001
34	26861	<5	<0.001
35	26862	<5	<0.001
36	26863	<5	<0.001
37	26864	<5	<0.001
38	26865	<5	<0.001
39	26866	<5	<0.001
40	26867	<5	<0.001
41 Check	26867	<5	<0.001
42	26868	<5	<0.001
43	26869	<5	<0.001
44	26870	6	<0.001
45	26871	<5	<0.001
46	26872	8	<0.001
47	26873	<5	<0.001
48	26874	<5	<0.001
49	26876	<5	<0.001
50	26877	<5	<0.001
51 Check	26877	<5	<0.001
52	26878	<5	<0.001
53	26879	25	<0.001
54	26880	<5	<0.001
55	26881	<5	<0.001
56	26882	<5	<0.001
57	26883	<5	<0.001
58	26884	<5	<0.001
59	26885	<5	<0.001

Certified By: Dawnna Walford

# ACCUASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 2  
Sept. 3, 1996

Job# 9643458K  
1/102

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26535	<.1	1.67	21	29	63	0.8	<3	2.09	<.5	9	103	17	4.50	<3	13
26536	<.1	0.10	10	24	117	0.2	<3	0.12	<.5	7	159	12	1.31	<3	2
26537	<.1	0.24	21	17	13	0.5	<3	1.64	<.5	18	282	102	0.85	<3	<1
26538	<.1	2.61	21	29	51	<.1	<3	0.44	<.5	44	167	67	6.79	<3	8
26539	0.7	0.12	12	18	4	0.1	<3	0.11	<.5	19	349	7	0.60	<3	<1
26540	1.7	0.37	3	20	38	<.1	<3	0.14	<.5	37	714	10	1.15	<3	<1
26541	<.1	0.72	20	28	451	0.4	<3	0.15	<.5	9	122	16	1.75	<3	12
26853	<.1	0.37	13	18	47	<.1	<3	0.09	0.5	39	842	10	1.11	<3	3
26854	0.3	1.56	17	25	100	<.1	<3	0.09	<.5	12	184	16	3.17	<3	2
26855	0.1	0.19	18	47	24	0.2	<3	0.65	<.5	16	178	79	2.41	<3	<1
26856	0.2	1.73	18	313	46	0.5	<3	0.92	0.5	45	102	157	10.19	<3	11
26857	<.1	0.17	7	18	7	<.1	<3	<.01	<.5	8	207	43	2.42	<3	<1
26858	<.1	0.05	9	19	72	<.1	<3	0.08	<.5	20	358	5	0.39	<3	<1
26859	<.1	0.56	8	27	25	<.1	<3	0.03	<.5	24	314	352	2.09	<3	<1
26860	<.1	0.72	20	26	21	0.2	<3	0.49	<.5	26	449	15	2.71	<3	2
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26535	0.72	1023	<1	0.08	6	584	8	3	0.03	18	0.11	20	<2	67	
26536	0.05	133	<1	0.07	6	508	<1	<2	0.02	13	<.01	7	691	15	
26537	0.19	283	<1	0.02	13	172	<1	<2	0.02	23	0.01	16	31	16	
26538	0.85	923	<1	0.09	58	984	8	<2	0.06	5	0.07	310	<2	107	
26539	0.08	98	<1	0.08	9	154	3	<2	0.02	2	<.01	13	<2	8	
26540	0.22	279	<1	<.01	32	268	2	<2	0.03	5	0.04	40	<2	19	
26541	0.63	286	<1	<.01	26	633	18	<2	0.02	16	0.10	41	<2	76	
26853	0.23	121	1	0.04	23	287	<1	<2	0.03	6	0.03	28	<2	11	
26854	0.97	421	<1	<.01	28	605	10	<2	0.02	4	0.13	43	<2	63	
26855	0.18	727	<1	0.05	9	290	14	<2	0.02	41	<.01	16	<2	18	
26856	0.91	2003	<1	0.08	38	936	63	6	0.05	20	0.03	196	<2	112	
26857	0.04	47	<1	<.01	5	52	<1	<2	0.02	2	<.01	9	<2	19	
26858	0.03	69	<1	0.04	9	139	<1	<2	0.01	13	<.01	10	<2	17	
26859	0.20	235	<1	<.01	14	114	<1	<2	0.03	1	0.03	46	<2	43	
26860	0.32	337	<1	0.03	12	805	5	<2	0.07	10	0.06	15	<2	47	

certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820  
 Page 1

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Sept. 12, 1996

Job# 9641183

266  
 266-183

	SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer			
1		26615	<5	<0.001
2		26616	<5	<0.001
3		26617	<5	<0.001
4		26618	<5	<0.001
5		26619	<5	<0.001
6		26620	<5	<0.001
7		26621	<5	<0.001
8		26622	<5	<0.001
9		26623	<5	<0.001
10		26624	<5	<0.001
11	Check	26624	<5	<0.001
12		26625	<5	<0.001
13		26626	<5	<0.001
14		26627	<5	<0.001
15		26628	<5	<0.001
16		26629	<5	<0.001
17		26630	<5	<0.001
18		26631	<5	<0.001
19		26632	<5	<0.001
20		26633	<5	<0.001
21	Check	26633	<5	<0.001
22		26634	<5	<0.001
23		26635	<5	<0.001
24		26636	<5	<0.001
25		26637	<5	<0.001
26		26638	<5	<0.001
27		26639	<5	<0.001
28		26640	<5	<0.001
29		26641	<5	<0.001

Certified By: John Bell Jr.

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST  
 THUNDER BAY, ONTARIO  
 P7A 6B6

Page 2  
 Sept. 12, 1996

Job# 9641183

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26630	<0.1	0.23	9	<5	36	<.1	<3	0.08	<.5	8	189	3	0.47	<3	2
26631	<0.1	0.28	9	6	36	<.1	<3	0.13	<.5	7	215	3	0.52	<3	<1
26632	<0.1	0.49	13	<5	54	0.3	<3	0.25	<.5	7	197	6	1.10	<3	6
26633	<0.1	0.38	13	<5	43	<.1	<3	0.26	<.5	12	207	6	0.75	<3	4
26634	<0.1	0.24	6	<5	22	<.1	<3	0.26	<.5	5	209	2	0.98	<3	5
26635	<0.1	0.17	10	<5	19	0.2	<3	0.14	<.5	7	169	3	0.42	<3	<1
26636	<0.1	1.79	15	5	43	0.7	3	1.36	0.6	15	138	14	3.77	<3	11
26637	<0.1	0.07	13	<5	17	0.1	<3	0.06	0.8	8	228	3	0.42	<3	<1
26638	<0.1	0.02	8	<5	13	<.1	<3	0.01	<.5	22	293	3	0.37	<3	<1
26639	<0.1	1.96	24	<5	76	0.5	<3	1.98	0.9	20	166	66	3.40	<3	7
26640	<0.1	1.57	9	<5	173	0.6	<3	1.46	0.8	15	157	57	3.15	<3	32
26641	<0.1	1.65	14	<5	175	0.7	<3	1.52	0.6	15	163	60	3.27	<3	33
26642	<0.1	0.25	5	<5	20	<.1	<3	0.10	<.5	7	168	1	0.52	<3	1
26643	<0.1	0.23	16	<5	64	<.1	<3	0.12	<.5	7	184	4	0.50	<3	<1
26644	<0.1	0.34	12	<5	36	<.1	<3	0.24	<.5	20	279	3	0.66	<3	2
<hr/>															
Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm		
26630	0.09	34	<1	<.01	6	236	19	<2	0.02	13	0.02	8	<2	27	
26631	0.18	67	<1	<.01	8	228	18	3	0.02	30	0.03	10	<2	27	
26632	0.34	157	1	<.01	12	372	15	<2	0.02	32	0.12	21	<2	52	
26633	0.24	102	1	<.01	10	366	9	<2	0.02	38	0.07	14	<2	42	
26634	0.08	56	<1	<.01	5	354	8	<2	0.03	34	0.12	20	<2	11	
26635	0.07	48	<1	<.01	5	133	10	<2	0.02	33	0.05	10	<2	7	
26636	1.53	1006	2	<.01	71	1498	21	<2	0.02	23	0.24	79	2	81	
26637	0.03	51	<1	<.01	10	100	7	3	0.02	10	0.04	11	<2	5	
26638	<.01	47	<1	<.01	13	10	13	<2	0.01	3	0.01	13	<2	2	
26639	1.41	512	2	<.01	89	806	24	<2	0.03	33	0.17	65	<2	66	
26640	0.87	1132	<1	<.01	45	2411	14	3	0.01	52	0.23	69	<2	74	
26641	0.90	1167	<1	<.01	66	2382	22	<2	0.02	55	0.25	72	<2	80	
26642	0.14	50	1	<.01	7	146	7	<2	0.02	15	0.03	9	<2	28	
26643	0.11	58	<1	<.01	10	85	15	2	0.01	21	0.04	10	<2	28	
26644	0.12	72	<1	<.01	10	241	2	<2	0.03	38	0.06	18	<2	27	

Certified By:



**ACCURASSAY LABORATORIES**  
A DIVISION OF ASSAY LABORATORY SERVICES INC.

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 17, 1996

Job# 9641073

<b>SAMPLE #</b>	<b>Customer</b>	<b>Gold ppb</b>	<b>Gold oz/t</b>
Accurassay			
30	26809	11	<0.001
31 Check	26809	10	<0.001
32	26810	41	<0.001
33	26811	6	<0.001
34	26812	45	<0.001
35	26813	6	<0.001
36	26814	10	<0.001
37	26815	9	<0.001
38	26816	45	<0.001
39	26817	13	<0.001
40	26818	6	<0.001
41 Check	26818	7	<0.001
42	26819	45	<0.001
43	26820	22	<0.001
44	26821	9	<0.001
45	26822	8	<0.001
46	26823	45	<0.001
47	26824	45	<0.001
48	26825	10	<0.001
49	26826	6	<0.001
50	26827	12	<0.001
51 Check	26827	45	<0.001
52	26828	23	<0.001
53	26829	7	<0.001
54	26830	21	<0.001
55	26831	45	<0.001
56	26832	45	<0.001
57	26833	45	<0.001
58	26834	45	<0.001
59	26835	45	<0.001

Certified By:

John Berra



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
Page 3

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 17, 1996

Job# 9641073

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
60	✓ 26836		<5	<0.001
61 Check	✓✓ 26836		<5	<0.001
62	✓ 26837		<5	<0.001
63	✓ 26838		<5	<0.001
64	✓ 26839		<5	<0.001
65	✓✓ 26840		<5	<0.001
66	✓ 26841		<5	<0.001
67	✓ 26842		<5	<0.001
68	26843		<5	<0.001
69	✓✓✓ 26844		134	0.004
70	✓ 26845		<5	<0.001
71 Check	✓ 26846		<5	<0.001
72	✓ 26847		38	0.001
73	26848		<5	<0.001
74	26849		<5	<0.001
75	26850		<5	<0.001
76	26851		<5	<0.001
77	26852		<5	<0.001
78	27501		<5	<0.001
79	27502		<5	<0.001
80	27502		<5	<0.001
81 Check	27503		<5	<0.001
82	27504		<5	<0.001
83	27505		<5	<0.001
84	27506		8	<0.001
85	27507		<5	<0.001
86	27508		<5	<0.001
87	27509		<5	<0.001
88	27510		<5	<0.001

Certified By:

# ACCURASSAY LABORATORIES

*A DIVISION OF ASSAY LABORATORY SERVICES INC.*

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

**SDA GEOLOGICAL**  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Page 4  
Aug 17, 1996

Job# 9641073

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	Le ppm
26827	0.2	1.70	15	9	322	0.4	<3	0.48	<.5	24	411	34	3.23	<3	15
26828	0.4	2.07	21	<5	243	0.2	<3	0.11	<.5	12	279	18	3.80	<3	8
26829	<.1	0.18	7	<5	45	0.1	<3	0.15	<.5	29	577	6	0.87	<3	31
26830	<.1	0.10	10	<5	58	0.1	<3	0.12	<.5	33	641	5	0.73	<3	5
26831	<.1	0.26	12	6	10	<.1	<3	0.02	<.5	32	320	4	1.04	<3	<1
26832	<.1	0.02	2	<5	37	<.1	<3	0.03	<.5	35	682	7	0.80	<3	1
26833	0.4	2.90	22	9	38	1.0	<3	1.87	0.8	44	78	94	8.04	<3	6
26834	<.1	1.95	25	25	50	0.8	<3	0.80	2.6	28	94	49	11.73	<3	3
26835	1.5	2.54	12	9	48	1.2	<3	2.61	1.1	26	190	73	7.10	<3	8
26836	2.0	3.40	20	22	83	1.8	4	4.77	2.0	37	197	79	7.58	<3	4
26837	<.1	0.06	5	<5	12	<.1	<3	0.03	<.5	22	383	4	0.45	<3	<1
26838	<.1	0.24	2	<5	145	<.1	<3	0.05	<.5	31	536	11	1.41	<3	<1
26839	1.8	3.89	22	5	121	1.0	<3	1.23	1.5	54	158	102	10.42	<3	10
26840	<.1	0.21	<2	<5	25	<.1	<3	0.06	<.5	26	505	6	0.91	<3	4
26841	<.1	0.78	14	<5	47	<.1	<3	0.12	<.5	15	269	12	1.61	<3	1
<hr/>															
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26827	0.90	565	<1	0.05	32	672	16	<2	0.03	22	0.19	73	<2	69	
26828	1.29	509	6	0.03	23	632	11	<2	0.04	7	0.24	80	<2	83	
26829	0.09	136	<1	0.04	12	278	8	<2	0.02	18	0.03	22	<2	20	
26830	0.09	127	<1	0.01	16	195	12	<2	0.02	11	0.02	21	4	21	
26831	0.21	112	<1	<.01	16	65	<1	<2	0.02	1	<.01	30	3	20	
26832	0.01	73	<1	<.01	13	153	15	<2	0.02	9	0.02	19	7	6	
26833	1.09	1797	<1	0.04	26	925	<1	8	0.08	11	0.09	172	<2	74	
26834	0.88	2008	2	0.03	17	725	<1	10	0.06	5	0.07	206	<2	214	
26835	1.33	1424	1	0.05	28	1043	<1	<2	0.06	20	0.10	218	<2	111	
26836	2.34	1250	<1	0.04	73	1050	<1	<2	0.07	45	0.07	148	<2	156	
26837	0.04	63	<1	<.01	13	56	5	<2	0.02	1	<.01	12	<2	6	
26838	0.18	312	<1	<.01	11	303	7	<2	0.03	8	0.02	25	2	31	
26839	1.73	2774	<1	0.03	54	1300	6	7	0.12	12	0.08	274	2	187	
26840	0.10	154	<1	<.01	11	95	<1	<2	0.03	3	0.03	21	<2	16	
26841	0.50	203	<1	<.01	16	593	6	<2	0.04	3	0.04	19	<2	30	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 5  
Aug 17, 1996

Job# 9641073

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	B1 ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26842	<.1	0.04	9	<5	24	<.1	<3	<.01	<.5	25	465	3	0.38	<3	<1
26843	<.1	0.05	4	5	13	<.1	<3	0.07	<.5	21	395	25	0.90	<3	<1
26844	<.1	0.07	5	29	31	0.2	<3	0.28	<.5	17	309	7	1.42	<3	7
26845	<.1	0.08	5	10	26	<.1	<3	0.04	<.5	27	469	5	1.22	<3	<1
26846	<.1	0.40	5	<5	16	<.1	<3	0.03	<.5	30	538	4	1.99	<3	<1
26847	<.1	0.22	<2	<5	37	<.1	<3	0.05	<.5	26	460	15	1.11	<3	3
26848	<.1	1.02	20	<5	70	0.1	<3	0.09	<.5	29	460	15	2.27	<3	2
26849	<.1	0.50	18	22	108	0.1	<3	0.08	<.5	31	656	12	2.04	<3	17
26850	<.1	0.64	<2	<5	36	0.3	<3	0.08	<.5	13	158	16	1.17	<3	3
26851	<.1	0.10	<2	<5	21	<.1	5	0.01	<.5	10	199	5	0.30	<3	3
26852	0.1	1.96	12	14	367	0.4	3	0.29	<.5	30	451	49	3.55	<3	12
27501	<.1	0.17	4	<5	15	<.1	<3	0.03	<.5	21	388	5	0.60	<3	<1
27502	<.1	1.21	9	<5	70	0.3	<3	0.12	<.5	23	350	17	2.60	<3	2
27503	<.1	0.22	5	<5	15	0.2	<3	0.09	<.5	27	465	10	0.86	<3	2
27504	<.1	0.28	<2	<5	20	0.2	<3	0.18	<.5	22	376	6	0.99	<3	4
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Tl %	V ppm	W ppm	Zn ppm	
26842	0.02	68	<1	<.01	10	15	3	<2	0.02	10	<.01	12	<2	3	
26843	<.01	124	<1	<.01	9	436	1	<2	0.02	3	<.01	11	<2	8	
26844	0.09	305	<1	0.03	19	672	5	<2	0.03	35	<.01	9	<2	19	
26845	0.06	196	<1	<.01	12	114	2	<2	0.02	2	<.01	14	<2	15	
26846	0.12	416	<1	<.01	21	179	<1	<2	0.02	1	0.01	41	<2	25	
26847	0.10	143	<1	0.01	12	143	4	3	0.02	7	0.04	24	<2	20	
26848	0.72	257	<1	0.01	32	289	10	<2	0.03	2	0.12	37	<2	37	
26849	0.46	237	<1	0.03	14	472	7	4	0.03	22	0.05	33	<2	21	
26850	0.30	249	<1	0.02	15	274	7	<2	0.02	4	0.04	19	<2	5	
26851	0.02	77	<1	0.01	5	23	10	<2	0.03	2	<.01	5	<2	5	
26852	1.32	428	2	0.04	37	1406	11	<2	0.03	6	0.20	80	<2	74	
27501	0.12	80	<1	<.01	13	84	7	<2	0.02	<1	0.02	13	<2	8	
27502	0.82	313	<1	0.02	36	535	8	<2	0.02	4	0.11	47	3	43	
27503	0.18	122	<1	<.01	15	113	15	<2	0.02	3	0.03	21	<2	57	
27504	0.27	170	<1	0.01	13	351	4	<2	0.02	12	0.06	25	<2	21	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SOA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 3

Sept. 3, 1996

Job# 9641488  
1/02

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26861	<.1	2.32	17	24	30	0.9	<3	3.26	0.8	24	66	47	6.06	<3	4
26862	<.1	0.56	10	11	52	0.7	<3	2.87	<.5	18	287	33	3.01	<3	2
26863	<.1	0.12	<2	12	11	0.1	<3	0.01	<.5	18	345	3	1.21	<3	<1
26864	<.1	2.10	30	60	69	0.8	<3	0.62	<.5	18	179	39	8.47	<3	12
26865	<.1	0.48	11	16	43	<.1	<3	0.05	<.5	34	697	13	1.48	<3	1
26866	<.1	0.10	2	13	12	<.1	<3	0.03	<.5	38	807	5	1.01	<3	1
26867	<.1	0.04	10	15	11	0.2	<3	0.02	<.5	35	690	4	0.54	<3	<1
26868	<.1	0.28	12	27	19	0.1	<3	0.04	<.5	18	208	13	2.23	<3	4
26869	<.1	0.10	9	25	1447	0.5	<3	1.32	<.5	19	307	19	1.57	<3	<1
26870	3.5	0.04	11	28	2417	<.1	<3	0.45	<.5	25	468	85	0.94	<3	<1
26871	0.8	0.01	8	36	393	<.1	<3	0.02	<.5	24	438	9	0.67	<3	<1
26872	0.1	0.06	27	78	164	0.3	<3	1.87	<.5	26	315	13	3.65	<3	<1
26873	0.5	0.81	22	40	1673	1.1	<3	3.71	<.5	27	235	29	4.14	<3	4
26874	0.3	0.06	10	85	42	<.1	<3	0.22	<.5	25	422	9	4.19	<3	7

Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26861	1.62	1129	<1	0.08	16	1065	14	<2	0.06	69	0.04	185	<2	88
26862	0.32	596	<1	0.11	15	546	11	<2	0.05	64	0.14	101	<2	24
26863	0.04	72	1	0.02	9	99	<1	<2	0.02	<1	0.01	11	<2	11
26864	0.86	1348	<1	0.11	16	725	16	6	0.06	27	0.06	34	<2	76
26865	0.26	145	1	<.01	18	254	5	<2	0.06	5	0.05	27	<2	22
26866	0.06	88	1	0.04	16	130	2	<2	0.02	3	0.01	21	<2	4
26867	0.03	57	2	0.03	15	25	3	<2	0.01	5	0.02	18	<2	16
26868	0.10	62	4	0.06	9	584	12	<2	0.03	10	0.01	10	<2	27
26869	0.13	347	3	0.04	6	667	185	<2	0.02	219	0.01	18	<2	23
26870	0.03	186	<1	<.01	8	222	930	<2	0.03	98	<.01	17	<2	15
26871	<.01	42	<1	<.01	10	58	116	<2	<.01	13	<.01	9	<2	1
26872	0.67	753	<1	<.01	11	658	<1	<2	0.03	191	0.03	50	<2	17
26873	0.62	832	21	<.01	8	730	64	<2	0.03	384	0.12	57	<2	57
26874	0.03	224	<1	<.01	10	939	11	<2	0.04	25	<.01	69	<2	26

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 4  
Sept. 3, 1996

Job# 96411

Sample	Ag ppm	Al %	As ppm	B ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm	
26876	0.1	0.03	<2	39	24	<.1	<3	0.14	<.5	17	291	2	2.50	<3	4
26877	<.1	0.48	18	48	3082	1.4	<3	2.75	<.5	14	149	34	4.47	<3	17
26878	<.1	0.20	14	16	14	<.1	<3	0.22	<.5	35	676	18	0.80	<3	<1
26879	<.1	0.21	24	40	5	<.1	<3	0.18	<.5	35	680	9	0.88	<3	<1
26880	<.1	0.18	<2	12	5	<.1	<3	0.05	<.5	34	651	8	0.77	<3	<1
26881	<.1	0.25	10	16	12	<.1	<3	0.02	<.5	27	546	7	1.22	<3	<1
26882	<.1	1.69	11	32	32	0.1	<3	0.53	<.5	26	218	117	4.88	<3	6
26883	0.2	1.37	21	57	81	<.1	<3	0.74	<.5	33	141	67	4.14	<3	2
26884	<.1	0.79	4	20	78	<.1	<3	0.07	<.5	31	517	18	3.12	<3	<1
26885	<.1	1.68	21	26	135	0.6	<3	1.68	<.5	27	205	57	4.62	<3	8
26886	<.1	1.45	20	45	23	0.4	<3	0.69	<.5	20	161	38	4.54	<3	14
26887	<.1	0.57	23	25	59	2.0	<3	7.60	<.5	13	106	40	3.06	<3	3
26888	0.2	0.60	20	22	74	<.1	<3	0.32	<.5	20	358	6	2.18	<3	4
26889	0.2	0.14	16	283	55	0.7	<3	2.26	<.5	34	230	17	6.07	<3	4
26890	1.2	0.03	7	28	737	<.1	<3	<.01	<.5	21	430	6	0.42	<3	<1
	Mg %	Mn ppm	Mo %	Na ppm	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Tl %	V ppm	W ppm	Zn ppm	
26876	0.03	232	<1	<.01	5	413	<1	<2	0.02	15	0.01	44	<2	6	
26877	0.33	817	2	<.01	4	452	5	<2	0.03	297	0.03	55	<2	106	
26878	0.12	343	<1	<.01	26	126	<1	<2	0.03	5	0.03	36	<2	11	
26879	0.14	190	1	<.01	22	194	<1	<2	0.05	3	0.02	22	<2	8	
26880	0.11	228	<1	<.01	23	111	<1	<2	0.02	4	0.02	19	<2	5	
26881	0.10	169	<1	<.01	13	142	5	<2	0.04	3	0.01	13	<2	17	
26882	0.41	480	<1	<.01	18	907	6	<2	0.06	11	0.04	63	<2	68	
26883	0.80	393	138	<.01	42	1081	5	<2	0.03	5	0.11	135	<2	66	
26884	0.28	325	<1	<.01	20	278	11	<2	0.03	2	0.05	82	<2	36	
26885	0.64	1194	<1	<.01	33	799	10	<2	0.06	16	0.08	95	11	85	
26886	0.84	724	<1	<.01	6	688	5	<2	0.05	6	0.02	21	<2	54	
26887	1.72	1993	<1	<.01	10	201	18	<2	0.05	89	0.02	44	<2	78	
26888	0.39	617	<1	<.01	9	457	4	<2	0.03	10	0.02	12	<2	49	
26889	0.37	1276	3	<.01	8	548	4	<2	0.07	146	0.01	32	<2	32	
26890	0.02	45	3	0.05	11	<10	61	<2	0.01	14	<.01	9	<2	4	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 5  
Sept. 3, 1996

Job# 9641138

*02*

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26891	0.3	0.63	19	229	57	1.1	<3	2.83	0.8	40	139	21	7.87	<3	5
26892	<.1	1.60	18	28	66	0.3	<3	0.13	<.5	27	311	118	4.90	<3	8
26893	<.1	0.55	19	24	94	0.4	<3	0.59	<.5	14	200	8	3.58	<3	15
26894	<.1	0.61	20	13	26	<.1	<3	0.34	<.5	36	429	4	1.27	<3	6
26895	<.1	0.02	10	20	6	<.1	<3	0.05	<.5	19	378	<1	0.28	<3	<1
26896	<.1	0.02	11	14	3	<.1	<3	<.01	<.5	23	443	3	0.34	<3	<1
26897	<.1	0.26	16	54	39	<.1	<3	0.36	<.5	23	349	17	2.51	<3	<1
26898	<.1	0.14	14	21	5	<.1	<3	0.42	<.5	41	774	13	0.86	<3	<1
26899	<.1	1.04	16	34	18	<.1	<3	0.26	<.5	24	324	15	1.82	<3	11
26900	<.1	0.01	11	11	2	<.1	<3	<.01	<.5	29	621	4	0.36	<3	<1
26901	0.2	0.67	18	21	20	<.1	<3	0.08	<.5	30	603	8	1.75	<3	2
26902	<.1	0.08	12	11	14	<.1	<3	0.19	<.5	40	784	11	0.78	<3	<1
26903	<.1	0.04	17	10	13	<.1	<3	0.04	<.5	31	617	4	0.62	<3	<1
26904	<.1	0.16	12	12	5	<.1	<3	0.05	<.5	32	627	7	0.74	<3	<1
26905	<.1	1.90	24	20	199	<.1	<3	0.21	<.5	23	366	23	3.47	<3	7
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26891	0.77	1488	4	0.04	8	1234	31	2	0.05	299	0.07	114	<2	52	
26892	0.60	507	<1	<.01	11	750	4	<2	0.06	9	0.03	27	<2	107	
26893	0.70	308	<1	0.03	7	557	7	3	0.04	21	0.09	42	<2	37	
26894	0.37	248	<1	0.03	116	864	<1	2	0.04	6	0.02	16	<2	18	
26895	<.01	86	<1	<.01	8	20	<1	<2	<.01	4	<.01	7	<2	<1	
26896	<.01	51	<1	<.01	9	16	<1	<2	<.01	<1	<.01	8	<2	<1	
26897	0.23	393	<1	<.01	9	206	3	<2	0.02	15	0.02	35	<2	26	
26898	0.11	111	<1	<.01	18	48	6	<2	0.03	4	<.01	23	<2	4	
26899	0.21	179	<1	0.06	13	701	3	4	0.06	9	0.03	23	<2	13	
26900	<.01	45	<1	<.01	12	<10	<1	<2	<.01	1	<.01	13	<2	<1	
26901	0.49	213	3	<.01	28	269	5	<2	0.04	3	0.08	36	<2	12	
26902	0.06	112	<1	<.01	16	104	3	<2	0.02	2	0.01	21	<2	8	
26903	0.03	101	<1	<.01	13	37	7	<2	0.01	2	0.01	17	<2	3	
26904	0.11	72	<1	<.01	14	148	4	<2	0.02	3	0.01	18	<2	12	
26905	1.24	427	<1	<.01	40	1173	13	<2	0.03	5	0.17	70	<2	62	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 6  
Sept. 3, 1996

Job# 9641150  
GLX

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26906	<.1	0.62	12	15	14	<.1	<3	0.09	<.5	26	484	11	1.78	<3	3
26907	<.1	0.07	8	14	3	0.6	<3	<.01	<.5	9	191	3	0.20	<3	<1
26908	<.1	0.09	13	13	70	<.1	<3	0.03	<.5	23	458	2	0.58	<3	<1
26909	<.1	0.55	21	27	13	0.3	<3	0.91	<.5	29	469	33	1.88	<3	<1
26910	<.1	0.01	8	20	3	<.1	<3	0.01	<.5	35	742	3	0.45	<3	<1
26911	0.2	1.20	18	18	12	<.1	<3	0.34	<.5	41	558	14	2.55	<3	2
26912	<.1	1.86	35	34	25	0.4	<3	1.16	<.5	47	551	44	4.30	<3	3
26913	<.1	0.51	26	26	404	0.6	<3	0.66	<.5	12	188	12	1.38	<3	7
26914	<.1	0.15	6	17	135	0.1	<3	0.29	<.5	21	439	1	0.59	<3	3
26915	0.2	0.95	4	26	204	0.1	<3	0.19	<.5	36	509	43	4.03	<3	<1
26916	0.4	2.92	23	39	27	<.1	<3	0.41	<.5	42	160	227	9.93	<3	6
26917	0.4	0.91	10	34	20	0.3	<3	0.42	<.5	45	340	181	4.31	<3	<1
26918	0.1	1.58	33	26	14	0.4	<3	1.04	<.5	34	314	52	3.86	<3	1
26919	<.1	4.00	47	35	46	0.7	<3	1.05	1.2	31	120	62	7.11	<3	4
26920	<.1	0.63	31	81	297	1.4	<3	2.90	1.1	20	116	43	6.24	<3	17
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26906	0.43	168	<1	<.01	22	472	6	<2	0.02	3	0.06	31	<2	23	
26907	<.01	113	<1	<.01	3	66	17	<2	0.01	1	<.01	3	<2	4	
26908	0.07	57	<1	<.01	10	132	<1	<2	0.02	4	<.01	12	8	4	
26909	0.45	553	1	0.11	18	241	3	<2	0.04	8	0.03	58	<2	29	
26910	<.01	65	<1	0.08	11	39	4	<2	0.01	2	0.02	16	<2	3	
26911	1.08	211	<1	0.03	135	968	12	<2	0.04	9	0.15	77	<2	63	
26912	1.62	638	1	0.03	137	1153	6	<2	0.05	26	0.15	93	<2	86	
26913	0.32	209	<1	0.11	4	415	7	<2	0.03	34	0.06	32	<2	53	
26914	0.09	182	<1	<.01	9	291	<1	<2	0.02	13	0.01	14	65	12	
26915	0.43	261	<1	0.02	27	380	<1	<2	0.03	4	0.12	106	<2	51	
26916	0.80	1109	<1	0.07	48	881	15	3	0.06	3	0.06	252	<2	196	
26917	0.57	329	<1	<.01	7	481	18	<2	0.05	5	0.11	76	<2	79	
26918	1.22	408	<1	<.01	45	537	16	<2	0.07	13	0.09	77	<2	56	
26919	3.61	636	<1	0.05	32	894	26	14	0.07	15	0.05	235	6	100	
26920	1.28	1434	6	0.02	5	1747	24	4	0.05	272	0.06	65	4	60	

Certified By:

# ACURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 5  
Sept. 9, 1996

Job# 9641155

Sample	Ag ppm	Al %	As ppm	S ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26958	<.1	0.79	39	9	56	1.7	<3	4.46	1.5	8	253	87	1.15	<3	5
26959	<.1	0.37	34	<5	55	1.1	17	0.46	1.3	13	574	19	1.12	<3	12
26960	<.1	1.05	44	<5	152	0.3	<3	0.30	0.9	19	556	16	2.08	<3	5
26961	<.1	1.90	23	<5	70	0.2	<3	0.68	0.7	21	505	58	2.92	<3	3
26962	<.1	2.07	74	7	67	0.5	<3	0.03	1.2	<2	142	37	6.09	<3	15
26963	<.1	0.72	60	8	57	0.6	4	0.04	1.6	15	670	24	1.63	<3	3
26964	<.1	1.09	32	10	32	0.7	<3	0.61	<.5	21	839	60	1.23	<3	<1
26965	<.1	2.00	37	<5	143	0.3	<3	0.24	0.9	12	485	18	2.79	<3	5
26966	<.1	2.00	36	9	150	0.5	<3	0.29	0.7	20	532	83	3.26	<3	28
26967	<.1	0.33	59	<5	50	<.1	6	0.11	1.5	15	557	19	0.90	<3	2
26968	<.1	1.67	33	<5	103	0.5	<3	1.26	0.6	20	281	45	2.45	<3	13
26969	<.1	1.84	31	<5	104	0.6	<3	0.91	1.0	24	205	105	2.93	<3	2
26970	<.1	0.67	55	<5	65	<.1	12	0.16	2.4	15	703	22	1.58	<3	4
26971	<.1	0.52	48	<5	33	<.1	5	0.03	0.9	15	651	11	1.38	<3	2
26972	<.1	2.07	124	<5	92	<.1	<3	0.08	1.1	<2	208	37	5.65	<3	16
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
26958	0.52	694	<1	<.01	32	648	23	<2	0.05	39	0.15	23	<2	33	
26959	0.25	241	3	<.01	36	329	44	3	0.03	18	0.13	27	<2	43	
26960	1.15	382	1	<.01	51	237	29	<2	0.03	12	0.18	40	<2	59	
26961	1.71	451	<1	<.01	82	725	15	<2	0.04	34	0.36	44	<2	60	
26962	1.70	577	<1	<.01	12	929	23	<2	0.05	7	<.01	26	<2	99	
26963	0.45	186	3	<.01	26	195	32	4	0.03	3	0.07	29	<2	28	
26964	0.26	124	3	<.01	52	272	20	<2	0.03	59	<.01	22	<2	11	
26965	1.19	235	<1	<.01	33	278	20	<2	0.03	38	0.10	37	<2	25	
26966	1.12	272	2	<.01	58	530	18	<2	0.03	32	0.16	51	<2	22	
26967	0.32	118	4	<.01	24	127	30	6	0.02	10	0.07	18	3	22	
26968	1.44	294	1	<.01	101	1663	26	<2	0.03	19	0.21	45	<2	52	
26969	1.65	546	2	<.01	112	526	16	<2	0.04	24	0.31	51	<2	48	
26970	0.48	210	6	<.01	20	265	24	5	0.02	4	0.05	24	<2	38	
26971	0.34	156	3	<.01	19	169	18	<2	0.03	1	0.04	20	<2	18	
26972	1.65	486	3	<.01	15	676	21	<2	0.04	10	0.12	46	<2	85	

Certified By:

# ACURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Page 4  
 Sept. 12, 1996

Job# 9641183

Sample	Ag ppm	Al %	As ppm	B ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
26992	<0.1	0.06	4	<5	18	<.1	<3	0.03	<.5	19	337	3	0.51	<3
26993	<0.1	0.24	4	37	23	0.5	<3	0.19	<.5	12	205	18	1.04	<3
26994	<0.1	0.40	11	<5	11	0.5	3	0.14	<.5	30	304	9	1.00	<3
26995	<0.1	0.41	13	<5	16	0.2	<3	0.22	<.5	21	314	21	1.04	<3
26996	<0.1	0.07	16	<5	13	<.1	<3	0.01	<.5	20	348	<1	0.43	<3
26997	<0.1	0.03	14	<5	12	<.1	<3	<.01	<.5	38	411	10	0.81	<3
26998	<0.1	0.95	<2	<5	54	<.1	<3	0.69	<.5	16	226	11	1.65	<3
26999	<0.1	0.51	6	<5	16	<.1	<3	0.21	<.5	31	431	20	1.46	<3
27000	<0.1	0.76	10	7	27	0.1	<3	1.02	<.5	26	283	117	1.83	<3
27619	<0.1	0.21	12	85	317	0.7	3	2.35	1.0	28	174	57	5.80	<3
27620	<0.1	0.15	17	52	137	0.4	<3	2.23	<.5	19	205	27	4.83	<3
27621	<0.1	0.19	<2	16	470	0.7	4	3.01	<.5	16	172	40	3.79	<3
27622	<0.1	0.22	3	14	298	0.4	<3	2.16	<.5	26	205	37	3.48	<3
27623	<0.1	0.24	16	27	189	0.8	3	2.26	0.7	26	265	45	3.74	<3
27624	<0.1	0.11	12	25	843	0.5	<3	0.32	<.5	14	264	15	2.73	<3
	Mg %	Mn ppm	Mo %	Na ppm	Ni ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Tl %	V ppm	W ppm	Zn ppm	
26992	0.05	55	2	<.01	16	24	2	<2	0.03	<1	0.02	15	<2	2
26993	0.13	174	<1	<.01	15	999	11	<2	0.02	14	0.02	12	<2	22
26994	0.37	131	2	<.01	26	183	7	2	0.02	6	0.06	24	3	20
26995	0.36	204	3	<.01	28	208	14	<2	0.03	6	0.05	23	<2	18
26996	0.01	50	1	<.01	18	26	6	<2	0.02	1	<.01	15	<2	<1
26997	0.03	73	<1	<.01	18	20	9	<2	0.01	<1	<.01	25	<2	<1
26998	0.92	476	<1	<.01	49	616	10	<2	0.02	15	0.11	33	<2	32
26999	0.50	264	<1	<.01	45	154	17	<2	0.02	13	0.07	36	<2	19
27000	0.57	406	1	<.01	64	456	19	<2	0.01	24	0.13	45	<2	22
27619	0.98	1025	<1	<.01	7	905	59	<2	0.01	232	0.05	91	<2	78
27620	0.77	1067	<1	<.01	7	1023	35	<2	0.02	198	0.06	82	<2	29
27621	0.90	903	<1	<.01	21	380	121	<2	0.02	265	0.08	73	<2	66
27622	0.82	761	<1	<.01	23	422	97	<2	0.02	184	0.05	75	6	46
27623	0.69	724	2	<.01	19	360	202	14	0.03	208	0.09	117	3	64
27624	0.15	212	3	<.01	12	559	24	4	0.02	73	0.02	48	2	23

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

10/0 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Page 7  
 Sept. 9, 1996

Job# 9641155

Sample	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Hg	La
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
27614	<.1	3.30	<2	8	58	1.8	<3	5.83	0.7	37	237	80	7.95	<3	39
27615	<.1	0.74	13	<5	65	0.3	<3	0.40	<.5	10	385	11	0.99	<3	4
27616	<.1	0.64	32	15	251	0.8	<3	0.49	<.5	6	208	13	1.11	<3	5
27617	<.1	0.32	23	<5	20	<.1	9	0.16	0.9	7	227	5	0.56	<3	2
27618	<.1	0.38	45	<5	83	<.1	12	0.18	<.5	11	333	7	0.75	<3	2
27801	0.4	0.97	6	65	36	0.1	<3	1.46	3.9	23	362	24	4.35	<3	5
27802	<.1	0.97	31	13	58	0.4	<3	1.04	<.5	23	632	56	2.31	<3	4
27803	<.1	0.01	46	<5	10	<.1	9	<.01	<.5	20	900	10	0.43	<3	<1
27804	<.1	0.06	42	<5	21	<.1	6	0.40	<.5	13	542	268	0.46	<3	2
27805	<.1	2.34	24	40	45	0.2	<3	0.97	<.5	17	330	87	4.92	<3	13
27806	<.1	1.87	<2	6	60	<.1	<3	1.26	<.5	17	147	14	5.91	<3	25
27807	<.1	0.15	31	15	56	<.1	<3	0.78	<.5	11	413	28	0.99	<3	11
27808	<.1	1.92	37	10	139	0.3	<3	0.78	<.5	26	325	24	3.77	<3	19
27809	<.1	0.14	25	<5	31	<.1	6	0.14	<.5	23	953	31	0.90	<3	<1
27810	<.1	0.34	28	7	82	<.1	<3	1.27	<.5	16	639	39	2.02	<3	1
<hr/>															
	Mg	Mn	Mo	Na	Ni	P	Pb	Sb	Si	Sr	Tl	V	W	Zn	
	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm	ppm	ppm	
27614	1.66	1761	<1	<.01	83	2798	14	<2	0.04	177	0.07	138	<2	138	
27615	0.32	113	<1	<.01	10	460	29	<2	0.02	71	0.13	17	<2	68	
27616	0.28	182	<1	<.01	5	409	20	<2	0.05	111	0.08	27	<2	54	
27617	0.21	69	1	<.01	5	245	21	<2	0.02	29	0.05	9	<2	41	
27618	0.24	101	<1	<.01	10	270	38	<2	0.03	27	0.06	13	<2	57	
27801	0.42	877	<1	<.01	29	764	115	<2	0.04	10	0.05	20	<2	242	
27802	0.53	470	2	<.01	50	533	40	<2	0.02	39	0.16	33	<2	34	
27803	<.01	91	2	<.01	16	<10	39	<2	0.01	<1	<.01	14	2	<1	
27804	0.05	240	1	<.01	14	<10	39	<2	0.02	7	<.01	10	<2	8	
27805	0.84	466	<1	<.01	33	1414	38	<2	0.04	143	0.12	44	<2	174	
27806	0.74	1201	<1	<.01	68	1562	10	<2	0.05	22	0.07	73	<2	86	
27807	0.09	295	2	<.01	9	526	42	<2	0.02	35	0.03	8	<2	22	
27808	1.61	656	<1	<.01	96	1110	29	<2	0.04	16	0.08	73	<2	82	
27809	0.10	147	2	<.01	14	50	31	<2	0.02	1	0.03	25	<2	13	
27810	0.32	464	<1	<.01	14	626	33	<2	0.03	44	0.07	50	<2	15	

LL

Certified By:

**ACCURASSAY LABORATORIES**  
**A DIVISION OF ASSAY LABORATORY SERVICES INC.**

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Page 5  
 Sept. 12, 1996

Job# 9641183

Sample	Ag ppm	Al %	As ppm	B ppm	Be ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27625	<0.1	0.06	11	12	223	0.1	<3	0.24	<.5	17	217	10	2.21	<3	7
27626	1.0	0.07	12	22	150	0.5	<3	0.38	<.5	13	230	14	2.93	<3	9
27627	<0.1	0.07	7	74	242	0.2	<3	0.29	<.5	17	282	7	2.78	<3	11
27628	<0.1	0.09	2	96	316	0.3	<3	0.44	<.5	16	176	9	3.31	<3	6
27629	0.4	0.43	27	203	95	1.8	<3	3.04	<.5	17	228	16	2.96	<3	9
27630	3.1	0.02	2	<5	185	<.1	<3	<.01	<.5	14	258	15	0.49	<3	1
27631	<0.1	0.06	7	6	32	0.4	<3	0.08	<.5	13	175	11	3.03	<3	14
27632	5.3	0.03	4	18	2017	<.1	<3	0.13	<.5	18	302	56	1.62	<3	4
27633	<0.1	0.31	11	<5	54	<.1	<3	0.15	<.5	8	169	3	0.45	<3	<1
27634	<0.1	0.09	10	<5	24	0.1	<3	0.02	<.5	9	170	9	0.42	<3	<1
27635	<0.1	1.77	18	<5	107	<.1	<3	0.53	<.5	20	194	38	2.61	<3	5
27636	<0.1	0.66	12	<5	60	<.1	<3	0.14	<.5	20	273	12	1.26	<3	<1
27637	<0.1	0.14	5	<5	22	<.1	<3	0.10	<.5	8	146	1	0.52	<3	<1
27638	<0.1	0.75	7	15	44	0.3	3	0.94	<.5	22	118	67	4.17	<3	2
27639	<0.1	0.58	11	<5	18	<.1	<3	0.22	<.5	17	215	19	1.43	<3	<1
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Tl %	V ppm	W ppm	Zn ppm	
27625	0.06	299	<1	<.01	5	518	20	<2	0.02	37	<.01	39	<2	15	
27626	0.15	258	2	<.01	11	558	47	7	0.02	59	0.01	49	<2	20	
27627	0.13	275	2	<.01	13	181	16	2	0.02	63	0.03	41	<2	19	
27628	0.17	330	<1	<.01	1	814	7	<2	0.02	77	0.02	38	<2	19	
27629	0.23	596	3	<.01	9	13869	33	2	0.03	420	<.01	23	3	31	
27630	<.01	44	2	<.01	11	45	31	3	0.02	6	<.01	12	<2	4	
27631	0.03	96	2	<.01	3	551	24	7	0.02	16	<.01	63	<2	18	
27632	0.02	162	2	<.01	13	548	141	2	0.02	51	<.01	38	5	11	
27633	0.18	81	2	<.01	1	205	<1	2	0.02	29	0.03	9	<2	40	
27634	0.03	57	<1	<.01	6	<10	17	<2	0.01	3	<.01	7	4	16	
27635	1.63	435	<1	<.01	105	582	20	<2	0.01	26	0.21	41	<2	50	
27636	0.70	246	<1	<.01	51	133	2	3	0.01	4	0.07	28	<2	16	
27637	0.08	38	<1	<.01	3	214	6	<2	0.01	10	0.04	8	3	3	
27638	0.51	391	<1	<.01	26	540	14	<2	0.01	9	0.12	102	<2	37	
27639	0.47	223	<1	<.01	29	119	1	<2	0.02	3	0.08	28	<2	20	

Certified By:


**ACCURASSAY LABORATORIES**  
 A DIVISION OF ASSAY LABORATORY SERVICES INC.

 1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

 SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 PTA 486

 Page 4  
 Oct. 15, 1996

Job# 9641217

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27759	<.1	0.06	<2	<5	10	<.1	<3	0.05	<.5	17	354	<1	0.32	<3	<1
27760	<.1	0.04	<2	<5	9	<.1	<3	0.02	<.5	13	314	72	0.30	<3	<1
27761	<.1	1.37	23	10	51	2.2	7	7.17	1.6	20	379	42	3.96	<3	4
27762	<.1	0.72	33	65	34	4.5	22	14.51	3.2	22	104	45	5.51	<3	9
27763	<.1	3.25	26	18	36	1.2	<3	2.97	1.2	50	467	72	6.22	<3	17
27764	<.1	0.69	17	13	43	0.4	<3	0.95	<.5	25	668	63	2.95	<3	3
27765	<.1	3.74	48	35	44	0.4	<3	0.25	2.8	32	118	107	14.81	<3	6
27766	0.2	4.15	49	72	45	0.8	<3	0.71	3.5	37	224	82	14.98	<3	9
27767	0.2	2.30	23	6	41	0.6	5	1.81	0.9	26	324	52	5.68	<3	3
27768	<.1	0.83	30	17	25	1.1	<3	2.36	<.5	35	494	44	1.80	<3	2
27769	<.1	0.03	5	<5	7	<.1	<3	<.01	<.5	20	718	5	0.43	<3	<1
27770	<.1	0.16	7	<5	19	<.1	<3	0.06	<.5	21	756	14	0.65	<3	2
27771	<.1	0.13	2	<5	10	0.3	<3	0.02	<.5	10	371	51	0.52	<3	<1
27772	<.1	0.30	9	5	18	<.1	<3	0.17	<.5	13	316	3	0.69	<3	2
27773	<.1	0.16	<2	<5	32	0.2	<3	0.45	<.5	9	366	4	0.50	<3	<1
<hr/>															
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
✓ 27759	0.02	47	<1	<.01	8	71	16	<2	0.02	2	<.01	8	<2	6	
✓ 27760	0.02	40	<1	<.01	7	17	13	<2	0.02	1	<.01	7	<2	5	
✓ 27761	0.93	1366	2	<.01	79	450	9	<2	0.08	31	0.08	82	<2	100	
✓ 27762	2.31	2362	3	<.01	45	191	20	<2	0.07	106	0.02	29	<2	91	
✓ 27763	1.25	577	<1	<.01	226	1392	7	<2	0.12	67	0.03	84	<2	129	
✓ 27764	0.57	464	2	<.01	24	283	32	2	0.04	17	0.05	81	<2	47	
✓ 27765	1.12	1714	3	<.01	64	968	28	8	0.22	4	0.04	256	6	166	
✓ 27766	1.30	2221	3	<.01	56	867	35	10	0.08	7	0.08	317	9	190	
✓ 27767	1.77	774	2	<.01	71	532	110	16	0.04	41	0.20	100	<2	90	
✓ 27768	0.32	460	1	<.01	45	397	26	<2	0.08	128	0.24	43	<2	38	
✓ 27769	0.02	56	1	<.01	18	<10	21	<2	0.02	1	<.01	12	<2	5	
✓ 27770	0.15	87	1	<.01	26	128	22	<2	0.02	2	0.02	17	<2	9	
✓ 27771	0.05	55	<1	<.01	14	13	31	3	0.02	3	<.01	9	<2	10	
✓ 27772	0.17	94	<1	<.01	8	219	13	3	0.02	32	0.04	10	<2	58	
✓ 27773	0.11	108	1	<.01	9	175	20	<2	0.02	38	0.02	8	<2	41	

Certified By:



**ACCURASSAY LABORATORIES**  
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

SOA GEOLOGICAL  
215 VAN NORMAN ST  
THUNDER BAY, ONTARIO  
P7A 4B6

Page 7  
Sept. 12, 1996

Job# 9641183

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27821	<0.1	0.14	6	<5	38	<.1	<3	0.01	<.5	29	203	2	0.77	<3	<1
27822	<0.1	0.44	8	<5	92	0.2	<3	0.84	<.5	9	150	7	1.43	<3	12
27823	<0.1	0.30	11	<5	24	<.1	<3	0.16	<.5	14	168	<1	0.63	<3	1
27824	<0.1	0.31	13	<5	34	0.2	<3	0.15	<.5	10	163	3	0.69	<3	2
27825	<0.1	0.30	<2	<5	27	<.1	<3	0.12	<.5	13	163	<1	0.66	<3	2
27826	<0.1	0.27	13	<5	23	<.1	<3	0.12	<.5	9	164	1	0.61	<3	<1
27827	<0.1	0.25	<2	<5	22	<.1	<3	0.12	<.5	13	153	1	0.61	<3	<1
27828	<0.1	0.38	14	<5	37	<.1	<3	0.27	<.5	11	158	7	0.66	<3	3
27829	<0.1	0.07	5	5	14	0.3	<3	0.04	<.5	10	136	6	0.46	<3	<1
27830	<0.1	0.13	<2	<5	19	0.2	<3	0.04	<.5	8	143	2	0.38	<3	<1
27831	<0.1	0.10	6	<5	14	<.1	<3	0.02	<.5	10	125	1	0.28	<3	<1
27832	<0.1	0.18	8	<5	26	0.2	<3	0.09	<.5	9	127	4	0.45	<3	1
27833	<0.1	0.31	5	6	26	0.6	<3	0.12	<.5	10	121	9	0.65	<3	2
27851	<0.1	0.22	10	<5	16	<.1	<3	0.09	<.5	17	129	7	0.75	<3	<1
27852	<0.1	0.82	6	10	2394	1.2	<3	4.32	<.5	18	65	16	4.04	<3	2
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
27821	0.13	77	<1	<.01	15	24	16	<2	0.03	2	<.01	16	<2	23	
27822	0.29	412	<1	<.01	7	525	16	<2	0.03	29	0.01	14	<2	61	
27823	0.19	82	<1	<.01	10	211	13	<2	0.02	30	0.03	12	<2	32	
27824	0.19	91	1	<.01	9	238	15	<2	0.02	21	0.04	12	<2	50	
27825	0.18	119	<1	<.01	8	216	11	<2	0.02	16	0.04	12	<2	45	
27826	0.15	65	<1	<.01	6	170	7	<2	0.02	18	0.03	11	<2	42	
27827	0.14	60	<1	<.01	6	222	8	<2	0.02	16	0.03	12	<2	34	
27828	0.25	95	<1	<.01	14	505	20	<2	0.03	42	0.06	13	<2	45	
27829	0.01	29	1	<.01	5	44	14	3	0.02	5	0.02	8	<2	14	
27830	0.04	41	2	<.01	6	37	9	<2	0.02	9	0.01	8	<2	22	
27831	0.03	27	<1	<.01	3	23	5	<2	0.02	4	<.01	5	<2	18	
27832	0.09	56	1	<.01	9	158	11	<2	0.03	17	0.02	8	<2	30	
27833	0.19	77	2	<.01	8	256	9	<2	0.03	14	0.04	11	2	56	
27851	0.22	117	1	<.01	25	185	6	<2	0.02	3	0.03	18	<2	4	
27852	0.63	1033	17	<.01	5	512	62	<2	0.03	601	0.08	52	<2	56	

Certified By:

# ACURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

ADA GEOLOGICAL  
 215 VAN NORMAN ST  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Page 8  
 Sept. 12, 1996

Job# 9641183

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27853	4.3	0.05	6	86	591	0.1	<3	0.09	<.5	22	146	341	1.30	<3	<1
27854	5.6	0.07	2	45	1292	0.2	<3	0.51	<.5	21	99	1554	1.19	<3	<1
27855	<0.1	0.19	13	<5	33	<.1	<3	0.09	<.5	10	98	7	0.60	<3	<1
27856	<0.1	0.30	9	<5	23	<.1	<3	0.13	<.5	15	122	5	0.67	<3	<1
27857	<0.1	2.10	20	<5	511	0.5	<3	1.75	0.6	18	90	54	1.81	<3	<1
27858	<0.1	0.25	6	<5	36	0.2	<3	0.14	<.5	10	119	5	0.59	<3	<1
27859	<0.1	0.02	5	<5	17	<.1	<3	0.01	<.5	23	102	1	0.40	<3	<1
27860	<0.1	0.39	10	<5	38	0.1	<3	0.17	<.5	12	97	8	0.76	<3	2
27861	<0.1	1.03	23	6	23	0.2	<3	0.20	<.5	34	104	63	1.87	<3	1
27862	<0.1	1.58	16	<5	54	<.1	<3	0.37	<.5	29	88	12	2.41	<3	4
27863	<0.1	1.49	19	<5	37	0.5	<3	1.07	<.5	28	79	59	2.77	<3	11
27864	<0.1	2.35	13	5	70	1.0	<3	1.98	1.2	42	91	977	4.25	<3	11
27865	<0.1	1.22	2	<5	47	0.7	<3	3.40	<.5	24	92	32	2.15	<3	4
27866	<0.1	0.66	9	<5	20	0.2	<3	1.14	<.5	28	105	56	1.97	<3	<1
27867	<0.1	0.44	8	<5	22	<.1	<3	0.28	<.5	17	95	12	0.79	<3	1
	Mg %	Mn ppm	No ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
27853	<.01	86	1	<.01	14	61	736	2	0.02	37	<.01	10	<2	10	
27854	0.01	214	2	<.01	7	306	989	<2	0.02	81	<.01	12	<2	9	
27855	0.10	56	<1	<.01	9	172	23	<2	0.02	16	0.03	13	<2	20	
27856	0.15	76	<1	<.01	7	211	22	<2	0.02	25	0.03	12	<2	39	
27857	0.74	653	<1	<.01	60	119	26	<2	0.04	59	0.03	18	<2	16	
27858	0.15	118	<1	<.01	12	240	14	<2	0.03	20	0.04	11	<2	43	
27859	0.02	42	<1	<.01	10	21	23	<2	0.02	3	<.01	12	<2	8	
27860	0.27	116	2	<.01	14	263	12	2	0.03	28	0.05	15	<2	58	
27861	1.06	284	5	<.01	76	489	16	5	0.04	5	0.08	34	2	34	
27862	1.49	404	3	<.01	104	758	13	10	0.03	10	0.16	41	<2	52	
27863	1.36	480	2	<.01	71	1054	12	9	0.03	26	0.20	49	<2	56	
27864	1.88	739	1	<.01	138	985	18	<2	0.05	133	0.25	72	<2	99	
27865	1.10	586	<1	<.01	43	752	3	<2	0.03	34	0.12	35	<2	48	
27866	0.41	336	1	<.01	30	271	10	4	0.04	11	0.11	55	<2	77	
27867	0.37	135	1	<.01	30	311	8	2	0.03	9	0.08	16	<2	11	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Page 10  
 Sept. 3, 1996

Job# 9641185  
 GR

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27580	0.2	0.17	12	<5	48	<.1	<3	0.42	<.5	32	609	110	0.91	<3	<1
27581	0.2	0.01	5	<5	20	<.1	<3	<.01	<.5	33	768	4	0.51	<3	<1
27582	<.1	0.03	8	<5	376	<.1	<3	<.01	0.5	25	527	2	0.58	<3	<1
27583	<.1	0.05	7	<5	940	<.1	<3	0.02	0.5	19	492	4	0.48	<3	<1
27584	<.1	0.03	9	<5	334	<.1	<3	0.01	0.7	32	844	3	0.53	<3	<1
27585	<.1	0.01	5	<5	1059	<.1	<3	0.01	0.7	31	651	<1	0.38	<3	<1
27586	3.6	0.04	10	8	3307	<.1	<3	0.25	1.2	35	842	7	0.56	<3	<1
27587	<.1	0.03	8	<5	51	<.1	<3	0.02	<.5	23	464	<1	0.45	<3	<1
27588	<.1	0.13	11	<5	52	<.1	<3	0.11	0.5	33	729	8	1.25	<3	2
27589	<.1	2.23	43	49	37	0.7	<3	2.60	1.1	44	267	65	4.32	<3	7
27590	<.1	0.03	10	<5	460	<.1	<3	0.08	<.5	20	413	<1	0.44	<3	<1
27591	<.1	0.03	8	<5	841	<.1	<3	0.08	<.5	25	559	2	0.43	<3	<1
27951	0.3	0.14	18	20	62	<.1	<3	0.45	<.5	18	297	8	2.78	<3	7
27952	3.6	0.07	11	8	177	<.1	<3	0.11	<.5	19	422	33	0.72	<3	<1
Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm		
27580	0.11	144	<1	0.10	15	82	<1	<2	0.02	3	0.02	29	<2	14	
27581	<.01	54	1	<.01	22	11	<1	<2	<.01	2	<.01	13	<2	2	
27582	0.03	36	<1	<.01	9	<10	6	<2	0.02	9	<.01	19	<2	4	
27583	0.03	42	<1	0.08	12	72	15	<2	0.01	14	<.01	12	<2	5	
27584	0.02	58	1	0.04	17	.15	11	<2	0.01	7	<.01	17	<2	1	
27585	<.01	40	<1	<.01	13	41	19	<2	0.01	33	<.01	13	<2	1	
27586	0.03	92	1	0.16	16	75	369	<2	0.01	92	<.01	16	<2	8	
27587	0.03	33	<1	<.01	8	109	<1	<2	0.01	5	<.01	12	<2	2	
27588	0.06	118	<1	0.09	22	251	7	<2	0.02	4	0.05	29	<2	8	
27589	2.61	702	<1	0.07	121	727	21	8	0.04	17	0.03	100	3	78	
27590	0.03	70	<1	0.05	9	64	9	<2	0.01	15	<.01	12	<2	3	
27591	0.02	67	1	0.02	12	68	27	<2	<.01	49	<.01	11	<2	6	
27951	0.30	476	<1	<.01	7	274	1	<2	0.02	50	0.03	40	<2	20	
27952	0.07	80	<1	<.01	14	127	132	<2	0.01	9	<.01	10	<2	7	

Certified By:

# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 PTA 486

Page 8  
 Sept. 9, 1996

Job# 9641155

Sample	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Hg ppm	La ppm
27984	<.1	0.44	44	6	54	<.1	7	0.20	<.5	10	449	11	0.72	<3	2
27985	<.1	0.46	50	10	19	<.1	<3	0.48	<.5	8	325	22	0.64	<3	4
27986	<.1	0.03	48	<5	10	<.1	8	<.01	<.5	15	728	12	0.35	<3	<1
27987	<.1	0.12	54	<5	26	<.1	12	0.09	<.5	7	292	13	0.31	<3	<1
27988	<.1	0.04	48	<5	12	<.1	<3	0.01	0.6	10	431	7	0.27	<3	<1
✓ 27989	<.1	0.18	68	12	27	<.1	11	0.16	<.5	12	497	319	0.52	<3	3
✓✓ 27990	<.1	0.35	22	<5	39	<.1	4	0.45	<.5	13	389	19	0.81	<3	5
✓✓ 27991	<.1	0.18	47	6	18	0.1	<3	0.31	<.5	20	931	15	0.61	<3	<1
27992	<.1	0.22	52	5	24	<.1	<3	0.22	<.5	20	793	16	0.81	<3	<1
27993	<.1	2.30	12	12	155	0.8	<3	3.92	<.5	18	335	53	5.48	<3	23
27994	<.1	1.95	24	<5	135	0.4	<3	2.33	<.5	17	267	56	3.88	<3	21
27995	<.1	0.65	46	6	34	<.1	<3	0.07	<.5	18	748	20	0.99	<3	1
27996	<.1	0.19	44	11	35	<.1	<3	0.06	1.2	21	879	54	1.02	<3	2
27997	<.1	1.21	29	<5	136	0.9	<3	2.70	0.7	15	304	24	2.86	<3	7
27998	<.1	0.16	41	<5	42	0.1	<3	0.11	0.9	4	252	6	0.31	<3	<1
	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Si %	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
27984	0.21	98	5	<.01	11	239	35	<2	0.04	49	0.07	15	<2	39	
27985	0.27	101	2	<.01	21	344	23	<2	0.03	21	0.16	19	<2	7	
27986	0.01	37	2	<.01	13	<10	23	<2	0.02	<1	<.01	12	<2	<1	
27987	0.04	34	2	<.01	7	102	26	<2	0.02	18	0.02	7	<2	9	
27988	0.02	34	3	<.01	11	37	29	<2	0.02	2	<.01	8	3	7	
27989	0.08	95	3	<.01	15	309	41	<2	0.03	9	0.04	14	3	10	
27990	0.17	162	1	<.01	14	583	26	<2	0.03	20	0.10	16	<2	22	
27991	0.04	127	3	<.01	20	125	23	<2	0.04	41	0.02	21	<2	13	
27992	0.14	130	2	<.01	25	135	24	<2	0.04	7	0.04	23	<2	11	
27993	2.02	1249	<1	<.01	37	1300	13	<2	0.04	146	0.20	90	<2	84	
27994	1.03	1150	<1	<.01	46	1548	18	<2	0.04	24	0.17	80	<2	57	
27995	0.45	157	2	<.01	33	142	30	<2	0.03	6	0.04	25	<2	20	
27996	0.13	270	3	<.01	26	176	33	7	0.02	3	0.03	25	5	14	
27997	0.80	977	<1	<.01	43	795	8	<2	0.04	63	0.13	59	<2	61	
27998	0.03	57	1	<.01	2	127	14	7	0.03	11	0.01	5	<2	5	

Certified By:

STRAWSON DROST & ASSOC.  
STRAWSON DROST & ASSOC.

Fax : 807-345-1177

Fax : 807-345-1177

Jan 31 12:32

Aug 31 16:24



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
Page 3

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 25, 1996

Job# 961102

SAMPLE #	Customer	Gold ppb	Gold Oz/t
60		26886	<0.001
61	Check	26886	<0.001
62		26887	<0.001
63		26888	<0.001
64		26889	<0.001
65		26890	<0.001
66		26891	<0.001
67		26892	<0.001
68		26893	<0.001
69		26894	<0.001
70		26895	<0.001
71	Check	26895	<0.001
72		26896	<0.001
73		26897	<0.001
74		26898	<0.001
75		26899	<0.001
76		26900	<0.001
77		26901	<0.001
78		26902	<0.001
79		26903	<0.001
80		26904	<0.001
81	Check	26904	<0.001
82		26905	<0.001
83		26906	<0.001
84		26907	<0.001
85		26908	<0.001
86		26909	<0.001
87		26910	<0.001
88		26911	<0.001
89		26912	<0.001

Certified By Shannon Walford

# ASSAY LABORATORIES

OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
Page 3

CAL  
ERMAN ST.  
AY, ONTARIO

Sept. 9, 1996

Job# 9641155

SAMPLE #		Gold ppb	Gold Oz/t
Customer			
60	26952	<5	<0.001
61 Check	26952	<5	<0.001
62	26953	<5	<0.001
63	26954	6	<0.001
64	26955	<5	<0.001
65	26956	<5	<0.001
66	26957	<5	<0.001
67	26958	<5	<0.001
68	26959	<5	<0.001
69	26960	<5	<0.001
70	26961	<5	<0.001
71 Check	26961	<5	<0.001
72	26962	<5	<0.001
73	26963	<5	<0.001
74	26964	<5	<0.001
75	26965	<5	<0.001
76	26966	<5	<0.001
77	26967	<5	<0.001
78	26968	<5	<0.001
79	26969	<5	<0.001
80	26970	<5	<0.001
81 Check	26970	<5	<0.001
82	26971	<5	<0.001
83	26972	<5	<0.001
84	26973	<5	<0.001
85	26974	<5	<0.001
86	26975	<5	<0.001
87	26976	<5	<0.001
88	26977	<5	<0.001
89	26978	<5	<0.001

Certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820  
**Page 4**

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Sept. 9, 1996

Job# 9641155

SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer		
90	26979	<5	<0.001
91 Check	26979	<5	<0.001
92	26980	<5	<0.001
93	26981	<5	<0.001
94	26982	<5	<0.001
95	27609	<5	<0.001
96	27610	<5	<0.001
97	27611	<5	<0.001
98	27612	<5	<0.001
99	27613	<5	<0.001
100	27614	<5	<0.001
101 Check	27614	<5	<0.001
102	27615	<5	<0.001
103	27616	<5	<0.001
104	27617	<5	<0.001
105	27618	<5	<0.001
106	27801	13	<0.001
107	27802	<5	<0.001
108	27803	<5	<0.001
109	27804	9	<0.001
110	27805	7	<0.001
111 Check	27805	6	<0.001
112	27806	<5	<0.001
113	27807	<5	<0.001
114	27808	<5	<0.001
115	27809	6	<0.001
116	27810	<5	<0.001
117	27984	6	<0.001
118	27985	<5	<0.001
119	27986	<5	<0.001

Certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

Page 4

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Aug 25, 1996

Job# 961102

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
90	26913		<5	<0.001
91	Check	26913	<5	<0.001
92		26914	<5	<0.001
93		26915	<5	<0.001
94		26916	<5	<0.001
95		26917	<5	<0.001
96		26918	<5	<0.001
97		26919	<5	<0.001
98		26920	<5	<0.001
99		27535	<5	<0.001
100		27536	<5	<0.001
101	Check	27536	<5	<0.001
102		27537	<5	<0.001
103		27538	<5	<0.001
104		27539	<5	<0.001
105		27540	<5	<0.001
106		27541	<5	<0.001
107		27542	<5	<0.001
108		27543	<5	<0.001
109		27544	<5	<0.001
110		27545	<5	<0.001
111	Check	27545	<5	<0.001
112		27546	<5	<0.001
113		27547	<5	<0.001
114		27548	<5	<0.001
115		27549	6	<0.001
116		27550	6	<0.001
117		27551	<5	<0.001
118		27552		REASSAY
119		27553	<5	<0.001

Certified By:

STRAWSON DROST & ASSOC.

Fax : 807-345-1177

Jan 31 12:32

STRAWSON DROST & ASSOC.

Fax : 807-345-1177

Aug 31 16:24



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820

Page 5

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Aug 25, 1996

Job# 961102

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
150		27581		
151	Check	27581	<5	<0.001
152		27582	<5	<0.001
153		27583	<5	<0.001
154		27584	<5	<0.001
155		27585	<5	<0.001
156		27586	<5	<0.001
157		27587	<5	<0.001
158		27588	<5	<0.001
139		27589	<5	<0.001
160		27590	<5	<0.001
161	Check	27590	<5	<0.001
162		27591	<5	<0.001
163		27951	9	<0.001
164	/	27952	<5	<0.001
			6	<0.001

27951  
27952

Certified By: Dianne Wofford



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

Page 3

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Sept. 12, 1996

Job# 9641183

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
60		/ 27619	<5	<0.001
61	Check	27619	<5	<0.001
62		/ 27620	<5	<0.001
63		/ 27621	<5	<0.001
64		/ 27622	<5	<0.001
65		/ 27623	<5	<0.001
66		27624	<5	<0.001
67		27625	<5	<0.001
68		27626	<5	<0.001
69		27627	<5	<0.001
70		27628	<5	<0.001
71	Check	27628	<5	<0.001
72		27629	<5	<0.001
73		27630	<5	<0.001
74		27631	<5	<0.001
75		27632	<5	<0.001
76		27633	<5	<0.001
77		27634	<5	<0.001
78		27635	<5	<0.001
79		27636	<5	<0.001
80		27637	<5	<0.001
81	Check	27637	<5	<0.001
82		27638	<5	<0.001
83		27639	<5	<0.001
84		27640	<5	<0.001
85		27641	<5	<0.001
86		27642	<5	<0.001
87		27643	<5	<0.001
88		27644	<5	<0.001
89		27811	<5	<0.001

Certified By:

**JCURASSAY LABORATORIES**

DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

Page 2

GEOLOGICAL  
 VAN NORMAN ST.  
 UNDER BAY, ONTARIO  
 #7A 4B6

Sept. 22, 1996

Job# 9641217

<b>SAMPLE #</b>	<b>Customer</b>	<b>Gold ppb</b>	<b>Gold Oz/t</b>
30	27649	<5	<0.001
31 Check	27649	<5	<0.001
32	27650	<5	<0.001
33	27651	<5	<0.001
34	27652	<5	<0.001
35	27653	<5	<0.001
36	27654	<5	<0.001
37	27655	<5	<0.001
38	27656	<5	<0.001
39	27657	<5	<0.001
40	27658	<5	<0.001
41 Check	27658	<5	<0.001
42	27659	<5	<0.001
43	27751	<5	<0.001
44	27752	<5	<0.001
45	27753	<5	<0.001
46	27754	<5	<0.001
47	27755	<5	<0.001
48	27756	<5	<0.001
49	27757	<5	<0.001
50	27758	<5	<0.001
51 Check	27758	<5	<0.001
52	27759	<5	<0.001
53	27760	<5	<0.001
54	27761	<5	<0.001
55	27762	<5	<0.001
56	27763	<5	<0.001
57	27764	<5	<0.001
58	27765	<5	<0.001
59	27766	<5	<0.001

Certified By:

27760  
 27761

# JURASSAY LABORATORIES

DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820

Page 2

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Sept. 30, 1996  
 Job# 9641243

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
30	✓ 27661		7	<0.001
31 Check	✓ 27661		7	<0.001
32	✓ 27662		39	0.001
33	27785		<5	<0.001
34	27786		<5	<0.001
35	27787		<5	<0.001
36	27788		10	<0.001
37	27789		<5	<0.001
38	27790		<5	<0.001
39	27791		<5	<0.001
40	27792		<5	<0.001
41 Check	27792		<5	<0.001
42	27793			SAMPLE MISSING
43	27794			SAMPLE MISSING
44	27795			SAMPLE MISSING
45	27796			SAMPLE MISSING
46	27797			SAMPLE MISSING
47	28038		<5	<0.001
48	28097		<5	<0.001
49	28098		<5	<0.001
50	28099		<5	<0.001
51 Check	28099		<5	<0.001
52	28100		<5	<0.001
53	28101		<5	<0.001
54	28102		<5	<0.001
55	28103		<5	<0.001
56	28104		<5	<0.001
57	28105		<5	<0.001
58	28106		<5	<0.001
59	28107		<5	<0.001

Certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 623-6448  
FAX (807) 623-6820  
**Page 4**

SDA GEOLOGICAL  
215 VAN NORMAN ST.  
THUNDER BAY, ONTARIO  
P7A 4B6

Sept. 12, 1996

Job# 9641183

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
90	27812		<5	<0.001
91 Check	27812		<5	<0.001
92	27813		<5	<0.001
93	27814		<5	<0.001
94	27815		<5	<0.001
95	27816		<5	<0.001
96	27817		<5	<0.001
97	27818		<5	<0.001
98	27819		<5	<0.001
99	27820		<5	<0.001
100	27821		<5	<0.001
101 Check	27821		<5	<0.001
102	27822		<5	<0.001
103	27823		<5	<0.001
104	27824		<5	<0.001
105	27825		<5	<0.001
106	27826		<5	<0.001
107	27827		<5	<0.001
108	27828		<5	<0.001
109	27829		<5	<0.001
110	27830		<5	<0.001
111 Check	27830		<5	<0.001
112	27831		<5	<0.001
113	27832		<5	<0.001
114	27833		<5	<0.001
115	27851		<5	<0.001
116	✓ 27852		<5	<0.001
117	✓ 27853		12	<0.001
118	✓ 27854		43	0.001
119	27855		<5	<0.001

Certified By:



# ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2  
 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 623-6448  
 FAX (807) 623-6820  
**Page 5**

SDA GEOLOGICAL  
 215 VAN NORMAN ST.  
 THUNDER BAY, ONTARIO  
 P7A 4B6

Sept. 9, 1996

Job# 9641155

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
120	27987		<5	<0.001
121 Check	27987		<5	<0.001
122	27988		<5	<0.001
123	✓ 27989		9	<0.001
124	✓ 27990		<5	<0.001
125	✓ 27991		<5	<0.001
126	27992		<5	<0.001
127	27993		6	<0.001
128	27994		6	<0.001
129	27995		<5	<0.001
130	27996		<5	<0.001
131 Check	27996		<5	<0.001
132	27997		<5	<0.001
133	27998		<5	<0.001
134	27999		<5	<0.001
135	28000		<5	<0.001

Certified By:

Personal information collected on this form is obtained under the authority of subsection 66(2) of the Mining Act. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E



Instructions: - F  
- F

52F16SW0008 2.16952 LAVAL

900

2.16952

## Recorded holder(s) (Attach a list if necessary)

Name	Client Number
CORONA GOLD CORPORATION	302258
Address	Telephone Number
905-2200 YONGE ST.	(416) 482-8606
	Fax Number
TORONTO, ONTARIO, M4S 2B7	(416) 488-1676
Name	Client Number
	Telephone Number
	Fax Number
	RECEIVED
	DEC 19 1996

Type of work performed. Only regional surveys and prospecting work are allowed on ~~MINING LANDS~~ before recording. For work performed after recording a claim or on other mining lands, use form 0241.

Work Type	GEOLOGICAL MAPPING and ROCK SAMPLING with ASSAYS			Office Use					
Commodity				GOLD					
Total \$ Value of Work Claimed				\$ 7485					
dates Work Performed	From: 13 Day	08 Month	96 Year	To: 30 Day	08 Month	96 Year	NTS Reference	52F/16SW	
Global Positioning System Data (if available)				Township/Area	LAVAL TWP			Mining Division	KENDRA
				M or G-Plan Number	G-823			Resident Geologist District	KENDRA

Please remember to:

- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report;
- provide proper notice to surface rights holders before starting work.

## Person or companies who prepared the technical report (Attach a list if necessary)

Name	Telephone Number
ABRAHAM P. DROST, SDA Geological Services	(807) 345-3330
Address	Fax Number
215 Van Norman Street, Thunder Bay, Ontario P7A-4B6	(807) 345-1177
Name	Telephone Number
Address	Fax Number
Name	Telephone Number
Address	Fax Number

## Certification by Recorded Holder or Agent

ABRAHAM P. DROST (Print Name), do hereby certify that I have personal knowledge of the facts set forth in this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent	Date	
<u>Abraham Drost</u>	25/11/96	
Agent's Address	Telephone Number	Fax Number
215 Van Norman St., Thunder Bay, Ont. P7A-4B6	(807) 345-3330	(807) 345-1177

mining claim, can be claimed at 100% of its value (state this amount in column "a" below). If work was performed on lands and not enclosed within a subsequently recorded claim, it can be claimed at 25% of its value (state this amount in column "b" below). Work can only be assigned to claims that are contiguous to (adjoining) the lands where work was performed at the time work was performed. A map showing the contiguous link must accompany this form.

Mining Claim Number	No. of Claim Units	Value of work performed before recording a mining claim		Value of work applied to this claim	Value of work assigned to other mining claims	Bank. Value of work to be distributed at a later date
		(a) Work now within a claim. Show 100% of cost.	(b) Work on adjacent Crown lands. Show 25% of cost.			
eg 1234567	4	\$4985	\$725	\$1600	\$800	\$3305
eg 1234568	2	N/A	N/A	\$800	N/A	N/A
1 1205127	2	374.00		800.00	N/A	
2 1205129	1	374.00		800.00	N/A	
3 1208256	1	748.00		748.00	N/A	
4 1208257	12	750.00		750.00	N/A	
5 1208258	2	750.00		750.00	N/A	
6 1208259	1	748.00		748.00	N/A	
7 1224626	9	748.00		748.00	N/A	
8 1224627	8	2992.00		2141.00	852.00	
9		8 Claims				
10		36 Units		RECEIVED		
11				DEC 19 1996		
12				MINING LANDS BRANCH		
13						
14						
15						
Column Totals	36	7485.00		7485.00	852.00	

I, ABRAHAM P. DROST, do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Recorded Holder or Agent Authorized in Writing

Date

Nov. 25/96

#### 6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (✓) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):



Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

#### For Office Use Only

Received Stamp	RECEIVED NOV 25 1996 AM 7 8 9 10 11 12 1 2 3 4 5 6 PM	Deemed Approved Date Feb. 23/97	Date Notification Sent
	Date Approved	Total Value of Credit Approved	
	Approved for Recording by Mining Recorder (Signature)		



Personal information collected on this form is obtained under the authority of subsection 6(1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, the information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to the Chief Mining Recorder, Ministry of Northern Development and Mines, 6th Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of Work	Cost Per Unit of work	Total Cost
Geological Mapping/ Sampling (Rock)	15 mandays 8:00am - 5:00pm	275.00/day	\$ 4125.00
			
Assays (90) (Au, Ag, Cu, Pb, Zn)	19.00 ea.	1710.00	
			
<b>Transportation Costs</b>			
Truck 15 days @ 100 km/day @ \$0.35/km	1500km @ \$0.35/km	525.00	
<b>Food and Lodging Costs</b>			
15 man days	Room & Board	\$75.00/day	1125.00

Total Value of Assessment Work **RECEIVED** \$485.00

DEC 19 1996

MINING LANDS BOARD

**Calculations of Filing Discounts:**

1. Work filed within two years of performance is claimed at 100% of the ~~Total Value of Assessment Work~~.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK                    x 0.50 =                    Total \$ value of worked claimed.

**Note:**

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

**Certification verifying costs:**

I, ABRAHAM P. DROST, (please print full name) do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying Declaration of Work form as Agent (recorded holder, agent, or state company position with signing authority) I am authorized to make this certification.

Signature	Date
	25/11/96

Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines

February 3, 1997

Scott A. Rivett  
Mining Recorder  
808 Robertson Street  
P.O. Box 5200  
Kenora, ON  
P9N 3X9



Ontario

Geoscience Assessment Office  
933 Ramsey Lake Road  
6th Floor  
Sudbury, Ontario  
P3E 6B5

Telephone: (705) 670-5853  
Fax: (705) 670-5863

Dear Sir or Madam:

Submission Number: 2.16952

**Status**  
**Subject: Transaction Number(s): W9610.00164 Approval**

---

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

NOTE: This correspondence may affect the status of your mining lands. Please contact the Mining Recorder to determine the available options and the status of your claims.

If you have any questions regarding this correspondence, please contact Lucille Jerome by e-mail at jerome\_l@torv05.ndm.gov.on.ca or by telephone at (705) 670-5858.

Yours sincerely,

A handwritten signature in black ink that reads "Ron C. Gashinski".

ORIGINAL SIGNED BY  
Ron C. Gashinski  
Senior Manager, Mining Lands Section  
Mines and Minerals Division

Correspondence ID: 10541

Copy for: Assessment Library

## Work Report Assessment Results

**Submission Number:** 2.16952

**Date Correspondence Sent:** February 03, 1997

**Assessor:** Lucille Jerome

<b>Transaction Number</b>	<b>First Claim Number</b>	<b>Township(s) / Area(s)</b>	<b>Status</b>	<b>Approval Date</b>
W9610.00164	1205127	LAVAL	Approval	January 31, 1997

**Section:**

12 Geological GEOL

17 Assays ASSAY

**Correspondence to:**

Mining Recorder  
Kenora, ON

Resident Geologist  
Kenora, ON




Assessment Files Library  
Sudbury, ON

**Recorded Holder(s) and/or Agent(s):**

Abraham Peter Drost  
THUNDER BAY, ONTARIO

CORONA GOLD CORPORATION  
TORONTO, ONTARIO





Sample	Au_gpb	Ag_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Sample	Au_gpb	Ag_ppm	Cu_ppm	Pb_ppm	Zn_ppm	Sample	Au_gpb	Ag_ppm	Cu_ppm	Pb_ppm	Zn_ppm
26902	12	1.0359	116.75	43.3724	131.201	26959	20	<1	312.205	<1	43.1202	26915	45	0.2	43.429	<1	51.0443
26903	15	0.12942	59.7045	<1	63.9722	26960	<5	<1	14.6733	49.6646	47.4334	26916	<5	0.4	22.7272	10.0591	195.818
26904	16	<1	6.33019	11.7774	37.9423	26961	<5	<1	46.5702	14.1726	87.7595	26917	<5	0.4	160.822	18.3478	78.6453
26905	13	<1	4.8774	<1	6.82765	26962	3.5	<1	64.9447	229.58	14.8907	26918	<5	0.1	52.246	16.1488	25.5748
26906	14	<1	1.0702	<1	12.0205	26963	<5	<1	52.2202	12.0205	12.0205	26919	<5	0.4	20.2202	12.0205	12.0205
26907	<5	<1	26.2062	<1	12.0205	26964	<5	<1	28.9902	63.706	56.8726	26920	<5	<1	42.642	24.042	80.1098
26908	25	<1	26.2673	5.92428	96.184	26965	<5	<1	18.2141	<1	10.9658	26969	<5	<1	105.124	16.4902	47.5902
26923	<1	<1	2.5378	<1	3.9793	26970	25	<1	6.22782	<1	7.50784	26919	<5	<1	57.4641	59	77.992
26926	<5	<1	20.7953	<1	37.0775	26980	<5	<1	17.6253	<1	4.69817	26920	<5	<1	27.1186	<5	28.7075
26930	<5	<1	1.0992	44.6465	12.6747	26981	<5	<1	1.6922	42.0202	1.6922	26921	<5	<1	1.6922	42.0202	1.6922
26931	<5	<1	23.8429	<1	47.6665	26982	<5	0.2	68.8033	49.6646	65.8011	26922	<5	<1	36.7477	97	46.4014
26932	<5	<1	45.1779	9.39211	180.641	26983	<5	<1	17.9835	11.4584	35.7951	26923	<5	<1	44.46	202	64.4988
26937	13	<1	101.646	<1	15.0737	26985	<5	<1	57.1779	10.9563	85.0384	26924	7	<1	57.2022	10.9563	18.1919
26938	14	<1	1.2515	<1	1.722	26986	<5	<1	37.0862	1.722	1.722	26925	49	<1	6.08766	1.722	1.722
26939	0.7	<1	6.8384	2.6622	7.8556	26987	6	<1	30.8696	16.037	77.0584	26926	7	<1	72.327	17.719	5
26940	1.7	10.3383	1.78746	18.7722	26988	<5	<1	5.73031	2.22819	48.8463	26927	<5	<1	42.152	6.6816	100	
26935	<1	<1	3.17793	10	9.9704	26989	13	0.2	17.6116	3.616	32.4159	26928	<5	<1	72.1379	7.0174	129
26926	5	<1	14.2197	21	1.2	26990	5	1.2	57.2299	61.2368	3.61426	26929	<5	<1	63.122	32.3565	3.61426
26936	5	<1	1.2507	1	4.69817	26991	5	0.3	23.03	1.2507	4.69817	26930	<5	<1	52.2665	1.2507	4.69817
26938	<5	<1	66.2677	24	65.5341	26992	<5	<1	117.544	37.0339	108.889	26939	6	<1	31.219	31.3093	13.1519
26941	<5	<1	7.83822	7.1002	37.4239	26993	8	<1	7.83822	7.1002	37.4239	26940	<5	<1	39.4675	32.642	14.6444
26934	<5	<1	48.8857	<1	214.397	26994	<5	<1	4.98161	<1	17.7047	26925	<5	<1	12.5727	29	61.9618
26935	<5	<1	1.0703	<1	1.1135	26995	<5	<1	1.58246	<1	1.58246	26926	<5	<1	1.58246	1.58246	1.58246
26936	<5	<1	79.2596	<1	156.307	26996	<5	<1	16.7617	3.25946	26.0344	26927	12	4.3	341.271	78.555	10.362
26937	<5	<1	3.78893	4.94384	8.48754	26997	9	<1	12.6529	5.9157	3.86768	26928	4	5.6	1.533.9	699.172	1.533.9
26944	134	<1	7.3694	1.78746	18.7722	26998	<5	<1	14.7629	3.46704	13.2438	26929	<5	<1	8.44926	1.04731	19.5991
26945	5	<1	5.4993	2.0339	14.9344	26999	5	<1	32.3376	1.4993	32.3376	26930	6	3.6	33.4979	19.22	6.93358
26950	14	0.1	79.0521	13.8547	18.2098	27000	<5	<1	3.40401	3.67995	3.4398	26931	<5	<1	19.149	20.5937	21.5099
26955	14	0.1	157.358	63.0139	112.481	27001	<5	<1	44.1976	6.33241	10.000	26932	15	3.6	15.3621	23.495	13.2466

