



52F16SW8405 52F16SW0014C1 LAVAL

010

DIAMOND DRILLING

TOWNSHIP: LAVAL

REPORT NO.

WORK PERFORMED BY: GRAHAM BOUSQUET GOLD MINES LTD.

<u>Claim No.</u>	<u>Hole No.</u>	<u>Footage</u>	<u>Date</u>	<u>Note.</u>
K-13712	1	131.7 ft	Sept/50	
"	2	128.0 ft	Sept/50	
K-13719	3	82.0 ft	Sept/50	
"	4	104 ft	Sept/50	
"	5	126 ft	Sept/50	
K-13709	6	100 ft	Sept/50	
"	7	112 ft	Sept/50	
K-13720	8	116.5 ft	Sept/50	
"	9	80.0 ft	Sept/50	
"	10	69.0 ft	Oct/50	
"	11	52.0 ft	Oct/50	
"	12	101.0 ft	Sept/50	
<hr/>				
TOTAL	12 DH	1202.2 FT.		

PROPERTY GRAHAM BOUXQUET GOLD MINES LIMITED

HOLE NUMBER 1

DIAMOND DRILL RECORD

SHEET NUMBER _____

MOSHER PROPERTY

SECTION FROM 0 TO 131.7'

LOCATION: LAT. Mineral Claim No. K-13712
DEP. _____

STARTED Sept. 1950.

ELEVATION OF COLLAR _____

COMPLETED Sept. 1950.

DATUM _____

ULTIMATE DEPTH 131.7'

DIRECTION AT START: BEARING South 55° East
DIP Collared at 45

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0' - 1.0'	Casing. Overburden clay & sand				
1.0' - 26.5'	Diorite				
26.5' - 34.7'	Diorite with very odd few specks of pyrite. above	No. 100	8.2	Trace	
34.7' - 39.1'	Diorite with very odd few specks of pyrite. Same as	No. 101	4.4	Trace	
39.1' - 40.0'	30% white quartz with some pyrite balance granite	No. 102	0.9	Trace	
40.0' - 49.0'	Diorite				
49.0' - 55.5'	Diorite	No. 103	6.5	Trace	
55.5' - 59.0'	Feldspar - diorite porphyry	No. 104	3.5	Trace	
59.0' - 60.9'	Diorite with fine pyrite	No. 105	1.9'	Trace	
60.9' - 63.7'	Andesite with very sparse pyrite	No. 106	2.8	Trace	
63.7' - 72.5'	Andesite				
72.5' - 75.0'	Feldspar diorite porphyry same as 55.5' - 60.9' no pyrite				
75.0' - 76.9'	Andesite				
76.9' - 80.0'	Quartz glossy no mineralization	No. 107	3.1	Trace	
80.0' - 87.0'	Andesite				
87.0' - 90.0'	Feldspar diorite porphyry	No. 108	3.0	Trace	
90.0' - 94.5'	Same	No. 109	4.5	Trace	
94.5' - 100.0'	Andesite				
110.0' - 125.0'	Andesite				
125.0' - 131.7'	Andesite				
	END OF HOLE				

NORTHERN MINER PRESS LIMITED, TORONTO-STOCK FORM NO. 801 REV. 9/44

DRILLED BY _____

SIGNED _____

J. J. Sweetman

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 2

SHEET NUMBER

SECTION FROM 0 TO 128.0'

MOSHER PROPERTY

DIAMOND DRILL RECORD

LOCATION: LAT. Mineral Claim No. K-13712
 DEP.
 ELEVATION OF COLLAR
 DATUM
 DIRECTION AT START: BEARING North 57° West
 DIP Collared at 40°

STARTED Sept. 1950.
 COMPLETED Sept. 1950.
 ULTIMATE DEPTH 128.0'
 PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0' - 4.5'	Casing				
4.5' - 6.5'	Andesite				
6.5' - 10.0'	Andesite - with very sparse pyrite	No. 111	3.5	Trace	
10.0' - 11.5'	Ground core.				
11.5' - 20.0'	Andesite with some sections carrying fine pyrite Note: Mineralized section sampled 3.5'	No. 112	8.5	Trace	
20.0' - 25.0'	Andesite				
25.0' - 48.0'	Diorite feldspar porphyry				
48.0' - 55.0'	Feldspar diorite porphyry				
55.0' - 60.0'	Feldspar diorite porphyry very sparse odd bit of pyrite	No. 113	5.0	Trace	
60.0' - 65.0'					
65.0' - 70.0'	Feldspar diorite porphyry no mineralization	No. 114	5.0	Trace	
70.0' - 86.2'	Andesite				
86.2' @ 86.7'	Quartz stringer with pyrite	No. 115	0.5	Trace	
86.7' - 97.0'	Andesite				
97.0' - 97.8'	Quartz with pyrite and 50% andesite	No. 115	0.8	Trace	
97.8' - 110.0'	Andesite				
110.0 - 120.0'	Andesite 3 feet of this section carried some pyrite which made the sample	No. 116	10.0	Trace	
120.0' - 128.0'	Andesite				
END OF HOLE					

NORTHERN MINER PRESS LIMITED, TORONTO-STOCK FORM NO 501 REV 9/44

DRILLED BY

SIGNED

Ray. Buchanan

PROPERTY GRAHAM BOUTSQUET GOLD MINES LIMITED

HOLE NUMBER 3

Mosher Property

DIAMOND DRILL RECORD

SHEET NUMBER

SECTION FROM 0 TO 82.0'

LOCATION: LAT. Mineral Claim K - 13719
 DEP.

STARTED September, 1950.

ELEVATION OF COLLAR

COMPLETED September, 1950.

DATUM

ULTIMATE DEPTH 82'

DIRECTION AT START: BEARING North 10° West
 DIP Collared at 50°

PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD %	SLUDGE GOLD %
0 - 1.0'	Casing				
1.0' - 24.5'	Andesite				
24.5' - 31.0'	Andesite slightly silicified in places with some pyrite	No. 117	6.5	Trace	
31.0' - 34.0'	Andesite with cherty phases same as on surface, the mineralization is mainly pyrite with no arsenopyrite as on the surfaces.	No. 118	3.0	Trace	
34.0' - 37.5'	Andesite with cherty phases and very sparse pyrite	No. 119	3.5	Trace	
37.5' - 40.0'		No. 120	2.5	Trace	
40.0' - 42.0'	Andesite silicified with some cherty phases and fine pyrite.	No. 121	2.0	0.01	
42.0' - 52.0'	Andesite - highly sheared				
52.0' - 82.0'	Andesite - fairly massive.				
	END OF HOLE				

DRILLED BY Geo Exploration Co Ltd.

SIGNED M. J. Smerechewski

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 2

SHEET NUMBER _____

DIAMOND DRILL RECORD

SECTION FROM 0 TO 104.0'

MOSHER PROPERTY

LOCATION: LAT. Mineral Claim No. K-13719
 DEP. _____
 ELEVATION OF COLLAR _____
 DATUM _____
 DIRECTION AT START: BEARING North 8° West.
 DIP Collared at 53°

STARTED Sept. 1950.
 COMPLETED Sept. 1950.
 ULTIMATE DEPTH 104'.0
 PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0 - 5.0'	Casing				
5.0' - 10.0'	Andesite				
10.0' - 15.0'	Diorite with some very sparse pyrite	No. 122	5.0	Trace	
15.0' - 20.0'		No. 123	5.0	Trace	
20.0' - 25.0'		No. 124	5.0	Trace	
25.0' - 28.5'	Diorite				
28.5' - 29.5'	White quartz with no mineralization	No. 125	1.0	Trace	
29.5' - 41.0'	Diorite				
41.0' - 45.0'	Feldspar diorite porphyry no mineralization				
45.0' - 104.0'	Andesite.				
	END OF HOLE				

NORTHERN MINER PRESS LIMITED, TORONTO—STOCK FORM NO. 801 REV. 8/44

DRILLED BY _____

SIGNED *W. J. Macdonald*

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 6

MOSHER PROPERTY

DIAMOND DRILL RECORD

SHEET NUMBER

SECTION FROM 0 TO 100.0'

LOCATION: LAT. Mineral Claim No. K-13709

STARTED Sept. 1950.

DEP.

COMPLETED Sept. 1950.

ELEVATION OF COLLAR

ULTIMATE DEPTH 100.0'

DATUM

PROPOSED DEPTH

DIRECTION AT START: BEARING North 5° East Collared at 45°
DIP

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0 - 1.5'	Diorite same as 54.0' - 94.5'				
1.5' - 25.0'	Diorite slightly silicified but no pyrite				
25.0' - 30.0'	Diorite silicified	No. 137	5.0'	Trace	
30.0' - 33.0'	Diorite silicified with some pyrite	No. 136	3.0	Trace	
33.0' - 36.0'	Diorite highly silicified with some pyrite	No. 135	3.0	0.03	
36.0' - 40.0'	Diorite highly silicified with pyrite	No. 134	4.0	0.01	
40.0' - 42.5'	Diorite highly silicified with pyrite - could be grano-diorite	No. 133	2.5	Trace	
42.5' - 50.0'	Diorite with some scattered pyrite	No. 132	7.5'	Trace	
50.0' - 54.0'	Diorite medium grained with some pyrite	No. 131	4.0	Trace	
54.0' - 94.5'	Diorite fairly coarse with some specks of pyrite				
94.5' - 98.0'	Diorite with some pyrite	No. 130	3.5	Trace	
98.0' - 100.0'	Diorite feldspar grained and silicified with fine pyrite				
	END OF HOLE				

DRILLED BY

SIGNED

My. Smerchanski

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 7

MOSHER PROPERTY

DIAMOND DRILL RECORD

SHEET NUMBER

SECTION FROM 0 TO 112.0'

LOCATION: LAT. Mineral Claim No. K-13709
 DEP.

STARTED Sept. 1950.

ELEVATION OF COLLAR

COMPLETED Sept. 1950.

DATUM

ULTIMATE DEPTH 112.0'

DIRECTION AT START: BEARING South 8° East
 DIP Collared at 45°

PROPOSED DEPTH

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0 - 1.0'	Casing				
1.0' - 14.0'	Diorite very coarse				
14.0' - 15.0'	Diorite with 50% white quartz and pyrite	No. 138	1.0	Trace	
15.0' - 17.5'	Diorite coarse				
17.5' - 20.5'	Diorite very coarse with some pyrite	No. 139	3.0	Trace	
20.5' - 23.5'	Diorite very coarse				
23.5' - 25.5'	Diorite coarse with coarse cubics of pyrite	No. 140	2.0	Trace	
25.5' - 34.0'	Diorite very coarse				
34.0' - 38.0'	Diorite very coarse with some pyrite	No. 141	4.0	Trace	
38.0' - 41.0'	A silicified diorite with fine pyrite	No. 142	3.0	Trace	
41.0' - 50.0'	Note: This is not like the silicified diorite in No. 6 Hole. Diorite very coarse crystals				
50.0' - 53.0'	Diorite sheared with some pyrite massive and green	No. 143	3.0	Trace	
53.0' - 56.0'	Diorite silicified greenish and some coarse as well as fine pyrite.	No. 144	3.0	Trace	
56.0' - 63.5'	Diorite sheared greenish color.				
63.5' - 65.0'	Diorite with some fine pyrite	No. 50	1.5	0.01	
65.0' - 72.0'	Diorite				
72.0' - 107.0'	Diorite coarse				
107.0' - 112.0'	Pink aplite dyke				
	END OF HOLE				

DRILLED BY

SIGNED

Mr. Smecher

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 8

SHEET NUMBER

MOSHER PROPERTY

DIAMOND DRILL RECORD

SECTION FROM 0 TO 116.5'

LOCATION: LAT. See General Plan
 DEP. Mineral Claim No. K-13720

STARTED Sept. 1950.

ELEVATION OF COLLAR

COMPLETED Sept. 1950.

DATUM

ULTIMATE DEPTH 116.5'

DIRECTION AT START: BEARING

PROPOSED DEPTH

DIP Colored at 45°

DEPTH FEET	FORMATION	SAMPLE NO	WIDTH OF SAMPLE	GOLD \$	SLUDGE GOLD \$
0' - 51.0'	Diorite				
51.0' - 74.0'	Diorite slightly sheared				
74.0' - 76.0'	Diorite slightly sheared with very sparse diorite	No. 51	2.0'	Trace	
76.0' - 88.0'	Diorite				
88.0' - 100.0'	Diorite				
100.0' - 100.5'	Quartz 50% and diorite 50% with some pyrite	No. 52	0.5	Trace	
100.5' - 102.0'	Diorite				
102.0' - 103.0'	Diorite with some pyrite	No. 53	1.0	Trace	
103.0' - 111.0'	Diorite				
111.0' - 112.0'	Diorite, 10% of which is quartz. The quartz is mineralized with pyrite.	No. 54	1.0	Trace	
112.0' - 116.5'	Diorite.				
	END OF HOLE				

DRILLED BY

SIGNED *My [Signature]*

PROPERTY GRAHAM BOUSQUET GOLD MINES LIMITED

HOLE NUMBER 9

SHEET NUMBER _____

MOSHER PROPERTY

DIAMOND DRILL RECORD

SECTION FROM 0 TO 81.0'

LOCATION: LAT See General Plan
 DEP Mineral Claim No. K-13720

STARTED Sept. 1950

ELEVATION OF COLLAR _____

COMPLETED Sept. 1950

DATUM _____

ULTIMATE DEPTH 80.0'

DIRECTION AT START: BEARING _____
 DIP Collared at 45°

PROPOSED DEPTH _____

DEPTH FEET	FORMATION	SAMPLE NO.	WIDTH OF SAMPLE	GOLD %	SLUDGE GOLD %
0' - 26.5'	Diorite				
26.5' - 28.5'	Quartz 25% abd 75% highly silicified diorite with pyrite	No. 55	2.0'	0.09	
28.5' - 58.0'	Andesite				
58.0' - 60.0'	Andesite with some very sparse pyrite.	No. 56	2.0'	Trace	
60.0' - 63.0'	Andesite				
63.0' - 64.0'	Andesite with very sparse pyrite	No. 57	1.0'	0.01	
66.0' - 80.0'	Andesite				
	END OF HOLE				

DRILLED BY _____

SIGNED My. Maclean

