



52G14SE0038 52G14SE0017 VALORA LAKE

010

# Diamond Drilling

Area of Valora Lake

Report NO 25

Work performed by: Scurry Rainbow Oil Ltd.

Claim NO	Hole NO	Footage	Date	Note
PA 46101	BC5	386'	May, 1970	(1)
	BC6	426'	May, 1970	(1)
	BC7	517'	May, 1970	(1)
PA 46100	BC8	266'	May, 1970	(1)
PA 46099	BC9	326'	May, 1970	(1)
PA 46102	BC10	527'	May-June, 1970	(1)
<i>Total: 60H</i>		<u>2448</u>		

REPORT NO. 24 HAS ALL THE CLAIMS MAPS IN THE BACK AND ALSO CONTAINS THE FINAL REPORTS ON BOTH REPORTS 24 AND 25

Notes: 408/70

# Drill Hole Log

COMPAN **Scurry-Rainbow Oil Limited** PROPERTY **Briar Court** Section No. **HOLE No. B-C 5**

Started May 4, 1970	Bearing N	Lat.	Collar El.	Logged by <b>R.D.</b>	Date May 7-10, 1970
Completed May 8, 1970	Angle from Horiz. 50°N	Dep.	Bottom El.	Remarks	
Driller Midwest	Length 386'	Location 122 E	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn Ni
0	16					0/B							
16	30					Greenish grey med-Mafic volcanic massive sheared on places 23-30 finer - calcite veins not mineralized							
30	86					Mafic volc. Med. grains feldspar. Crystal 10% cleavage approximately 30° with core axis.							
86	99					Some mafic volc. sheared almost parallel to core axis							
99	106					Fine aphanatic rhyolitic layer. Disseminated pyrite	3806	101 - 106	5'	Tr	.30	.02	.01

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. HOLE No 3-C 5

Started <u>May 4, 1970</u>	Bearing <u>N</u>	Lat.	Collar El.	Logged by <u>R.D.</u>	Date <u>May 7-10, 1970</u>
Completed <u>May 8, 1970</u>	Angle from Horiz. <u>50°N</u>	Dep.	Bottom El.	Remarks	
Driller <u>Midwest</u>	Length <u>386'</u>	Location <u>122°E</u>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
99	140					Rhyolite aphanatic, identical to 90 - 106. No mineralization							
140	140.5					Brecciated felsic volc. irregular fragments pyrrhotite chalco.; slightly sheared - 68°	2737	140-140.5	.5'	Tr	.30	.10	.01
140.5	152					Identical to 30-86 coarse medium grains mafic with feldspar crystal 143 Qtz. vein slightly miner.	2738	140.5-144	3.5'	Tr	.22	.01	.01
							2739	144-144.5	.5'	Tr	.16	.01	.01
							2740	144.5-146.5	2.5'	Tr	.12	.01	.01
152	157					Dark grey fine med. strongly sheared rhyolite, no mineralization. Shearing 20° with core axis calcite vein 154'							

# Drill Hole Log

COMPANY **Curry-Rainbow Oil Limited**

PROPERTY

**Briar Court**

Section No.

HOLE No. **B-C 5**

Started May 4, 1970	Bearing <b>N</b>	Lat.	Collar El.	Logged by <b>R.D.</b>	Date <b>May 7-10, 1970</b>
Completed May 8, 1970	Angle from Horiz. <b>50°N</b>	Dep.	Bottom El.	Remarks	
Driller <b>Midwest</b>	Length <b>386'</b>	Location <b>122°E</b>	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To		Ft.	%								
157	177	10	10			Dark greenish grey - med. grains. Feldspar crystals. 15% cleavage 30° with core axis. No mineralization.						
177	185	8	8			Light grey fine grain rhyolite very hard cleavage 45° with core axis - calcite veins 1/8" thick sheared on places; no mineralization; contacts very hard.						
185	195	10	10			Greenish grey - med. grain mafic. epidote, cleavage 45° with core; no mineralization						
195	201	2	2			Rhyolite band, identical to (177-185)						

# Drill Hole Log

COMPANY **Scurry-Rainbow Oil Limited**      PROPERTY **Briar Court**      Section No.      HOLE No. **B-C 5**

Started <b>May 4, 1970</b>	Bearing <b>N</b>	Lat.	Collar El.	Logged by <b>R.D.</b>	Date <b>May 7-10, 1970</b>
Completed <b>May 8, 1970</b>	Angle from Horiz.	Dep.	Bottom EL	Remarks	
Driller <b>Midwest</b>	Length	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY				
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni
201	211	10	10			Greenish med. grain mafic; no mineralization Cleavage 30°.								
211	213	2	2			Fine grain light grey rhyolite; cleavage 60° with core axis; one speck of chalco.	2742	211-213	2'	Tr	.16	.01	.01	
213	226					Med. grain greenstone mafic; massive; no mineralization								
226	234					Same greenstone strongly sheared almost parallel to core axis, specks of pyrrhotite	2743	226-230	4'	Examined - not worth sending for assay				
							2744	230-234	4'					
234	260					Same greenstone; massive med. grains; 240' layer of quartz (60°) with pyrrh. and chalco.	2745	240-240.5	.5'	"	"	"		

# Drill Hole Log

COMPANY **Scurry-Rainbow Oil Limited**

PROPERTY **Briar Court**

Section No.

HOLE No. **8C-5**

Started <b>May 4, 1970</b>	Bearing <b>N</b>	Lat.	Collar El.	Logged by <b>R.D.</b>	Date <b>May 7-10/70</b>
Completed <b>May 8, 1970</b>	Angle from Horiz. <b>50°N</b>	Dep.	Bottom EL	Remarks	
Driller <b>Midwest</b>	Length <b>386'</b>	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		FT.	%						Au	Ag	Cu	Zn
260	272					Greenish grey, fine grains int. mafic; slightly coarser on places; disseminated specks of pyrrhotite and chalco. Cleavage 60°; very well defined; epidote	2746	262-263	1'	Tr	.36	.01	.01
							2748	267-272	5'	Examined-not worth			
							2747	263-267	4'	sending for assay			
272	287					Same - coarser grains; no mineralization							
287	292					<u>Cores Mixed Up</u> Strongly sheared int. mafic - fine grains strongly chloritic calcite veins; disseminated; pyrite on cleavage planes chlorite schist?	2749	287-292	5'	Tr	.13	.01	.02

# Drill Hole Log

COMPANY **Scurry-Rainbow Oil Limited**      PROPERTY **Briar Court**      Section No.      HOLE No. **R.C. 5**

Started	May 4, 1970	Bearing	N	Lat.	Collar El.	Logged by	R.D.	Date	May 7-10/70
Completed	May 8, 1970	Angle from Horiz.	50°N	Dep.	Bottom EL	Remarks			
Driller	Midwest	Length	386'	Location	Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY				
From	To		FL	%						Au	Ag	Cu	Zn Ni	
292	296					Mixed up also; identical to core 272 - 287								
296	314					Greenish grey strongly sheared rhyolite, fine grains, shearing 30° with core axis; disseminated pyrite	2750	296-301	5'	Tr	.22	Tr	.02	T
							3803	304-309	5'	Tr	.32	.01	.02	T
							3804	309-314	5'	Tr	.24	.01	.02	
314	386					Light grey, very fine grains rhyolite - calcite veins 30°; no consistent cleavage not mineralized 357 - quartz layer with specks of pyrrhotite								
							3805	357-357.5	.5'	Examined-not worth sending for assay				
						380 one band of sheared rhyolite; no mineralization								
						386 - End of the Hole								

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	E.D.	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	- 50N	Dep.	130E	Bottom El.	Remarks			
Driller	Midwest	Length	426'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
0	34					O/B							
34	48	10'	10'			Dark grey - mafic. greenstone. Strongly sheared approximately 20° with the core. Rhyolite fragments - .25" Breccia Rubble zone - 44 - 46'							
48	52	4'	4'			Fine to medium massive greenstone (Mafic.) Not mineralized							
52	70	10'	10'			Identical to section (34-48). Breccia. Pebbles elongated along shearing	3807	59-64	5'	Cancelled			
							3808	64-69	5'	Cancelled			
70	74	4'	4'			Fine light grey rhyolite, very massive. Disseminated pyrite and pyrrhotite sample.	3809	72-74	2'	Tr.	.34	.02	.01



# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No.            HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.		Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom EL		Remarks			
Driller	Midwest	Length	426'	Location		Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY				
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni
74	76	2'	2'			Very dark fine grains sheared mafic. Disseminated pyrrhotite	3827	74-76	2'	Tr.	Tr.	.01	.04	.01
76	78	2'	2'			Fine grains. Massive rhyolite. Slightly sheared, 20° with core								
78	84	6'	6'			Identical to (34-48). Rhyolite fragments coarse and irregular. Still strongly sheared. 20°								
84	92	8'	8'			Fine grains - greenish greenstone approximately 10% Feldspar crystal. (Porphyry) Massive sheared layers. 86-90								
92	93.5	1.5'	1.5'			Identical to 34-48. Sheared greenstone								

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom El.	Remarks			
Driller	Midwest	Length	426'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
93.5	100	6.5'	6.5'			Fine greenish massive mafic., volcanic. Sheared around 96'.5' thickness							
100	106	6'	6'			Sheared mafic. approximately parallel with core.							
106	107.5	1.5'	1.5'			Greenish grey, very fine grains. Well banded biotite shist.  Disseminated pyrite & chalcopyrite.	3828	106-107.5	.5'	Tr.	.34	.03	.02
107.5	134.5	10'	10'			Rhyolitic breccia, more massive. Irregular fragments. 1' of massive rhyolite - 130'	3829	115-120	5'	Tr.	.20	.02	.01
134.5	138	3.5'	3.5'			Dark, sheared mafic. with rhyolitic fragments.							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom EL	Remarks			
Driller	Midwest	Length	426'	Location	Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
138	151	10'	10'			Coarse to medium rhyolitic, breccia - massive. rhyolite layer 144. Dissiminated chalcopyrite. 151 sheared slightly.	3830	146-151	5'	Tr.	.18	.08	.01
							3831	151-156	5'	Tr.	.34	.08	.01
							3832	156-161	5'	Tr.	.62	.04	.01
							3833	161-166	5'	Tr.	.22	.06	.01
151	181.5	10'	10'			Identical rhyolitic breccia, but sheared 10° with the core Disseminated sulfides.							
181.5	220	10'	10'			Coarse rhyolitic breccia, very big fragments Massive. The matrix is dark sheared mafic. - some fragments are andesitic. 1995-202 - Fine grain, massive mafic.							
220	227	7'	7'			Greenish grey. Fine grains andesite. Massive.							
227	229	2'	2'			Fine grains sheared. Rhyolitic breccia Angle: 20° Very mafic. matrix.							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar EL.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom EL.	Remarks			
Driller	Midwest	Length	426'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
229	241					Coarse massive rhyolitic breccia. No mineralization.							
241	245					Finer sheared rhyolitic breccia approx- imately parallel to core.							
245	248					Massive fine grains greenstone. Fine disseminated pyrite.	3834	245-248	3'	Tr.	.24	.02	.01
248	249.5	1.5'	1.5'			Sheared fine to medium rhyolitic breccia.							
249.5	266.5	10'	10'			Coarse massive rhyolitic breccia. Some fragments are very big. 257 - few specks of pyrrhotite - not sampled.							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom EL	Remarks			
Driller	Midwest	Length	426'	Location	Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY		
From	To		Ft.	%								
266.5	282	10'	10'			Light grey massive, fine rhyolite. Disseminated layers of sulfides (stringers).						
282	286					Sheared rhyolitic breccia. Chalcopyrite occurs mainly along sheared zones.						
286	296					Fine grains - massive rhyolite - light grey chalcopyrite - in stringers with biotite.						
296	301	5'	5'			Light greenish grey, Greenstone. Mafic medium sheared.						
301	303	2'	2'			2' of light grey fine sheared rhyolite.						

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom El.	Remarks			
Driller	Midwest	Length	426'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
303	306	3'	3'			Fine grains - greenish chlorite schist. Schistosity - 20° with core. Not mineralized.							
306	313	7'	7'			Fine, strongly sheared rhyolite. Disseminated sulfides.	3835	308-312	4'	Tr.	.24	.03	.01
313	329					Chlorite schist. Fine disseminated chalcopyrite stringers. Schistosity 30° with core. 325 rhyolite veins 3". Quartz veins at bottom.	3836	316-321	5'	Tr.	.24	.06	.03
							3837	321-324.5	3.5'	Tr.	.46	.11	.05
							3838	326.2-326.5	.5'	Tr.	.26	.04	.03
329	336	7'	7'			Massive medium mafic. Epidote vein - 332							
336	341	5'	5'			Fine rhyolitic breccia. Specks of chalcopyrite - 337.5 not sampled. One sheared layer - 339.							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	59N	Dep.	130E	Bottom EL	Remarks			
Driller	Midwest	Length	426'	Location	Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY				
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni
341	346	5'	5'			Fine massive rhyolite (banded in places.) Disseminated chalcopyrite.	3839	342-345	3'	Tr.	.48	.07	.01	--
							3840	345-345.7	.7'	Tr.	.30	.10	.01	--
346	359					Sheared rhyolitic breccia, coarse grains.								
359	364					Greenish grey, fine grains, mafic. Sheared in places. Calcite veins.								
364	368.5					Fine dense rhyolite. Disseminated chalcopyrite and pyrrhotite, lineation approximately 30° with core. Biotite?	3841	363.7-364.5	.7'	Tr.	.30	.47	.03	---
							3842	364.5-367.2	2.7'	Tr.	.26	.32	.02	--
							3843	367.2-368.5	.7'	Tr.	.38	.60	.04	.01
							3844	368.5-370.5	2.0'	Tr.	.28	.09	.01	--
368	395					Sheared rhyolitic breccia. Irregular fragments. Not mineralized.								

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No.            HOLE No. BC-6

Started	May 10, 1970	Bearing	North	Lat.	127 + 50N	Collar El.	Logged by	R-D	Date	May 18, 1970
Completed	May 14, 1970	Angle from Horiz.	50N	Dep.	130E	Bottom El.	Remarks			
Driller	Midwest	Length	426'	Location	Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY				
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni
395	401					Dark coarse grains, quartz biotite schist. Numerous calcite veins approximately 20° schistosity. No mineralization.								
401	406	5'				Strongly sheared rhyolitic breccia. Very fine disseminated chalcopyrite and pyrrhotite.	3845	401-401	2'	Tr.	.18	.02	.01	
406	410	4'				Black sheared approximately 20°, mafic greenstone.								
410	426					Sheared rhyolitic breccia, medium. Pyrrhotite at contact.	3846	410-401.5	.5'	Tr.	.10	.01	.02	.01
426						End.								



# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited      PROPERTY Briar Court      Section No. \_\_\_\_\_      HOLE No. BC-7

Started	May 18, 1970	Bearing	S	Lat.	131 + 35N	Collar El.	Logged by	R-D [Signature]	Date	May 25, 1970
Completed	May 23, 1970	Angle from Horiz.	-65 -50	Dep.	130E	Bottom El.	Remarks			
Driller		Length	517'	Location	(130E)	Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
0	20					Casing							
20	55					Dark grey. Fine grains. Well banded. Biotite chlorite schist. Shistosity approximately 60° with core pyrite							
55	60	5'	5'			Greenish, aphanatic, mafic, volcanic. Massive calcite veins. Specks of chalcopyrite - 56/7'	3847	56.6-57.0	.4'	Tr.	.20	.01	.01
60	64					Coarser, grey, mafic, massive, porphyritic							
64	98					Fine chlorite. Biotite schist approximately 60° with core axis.  79' - Rhyolitic band-schistose, pyrrhotite-Chalcopyrite in qtl. vein.	3848	97.3-97.8	.5	Tr.	Tr.	.03	.01

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited      PROPERTY Briar Court      Section No.      HOLE No. BC-7

Started May 18, 1970	Bearing S	Lat. 131 + 35N	Collar El.	Logged by R-D	Date May 25, 1970
Completed May 23, 1970	Angle from Horiz. -50	Dep. 130E	Bottom EL	Remarks	
Driller	Length 517'	Location (130E)	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY							
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni			
98	104	6'	6'			Massive medium greenstone. Calcite veins. Pyrrhotite veins.	3849	98-103	5'	Tr.	.12	.01	.02	Tr			
							3850	103-108	5'	Tr.	.22	.01	.01	Tr			
							2416	108-110.2	2.2'	Tr.	.18	.01	.11	Tr			
104	116.6	12'	12'			Same greenstone-sheared and faulted. Medium to fine grains. Porphyritic in places Pyr. approximately pyrrhotite											
116.6	122.5	6'	6'			Dark, greenish grey. Medium to coarse mafic. Quart veins & epidote crystals Disseminated Py. & pyrrhotite + chalcopyrite	2417	118.5-120	1.5'	Tr.	.28	.01	.02	Tr			
							2418	120-123	3'	Tr.	.16	.01	.03	Tr			
122.5	136					Biotite chlorite schist identical to previous											
136	139.5	3.5'	3.5'			Light grey, banded, rhyolite with biotite layers. Chalcopyrite veins in layers.	2419	138-138.8	.8'	Tr.	.48	.19	.01				

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-7

Started	May 18, 1970	Bearing	S	Lat.	131 + 35N	Collar El.	Logged by	R-D	Date	May 25, 1970
Completed	May 23, 1970	Angle from Horiz.	-50	Dep.	130E	Bottom EL	Remarks			
Driller		Length	517'	Location	(130E)	Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
139.5	155					Greenish-grey. Fine rhyolitic breccia. Fine chalcopyrite in several places.	2420	138.8-143.8	5'	Tr.	.20	.04	.02
							2421	150-155	5'	Tr.	.32	.03	.02
155	159	4'	4'			Medium slightly banded porphyritic mafic. Not mineralized.							
159	172					Medium grains amphibolite, amphibole approximately 60% - 1% pyrite disseminated throughout.							
172	177	5'	5'			Greenish, fine grains. Greens, tone (mafic.) Brecciated in places. Epidote. Pyrite.							
177	188	11'	11'			Grey rhyolitic. Breccia. Very regular fragments. $\frac{1}{4}$ ". Elongated parallel to shearing, magnetite pyrite. 179 - 180-chalcopyrite.	2422	179.3-179.7	.4'	Tr.	.12	.13	.02

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited      PROPERTY Briar Court      Section No.      HOLE No. BC-7

Started May 18, 1970	Bearing S	Lat. 131 + 35N	Collar El.	Logged by R-D	Date May 25, 1970
Completed May 23, 1970	Angle from Horiz. -50	Dep. 130E	Bottom EL	Remarks	
Driller	Length 517'	Location (130E)	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
188	202					Medium massive mafic. Disseminated pyrite & chalcopyrite. 195.5 - 196 Breccia 198.6 - 199.5 "	2423	193 - 193.7	.7	Tr.	.68	.08	.02
							2424	195 - 195.6	.6	Tr.	.36	.07	.04
							2425	201.8-202.3	.5	Tr.	.54	.87	.11
202	252					Sheared, rhyolitic breccia. Shearing - 45° with core. 209-210 - Massive mafic. 220-222 - Amphibolite. 249.2-251 - Massive mafic. chalcopyrite	2426	249.2-251	1.8	Tr.	.58	.28	.03
252	260	8'	8'			Find grains. Massive mafic. Not mineralized.							
260	268					Rhyolitic breccia, coarse and irregular fragments. Weaker shearing only. Matrix is sheared. Chalcopyrite from 265.5	2427	265.5-270.5	5	Tr.	.46	.24	.02
268	273					Light grey aphanatic. Massive rhyolite  (2' missing)	2728	270.5-272.5	5	Tr.	.26	.18	.02

# Drill Hole Log

COMPANY Sourzy-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-7

Started <u>May 18, 1970</u>	Bearing _____	Lat. <u>131 + 35N</u>	Collar El. _____	Logged by <u>R-D</u>	Date <u>May 25, 1970</u>
Completed <u>May 23, 1970</u>	Angle from Horiz. <u>-50</u>	Dep. <u>130E</u>	Bottom EL _____	Remarks _____	
Driller _____	Length <u>517'</u>	Location <u>(130E)</u>	Level _____		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
273	287					Rhyolitic breccia. Coarse grains. Disseminated sulfides Sheared - 60° with core	2429	2835-2855	2'	Tr.	.24	.07	.02
287	297	10'	10'			Fine grains, sheared mafic. Volcanic							
297	310.2					Sheared rhyolitic breccia 306-308 - Sheared mafic. Chalcopyrite at bottom occurring in veins and rhyolite fragments.	2430	3075-310	2.5'	Tr.	.34	.12	.02
310.2	322					Massive light grey rhyolite. Very fine disseminated pyrrhotite and chalcopyrite	2431	310-315	5'	Tr.	.24	.07	.01
							2432	315-320	5'	Tr.	.16	.07	.01
							2433	320-322	2'	Tr.	.30	.18	.01
322	332.5					Sheared rhyolite breccia Disseminated pyrrhotite with quartz veins.	2434	326.5-326.7	2.5'	Tr.	.26	.02	.01

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-7

Started May 18, 1970 Bearing S Lat. 131 + 35N Collar El. \_\_\_\_\_ Logged by R-D Date May 25, 1970  
 Completed May 23, 1970 Angle from Horiz. -50 Dep. 130E Bottom El. \_\_\_\_\_ Remarks \_\_\_\_\_  
 Driller \_\_\_\_\_ Length 517' Location (130E) Level \_\_\_\_\_

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY				
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni
332.5	335	2.5'				Black, fine grained, well banded, mafic. Very fine sulfide. Mostly chalcopyrite disseminated throughout.	2435	332.5-335	2.5'	Tr.	.28	.01	.02	Tr.
335	347					Rhyolitic breccia sheared chalcopyrite 347-348	2436	347 - 348	1'	Tr.	.32	.10	.03	--
357	517					Greenish grey, fine grained mafic. Banded approximately 60° with core. 366.5 Epidote vein faulted. Porphyritic around 350'. pyrite 387 - -2 very fine grained veins <del>449-450.5</del> " " " "								
						451.5 -3" of rhyolite with chalcopyrite 475.5 -Layer of very fine grains with drag folds axis 30° with core Porphyritic above and below 476 -1 speck of pyrrhotite. 491-492 -Fine grains	2437	451.25-451.5	.25'	Tr.	.16	.06	.01	--



# Drill Hole Log

COMPANY Scurry-Rainbow

PROPERTY Briar Court

Section No. \_\_\_\_\_

HOLE No. BC-8

Started <u>May 25</u>	Bearing <u>S</u>	Lat. <u>N-131+50</u>	Collar El.	Logged by <u>R. D. [Signature]</u>	Date <u>May 29, 1970</u>
Completed <u>May 27</u>	Angle from Horiz. <u>-50</u>	Dep. <u>112 E</u>	Bottom EL	Remarks	
Driller <u>Midwest</u>	Length <u>266'</u>	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To		Ft.	%								
0	16					Overburden						
16	33					Dark Grey Medium grains banded mafic volc. calcite veins 32 specks of pyrrhotite						
33	49					Greenish grey medium massive epidote 4' porphyritic						
49	80					Dark Grey banded. Fine grains biotite layers pyrite-. 1% diss. through along sheared layers -70° 53' epidote layer with chert fragments						
80	106					Greenish grey-med. massive porphyritic						



# Drill Hole Log

COMPANY Scurry-Rainbow

PROPERTY Briar Court

Section No.

HOLE No. BC-8

Started May 25	Bearing S	Lat. N-131+50	Collar El.	Logged by R. D.	Date May 29, 1970
Completed May 27	Angle from Horiz. -50	Dep. 112 E	Bottom EL	Remarks	
Driller Midwest	Length 266'	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Ni Zn
106	115					Bluish Grey to dark grey strongly sheared rhyolitic breccia Fragments elongated Chalcopyrite 108--1095	1452	108-1095	1.5'	Tr	.40	.27	Tr.0
115	170					Greenish grey-light-massive medium mafic with calcite veins							
170	185					Same matl. but sheared 60° with core. Calcite veins still present							
185	266					Massive-med. grains mafic 195--197 Rhyolite massive with chalco 200-202 Banded 233-235.5 banded rhyolite with pyrrh. 2 chalco	1453	197-197.5	.5'	Tr	28	.17	--.0
	266					END	1454	233.2-234	.8	Tr	.30	.07	.005

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited

PROPERTY Briar-Court

Section No.

HOLE No. B.C.-9

Started May 27, 1970	Bearing S	Lat. 121 + 75 N	Collar El.	Logged by <i>R.O. [Signature]</i>	Date May 31, 1970
Completed May 29, 1970	Angle from Horiz. -50°	Dep. 116 E	Bottom EL	Remarks	
Driller Midwest Drilling	Length 326'	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
0	8				0/B								
8	69				Greenish grey - Med. to coarse massive mafic pyrite on calcite veins; veins angle 60° with core, 49 - 50.5 rhyolite massive								
69	80				Very dark fine; rhyolitic breccia; small rhyolite fragments - sheared - 70° with core; pyrite diss. through the section								
80	82				Lighter grey - fine grains strongly sheared mafic drag fold. at bottom; perpendicular to core; pyrite 81'; shearing 60°.								
82	101				Same med. massive mafic; 91 - 92.3 fine grains rhyolite diss. chalco.	2438	91 - 92.3	1.3	Tr	.10	.20	Tr	

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited

PROPERTY Briar-Court

Section No.

HOLE No. BC-9

Started	May 27, 1970	Bearing	S	Lat.	121 + 75 N	Collar El.	Logged by	R.D.	Date	May 31, 1970
Completed	May 29, 1970	Angle from Horiz.	-50°	Dep.	116 E	Bottom EL	Remarks			
Driller	Midwest Drilling	Length	326'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
101	123					Same mafic, finer grains and strongly sheared. 105 - 106 very fine darker layer; rhyolite fragments in places; 113 - 116 massive rhyolite - pyrite (113)							
123	138					Med. darker massive; mafic pyrite in calcite veins 124.5 - 125.5; 137 - 138 coarse, porphyritic							
138	148.5					Light grey; fine grains sheared rhyolite 60°; brecciated in places; 143 - pyrite and chalco.	2439	142.2-143	7'	Tr	.16	.08	.005
148.5	151					Fine massive rhyolite							
151	156.5					Sheared rhyolitic breccia; elongated fragments; not mineralized.							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited      PROPERTY Briar-Court      Section No.      HOLE No. BC-9

Started May 27, 1970	Bearing S	Lat. 121 + 75 N	Collar El.	Logged by R.D.	Date May 31, 1970
Completed May 29, 1970	Angle from Horiz. -50°	Dep. 116 E	Bottom EL	Remarks	
Driller Midwest Drilling	Length 326'	Location	Level		

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY	
From	To		Ft.	%							
1565	1685					Fine grains massive rhyolite; pyrite on fracture plains; not sampled					
1685	326					Greenish grey - massive mafic; fine to med. calcite veins; no mineralization					
						236 - 238; sheared mafic - 70°; very fine 242 - 2425 fine massive rhyolite 243 - 245 sheared mafic - pyrite 265 - 266 sheared mafic - pyrite					
	326					End of hole					

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No.            HOLE No. BC-10

Started	May 31, 1970	Bearing	-S	Lat.	131 + 50N	Collar El.	Logged by	R. D. [Signature]	Date	June 2, 1970
Completed	June 3, 1970	Angle from Horiz.	-55	Dep.	134E	Bottom EL	Remarks			
Driller	Midwest	Length	527'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY			
From	To		Ft.	%						Au	Ag	Cu	Zn
0	18.3					Overburden							
18.3	26					Dark grey, very fine grained mafic volcanics. Massive disseminated pyrite							
26	41					Greyish, fine grained brecciated rhyolite. Shearing 50° with the core. 32.5 - 34.5 Band of massive mafic volcanics Fine grained. 33.5 - 34 Quartz vein with pyrrhotite and chalcopyrite	2440	33.5-34	.5'	Tr.	.16	.03	Tr.
41	76.5					Massive mafic. fine grained. 48.75-49.75 - Layer of Brecciated rhyolite. 57-58 - Calcite layer with quartz, not mineralized. Sheared at bottom							
76.5	86					Dark greyish, fine brecciated rhyolite. 81.5-82.5 - Fine sheared mafic. 85 - .25' of pyrrhotite in quartz - .1% pyrrhotite not sampled							

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-10

Started	May 31, 1970	Bearing	-S	Lat.	131 + 50N	Collar El.	Logged by	R-D	Date	June 2, 1970
Completed	June 3, 1970	Angle from Horiz.	-55	Dep.	134E	Bottom El.	Remarks			
Driller	Midwest	Length	527'	Location		Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From - To	Interval	ASSAY					
From	To		Ft.	%						Au	Ag	Cu	Zn	Ni	
86	93					Greenish grey, fine sheared mafic. Shearing - 50°. 87-88 - Massive porphyritic 91 - Pyrrhotite in calcite vein									
93	135					Fine brecciated rhyolite 93.5-94 - Massive mafic., fine Fine disseminated sulfides, mostly pyrite, along biotite layers (96-110) 103.5-108 - Massive mafic., fine. 126-127.5 - Dark, fine sheared mafic.	2441	98.5-103.5	5'	Tr.	.14	.02	.01	.005	
135	165					Fine, mostly massive mafic. Porphyritic in places. Calcite veins									
165	175					Brecciated rhyolite identical to previous, but more felsic material. 167 - 1" of chalco 170-172 - Fine mafic., massive or banded	2442	166.7-167	.25'	Tr.	.16	.06	.005		
175	279					Fine mafic., massive faulted calcite veins. 185 - Quartz vein 2" with pyrite and pyrrhotite. 195.5 - epidote. 206-206.5 - banded fine mafic. 227-229 - banded fine mafic. 247-248.5 - Porphyritic. 250-251 - fine rhyolite breccia	2443	250-255	5' 8"	Tr.	.10	.03	.04		

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No.            HOLE No. BC-10

Started	May 31, 1970	Bearing	-S	Lat.	131 + 50N	Collar #		Logged by	R-D	Date	June 2, 1970
Completed	June 3, 1970	Angle from Horiz.	-55	Dep.	134E	Bottom EL		Remarks			
Driller	Midwest	Length	527'	Location			Level				

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To		Fl.	%								
279	282					Very fine rhyolite brecciated fragments - small and elongated, numerous biotite layers. Not mineralized						
282	317					Fine massive mafic. No mineralization. Epidote calcite veins. 292-297 - Fine breccia, rhyolite shearing.						
317	330					Very fine rhyolitic breccia, well banded - no mineralization 319-323 - porphyritic, massive volcanics, aphanatic matrix						
330	353					Fine, massive mafic. Porphyritic in places. Calcite veins. 337-338.5 - Fine rhyolitic breccia with epidote. Not mineralized						
353	380.5					Sheared rhyolitic breccia - 70° biotite. Specks of pyrrhotite. 374-376.5 - Massive fine porphyritic						

# Drill Hole Log

COMPANY Scurry-Rainbow Oil Limited PROPERTY Briar Court Section No. \_\_\_\_\_ HOLE No. BC-10

Started	May 31, 1970	Bearing	-S	Lat.	131 + 50N	Collar El.	Logged by	R-D	Date	June 2, 1970
Completed	June 3, 1970	Angle from Horiz.	-55	Dep.	134E	Bottom EL	Remarks			
Driller	Midwest	Length	527'	Location	Level					

Footage		Interval	RECOVERY		Graphic Log	DESCRIPTION	Sample No.	From-To	Interval	ASSAY		
From	To		Ft.	%								
380.5	396.5					Massive mafic., fine						
396.5	420					Very fine shearing, rhyolitic breccia. Specks of pyrite. 414-417 - Porphyritic mafic. 414 - one speck of chalco						
420	436					Dark greyish, coarse mafic. volcanics - massive. Few calcite veins						
436	442.5					Sheared rhyolitic breccia						
442.5	454					Fine massive mafic. volcanics. Epidote						






**FOR ADDITIONAL**

**INFORMATION**

**SEE MAPS:**

52 G/14 SE - 0017 # 1-5



**ASSAY LEGEND**


Sample No.	Interval
Au	
Ag	
Cu	
Zn	
Ni	

52G/145E-0017 #1



200


<b>DRAWN</b> D.R.	<b>SCALE</b> 1" = 50'	<b>SCURRY-RAINBOW OIL LTD.</b>	SECTION 122+00E, BC-5
<b>TRACED</b>	<b>DATE</b> MAY 28/70	BRIAR-COURT OPTION	Looking — WEST
<b>APPROVED</b>		ONTARIO	<b>FILE NO.</b> BC. 2-4-5



52 G/14SE-0017 #2

<b>DRAWN</b> D.R.	<b>SCALE</b> 1" = 50'	<b>SCURRY-RAINBOW OIL LTD.</b>	SECTION - 130+00E, B.C.-6 & 7
<b>TRACED</b>	<b>DATE</b> June / 70		Looking - WEST
<b>APPROVED</b>			<b>FILE NO.</b> B.C. 2-4-6






ASSAY LEGEND

Sample No.  
Interval  
Au  
Ag  
Cu  
Ni  
Zn

★  
52G/14SE-0017 #3



<b>DRAWN</b> D.R.	<b>SCALE</b> 1" = 50'	<b>SCURRY-RAINBOW OIL LTD.</b>	SECTION - 131+50N, BC.-8
<b>TRACED</b>	<b>DATE</b> June 11/70	BRIAR COURT OPTION	Looking - EAST
<b>APPROVED</b>		ONTARIO	<b>FILE NO.</b> BC.-2-4-7




ASSAY LEGEND  
 Sample No.  
 Interval  
 Au  
 Ag  
 Cu  
 Zn



52G/14SE-0017 #4



<b>DRAWN</b> D. R.	<b>SCALE</b> 1" = 50'	<b>SCURRY-RAINBOW OIL LTD.</b>	SECTION 121+75N. BC.-9
<b>TRACED</b>	<b>DATE</b> June 11 / 70	BRIAR COURT OPTION	Looking - EAST
<b>APPROVED</b>		ONTARIO	<b>FILE NO.</b> BC.-2-4-8



**ASSAY LEGEND**

Sample No.	Interval	Au	Ag	Cu	Zn	Ni
2440	5'	.16	.03			
2441	5'	.14	.02	.01	.005	
2442	25'	.16	.06	.005		
2443	5'	.10	.03	.04		
2445-44	7'	.29	.15	.01		
2446	5'	.20	.13	.005	.01	

★  
52 G/14SE-0017 #5



240

<b>DRAWN DR.</b>	<b>SCALE</b> 1" - 50'	<b>SCURRY-RAINBOW OIL LTD.</b>	SECTION - 134 E , B.C.-10
<b>TRACED</b>	<b>DATE</b> June /70		BRIAR - COURT OPTION
<b>APPROVED</b>			ONTARIO
			Looking — EAST
			<b>FILE NO.</b> BC. 2-4-9