

**FINAL SUBMISSION FORM 2003**  
**ONTARIO EXPLORATION CORPORATION ASSISTANCE PROGRAM**  
**(OEC)**

**INSTRUCTIONS :** Please read the guidebook before completing form  
**Please type or print in ink**

Submit completed form and supporting documentation by December 31, 2003 to:  
 Ontario Exploration Corporation, 1100 Memorial Avenue, Suite 364  
 Thunder Bay, ON P7B 4A3

2. 20156

**To be completed by successful applicants after completion of the project and must be accompanied by: technical report(s) and map(s) for the project; recent copies of claim map(s) with area(s) of work outlined; a copy of the Assessment Credit Approval Letter.**

**\*\*Attach your receipts to this form when you have completed it. Submit this form and attached receipts separately from your technical reports.\*\***

Applicant Name Herb G. Goodman File Number # 2003-005

Proposed project area (Twp. and claim group name)

Amerada Property, Poplar Point Area

Changes to proposed project(s) (if any)

\_\_\_\_\_

\_\_\_\_\_


\_\_\_\_\_

**I. WORK PERFORMED (Summary of Section IV)**

1. Project area/name	<u>Amerada Property</u>	No. days worked	
Traditional prospecting	No. of samples <u>52</u>		<u>9</u>
Geological surveys	Scale _____		_____
Geophysical surveys	Type _____ Miles/km		_____
Geochemical surveys	Type _____ # of samples		_____
Drilling	Type _____ Ft./m		_____
Stripping/Trenching	Method <u>manual, power saw</u>		<u>6</u>
Other	Type <u>report, maps</u>		<u>3</u>
Other	Type _____		_____
Other	Type _____		_____

TOTAL Days Worked 18

Note: Helpers did 14 days of work  
 See list of expenditures.



52H09NE2006 2.26156 DOROTHEA

010

(Attach additional sheets as required)

**V. SIGNIFICANT RESULTS**

Location	New Showings and/or Anomalies	Commodity	Best Analyses
Vein 1A Vein 2		Au Au	1102/ton 1102/ton

Add additional notes if required

**VI. CLAIMS STAKED DURING/AFTER PROSPECTING ACTIVITY**

Project Area	Claim Numbers	Number of Claim Units

Please outline on claim map

**VII. OPTION AGREEMENT RESULTING FROM OEC PROJECT**

Optionee	Date	Property/Claims	Work Commitment

The Ontario Exploration Corporation may verify all statements related to and made herein this application. I hereby declare that:

1. I am the person named in the Application for Funding from the Ontario Exploration Corporation.
2. I have complied with all requirements of the said program.
3. I am stating that all statements and all other information submitted in support of the said submission are true and correct.
4. I have not been an employee of the Ontario Exploration Corporation while in receipt of OEC funding.

Signature of Applicant Herb G. Goodman Date August 14/03

Name (print) Herb G. Goodman



FINAL SUBMISSION

AMORADA PROPERTY  
THUNDER BAY NORTH  
THUNDER MAY MINING DIVISION  
POPLAR POINT AREA  
CLAIM SHEET G-116  
N.T.S. SHEET 52H/NE  
Long. 88°029' - 49°41'37"

HERB G. GOODMAN  
AUGUST 14, 2003

## TABLE OF CONTENTS

1. Location, Access and Claim Information
2. Regional Geology
3. Mineralization
4. Work Done
5. Results and Recommendations

## LIST OF FIGURES

- Figure 1: Location Map  
Figure 2: Access Map  
Figure 3: Regional Geology  
Figure 4: Property Map

### Work Area Maps:

- Figure 5: Veins # 1 & 1A  
Figure 6: Vein # 2  
Figure 7: Vein # 7  
Figure 8: Prospecting Areas  
Figure 9: Claim Map

## LIST OF APPENDICES

- Appendix 1: List of Claims  
Appendix 2: Daily Log  
Appendix 3: Samples  
Appendix 4: List of Expenditures  
Appendix 5: Assay Results  
Appendix 6: Approval Letter

## 1. LOCATION, ACCESS AND CLAIM INFORMATION

The Amorada Property is located in the southwest part of Poplar Point Area, approximately 13 kms northwest of Beardmore, Ontario (Figure #1). Beardmore is on Highway # 11 some 200 km northeast of Thunder Bay. Poplar Point Area appears on N.T.S. Sheet 52H/NE with the property some 3 kms east of Lake Nipigon and 2 kms north of the Sturgeon River (Figure #2). Access to the property can be gained via the 72 Road located 7 kms west along Highway # 580 from Highway # 11. Hwy # 580 is reached 2 kms north of the town of Beardmore off Highway # 11. Continue northwards along the 72 Road to the north side of the Bailey Bridge, a distance of 13 kms. At this point the road branches east and west. Continue westwards for 6.5 kms. Here the road branches west and north. Continue northwards for roughly 0.5 kms. Again the road branches north and west. The western branch leads to the south eastern portion of the property continuing to vein # 7, some 1.5 kms away (Figure #2). The northern branch leads north then west to the 1, 1A and 2 vein systems some 2.5 kms away (Figure #2).

## 2. REGIONAL GEOLOGY

The property lies within the area of the Beardmore Geraldton Greenstone Belt, a subdivision of the Precambrian Wabigoon Subprovince of the Canadian Shield (Figure #3). The belt is described as an east-trending, isoclinally folded sequence of mainly metasediments interlayered with mafic to intermediate metavolcanics. On its north boundary, the belt is separated from the Onaman-Tashota Metavolcanic Belt by the Paint Lake Fault system and on its south boundary by the Keewatin sequence of metasediments located south of the main Beardmore-Geraldton Belt.

## 3. SPECIFIC GEOLOGY

Vein # 7 zone consists of shearing zone containing a quartz vein. The width of the shear averages about 10' with the quartz vein reaching widths of 3'. Areas of the shear zone namely the east and west ends, contains irregular network of quartz stringers. The shear is carbonated and

siliceous with both shear and quartz stringers containing minor pyrite with exception of the extreme west end where more abundant pyrite is found. The bulk of the quartz is located in the middle of the zone. Here the stringers become veins with parallel lenses of quartz.

Mineralization consists mainly of pyrite with minor chalcopyrite and malachite staining with sulphides usually not exceeding more than 1%. The quartz is of the crack-seal variety, whitish in colour and contains sericite and chlorite alteration mainly along fractures. The strike length observed is about 450' (See Figure #7).

Vein #2 zone consists of a rusty shear zone up to 40 inches in width with a quartz vein reaching width with a quartz vein reaching a width of 24". In places along the zone the quartz divides into two veins with the carbonated, siliceous sheared volcanics in between. These veins separate for only a short distance then merge as one vein. At the extreme west end of exposure the vein again separates with about 10' of separation and a longer length until they seem to peter out in small stringers. The quartz matter varies from whitish, crack-seal, chlorite-sericite altered to cherry well-fractured. Both carry pyrite with lesser chalcopyrite with >1% sulphides. The strike length observed in this vein is about 650' (See Figure #6).

Vein #1 zone consists moderately fractured, whitish, crack-seal quartz reaching widths of 3' or more. The vein appears to follow a fault along which a somewhat rusty shear zone has developed. As in the other veins the country rock is coarse to fine grained andesite. The strike length observed is about 100'. Mineralization mainly consists of pyrite found only in minor amounts usually in chlorite fractures (See Figure #5).

Vein #1A zone is possibly a faulted off section of vein #1. It lies parallel and adjacent to vein #1. It has been exposed in an open cut roughly 60 feet long and 6 feet wide and shaped like a "V". Mineralization consists of pyrite and lesser galena, ranging from minor to massive. Again the sulphides for the most part are confined to chloritic fractures. Based on assay returns, the greater the mineralization the higher the gold content. The vein reaches a width of roughly 2'. The bottom part of the "V" cut was unreachable manually because of debris including large boulders which had fallen from surface (See Figure #5).

2 . 28100


#### 4. WORK DONE

Work for this program consisted mainly of manually stripping of certain areas of each vein where the overburden was less than a foot deep. Trees along the zones were cut generally giving a width of 10' or more. Previous stripping and trenching was done roughly 20 years ago with initial exploration done in the 1930's. These exposed areas of the veins and shear zones were sampled. Others area namely west of veins 1 and 2 and east of property's east boundary were prospected and sampled.

#### 5. RESULTS AND RECOMMENDATIONS

Results for this program can be termed as very encouraging. Areas of impressive gold values were obtained. This work and the past history of property probably could result in an option agreement. It is recommended that further work should and will be done in the form of stripping, trenching and detail sampling. This will further outline the extent (tonnage), location and gold grade of veins #1, #1A and 2. The vein #3 (moly vein) itself and information from drill logs from Nortoba Mines Ltd. 1950's, stating that anomolous gold values were found in one drill hole, should be looked into further. Also reported was a Au-Cu zone 3/4 mile southwest of vein #1, ranging from 50' to 70' (feet) wide with a length of 400'. This zone was located by Nortoba Mines Ltd. and reported by W.O. Mackasey, Geological Report 122, also warrants further attention.





Scale  
0 50 100 km

N

Whitewater Lake

Caribou Lake

Armstrong

O'Sullivan Lake

C.N.R.

Auden

Tashota

Nakina

Onaman Lake

Lake Nipigon

GERALTON

Long Lac

Jellicoe  
Beardmore

Long Lake

Dog Lake

Nipigon

Schreiber

Hemlo

THUNDER BAY

LAKE SUPERIOR

# LOCATION MAP

FIGURE: 1.

DATE: NOV./'91

DRAWN: M. FEKETE

SCALE: 1:2,000,000


Figure # 2



# Figure # 3

## LEGEND

- CENOZOIC\***
- QUATERNARY**
1. Sand, gravel
2. Sand, clay
- UNCONFORMITY
- PRECAMBRIAN\***
- LATE PRECAMBRIAN PROTEROZOIC**
- MAFIC INTRUSIVE ROCKS**
1. Diabase
- INTRUSIVE CONTACT
2. Amphibolite
- INTRUSIVE CONTACT
- EARLY PRECAMBRIAN ARCHEAN**
- MAFIC INTRUSIVE ROCKS**
1. Gabbro
2. Diabase
3. Basalt
4. Magnetite
- INTERMEDIATE TO FELSIC INTRUSIVE ROCKS**
1. Granite
2. Quartz diorite
3. Quartz monzonite
4. Diorite
- INTRUSIVE CONTACT
- METAVOLCANIC AND METASEDIMENTARY ROCKS\***
- MAFIC METAVOLCANICS**
1. Basalt
2. Andesite
3. Diorite
4. Gabbro
5. Magnetite
- INTERMEDIATE TO FELSIC METAVOLCANICS**
1. Andesite
2. Diorite
3. Granite
4. Quartz diorite
5. Quartz monzonite
6. Diorite
- METASEDIMENTS**
1. Quartzite
2. Gneiss
3. Schist
4. Amphibolite
5. Magnetite
6. Iron formation
- Ab. Amphibolite  
Al. Aluminosilicate  
Au. Sand  
Cu. Copper  
Mg. Magnetite




\* Investigated prospects. Cenozoic deposits are represented by the lighter colored parts of the map. Borehole locations, outcrops and mineral veins are shown on this map. The names of the mineral veins are shown in the same color. Where a mineral vein is shown to be narrow, its width and depth are represented by a thin black bar across the appropriate area.

Blocks in these groups are numbered 1 through 13, and the upper two are implicitly representative of a thin mineral group.

The letter 'S' showing a line indicates the location of a fault. It indicates movement of the fault. 'S' is in drift-covered areas.

Amorado Property  
Poplar Point Area  
Thunder Bay Mining Division



Work Areas  
Fig # 4



1 cm = 50 m  
| 50, 50, 50 |

001000


AMORADA PROPERTY  
 Poplar Point Area  
 Work Areas  
 Veins 1 & 1A  
 figure # 5



LEGEND:

- 1, 2 - sample number
- x - sample location
- - quartz vein
- - stripped area
- w - shearing
- alt-and - altered andesite

Scale 1" = 25'





# AMORADA PROPERTY

Poplar Point Area

Work Areas

Vein # 2

figure # 6




## LEGEND:




Claim # 1187533

- 1, 2 - sample number
- x - sample location
- - quartz vein
- - trenching
- W - shearing
- alt. and altered andesite
- qtz-di quartz diorite

Scale: 1" = 75'




AMORADA PROPERTY  
 Poplar Point Area  
 Work Areas  
 Vein # 7  
 figure # 7




LEGEND:

claim # 1187533

- 1, 2 - sample number
- x - sample location
- (with horizontal line) - quartz vein
- ⊂ (with horizontal line) - trenching
- w - shearing
- qtz-di - quartz diorite
- altand - altered andesite




Amorada Property  
 Poplar Point Area  
 Thunder Bay Mining Division  
 Work Areas  
 Fig # 8



LEGEND:

- 6,7 - Sample number
- x - Sample location
- m - shearing
- alt-and - altered andesite

pond x-17  
alt-and



1cm = 50m  
 50 50 50



APPENDIX 1:

LIST OF CLAIMS

2. 86156

One mineral claim block consisting of three claim units situated in Poplar Point Area, Thunder Bay Mining Division, Ontario, are described as follows:

Claim Number	Units
1187533	3

## APPENDIX 2:

## DAILY LOG

DATE	WORK PERFORMED
May 5 - May 6, 2003	Cleared old bush road from pond east of property to Vein #7 location. Located #7 vein. Road grown in with alders and blocked with burnt logs from 1999 forest fire. A.T.V. accessible took 3 samples #1-3 from extreme east end of vein #7 zone.  Helper Theresa Nelson assisted.
May 11 - May 12, 2003	Cleared old bush road from turn off, westwards to veins 1-1A. Located veins 1 and 1A. Same conditions as above. Looked at open cut at 1A vein location. Took 1 sample #4. Prospected pond area east of vein #7. Took 4 samples # 5-8.  Helper Theresa Nelson assisted.
May 16 - May 17, 2003	Prospected vein #7 zone and extensions both east and west. Manually stripped portions of vein. Took 4 samples # 9-13. Traversed and prospected area from vein #7 to vein #3 (moly vein). Located moly vein, didn't sample.  Helper Theresa Nelson assisted.
May 20, 2003	Took 2 samples at vein #7 location #14-15. Traversed and prospected area from vein #7 northwards to vein #2. Located vein #2. Got overview of structure from intercept point westwards. Took 1 sample #16.  Helper Theresa Nelson assisted.
May 21, 2003	Prospected, manual stripped and sampled area at sample #16 eastwards. Took 7 samples #17-23.  Helper Theresa Nelson assisted.

June 8, 2003	<p>Prospected eastern extension of vein #2. No accessible vein. Sampled areas near and in between areas previous sampled. Took 9 samples #24-32.</p> <p>Helper Theresa Nelson assisted.</p>
June 9, 2003	<p>Prospected 1 &amp; 1A veins (open cut) and east-west extensions. Took 7 samples #33-39. Manual stripped.</p> <p>Helper Angus McCrady cleared trees with power saw at vein #2 location.</p> <p>Helper Theresa Nelson also assisted.</p>
June 10, 2003	<p>Helper Angus McCrady finished clearing vein #2 location. Took 1 sample at vein #2-#40, adjacent to sample # 16 &amp; 31. Prospected area west of vein #2. Took two samples #41-#42.</p> <p>Theresa Nelson assisted.</p>
June 11, 2003	<p>Continued prospecting area west of vein #2 and veins #1 &amp; 1A. Took 4 samples. #43-#46. Helper Angus McCrady cut out access to open cut at #1A vein from road and along vein #1.</p> <p>Helper Theresa Nelson assisted.</p>
June 12, 2003	<p>Prospected, manual stripped and sampled vein #1. Took 1 sample #47.</p> <p>Helpers Theresa Nelson and Angus McCrady assisted.</p>
August 4, 2003	<p>Resampled areas of favourable assays at vein #2 locations. Took samples #48 - 52 from vein #2.</p> <p>Helper Theresa Nelson assisted.</p>
August 5, 2003	<p>Mapped all veins.</p> <p>Helper Theresa Nelson assisted.</p>
August 12-14th, 2003	<p>Reports and Maps</p>

## APPENDIX 3:

## SAMPLES

Sample#	Type	Description	Assay Results AU(oz/ton)
1	rock	Sheared, rusty, siliceous alteration zone. Minor pyrite vein #7, east end.	.016
2	rock	Same as # 1.	<.001
3	rock	Same as #2.	<.001
4	rock	1A quartz vein with volcanic chloritic patches and seams mineralized with pyrite. 2% pyrite.	.272
5	rock	Sheared, rusty, seritic vuggy volcanics with ¼" wide quartz-calcite veinlet, minor pyrite throughout.	.002
6	rock	Agglomerate, cavities filled with rusty, greyish dense quartz, some hematite, minor pyrite, sample consisted of quartz filling.	.002
7	rock	Highly siliceous, greyish fragmental volcanics, mafic and felsic fragments, mainly felsic, abundant pyrite and probably chalcopyrite. 3-4 % sulphides.	<.001
8	rock	Same as #7.	<.001
9	rock	Vein #7, quartz-carbonate vein, chlorite and serific altered, minor pyrite.	.006
10	rock	Same as #9.	.002
11	rock	Highly siliceous, altered quartz matter, sericite and chlorite alteration, minor pyrite and chalcopyrite.	<.001
12	rock	Quartz-carbonate vein, chloritic patches and seams, minor pyrite and chalcopyrite.	.011

13	rock	Rusty, reddish, sheared, carbonated volcanics, some pyrite and chalcopyrite, malachite staining.	.001
14	rock	Quartz-carbonate vein, minor pyrite.	.002
15	rock	2" wide quartz veinlet, chloritic seams abundant pyrite up to 10%	.011
16	rock	Vein #2, crack-seal whitish quartz, chlorite and sericite altered seams, minor pyritic and chalcopyrite, malachite staining.	.097
17	rock	Dense, bluish to black fine grained quartz matter, fine to relatively coarse mainly in darker matter and along contact with lighter material.	<.001
18	rock	Vein #7, same as #15, less pyrite.	.022
19	rock	Vein #2, crack-seal whitish quartz, numerous chloritic seams, 2% pyrite.	.134
20	rock	Waxy, whitish quartz, minor chlorite inclusions, no seams, minor pyrite.	.102
21	rock	Waxy, whitish quartz, patches of chloritic altered material, minor pyrite.	<.001
22	rock	Waxy, whitish quartz, patches and some seams, more pyrite than #21, some chalcopyrite.	.057
23	rock	Whitish to cherry, well-fractured quartz, greenish coarse pyrite, some chalcopyrite, 2% sulphides.	.564
24	rock	Whitish quartz, minor chloritic seams, one seam nicely mineralized with pyrite, hematite alteration.	.035
25	rock	Whitish quartz, chlorite altered, mafic seams, mineralized with pyrite.	.331

2. 20156

26	rock	Mixture of sheared siliceous, felsic volcanics, fine pyrite and dense white quartz with mafic inclusions and pinkish alteration, minor pyrite.	.005
27	rock	Highly fractured, whitish to cherry quartz, patches of pyrite in whitish quartz and greenish cubic pyrite in greenish, 1-2% pyrite.	.203
28	rock	Same as #27, ¼ seam of massive pyrite along contact.	1.118
29	rock	Felsic, siliceous sheared volcanics, 1% pyrite.	.011
30	rock	Whitish to cherry well fracture quartz, 1% pyrite.	.059
31	rock	Whitish quartz, chlorite and sericite altered seams, pyrite and chalcopyrite.	.136
32	rock	Whitish to cherry quartz, splashes of coarse chalcopyrite, no pyrite, no seams.	.002
33	rock	Whitish to greyish quartz, some veins inclusions, minor pyrite in host and quartz.	.065
34	rock	Waxy, whitish quartz, chlorite seams (barren), blackish seams mineralized with minor pyrite.	.040
35	rock	Waxy, whitish quartz, minor pyrite.	.037
36	rock	Waxy to glassy, whitish quartz, mafic seams and inclusions, minor pyrite in mafic areas.	.006
37	rock	Waxy, whitish quartz, numerous parallel mafic seams, many mineralized with pyrite.	.008
38	rock	Vein 1A, open cut, dense waxy quartz, mafic chloritic seams with abundant pyrite, up to 10%.	2.752
39	rock	Same as #38.	11.067
40	rock	Vein #2, whitish quartz with irregular mafic seams, hematite alteration, seams of pyrite and disseminated throughout, 5% pyrite.	.655

41	rock	dense blue-grey quartz, quartz eyes in irregular fractures, minor coarse reddish pyrite.	.007
42	rock	greyish quartz, sericite and chlorite alteration in seams, coarse and fine pyrite. 3-4% pyrite.	.003
43	rock	dense greyish quartz veinlet with fine grained siliceous volcanics, both mineralized with patches of pyrite.	.002
44	rock	highly gossaned, massively mineralized with pyrite mainly in 1" seam. 30% pyrite.	<.001
45	rock	mainly mafic volcanics with whitish quartz knots, coarse and fine pyrite. 10% pyrite.	.002
46	rock	blue-grey quartz lense, well fractured, fine silvery pyrite disseminated throughout.	<.001
47	rock	whitish well fractured quartz, rusty in places, minor pyrite along contact with host.	.185
48	rock	grey whitish quartz, sericite and chlorite patches with lesser seams, all mineralized with 2 - 3% pyrite.	0.266
49	rock	green quartz, rusty carbonated seams and minor pyrite.	<.001
50	rock	whitish quartz, chlorite patches, seams with some carbonated areas, minor pyrite.	.001
51	rock	whitish quartz, mafic and chloritic seams, minor pyrite and some Cu, 1 - 2% sulphides, some carbonated areas.	<.001
52	rock	whitish dense quartz, mafic and chloritic patches and seams, hematite altered with pyrite in the altered area, some copper.	.007

## APPENDIX 4:

## LIST OF EXPENDITURES

DATE	PAYEE	EXPLANATION	AMOUNT (\$)
May 5-Aug 5, 2003	Theresa Nelson	Helper - 15 days @ \$ 150.00/day	\$2,250.00
June 9- 12,2003	Angus McCrady	Helper - 4 days @ \$ 150.00/day	\$ 600.00
Aug 12-14, 2003	Theresa Nelson	Reports and Maps - 3 days @ \$ 150.00/day	\$ 450.00
May 5- Aug 5, 2003	Herb G. Goodman	Travel - 900 km @ \$ 0.40/km	\$ 360.00
Aug 15, 2003	Accurassay Labs Ltd.	52 samples	\$790.09
Aug 15, 2003	Theresa Nelson	rentals - ATV 15 days @ \$ 50.00/day	\$ 750.00
Aug 15, 2003	Herb G. Goodman	rentals - power saw 5 days @ \$ 25.00/day	\$ 125.00
May 5-Aug 5, 2003	Herb G. Goodman	Daily work 15 days @ \$150.00/day	\$2,250.00
<b>TOTAL</b>			<b>\$ 7,575.09</b>





1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL [accuracy@tbaytel.net](mailto:accuracy@tbaytel.net) WEB [www accurassay.com](http://www accurassay.com)

## Certificate of Analysis

Friday, May 09, 2003

Goodman, Herb  
 Box 216  
 Beardmore, ON, CA  
 P0T1G0  
 Ph#: (807) 875-2233  
 Fax#: (807) 875-2113  
 Email

Date Received : 07-May-03

Date Completed : 08-May-03

Job # 200340380

Reference :

Sample #: 2                      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
25532	1	564	0.016	0.564
25533	2	16	<0.001	0.016
25534 Check	2	9	<0.001	0.009

PROCEDURE CODES: AL4A13

Certified By: 

AL903-0028-05/09/2003 08:49 AM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Thursday, May 15, 2003

Goodman, Herb  
 Box 216  
 Beardmore, ON, CA  
 P0T1G0  
 Ph#: (807) 875-2233  
 Fax#: (807) 875-2113  
 Email

Date Received : 09-May-03  
 Date Completed : 15-May-03  
 Job # 200340390  
 Reference :

Sample #: 1      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
25850	#3	9	<0.001	0.009
25851 Check	#3	12	<0.001	0.012

PROCEDURE CODES: AL4403

Certified By: 

AL903-0028-05/15/2003 09:43 AM

1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL [accuracy@tbaytel.net](mailto:accuracy@tbaytel.net) WEB [www accurassay.com](http://www accurassay.com)

## Certificate of Analysis

Friday, May 16, 2003

Goodman, Herb  
Box 216  
Beardmore, ON, CA  
P0T1G0  
Ph#: (807) 875-2233  
Fax#: (807) 875-2113  
Email

Date Received : 15-May-03  
Date Completed : 15-May-03  
Job # 200340417

Reference :  
Sample #: 5      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
26773	4	9317	0.272	9.317
26774	5	67	0.002	0.067
26775	6	79	0.002	0.079
26776	7	8	<0.001	0.008
26777	8	55	0.002	0.055
26778 Check	8	44	0.001	0.044

PROCEDURE CODES: AL Au3

Certified By: 

AL903-0028-05/16/2003 08:50 AM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Tuesday, May 27, 2003

Goodman, Herb  
Box 216  
Beardmore, ON, CA  
P0T1G0  
Ph#: (807) 875-2233  
Fax#: (807) 875-2113  
Email

Date Received : 23-May-03  
Date Completed : 27-May-03  
Job # 200340459  
Reference :  
Sample #: 8            Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
27987	9	196	0.006	0.196
27988	10	53	0.002	0.053
27989	11	13	<0.001	0.013
27990	12	379	0.011	0.379
27991	13	38	0.001	0.038
27992	14	66	0.002	0.066
27993	15	376	0.011	0.376
27994	16	3340	0.097	3.340
27995 Check	16	3227	0.094	3.227

PROCEDURE CODES: AL4Au3

Certified By: 

AL903-0028-05/27/2003 04:26 PM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Tuesday, June 03, 2003

Goodman, Herb  
Box 216  
Beardmore, ON, CA  
P0T1G0  
Ph#: (807) 875-2233  
Fax#: (807) 875-2113  
Email

Date Received : 28-May-03  
Date Completed : 02-Jun-03  
Job # 200340496  
Reference :  
Sample #: 7            Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
28634	17	9	<0.001	0.009
28635	18	754	0.022	0.754
28636	19	4597	0.134	4.597
28637	20	3485	0.102	3.485
28638	21	28	<0.001	0.028
28639	22	1948	0.057	1.948
28640	23	19320	0.564	19.320
28641 Check	23	17728	0.517	17.728

PROCEDURE CODES: AL4Au3

Certified By: 

AL903-0028-06/03/2003 08:05 AM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Wednesday, June 18, 2003

Goodman, Herb  
Box 216  
Beardmore, ON, CA  
P0T1G0  
Ph#: (807) 875-2233  
Fax#: (807) 875-2113  
Email

Date Received : 12-Jun-03  
Date Completed : 18-Jun-03  
Job # 200340601  
Reference :


Sample #: 24      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
32189	24	1196	0.035	1.196
32190	25	11357	0.331	11.357
32191	26	175	0.005	0.175
32192	27	6962	0.203	6.962
32193	28	38321	1.118	38.321
32194	29	390	0.011	0.390
32195	30	2036	0.059	2.036
32196	31	4649	0.136	4.649
32197	32	54	0.002	0.054
32198	33	2224	0.065	2.224
32199 Check	33	2262	0.066	2.262
32200	34	1373	0.040	1.373
32201	35	1268	0.037	1.268
32202	36	200	0.006	0.200
32203	37	274	0.008	0.274
32204	38	94329	2.752	94.329
32205	39	379411	11.067	379.411
32206	40	22454	0.655	22.454
32207	41	236	0.007	0.236
32208	42	109	0.003	0.109
32209 Check	42	100	0.003	0.100
32210	43	66	0.002	0.066
32211	44	33	<0.001	0.033

PROCEDURE CODES: A44Au3

Certified By: 

AL903-0028-06/18/2003 11:39 AM



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL [accuracy@tbaytel.net](mailto:accuracy@tbaytel.net) WEB [www accurassay.com](http://www accurassay.com)

## Certificate of Analysis

Wednesday, June 18, 2003

Goodman, Herb  
Box 216  
Beardmore, ON, CA  
P0T1G0  
Ph#: (807) 875-2233  
Fax#: (807) 875-2113  
Email

Date Received : 12-Jun-03  
Date Completed : 18-Jun-03  
Job # 200340601

Reference :  
Sample #: 24      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
32212	45	80	0.002	0.080
32213	46	29	<0.001	0.029
32214	47	6329	0.185	6.329

PROCEDURE CODES: AL4Au3

Certified By: 

AL903-0028-06/18/2003 11:39 AM

Page 2 of 2



1070 LITHIUM DRIVE, UNIT 2 THUNDER BAY, ONTARIO P7B 6G3  
 PHONE (807) 626-1630 FAX (807) 623 6820 EMAIL accuracy@tbaytel.net WEB www accurassay.com

## Certificate of Analysis

Thursday, August 14, 2003

Goodman, Herb  
 Box 216  
 Beardmore, ON, CA  
 P0T1G0  
 Ph#: (807) 875-2233  
 Fax#: (807) 875-2113  
 Email

Date Received : 11-Aug-03  
 Date Completed : 14-Aug-03  
 Job # 200341079  
 Reference :

Sample #: 5      Rock

Accurassay #	Client Id	Au ppb	Au oz/t	Au g/t (ppm)
48459	48	9117	0.266	9.117
48460	49	33	<0.001	0.033
48461	50	51	0.001	0.051
48462	51	33	<0.001	0.033
48463	52	254	0.007	0.254
48464 Check	52	244	0.007	0.244

PROCEDURE CODES: AL Au3

Certified By:   
 Derek Demianuk H.Bsc., Laboratory Manager

The results included on this report relate only to the items tested  
 The Certificate of Analysis should not be reproduced except in full, without the written approval of the laboratory



**ONTARIO EXPLORATION CORPORATION**  
1100 Memorial Ave. Suite 364, Thunder Bay, ON P7B 4A3  
Telephone: Toll Free: 866-259-3818 Fax: 807-622-4156  
Website: [www.ontarioprospectors.com](http://www.ontarioprospectors.com)

May 7, 2003

Herb G. Goodman  
P.O. Box #21b, 4b McKenzie St.  
Beardmore, ON.  
P0T 1G0

Re: OEC Application #2003-005

Dear Mr. Goodman:

The Ontario Exploration Corporation is pleased to inform you that your application for Prospecting Funding has been approved for 2003. Attached are the first instalment of \$2500.00 and the executed contract.


Please note that all exploration completed must be eligible for assessment work as defined within the Ontario Mining Act and Regulations. The exploration work must all be filed against the claim(s) listed in Schedule I of the agreement.

Your Final Submission Form, Technical Report and Assessment Credit Approval Letter are required to be submitted to the OEC by December 31<sup>st</sup>, 2003. **Please note that Assessment Credit Approval Letters can take up to 100 days, therefore assessment should be filed by September 10<sup>th</sup>, 2003 to ensure receipt for your final submission.**

The OEC is planning to try and visit certain projects over the summer months. The OEC will contact you prior to the visit to determine your availability or access to the project.

The OEC wishes you the best of luck with your project.

Yours truly,



Mike Leahy  
President


2. 28156

Aug. 15 2003

Received from  
Reçu de Herb G. Goodman

Twelve hundred ~~xx~~ Dollars  
100

report - rentals


\$1200<sup>00</sup> 

June 15 2003

Received from  
Reçu de Herb G. Goodman

six hundred ~~xx~~ Dollars  
100

manual work


\$600<sup>00</sup> 

August 15 2003

Received from  
Reçu de Herb G. Goodman

twenty-two hundred + fifty ~~xx~~ Dollars  
100

Daily work.

\$2,250<sup>00</sup> 



Ministry of  
Northern Development  
and Mines

Ministère du  
Développement du Nord  
et des Mines



Date: 2003-AUG-29

GEOSCIENCE ASSESSMENT OFFICE  
933 RAMSEY LAKE ROAD, 6th FLOOR  
SUDBURY, ONTARIO  
P3E 6B5

HERB GARRY GOODMAN  
46 McKenzie St.  
Beardmore, ONTARIO  
P0T 1G0 CANADA

Tel: (888) 415-9845  
Fax: (877) 670-1555

**Submission Number:** 2.26156  
**Transaction Number(s):** W0340.01322

Dear Sir or Madam

**Subject: Approval of Assessment Work**

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact STEVEN BENETEAU by email at [steve.beneteau@ndm.gov.on.ca](mailto:steve.beneteau@ndm.gov.on.ca) or by phone at (705) 670-5855.

Yours Sincerely,

A handwritten signature in black ink, appearing to read "Ron Gashinski".


Ron Gashinski  
Senior Manager, Mining Lands Section

**Cc:** Resident Geologist

Herb Garry Goodman  
(Claim Holder)

Assessment File Library

Herb Garry Goodman  
(Assessment Office)



52H09NE2006 2.26156 DOROTHEA

200

ONTARIO  
CANADA

MINISTRY OF NORTHERN  
DEVELOPMENT AND MINES  
PROVINCIAL MINING  
RECORDERS' OFFICE

Mining Land Tenure  
Map

Date / Time of Issue: Thu Aug 28 11:26:03 EDT 2003


TOWNSHIP / AREA  
POPLAR POINT AREA

PLAN  
G-0116

ADMINISTRATIVE DISTRICTS / DIVISIONS

Mining Division  
Land Titles/Registry Division  
Ministry of Natural Resources District

Thunder Bay  
THUNDER BAY  
NIPIGON





TOPOGRAPHIC

- Administrative Boundaries
- Township
- Concession, Lot
- Provincial Park
- Indian Reserve
- Cliff, Pit & Pile
- Contour
- Mine Shafts
- Mine Headframe
- Railway
- Road
- Trail
- Natural Gas Pipeline
- Utilities
- Tower

Land Tenure

- Freetold Patent**
  - Surface And Mining Rights
  - Surface Rights Only
  - Mining Rights Only
- Leasehold Patent**
  - Surface And Mining Rights
  - Surface Rights Only
  - Mining Rights Only
- License of Occupation**
  - Uses Not Specified
  - Surface And Mining Rights
  - Surface Rights Only
  - Mining Rights Only
  - Land Use Permit
  - Order in Council (Not open for staking)
  - Water Power Lease Agreement
  - Mining Claim
  - Filled Only Mining Claims
- LAND TENURE WITHDRAWALS**
  - Area Withdrawn from Disposition
  - Mining Act Withdrawal Types**
    - Surface And Mining Rights Withdrawn
    - Surface Rights Only Withdrawn
    - Mining Rights Only Withdrawn
  - Order in Council Withdrawal Types**
    - Surface And Mining Rights Withdrawn
    - Surface Rights Only Withdrawn
    - Mining Rights Only Withdrawn
  - No
- IMPORTANT NOTICE**



LAND TENURE WITHDRAWAL DESCRIPTIONS

Identifier	Type	Date	Description
1620	Wsm	Jan 1, 2001	MINING SURFACE RIGHTS WITHDRAWN FROM STAKING ORDER
1624	Wsm	Jan 1, 2001	MINING SURFACE RIGHTS WITHDRAWN FROM STAKING ORDER
1636	Wsm	Jan 1, 2001	SEC. 38 W/D ORDER #W.7470 S.R.O. CLAIM #S 28509 & 30936 81
W-LL-C2247	Wsm	Mar 7, 2003	<a href="http://www.mndm.gov.on.ca/mndm/mines/lands/ivleg/borw">
W-LL-F2247	Wsm	Mar 7, 2003	<a href="http://www.mndm.gov.on.ca/mndm/mines/lands/ivleg/borw">

Those wishing to stake mining claims should consult with the Provincial Mining Recorders' Office of the Ministry of Northern Development and Mines for additional information on the status of the lands shown hereon. This map is not intended for navigational, survey, or land title determination purposes as the information shown on this map is compiled from various sources. Completeness and accuracy are not guaranteed. Additional information may also be obtained through the local Land Titles or Registry Office, or the Ministry of Natural Resources.

The information shown is derived from digital data available in the Provincial Mining Recorders' Office at the time of downloading from the Ministry of Northern Development and Mines web site.

General Information and Limitations

Contact Information:  
Provincial Mining Recorders' Office  
Willet Green Miller Centre 933 Ramsey Lake Road  
Sudbury ON P3E 6B5  
Home Page: www.mndm.gov.on.ca/MNDM/MINESLANDS/misnmpg.htm

Toll Free  
Tel: 1 (888) 415-8845 ext 578  
Fax: 1 (877) 870-1444

Map Datum: NAD 83  
Projection: UTM (6 degree)  
Topographic Data Source: Land Information Ontario  
Mining Land Tenure Source: Provincial Mining Recorders' Office

This map may not show unregistered land tenure and interests in land including certain patents, leases, easements, right of ways, flooding rights, licences, or other forms of disposition of rights and interest from the Crown. Also certain land tenure and land uses that restrict or prohibit free entry to stake mining claims may not be illustrated.