

ACME ANALYTICAL LABORATORIES LTD.

852 E. HASTINGS ST. VANCOUVER B.C. V6A 1R6

PHONE 253-3158

DATA LINE 251-1011

GEOCHEMICAL ICP ANALYSIS

.500 GRAM SAMPLE IS DIGESTED WITH JML 3-1-3 HCL-HNO3-H2O AT 95 DEG. C FOR ONE HOUR AND IS DILUTED TO 10 ML WITH WATER.

THIS LEACH IS PARTIAL FOR Mn, Fe, Cu, P, Cr, Mg, Ba, Ti, B, Al, Na, K, W, Si, Co, Sn, V, Mo and Ta. Au DETECTION LIMIT BY ICP IS 3 PPM.

- SAMPLE TYPE: CORES - ANALYSIS BY FA-AA FROM 10 GRAM SAMPLE.

DATE RECEIVED: DEC 31 1994 DATE REPORT MAILED: *Dec 31/84* ASSAYER: *N. Jupp* DEAN TOYE OR TOM SAUNDY. CERTIFIED B.C. ASSAYER

UMEX INC. FILE # 85-0014

PAGE 1

SAMPLE#	Mo	Cu	Pb	Zn	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cd	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Ti	B	Al	Na	K	W	Au11
ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	%	ppm	ppm	%	ppm	%	ppm	%	%	%	%	ppm
82041	1	11	7	14	.1	9	6	135	1.19	2	5	ND	3	9	1	2	2	4	.17	.04	10	1	.32	5	.01	3	.82	.01	.02	2	1
82042	1	8	3	28	.1	7	5	226	1.59	3	5	ND	4	25	1	3	2	6	.51	.05	11	2	.35	5	.01	3	1.51	.04	.03	2	1
82043	1	5	6	29	.1	6	5	267	2.23	5	5	ND	3	79	1	2	2	10	1.70	.04	12	2	1.01	5	.01	3	2.54	.12	.02	2	1
82044	1	6	5	27	.1	6	5	238	2.16	6	5	ND	3	82	1	2	2	10	1.20	.04	12	1	.99	4	.01	3	2.59	.15	.02	3	1
82045	1	9	7	35	.1	7	5	405	2.42	3	5	ND	4	46	1	2	2	10	1.10	.04	12	2	.97	4	.01	3	2.82	.07	.02	2	610
82046	1	6	4	27	.1	4	4	389	2.18	8	5	ND	3	92	1	2	2	13	2.34	.04	11	1	1.02	3	.01	3	4.45	.17	.01	2	1
82047	1	4	3	29	.1	4	5	308	1.99	4	5	ND	4	58	1	2	2	7	1.39	.04	12	2	.82	4	.01	3	2.98	.10	.02	2	2
82048	1	5	2	25	.2	5	4	305	2.07	4	5	ND	4	42	1	2	2	7	1.12	.05	12	2	.75	5	.01	4	2.40	.08	.03	2	1
82049	1	4	5	27	.2	5	4	312	2.06	5	5	ND	4	30	1	2	2	7	.76	.04	11	1	.74	3	.01	3	2.04	.05	.03	2	1
82050	1	8	3	32	.1	6	5	403	2.48	5	5	ND	3	29	1	2	2	9	.76	.04	12	1	.82	3	.01	3	2.17	.05	.01	2	2
82051	1	10	5	32	.1	5	5	339	2.24	7	5	ND	3	23	1	2	2	7	.62	.04	12	2	.71	4	.01	4	1.85	.02	.02	2	9
82052	1	8	3	32	.1	5	5	355	2.23	4	5	ND	3	38	1	2	2	7	.87	.05	12	1	.73	3	.01	5	2.31	.07	.02	2	7
82053	1	16	6	29	.2	6	6	330	2.13	3	5	ND	4	67	1	2	2	7	1.39	.04	11	3	.72	4	.01	3	2.96	.10	.03	2	2
82054	1	10	5	35	.1	5	5	342	2.12	2	5	ND	4	60	1	2	2	7	1.21	.04	11	1	.71	4	.01	3	2.78	.03	.03	2	1
82055	1	20	4	39	.1	4	4	342	2.15	2	5	ND	2	57	1	2	2	7	1.08	.04	11	1	.67	4	.01	4	2.58	.07	.02	2	2
82056	2	62	2	53	.1	7	6	379	2.55	7	5	ND	4	49	1	2	2	8	.97	.04	11	1	.78	3	.01	3	2.54	.07	.02	2	1
82057	1	26	1	44	.1	6	7	342	1.99	5	5	ND	4	54	1	2	2	8	1.16	.04	10	1	.69	3	.01	3	2.63	.08	.02	2	2
82058	1	9	1	37	.1	7	6	322	1.74	5	5	ND	3	17	1	2	2	7	.34	.04	10	1	.59	3	.01	3	1.44	.02	.02	2	1
82059	1	15	3	24	.1	7	6	326	1.60	3	5	ND	2	10	1	2	2	4	.18	.04	11	1	.47	3	.01	2	1.15	.01	.02	2	1
82060	1	15	2	32	.1	10	8	373	1.73	3	5	ND	3	21	1	2	2	6	.39	.04	11	1	.49	3	.01	2	1.35	.02	.03	2	2
82061	1	19	3	8	.1	12	5	221	2.93	3	5	ND	3	7	1	2	2	5	.12	.04	11	1	.38	4	.01	4	.90	.01	.03	2	4
82062	1	19	3	14	.1	7	5	285	2.60	3	5	ND	3	38	1	2	2	10	.75	.04	12	1	.72	3	.01	4	2.25	.05	.01	2	1
82063	1	8	3	6	.2	5	4	307	1.85	4	5	ND	4	75	1	2	2	7	1.36	.02	10	1	.69	5	.01	2	2.87	.11	.04	2	1
82064	1	10	4	6	.1	5	5	351	2.15	2	5	ND	4	74	1	2	2	7	1.35	.02	10	1	.65	5	.01	4	2.97	.10	.03	2	2
82065	1	10	2	6	.1	6	5	355	2.18	3	5	ND	3	71	1	2	2	7	1.24	.04	11	1	.63	5	.01	4	2.69	.05	.03	2	2
82066	1	17	2	5	.1	7	5	251	1.65	6	5	ND	3	24	1	2	2	5	.42	.04	10	1	.46	5	.01	4	1.41	.02	.03	2	1
82067	1	14	4	7	.1	6	4	325	2.21	5	5	ND	3	45	1	2	2	8	.88	.03	10	1	.62	5	.01	5	2.30	.07	.03	2	1
82068	1	8	4	8	.1	5	4	267	1.81	3	5	ND	3	72	1	2	2	7	1.25	.03	11	1	.57	5	.01	4	2.59	.10	.03	2	1
82069	1	11	4	4	.1	6	3	181	1.35	3	5	ND	3	72	1	2	2	5	1.07	.04	10	1	.46	5	.01	3	2.19	.09	.04	2	1
82070	1	14	3	14	.1	6	4	223	1.63	2	5	ND	3	47	1	2	2	6	.65	.03	11	1	.48	6	.01	4	1.71	.08	.04	2	1
82071	1	12	4	10	.2	8	6	321	2.26	4	5	ND	4	92	1	2	2	8	1.52	.03	11	1	.71	6	.01	4	3.26	.15	.04	2	1
82072	1	23	4	7	.2	7	5	214	1.74	4	5	ND	4	90	1	2	2	8	1.51	.03	10	4	.61	5	.01	4	2.99	.14	.04	2	1
82073	1	7	1	4	.1	5	3	174	1.32	3	5	ND	4	71	1	2	2	6	1.05	.03	10	2	.49	5	.01	3	2.24	.12	.04	2	1
82074	1	68	3	8	.2	61	19	277	3.14	2	5	ND	2	61	1	2	2	26	.91	.04	8	16	.70	5	.02	5	2.40	.11	.04	2	2
82075	1	54	5	32	.2	48	15	402	3.84	4	5	ND	3	74	1	2	2	73	1.54	.04	9	57	1.04	21	.04	6	3.61	.14	.17	2	1
82076	1	15	3	8	.1	9	6	294	2.26	3	5	ND	4	54	1	2	2	9	.78	.04	11	3	.62	7	.02	5	2.07	.10	.06	2	1
82077	1	16	1	4	.1	6	5	99	.95	3	5	ND	3	21	1	4	2	3	.29	.04	9	1	.32	5	.01	3	.82	.04	.05	2	1
STD C/FA-AU	19	59	39	128	6.9	67	26	1985	3.94	42	19	8	37	47	16	15	19	57	.44	.14	38	54	.63	167	.07	39	1.72	.05	.15	14	52

5202NE0029 5202NE0033B1 BECCINGTON LAKE

010

SPLIT CORE IN HOLE BE-10-84

SAMPLE NO.	DEPTH (m)	COMMENTS
83123	59-60	tuff, sericitic with qtz veining felsic section, sheared & sericitic "
83122	61-62	
83121	62-62.75	
83120	104.5-105.5	minor qtz. veining
83119	107-107.5	strongly garnetiferous, minor py. fo
83118	107.5-108.5	
83117	110.8-111.8	felsic horizon
83116	116.5-117	10cm quartz vein
83115	127.5-128	quartz veining and reddish alteration " " " "
83114	128-129	
83113	129-130	
83112	130-131	
83111	131-132	
83110	132-133	"
83109	136.5-137.5	felsic tuff, minor py
83108	140-141	felsic tuff with sericitic intervals over 20-30cm, and some quartz veining " " "
83107	141-142	
83106	142-143	
83105	143-144	
83104	144-145	"
83103	149-150	felsic tuff, silicified, sericitic, sheared, reddish
83102	172-173	felsic tuff, silicified
83101	176.5-177.5	felsic tuff, minor sulphides "
83100	177.5-178.5	
83099	185-186	felsic tuff, siliceous, sericitic " " "
83098	186-187	
83097	187-188	
83096	188-189	
83095	193-194	felsic tuff with considerable quartz veining containing py and po in stringers "
83094	194-195	
83093	195-196	

SPLIT CORE IN HOLE RE-10-84

2

SAMPLE No.	DEPTH (m)	COMMENTS
83092	196-197	"
83091	197-198	"
83090	198-199	"
83089	199-200	"
83088	200-201	"
83087	201-202	"
83086	202-203	"
83085	204-205	} tuff with garnet and sulphides (retrograde?) & up to 20% po, py in bands
83084	205-206	
83083	206-207	
83082	215.5-216.5	} felsic tuff with minor sulphides qtz. eye tuff, up to 20% py, po locally
83081	219-220	
83080	220-221	
83079	227-228	po, py in bands in tuff

AND Split continuously in 1.0 m intervals from 231m to 309m
Sample Numbers 83001 to 83078

TOTAL SAMPLES FROM HOLE: 123

TOTAL METRES SAMPLED 121.25

Aluzer

DEC 14 1984

SPLIT CORE IN HOLE BE-11-84.

SAMPLE NO.	DEPTH (m)	COMMENTS
83301	23-24	quartz veining over 30 cm strong sericitic alteration " " "
83302	24.5-25	
83303	25-26	
83304	26-27	
83305	27-28	
83306	47.5-48.5	sheared, sericitic
83307	57.5-58.5	sheared, sericitic, some qtz veining
83308	59.5-60.5	10-15% dissemin. py in intermediate volcanic
83309	155-156	two 15 cm qtz veins in this section "
83310	156-156.5	
83311	161.5-162.5	numerous qtz stringers & veins
83312	188.5-189.5	broken core - chloritic & sericitic " "
83313	189.5-190.5	
83314	191.25-191.75	
83315	191.75-192.75	silicified and cherty " " "
83316	192.75-193.75	
83317	193.75-194.75	
83318	195.8-196.5	
83319	196.5-197.5	up to 10% py in bands in felsic volcanics "
83320	202.25-202.75	felsic tuff with cherty horizons; semi-massive py in places * rice looking rock " "
83321	202.75-203.75	
83322	203.75-204.75	
83323	204.75-205.75	felsic tuff with occasional cherty horizons " " " " " " " " " "
83324	205.75-206.75	
83325	206.75-207.75	
83326	207.75-208.75	
83327	208.75-209.75	
83328	209.75-210.75	
83329	210.75-211.75	
83330	211.75-212.75	
83331	212.75-213.75	

SPLIT CORE IN HOLE BE-12-84


2

SAMPLE NO.	DEPTH (m)	COMMENTS
83207	92-93	sericitized felsic tuff felsic tuff with reddish alteration " "
83206	94.5-95.0	
83205	95-96	
83204	96.0-96.8	
83203	98.7-99.7	felsic tuff with quartz veining " "
83202	99.7-100.7	
83201	100.7-101.7	


TOTAL SAMPLES FROM HOLE : 38


TOTAL METRES SAMPLED : 35.3

Allinger



2.7819







Ministry of
Natural
Resources
Ontario

Report of Work
(Geophysical, Geological,
Geochemical and Expenditures)

Mining Act

#85-39 1/2 NE (78)
27814

Instructions - Please type or print.
- If number of mining claims traversed exceeds space on this form, attach a list.
Note - Only days credits reported on the "Expenditures" section may be entered in the "Expend Days Cr" column.
- Do not use shaded area below.

Type of Surveyist	Drill Core Assays	Township or Area	G 2532
Claim Holder(s)	UMEX Inc	Beckington Lake - M.1740	
Address	1935 Leslie Street, Don Mills, Ont. M3B 2M3	Proprietor's Licence No	T-133
Survey Company		Day of Survey (from & to)	01 06 84 01 10 84
Name and Address of Author (of Geo Technical report)		Total Miles of line cut	

Credits Requested per Each Claim in Columns at right

Special Provisions	Geophysical	Days per Claim
For first survey: Enter 40 days. (This includes line cutting)	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
For each additional survey: using the same grid Enter 20 days (for each)	Geological	
	Geochemical	
Man Days Complete reverse side and enter total(s) here	Geophysical	Days per Claim
	- Electromagnetic	
	- Magnetometer	
	- Radiometric	
	- Other	
	Geological	
	Geochemical	
Airborne Credits Note: Special provisions credits do not apply to Airborne Surveys	Electromagnetic	Days per Claim
	Magnetometer	
	Radiometric	

Mining Claims Traversed (List in numerical sequence)

Prefix	Mining Claim Number	Expend Days Cr.	Prefix	Mining Claim Number	Expend Days Cr.
Pa	436823	27			
	824	7			
	436826	33			
	436828	7			
	829	40			
	830	7			
	831	40			
	832	27			
	834	17			
		205			

Expenditures (excludes power stripping)

Type of Work Performed	Drill core Assays-Sect. 77-19
Performed on Claim(s)	
Calculation of Expenditure Days Credits	
Total Expenditures	\$ 3,084.65
Total Days Credits	205.6
Instructions	Total Days Credits may be apportioned at the claim holder's choice. Enter number of days credits per claim selected in columns at right.

Date 12 Feb. 1985
Recorded Holder or Agent (Signature) David Unger

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying
David Unger, c/o UMEX Inc. 1935 Leslie St. Don Mills, Ont. M3B 2M3
Date Certified 12 Feb. 1985
Certified by (Signature) David Unger

RECEIVED
PATRICIA MINING CO.
D. B. C. V. E. T.
FEB 18 1985
A.M. P.M.
7:09 10:11 12:12 1:28 4:55

Pa. 436823
Total number of mining claims covered by this report of work. 9
For Office Use Only
Recorded Feb. 18, 1985
205

ACME ANALYTICAL LABORATORIES LTD.

PHONE: 253-3158

852 East Hastings St., Vancouver, B.C. V6A 1R6

File: B4-3470

Date: NOV 28 1984

UMEX INC.
1935 LESLIE ST
DON MILLS ONTARIO
M3B 2M3

TERMS:
NET TWO WEEKS
2% PER MONTH CHARGED ON
OVERDUE ACCOUNTS.

NUMBER	ASSAY	PRICE	AMOUNT
40	ICP ANALYSIS @	6.00	240.00
40	GEOCHEM AU BY FA + AA @	5.50	220.00
40	CORE SAMPLE PREPARATION @	2.75	110.00
			570.00
	NORONTAIR # 066-00627690		6.65
	TOTAL		576.65

*Pick
12-10-84*

DEC 3 1984

PLEASE PAY LAST AMOUNT

ACME ANALYTICAL LABORATORIES LTD.

PHONE: 253-3158

852 East Hastings St., Vancouver, B.C. V6A 1R6

File: 85-0014

Date: DEC 31 1980

UMEX INC.
1975 LEELE ST
DON MILLS ONTARIO
M3B 2M3

TERMS:
NET TWO WEEKS
2% PER MONTH CHARGED ON
OVERDUE ACCOUNTS

NUMBER	ASSAY	PRICE	AMOUNT
218	ICP ANALYSIS @	6.00	1308.00
218	GEOCHEM AU BY FA + AA @	5.50	1199.00
218	CORE SAMPLE PREPARATION @	2.75	599.50
			3106.50
	CH # 444556350		98.24
	TOTAL		3204.74

Back

PLEASE PAY LAST AMOUNT *2507*

Re 10-84 - 23 Jan 1981

11-84 - 55 "

12-84 - 38 "

176 samples = \$2,508.00

UMEX INC.
1935 LESLIE STREET
DON MILLS, ONTARIO
CANADA M3B 2M3

DATE	INVOICE	AMOUNT
		5347.96
		334.79

1482

PAY

DATE	TO THE ORDER OF	CHEQUE NO	DESCRIPTION	CHEQUE AMOUNT
DEC 11 84	ACME LABORATORIES	1482		3013.11

UMEX INC.

PER

PER

CANADIAN IMPERIAL BANK OF COMMERCE
1865 Leslie Street (Near York Mills), Don Mills, Ontario

⑆01712⑉010⑆ 92⑉00118⑈

⑈0000301311⑈

DUPLICATE - DUPLICATA

DATE		NAME	CHEQUE NO	DESCRIPTION		CHEQUE AMOUNT
JAN 15 85		ACME ANALYTICAL LAB	1549			284.27
DATE		NOM	NO DE CHEQUE	DESCRIPTION		MONTANT

McBee

ONE-WRITE BOOKKEEPING SYSTEMS
SYSTEMES A L'ECRIURE UNIQUE



1935 Leslie Street, Don Mills, (Toronto) Canada M3B 2M3
Cable Address UMEXCORP, TORONTO
Telephone (416) 445-8832 Telex 06-966679

February 13, 1985

G.5058

Mr. F.W. Matthews
Ontario Ministry of Natural Resources
Mining Lands Branch
Whitney Block, Queen's Park
Toronto, Ontario
M7A 2Z1

Dear Sir,

Re: Submission of Drill core Assays on 9 claims in the
Beck Lake Area (M.1740), claims Pa 436823 et al

Enclosed please find 2 copies of the following documents:

1. Copy of Work Report;
2. List of split core;
3. Location maps
4. Assays results with copy of invoices and cheques.

We are hereby respectfully requesting that the submitted work be recorded as assessment work on these 9 claims.


Yours truly,

RECEIVED

FEB 15 1985

/tn
encl.

MINING LANDS SECTION


Mrs. T. Nangreaves

1985 02 23

Your File:
Our File: 2.7814

Mining Recorder
Ministry of Natural Resources
P.O. Box 309
Sioux Lookout, Ontario
POV 2T0

Dear Sir:

We received Data for Assaying on February 15, 1985 submitted under Section 77(19) of the Mining Act R.S.O. 1980 for Mining Claims PA 436823 et al in the Area of Beckington Lake.

This material will be examined and assessed and a statement of assessment work credits will be issued.

We do not have a copy of the report of work which is normally filed with you prior to the submission of this technical data. Please forward a copy as soon as possible.

Yours sincerely,

S.E. Yundt
Director
Land Management Branch

Whitney Block, Room 6643
Queen's Park
Toronto, Ontario
M7A 1W3
Phone: (416) 965-6918

A. Barrisc

cc: Umex Inc
1935 Leslie Street
Don Mills, Ontario
M3B 2M3
Attn: David Unger.