

DIAMOND DRILLING



010

AREA: SHARRON LAKE

REPORT No.: 16

WORK PERFORMED BY: CANADIAN GOLD RECOVERY INCORPORATED

<u>CLAIM No.</u>	<u>HOLE No.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
PA 437108	CG 80-1	277.0	June/80	(1)
	CG 80-2	276.0	June/80	(1)
	CG 80-3	280.0	June/80	(1)
PA 437105	CG 80-4	277.5	June/80	(1)
	CG 80-5	358.0	June/80	(1)
	CG 80-6	247.0	July/80	(1)
	CG 80-7	283.0	July/80	(1)
	CG 80-8	282.0	June/80	(1)

---

TOTAL: 8 DH <sup>12 40'S</sup> 2281 FT

NOTES: (1) # 48-80

PROPERTY: *Canadian ... Inc.*


HOLE NO. *(19 20-1)*

LATITUDE: *51 12 2* BEARING: *N 2 E* DIP: *45* STARTED: *June 2/20* COMPLETED: *June 22/20*

DEPARTURE: *2 1 25 2* V.D. H.D. DRILLED BY: *Markstay Diamond Drucker Ltd* DEPTH: *277*


ELEVATION: LOCATION: *P1 -137.165 - 120 L 1 5 25 N. 5 # 3 B 1* B.G. LOGGED BY: *Harper*

FOOTAGE	10' based on Rock	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		DATA	
					Cu Am	Cu Ag		
5-13	Andesite Flow							
36.7	Intercalated thin flows blue bx. ssds cut by barren gtz vein	3						
	bleached contact zone - minor pyrite	36.1-37.8	861	11	NIL	NIL		
41.5	Recrystallized Tuff							
43.7	Gtz Bx Vein - strong py - minor gtz veining	41.5-43.7	862	21	NIL	0.20		
53.5	Minor Gtz veining + py, altered & kaolinized rock.							
107.5	Intercalated flows flow bx ssds.							
	silicified - low gtz, altered wall rock	53.5-56.8	863	3.3	NIL	TR		
	VEIN - fault at start & end.	56.8-59	864	2.2	0.27	3.57		
	kaolinized wall rock.	59-60.8	865	1.6	TR	TR		
	90' - minor fault seam							
110	Barren Gtz rich section - minor brecciation							
111	Gtz Vein + kaolin walls - sericite							
129.4	Massive Andesite Flow							
137.8	Intercalated Material as above							
141	Gtz Bx Zone - up to 5% py	137.8-141	866	6.2	TR	TR		
148.5	Intercalated Material							
154.5	Andesite							
175.5	Intercalated							
177.1	Andesite							
188.5	Gtz Bx Zone + py	177.1-188.5	867	4.5	NIL	TR		
214	Intercalated							
277	Andesite - siliceous near looking	272.6-274.7	868	2.1	NIL	TR		
	END OF HOLE							



*H.C. Harper*

P<sub>a</sub> 487108



PATRICIA  
MINING DIV.  
R E C E I V E D  
AUG 27 1980  
AM 10:22:45 PM


Cdn Gold Resource Inc  
Sherrill

1" = 200'


Thompson (Name) *See Log* PROPERTY: *Thompson Gold Resources Inc.* HOLE NO. *C 69 2-2*  
 ALTITUDE: *4000 L* BEARING: *33 E* DIP: *-45* STARTED: *Jun 23/80* COMPLETED: *Jul 25/80*  
 DEPARTURE: *2000 N* V.D. H.D. DRILLED BY: *Marksby Diamond Driller* DEPTH: *276*  
 ELEVATION: LOCATION: *B 437 150 - 120' E + 510' N # 3 Post* BQ LOGGED BY: *Harpur*

FOOTAGE	Description	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		G.A.	S.A.	Other
					G.A.	S.A.			
	<i>Drill Set-up</i>								
<i>0-315</i>	<i>Massive Andesite</i>								
<i>42.6</i>	<i>Intercalated thin flows, tuff breccia + sands</i>								
<i>53.2</i>	<i>Gtz Bx Zone + sulphides</i>	<i>42.6 - 48.6</i>	<i>869</i>	<i>6.0</i>	<i>NIL</i>	<i>TR</i>			
		<i>48.6 - 53.2</i>	<i>870</i>	<i>4.6</i>	<i>0.02</i>	<i>NIL</i>			
<i>63.9</i>	<i>Intercalated Material as above</i>	<i>63.9 - 66.5</i>	<i>871</i>	<i>2.6</i>	<i>NIL</i>	<i>NIL</i>			
<i>71.9</i>	<i>Bleached Bx Zone - pink gtz + minor dk sulphides</i>	<i>66.5 - 71.9</i>	<i>872</i>	<i>5.4</i>	<i>NIL</i>	<i>NIL</i>			
<i>94.2</i>	<i>Intercalate Material</i>								
<i>99.2</i>	<i>Bleached Bx as above</i>	<i>94.2 - 99.2</i>	<i>873</i>	<i>5.0</i>	<i>NIL</i>	<i>NIL</i>			
<i>145.6</i>	<i>Intercalated Material</i>								
<i>152.5</i>	<i>Mineralized Zone - Blue Gtz vein + sulphide</i>	<i>145.6 - 146.5</i>	<i>874</i>	<i>0.9</i>	<i>0.15</i>	<i>15.5</i>			
	<i>Alterated wall rock + py</i>	<i>146.5 - 152.5</i>	<i>875</i>	<i>6.0</i>	<i>TR</i>	<i>0.34</i>			
<i>177.5</i>	<i>Intercalated Material</i>								
<i>179.4</i>	<i>Intercalated + vein Bx Zone - altered wall rock</i>	<i>177.5 - 181.2</i>	<i>876</i>	<i>4.3</i>	<i>NIL</i>	<i>NIL</i>			
	<i>Vein Breccia + low</i>	<i>181.2 - 185</i>	<i>877</i>	<i>3.2</i>	<i>NIL</i>	<i>TR</i>			
	<i>Sulphides + gtz</i>	<i>185 - 189.3</i>	<i>878</i>	<i>4.3</i>	<i>TR</i>	<i>NIL</i>			
<i>194.7</i>	<i>Intercalated</i>								
<i>197.5</i>	<i>Siliceous Sands + Gtz Veining</i>	<i>194.7 - 196.8</i>	<i>879</i>	<i>2.4</i>	<i>NIL</i>	<i>TR</i>			
<i>199</i>	<i>Intercalated</i>	<i>196.8 - 197.8</i>	<i>880</i>	<i>1.0</i>	<i>NIL</i>	<i>TR</i>			
<i>200.2</i>	<i>Gtz vein</i>	<i>199 - 200.2</i>	<i>881</i>	<i>1.2</i>	<i>NIL</i>	<i>TR</i>			
<i>237.2</i>	<i>Andesite</i>								
<i>242.4</i>	<i>Intercalated Material</i>								
<i>244</i>	<i>Andesite</i>								
<i>245.3</i>	<i>MIN - Gtz Bx + sulphides</i>	<i>244 - 245.3</i>	<i>882</i>	<i>1.3</i>	<i>NIL</i>	<i>TR</i>			
<i>276</i>	<i>Intercalated Material</i>								
	<i>Andesite</i>								

END OF HOLE



*H.G. Harpur*



Pa 437108

CG 80-2

120'

80'

N

PATRICIA  
MINING DIV.

R E F R E S H D

AUG 27 1980

AM 70652102123450 PM


Cdn Gold Resources Inc.  
Shotton Lake Area.




1" = 200'

Thompson *Superblock* PROPERTY: *Canadian Gold Resources Inc.* HOLE NO. *CG 20-3*  
 LATITUDE: *43°00' E* BEARING: *S 33 E* DIP: *-45* STARTED: *June 26/80* COMPLETED: *June 27/80*  
 DEPARTURE: *2725 N* V.D. H.D. DRILLED BY: *Markstay Diamond Drillers* DEPTH: *270*  
 ELEVATION: LOCATION: *Pd 43716E - 25 E + 475 N. F # 3 Post* BG LOGGED BY: *HARPER*

FOOTAGE	Bedrock Set-up	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		G	A	S	P	M	I	C	O	F	
					Gr Au	Gr Ag										
<i>0 - 32.5</i>	<i>Andesite</i>															
<i>44.2</i>	<i>Qtz Breccia - very low mineral content</i>	<i>32.6 - 44.2</i>	<i>883</i>	<i>5.6</i>	<i>NIL</i>	<i>Tr</i>										
<i>49</i>	<i>Andesite</i>															
<i>76.6</i>	<i>Quartz Breccia</i>	<i>49 - 55</i>	<i>884</i>	<i>6.0</i>	<i>Tr</i>	<i>Tr</i>										
		<i>55 - 60</i>	<i>885</i>	<i>5.0</i>	<i>0.03</i>	<i>Tr</i>										
		<i>60 - 65</i>	<i>886</i>	<i>5.0</i>	<i>0.02</i>	<i>Tr</i>										
		<i>65 - 71</i>	<i>887</i>	<i>6.0</i>	<i>0.06</i>	<i>Tr</i>										
		<i>71 - 76.6</i>	<i>888</i>	<i>6.6</i>	<i>Tr</i>	<i>NIL</i>										
<i>94</i>	<i>Vulcanics - minor veining</i>															
<i>125.5</i>	<i>Interscalated Material</i>	<i>Qtz vein + CPY</i>	<i>145.2 - 145.6</i>	<i>889</i>	<i>0.4</i>	<i>Tr</i>	<i>1.47</i>									
<i>190</i>	<i>Andesite</i>															
<i>193</i>	<i>Interscalated Material</i>															
<i>211</i>	<i>Andesite</i>															
<i>229</i>	<i>Quartz Breccia Zone</i>	<i>211 - 215</i>	<i>890</i>	<i>4.0</i>	<i>Tr</i>	<i>NIL</i>										
		<i>215 - 220</i>	<i>891</i>	<i>5.0</i>	<i>NIL</i>	<i>NIL</i>										
		<i>220 - 225</i>	<i>892</i>	<i>5.0</i>	<i>NIL</i>	<i>NIL</i>										
		<i>225 - 229</i>	<i>893</i>	<i>4.0</i>	<i>NIL</i>	<i>NIL</i>										
<i>280'</i>	<i>Vulcanic Sequence - variable</i>															
	<i>END OF HOLE</i>															



*11/7/80*



Pa 437108

CG80-3

545




PATRICIA  
MINING DIV.  
**R E C E I V E D**  
AUG 27 1980  
AM 7:26 PM 2:34:56

Cdn Gold Resources Inc.  
Shannon Lake Area.

1" = 200'

PROPERTY: *Canada Gold Resources Inc.*  
 LATITUDE: *20° E* BEARING: *S 35 E* DIP: *75* STARTED: *June 27/80* COMPLETED: *June 28/80* HOLE NO. *CG 20-80*  
 DEPARTURE: *2 + 25 N* V.D. H.D. DRILLED BY: *Markley Diamond Driller* DKPTH: *2775*  
 ELEVATION: LOCATION: *P. 437165 - C.W. 410' N of #2 Post.* B.G. LOGGED BY: *Harper*


FOOTAGE	Description	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		Other
					Gm Au	Gm Ag	
	Bedrock set up						
<i>0-126</i>	<i>Andesitic Flow + minor Interbedded Material</i>						
	<i>Quartz Breccia Zone</i>	<i>87.5 - 90</i>	<i>894</i>	<i>2.5</i>	<i>Tr</i>	<i>Tr</i>	
		<i>90 - 95</i>	<i>895</i>	<i>5.0</i>	<i>NIL</i>	<i>Tr</i>	
		<i>95 - 100</i>	<i>896</i>	<i>5.0</i>	<i>Tr</i>	<i>Tr</i>	
		<i>100 - 105</i>	<i>897</i>	<i>5.0</i>	<i>NIL</i>	<i>NIL</i>	
		<i>105 - 110</i>	<i>898</i>	<i>5.0</i>	<i>Tr</i>	<i>Tr</i>	
		<i>110 - 115</i>	<i>899</i>	<i>5.0</i>	<i>Tr</i>	<i>NIL</i>	
		<i>115 - 120</i>	<i>900</i>	<i>5.0</i>	<i>NIL</i>	<i>Tr</i>	
		<i>120 - 126</i>	<i>1801</i>	<i>6.0</i>	<i>NIL</i>	<i>Tr</i>	<i>27 1980</i>
<i>177.5</i>	<i>Interbedded Material - well sericitized</i>						
<i>185</i>	<i>Quartz Breccia Zone - some py</i>	<i>177.5 - 181</i>	<i>1802</i>	<i>3.5</i>	<i>NIL</i>	<i>Tr</i>	<i>P.A.E.R.</i>
		<i>181 - 185</i>	<i>1803</i>	<i>4.0</i>	<i>NIL</i>	<i>Tr</i>	
<i>196.2</i>	<i>Interbedded Material</i>						
	<i>Qtz Vein</i>	<i>196.2 - 197.1</i>	<i>1804</i>	<i>1.1</i>	<i>0.15</i>	<i>2.30</i>	
<i>227.1</i>	<i>Interbedded Material</i>						
<i>256.1</i>	<i>Andesite</i>						
<i>277.5</i>	<i>Quartz Breccia</i>	<i>256.1 - 260</i>	<i>1805</i>	<i>3.9</i>	<i>Tr</i>	<i>Tr</i>	
		<i>260 - 265</i>	<i>1806</i>	<i>5.0</i>	<i>NIL</i>	<i>Tr</i>	
		<i>265 - 270</i>	<i>1807</i>	<i>5.0</i>	<i>NIL</i>	<i>Tr</i>	
		<i>270 - 275</i>	<i>1808</i>	<i>5.0</i>	<i>NIL</i>	<i>NIL</i>	
		<i>275 - 277.5</i>	<i>1809</i>	<i>2.5</i>	<i>NIL</i>	<i>Tr</i>	
	<i>END OF HOLE</i>						



*H. C. Harper*



Pa 437105



PATRICIA  
MINING DIV.  
RECEIVED  
APR 27 1980  
PM  
2:34.58

Cdr Gold Resources Inc.  
Sharon Lake Area

1" = 200'


Thompson Mine Site Location PROPERTY: Canadian Gold Resources Inc. HOLE NO. C97-5  
 LATITUDE: 2100 E BEARING: S 35 E DIP: -15 STARTED: June 22/80 COMPLETED: June 30/80  
 DEPARTURE: 2 + 25 N V.D. H.D. DRILLED BY: Markstay Diamond Driller DEPTH: 358  
 ELEVATION: LOCATION: P. 437105 - 170 W + 360 '1/4' #2 Post. B.G. LOGGED BY: Harper

FOOTAGE	DESCRIPTION	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		G.A.	DATE
					Gr. Au	Gr. Ag		
0-2	Lossing							
20	Andesite - Fault at 19 feet.							
25	Intercalated Material - 20 to 21 very siliceous							
27.5	Siliceous Zone - Qtz? - very barren						27	1980
42.5	Intercalated Material							
85	Andesite							
	70-73 fresh // C.A. barren Qtz filling							
82.7	Quartz Breccia sp. + well rock.	25 - 82.7	1810	3.7	nil	nil		
130.9	Andesite							
144.3	Quartz Bx - grey color - py blebs in seams.	130.9 - 135	1811	4.1	Tr	Tr		
	less brecciated py in seams	135 - 132.2	1812	3.2	nil	Tr		
		132.2 - 141.7	1813	3.5	Tr	Tr		
		141.7 - 144.3	1814	2.6	Tr	Tr		
173.5	Intercalated Material - ser. & ksp increasing							
185	Quartz Breccia - poor looking - much calc. py.	173.5 - 180	1815	6.5	Tr	Tr		
		180 - 185	1816	5.0	Tr	Tr		
212.1	Intercalated Material - well rock.	210 - 212.1	1817	2.1	0.02	Tr		
213.4	Silver vein - grey matrix	212.1 - 213.4	1818	1.3	0.05	5.44		
213.6	Intercalated material well rock	213.4 - 215	1819	1.6	Tr	Tr		
260	Quartz Breccia - grey - lens py - siliceous brecciation	243.6 - 255	1820	6.7	Tr	Tr		
		255 - 260	1821	5.0	Tr	nil		
270.6	Intercalated Material							
358	Andesite							
	END OF HOLE							



I. C. Harper

Pa 437105



PATRICIA  
MINING DIV.  
RECEIVED  
AUG 27 1980  
AM 7:00 PM 4:50


Cdn Gold Resources Inc.  
Skorum Lake Area



1" = 200'


PROPERTY: *Canadian Field Resources Inc.*  
 HOLE NO. *C620-1*  
 LATITUDE: *26° 00'* BEARING: *S 35° E* DIP: *-45* STARTED: *July 18/70* COMPLETED: *July 15/70*  
 DEPARTURE: *2 10: 0* V.D. H.D. DRILLED BY: *Markstay Diamond Drillers* DEPTH:  
 ELEVATION: LOCATION: *P. 437165 205' W of 275' N of # 2 Post.* *BQ* LOGGED BY: *Harper*

FOOTAGE	DESCRIPTION	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA				
					Cu. An.	Cu. Ag.			
<i>6-10</i>	<i>Lossing</i>								
<i>57</i>	<i>Intercalated - mostly volcanic seds - low scatt py</i>								
	<i>50' - Fault</i>								
<i>166.7</i>	<i>Andesite Flow breccia</i>								
	<i>Chic py in seam at flow contact</i>	<i>73-86.2</i>	<i>1822</i>	<i>3.2</i>	<i>NIL</i>	<i>NIL</i>			
	<i>- wall rock</i>	<i>165-166.7</i>	<i>1823</i>	<i>1.7</i>	<i>NIL</i>	<i>NIL</i>			
<i>168.1</i>	<i>Qtz vein - fair qty - dk mineral - black py</i>	<i>166.7-168.1</i>	<i>1824</i>	<i>1.4</i>	<i>NIL</i>	<i>0.62</i>			
<i>173</i>	<i>Intercalated, siliceous wall rock.</i>	<i>168.1-170</i>	<i>1825</i>	<i>1.9</i>	<i>NIL</i>	<i>NIL</i>			
<i>192.5</i>	<i>Qtz Breccia Zone - low scatt qty throughout</i>	<i>173-180</i>	<i>1826</i>	<i>7.0</i>	<i>Tr</i>	<i>Tr</i>			
	<i>minor secondary qtz veining</i>	<i>180-185</i>	<i>1827</i>	<i>5.0</i>	<i>Tr</i>	<i>Tr</i>			
		<i>185-190</i>	<i>1828</i>	<i>5.0</i>	<i>Tr</i>	<i>Tr</i>			
		<i>190-195</i>	<i>1829</i>	<i>5.0</i>	<i>NIL</i>	<i>Tr</i>			
		<i>195-198.5</i>	<i>1830</i>	<i>3.5</i>	<i>NIL</i>	<i>NIL</i>			
<i>207</i>	<i>Intercalated Material - siliceous</i>								
<i>247</i>	<i>Intercalated Material - normal mixture</i>								




PATRICK  
 MINING DIV.  
 27 1970  
 PM

*1/17/70*




Pl 437105



PATRICIA  
MINING DIV.  
RECEIVED  
AUG 27 1980  
AM 10:00 PM 4:50

Golden Gold Resources Inc  
Sharon Lake Area



Thompson Mine - S. Locust PROPERTY: <sup>1</sup>/<sub>2</sub> Section Gold Resources Inc. HOLE NO. C680-7  
 LATITUDE: 47° 16' 22" W BEARING: S 35° E DIP: -45 STARTED: July 27/90 COMPLETED: July 7/90  
 DEPARTURE: 1 + 15' N V.D. H.D. DRILLED BY: Markstay Diamond Drill Co. DEPTH: 223  
 ELEVATION: LOCATION: P.O. 437 165 - 235' W + 150' N of #2 Post. B.O. LOGGED BY: Harper


FOOTAGE	DESCRIPTION	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		DATA	
					Cu	Ag		
0-2	Gravel							
21	Andesite							
43.8	Intercalated Material							
119	Andesite - massive							
	110' Fault							
122.2	Intercalated Material							
123.4	VEIN - bl non metallic - 10° CA	122.2 - 123.4	1831	1.2	NIL	NIL		
130.9	Intercalated Material							
131.9	VEIN - as above	130.9 - 131.9	1832	1.0	NIL	NIL		
187	Intercalated Material							
	- siliceous zone	170 - 142.8	1833	2.8	NIL	TI		
222.4	Andesite							
222.5	Qtz Breccia + py	222.4 - 222.5	1834	6.1	NIL	TI		
223	Andesite							
END OF HOLE								



ESTRICK  
 17 1990  
 H. C. HARPER

Handwritten signature or initials.

Pa 437105



PATRICIA  
MINING DIV.  
**R E C E I V E D**  
AUG 27 1980  
AM 7:09 PM 1980

Can Gold Resources  
Shannon Lake Area

1" = 200'


Thompson Claim - Silver Lake Loc. PROPERTY: Canadian Gold Resource, Inc.

HOLE NO. CG 20-2

LATITUDE: L 2700 W BEARING: S 35 E DIP: -45 STARTED: June 21/80 COMPLETED: June 29/80  
 DEPARTURE: 1 + 00 N V.D. H.D. DRILLED BY: Marksky Diamond Driller.  
 ELEVATION: LOCATION: P<sub>6</sub> 437105 - 310' W + 80' N of # 2 Post. B.Q.

DEPTH: 282  
 LOGGED BY: Harper.


FOOTAGE	DESCRIPTION	SAMPLE FOOTAGES	SAMPLE No.	WIDTH FT.	ASSAY DATA		DATA	
					Gr Au	Gr Ag		
0-1	Basing							
49	Andesite							
75	Grey Volcanic							
132.5	Andesite.							
198.5	Intercalated Material - poorly stratified	186.2-189	1835	3.8	NIL	NIL		
208.5	Andesite							
216.2	Intercalated.							
220.4	Qtz Breccia py + dk sulphid	216.2-219	1836	2.8	Tr	Tr		
241.3	Intercalated	219, 220.4	1837	1.4	Tr	Tr		
253.5	Andesite							
270	Mixed Intercalated & grey volcanic (ash?)							
282	Vesicular (?) Andesite - pink filling							
END OF HOLE								



PATRICIA  
 MINING DIV.  
 JUL 27 1980  
 P.A.E.R.

*H. C. Harper*






Pa 437105



DDH C6807



PATRICIA  
MINING DIV.  
RECEIVED  
JUN 27 1980  
PM 12:24:58

Cdn Gold Resources Inc  
Sharon Lake Area



1" = 200'

Geol



52J04NE9349 16 SHARRON LAKE

Resources Ontario

900

Sharron Lake M-2605

A separate form is required for each type of work to be recorded.

80-48

THE MINING ACT REPORT OF WORK

To the Recorder of Patricia Mining Division Ontario Mining Division
1, Canadian Gold Resources Ltd T 935
name of Recorded Holder Prospector's Licence
Site 34 1565 Britannia Rd, East Mississauga L4W 2M4
Post Office Address
do hereby report the performance of 2280 days of diamond drilling
type of work

not before reported to be applied on the following contiguous claims

Table with columns: Claim No., Days, Claim No., Days, Claim No., Days. Content: See attached list

All the work was performed on Mining Claim (s) Pa 437105 & Pa 437108
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)

READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
For Land Survey - the name and address of Ontario Land surveyor.

The Required Information is as Follows: (Attach a list if this space is insufficient)

CG 80-1 - 45° - 277' BQ. core - 1 1/16 diam.
CG 80-2 - 45° - 276 Markstay Diamond Driller Co. Ltd.
CG 80-3 - 45° - 270 Jun 22 1980 - Jun 29 1980
CG 80-4 - 45° - 277
CG 80-5 - 45° - 358
CG 80-6 - 45° - 247
CG 80-7 - 45° - 283
CG 80-8 - 45° - 282

Date Aug 22 1980

Cdn Gold Resources Inc.
per H. G. Harpe.
Signature of Recorded Holder or Agent


The Mining Act Certificate Verifying Report of Work

H. G. Harpe
314 Henderson Ave Hollandale Ont
(Post Office Address)

hereby certify:

- 1. That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and after its completion.
2. That the annexed report is true.

Dated Aug 22 19 80



H. G. Harpe.
Signature

Pa. 436355

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH

CANADIAN GOLD RESOURCES INC.

Claim No.	No. of Days		
Pa-436859	60		
Pa-437105	60		
Pa-437106	60		
Pa-437107	60		
Pa-437108	<u>60</u>	300	
Pa-436936	60		
Pa-436937	60		
Pa-436938	60		
Pa-436939	60		
Pa-436940	60		
Pa-436941	60		
Pa-436942	60		
Pa-436943	60		
Pa-436944	60		
Pa-436945	60		
Pa-436946	60		
Pa-436947	60		
Pa-436948	60		
Pa-436949	40		
Pa-436950	40		
Pa-436951	40		
Pa-436952	40		
Pa-436953	<u>40</u>	980	
Pa-436355	100		
Pa-436921	60		
Pa-436922	60		
Pa-436923	60		
Pa-436924	60		
Pa-436925	60		
Pa-436926	60		
Pa-436927	60		
Pa-436928	60		
Pa-436929	60		
Pa-436930	60		
Pa-436931	60		
Pa-436932	60		
Pa-436933	60		
Pa-436934	60		
Pa-436935	<u>60</u>	<u>1,000</u>	<u>2,280 Total Days</u>

PATRICIA  
MINING DIV.  
RECEIVED  
SEP 20 1953  
AM 7:00 PM 4:50

# SHARRON LK.

SCALE: 1" = 40CH

---

