



52J04SE2120 52J04SE0010E1 7ARN LAKE

010

Diamond Drilling

Township of DRAYTON

Report No. 19

Work performed by. Kerr-Addison

Claim NO	Hole NO	Footage	Date	Note
PA 38380	A-5	401.2'	Dec/58	

TOTAL: 1 DH 402 FT.

Notes

# DIAMOND DRILL RECORD

LOGGED BY A. J. J. J.

Harry Addison Higgins Limited



0-1715

PROPERTY Thompson Sioux Lookout Option (2-17)

D.D.H. No. 1-5

PAGE 1

LATITUDE 14 + 25 North BEARING OF HOLE Card South STARTED December 13, 1908



CLAIM No. 21 30100

DEPARTURE 70 - 00 East DIP OF HOLE -45 at collar COMPLETED December 16, 1908

DIRECTION AND DISTANCE FROM

ELEVATION \_\_\_\_\_ DIP TESTS 200' = 362 (corrected) DEPTH 401.7'

NE. CLAIM POST

400' = 342

FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY	
FROM	TO			FROM	TO		Iron	
0.0	25.0	Casing						✓
25.0	57.1	Coarse grained andesite, carbonaceous throughout						✓
57.1		Breccia, with semi-massive to massive pyrrhotite (70-80%)						✓
	61.2	Occasional specks of chalcocopyrite						✓
61.2		Graphitic tuffs with about 50% pyrrhotite and pyrite, some scattered						✓
	72.6	Thin layers of quartz						✓
72.6	147.8	Coarse grained andesite, lightly sheared and carbonaceous throughout						✓
147.8		Tuffs from 142.5 to 155.9 graphitic with approximately 80% pyrrhotite and blebs of chalcocopyrite disseminated throughout. From 155.9 to 163.8 andesitic with						✓
	163.8	20-25% pyrrhotite						✓
163.8	170.8	Banded cherty iron formation, some bands andesite 30-35% magnetite	1374	163.8	170.8	7.0	22.40	
170.8		Coarse grained andesite, strongly sheared and carbonaceous throughout, non-magnetic	1375	170.8	170.5	2.7	10.05	
	179.5	Banded cherty Iron Formation, some bands Andesite	1376	179.5	180.5	1.0	17.36	
	180.5	30-35% magnetite						
180.5		Coarse grained andesite, strongly sheared and carbonaceous throughout,	1377	180.5	183.0	12.5	10.15	

# DIAMOND DRILL RECORD

LOGGED BY W. J. LINT

YOUR ADDRESS Sioux Falls, S.D.

PROPS Thompson Sioux Lookout Option (Q-17)

D.O.M. No. 1-5 PAGE 2

LATITUDE \_\_\_\_\_ BEARING OF HOLE \_\_\_\_\_ STARTED \_\_\_\_\_

CLAIM No. 21 3230

DEPARTURE \_\_\_\_\_ DIP OF HOLE \_\_\_\_\_ COMPLETED \_\_\_\_\_


DIRECTION AND DISTANCE FROM

ELEVATION \_\_\_\_\_ DIP TESTS \_\_\_\_\_ DEPTH \_\_\_\_\_

NE. CLAIM POST

FOOTAGE		DESCRIPTION	SAMPLE No.	FOOTAGE		SAMPLE LENGTH	ASSAY	
FROM	TO			FROM	TO		Iron	
193.0	201.8	fine grained tuffs, containing some Andesite with about 10% pyrrhotite and 20% magnetite	1378	193.0	201.8	12.3	30.19	
201.8		Banded cherty Iron Formation, some bands Andesite	1379	201.8	220.0	15.2	31.32	
	221.0	foliation angle 50°, 30-35% magnetite						
220.0	235.0	Sand	1380	220.0	235.0	15.0	31.10	
235.0	250.0	Sand	1381	235.0	250.0	15.0	32.69	
250.0	265.0	Sand	1382	250.0	265.0	15.0	31.14	
265.0	276.0	Sand	1383	265.0	276.0	11.0	31.58	
276.0		Banded andesite and cherty Iron Formation, foliation angle 50°, 1-3% pyrrhotite	1384	276.0	285.0	9.0	35.31	
	285.0	and 20-25% magnetite						
285.0	295.0	fine grained tuffs, graphitic with 5-10% pyrrhotite and 5-10% magnetite	1385	285.0	295.0	10.0	34.36	
295.0	304.5	Sand	1386	295.0	304.5	9.5	33.48	
304.5	320.3	Medium grained Andesite, slightly sheared and carbonaceous throughout, non-magnetic	1387	304.5	320.3	15.8	34.63	
320.3	327.5	Medium grained Andesite, strongly sheared, graphitic and slightly magnetic	1388	320.3	327.5	7.2	35.31	
327.5	340.0	Medium grained Andesite, carbonaceous throughout, non-magnetic	1389	327.5	340.0	12.5	34.08	
340.0	401.7							

*W. J. Lint*




J. JOHNSON MINES

J. JOHNSON SIOUX LOOKOUT OPTION 0-7

DISTRICT OF A-5 PA-39500


DISTRICT OF KENORA ONTARIO

DATE JANUARY 8/69 DEPT. 516 A-2102



THOMPSON OPTION  
Twp

Sharron Lake Area  
(M.2605)



THE TOWNSHIP  
OF

# DRAYTON

DISTRICT OF  
KENORA

PATRICIA  
MINING DIVISION

SCALE: 1-INCH = 40 CHAINS

## LEGEND

- |                       |        |
|-----------------------|--------|
| PATENTED LAND         | ⊕      |
| CROWN LAND SALE       | ⊙      |
| LEASES                | ⊖      |
| LOCATED LAND          | Loc.   |
| LICENSE OF OCCUPATION | L.O.   |
| MINING RIGHTS ONLY    | M.R.O. |
| SURFACE RIGHTS ONLY   | S.R.O. |
| ROADS                 | —      |
| IMPROVED ROADS        | —      |
| KING'S HIGHWAYS       | —73—   |
| RAILWAYS              | —      |
| POWER LINES           | —      |
| MARSH OR MUSKEG       | ⊕      |
| MINES                 | ⊕      |
| CANCELLED             | ⊕      |
| TRAILS                | ⊕      |

M 2605



52J04SE2120 52J04SE0010E1 ZARN LAKE