

UNION MINIERE EXPLORATIONS AND MINING CORPORATION LIMITED
DRILL RECORD.

AREA	SABIN II	Hole No.	GSL 1-S4	Depth:	98 meters	Drilled By:	Bradley Bros.
ANOMALY:	Golsil	Bearing and Dip:	300°/44°	Started:	Dec. 1, 1984	Machine:	Boyles 17A
CLAIM:	Pa 421553	Local Coord.	X= L0+00 Y= 25E Z=	Completed:	Dec. 2, 1984	Diam Drill:	BQ Brian Wing

Depth		%	Description & Lithology	Mineralization	Dip	No. of Sample.
From	To	Core				
0	8'		Casing			
8'	27		Intermediate to mafic tuff, becoming slightly more mafic at depth, feldspar phenocrysts @ 11.5 m 20 cm quartz vein @ 19 m rock becomes slightly foliated @ 20 m minor garnets in the core 21-22 m blocky core			
27	39		Garnets and staurolite present, rock is silicate iron formation 31 m increase in garnet percentage 34 10 cm chlorite band 35.5-36.5 garnets are coarser and up to 30% of core, staurolite alteration sulfides 38 m less garnets and they are fine grained 10 cm quartz veins @ 38 m and 39 m	S 10% (py)		
39	73		Massive, mafic to intermediate volcanic fine grained, contains chlorite and minor garnets 41 m quartz vein 42.5 m blocky core 43 m quartz alteration and 10 cm quartz vein 48 m chloritic alteration @ 52 m rock becomes slightly foliated 54-55 m garnet rich band with chlorite and quartz, may be thin silicate iron formation. 55 m & 57-58 blocky core Rock is intermediate to mafic with garnet horizons 61 m minor disseminated sulfides, the core is blocky and chopped up 62.5-64.5 metasediment with disseminated py and py fine grained groundmass	S < 7% py(po) S < 5%		

Depth		% of Core	Description & Lithology	Mineralization	Dip	No of Samp
From	To					
73	75		2 m of altered dyke ?			
75	91		Intermediate tuff with an altered band from 79-82 @ 85 m rock becomes strongly foliated @ 45° to c.a. 88 m minor garnets <3% 89.5-89.6 quartz vein			
91	96		Very fine grained dacitic rock, greenish hue with staurolite alteration along contact, contact @ 45°, minor sulfides 91.8-92 quartz vein 93.5-93.8 " " 94 m less sulfides	py 3%		
96	98		96-96.2 blocky core intermediate volcanic 97-97.3m quartz vein with epidote and chlorite garnets at lower contact between quartz and intermediate volcanic minor sulfides in vein	py < 2%		
98			END OF HOLE L0+00 0+25E 300°/44° collar 98 m 40°	py = 2%		
			Left 8' casing in hole, hole makes water.			

Olinger


Snowin, II
Geologic 1984

Hole GSL 1-84

Start Dec 1, 1984
Finish Dec 2, 1984

Location
0225 E

300° / 44°



COLLAR 300/44 COLLAR 300/44

98m 40°

LEFT 8' CASING AS HOLE MADE WATER

LEFT 8' CASING AS HOLE MADE WATER

20M

Scale

W.M.S.

UNION MINIERE EXPLORATIONS AND MINING CORPORATION LIMITED
DRILL RECORD.

AREA	SABIN II	Hole No.	GSL 2-84	Depth:	161 meters	Drilled By:	Bradley Bros.
ANOMALY:	Golsil	Bearing and Dip:	300° / 45°	Started:	Dec. 3, 1984	Machine:	Boyles 17A
CLAIM:	Pa 421563	Local Coord.	X = L1+00N Y = 3+00E	Completed:	Dec. 5, 1984	Diam Drill:	BQ

Described By:
David Unger &
Brian Wing

Depth m		%	Description & Lithology	Mineralization	Dip	No. of Sample.
From	To	Core				
0	10'		Casing			
10'	5 m		fine grained felsic volcanic massive to tuffaceous with minor disseminated sulfide, core is blocky with greenish hue 4.5 m - 5 m blocky	S = 2-3%		
5	43.5		Intermediate volcanic, mostly massive and fine grained with small tuffaceous zones and some slightly felsic horizons, minor disseminated sulfides and sulfide veinlets 5.5 m sulfide veinlet (py) " " 10-11 m blocky 11 m less disseminated sulfide present 13.5-13.8 blocky core 17.5-17.8 " " 22-24 m quartz vein and quartz + chlorite alteration through the rock 22.5-22.7 blocky core 25.5-26.5 felsic volcanic (dacite) with minor disseminated sulfide foliation ~80° to c.a. 28.0-28.3 blocky core 29.5-30.0 felsic fine grained dacitic volcanic 34-36 blocky core 36-38 missing core 38-39 blocky core 39 m the rock is still intermediate in composition with feldspar phenocrysts and staurolite through the rock, possibly foliated perpendicular to c.a. ? 40.9-41.1 blocky core 41.1-43 m missing core 43-43.5 blocky core	S = 1-2% S = 3-5% py		
0%						
0%						

GSL 2-84

Depth		% of Core	Description & Lithology	Mineralization	Dip	No. of Samp.
From	To					
43.5	52		fine grained dacitic rock that is often tuffaceous, often this brecciated to a tuff breccia. Fragments up to lapilli in size and felsic commonly stretched dacitic autobreccia with greenish hue 48.5-50 m intermediate band of metasediment 49-49.2 blocky core			
52	63		intermediate tuff foliated ~ 60° with mafic phenocrysts, feldspar and sillimanite grains 56.2 quartz vein			
63	101		Foliated and highly brecciated dacitic lapilli tuff. Highly fractured, staurolite throughout ground mass, chlorite alteration stretched felsic lapilli fragments. Epidote and silica alteration at ~78. There is a gradual change to rock with less ground mass more densely packed autobreccia. 74 m chlorite alteration 80 very highly fractured 83 m slightly more intermediate groundmass with coarse feldspar phenocrysts 89 m chloritic banding in the rock appears to be alteration along veinlets 95.5 m rock continues as brecciated dacitic tuff but with sulfides present 97-97.2 blocky core 98-98.2 quartz vein 100-101 sulfides present, epidote alteration	S < 5%		
101	124		Garnets, chlorite rich metasediment intermediate groundmass, staurolite common, epidote along fractures, rock is silicate vein form 110.5-112.7 groundmass slightly more acidic 112.7-112.8 chlorite alteration	@ < 5%	50° 100	
124	134		Intermediate volcanic rock with garnets present throughout groundmass, feldspar phenocrysts common.			

Depth		% of Core	Description & Lithology	Mineralization	Dip	No. of Samp.
From	To					
134	143.5		Garnet bearing metasediment silicate iron formation foliated at 45° to C.A. Staurolite very common			
143.5	161		Intermediate volcanic rock that may be tuffaceous with garnet bearing metasedimentary horizons 149-150 Metasedimentary horizon			
	161		END OF HOLE 300°/45° @ collar 39° @ 100 meters 37° @ 150 meters Remove casing.	<i>illite</i>		

SABIN I
GASIL 2.84
START DEC 3, 1984
FINISH DEC 5, 1984

L 1100 N 3000 E
300° / 45°

CASING 10'
FELSIC VOLC → Casing 10'
INTERMEDIATE VOLC WITH TUFF ZONES → felsic volc
A BLOCKY CORE → intermediate volc
MISSING CORE → missing core
TUFFACEOUS DACITE → tuffaceous dacite
INTERMEDIATE TUFF & MAFIC PHENOCRYSTS → intermediate tuff & mafic phenocrysts
SULFIDE 5% sulfide → brecciated + foliated lappilli dacite
BRECCIATED & FOLIATED LAPPILLI DACITE
161m → gent. chlorite bearing metasediment
GARNETS, CHLORIDE BEARING METASEDIMENT
intermediate volc with gent. INTERMEDIATE VOLC WITH GARNETS
gent. bearing metased. SIF GRNT BEARING METASED SIF
intermediate volc with gent. + small metasedimentary horizons
INTERMEDIATE VOLC WITH GRNTS & SMALL METASEDIMENT HORIZONS
161m


Collar 300° / 45°

100 m 39° ← 20m →

150 m 37°

Removed Casing

A hole started to "care-in" at 36m so
CASING REMOVED - HOLE DRILLED WITH THICKENED DRILL MUD.



20 m

18/01/85

SABIN I
GASIL
421563

Boyes 1/4A
N.J.
January, 1985

GSL 2.84
300° / 45°
R = 20
1000 ft. = 300 m.

UMEX INC. FILE # 25-0014

PAGE 5

SAMPLE#	No	Cu	Pb	In	Ag	Ni	Co	Mn	Fe	Z	As	U	Au	Th	Sr	Cs	Sb	Bi	V	Ca	P	La	Cr	Mg	Ba	Tl	E	Al	Ka	K	W	Aut
	ppm	%	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm																
83328	1	26	2	16	.2	19	7	124	1.11	3	5	ND	2	17	1	2	2	4	.23	.04	4	1	.24	4	.01	1	.78	.01	.01	2	1	
83329	1	27	1	11	.1	13	6	25	.91	4	5	ND	2	12	1	2	2	4	.15	.04	5	1	.19	4	.01	2	.55	.01	.01	2	2	
83330	1	21	4	10	.1	14	5	100	1.03	3	5	ND	2	7	1	2	2	5	.11	.03	5	2	.15	3	.01	2	.46	.01	.01	2	1	
83331	1	14	1	9	.1	8	3	99	.34	4	5	ND	2	9	1	2	2	2	.12	.04	6	1	.04	2	.01	2	.16	.01	.01	2	6	
83332	1	23	1	13	.1	9	4	107	.48	4	5	ND	2	18	1	2	2	5	.29	.03	5	1	.33	4	.01	2	.98	.01	.01	2	32	
83333	1	7	1	13	.1	7	4	121	.64	3	5	ND	2	15	1	2	2	5	.31	.03	3	2	.36	3	.01	2	.94	.01	.01	2	1	
83334	1	16	3	26	.1	15	7	316	1.35	5	5	ND	2	16	1	2	2	7	.25	.03	7	2	.48	5	.01	2	1.05	.01	.01	2	4	
83335	1	17	3	26	.2	15	7	169	1.23	2	5	ND	2	18	1	2	2	6	.26	.04	7	2	.38	4	.01	2	.99	.01	.01	2	5	
83336	1	3	1	20	.1	8	4	147	.88	4	5	ND	2	20	1	2	2	7	.31	.03	7	1	.49	3	.01	2	1.21	.01	.01	2	1	
83337	1	15	3	38	.1	9	4	445	1.73	4	5	ND	2	16	1	2	2	10	.25	.03	8	3	.97	4	.01	3	1.53	.01	.01	2	3	
83338	1	61	3	16	.2	74	40	193	.70	4	5	ND	2	10	1	2	2	7	.10	.03	6	2	.14	6	.01	3	.36	.01	.01	2	11	
83339	1	16	1	12	.1	55	14	215	.96	5	5	ND	2	6	1	2	2	9	.14	.02	5	2	.23	5	.01	5	.49	.01	.01	2	4	
83340	1	15	1	15	.1	18	7	115	.58	4	5	ND	2	10	1	2	2	4	.17	.02	6	2	.20	4	.01	2	.51	.01	.01	2	2	
83341	1	3	3	18	.1	7	4	158	1.03	4	5	ND	2	22	1	2	2	5	.42	.02	10	2	.49	4	.01	2	1.19	.02	.01	2	4	
83342	1	10	2	14	.1	5	7	27	.33	6	5	ND	2	4	1	2	2	2	.08	.03	5	2	.02	7	.01	2	.14	.01	.02	2	2	
83343	1	14	2	19	.1	9	8	48	.39	5	5	ND	2	13	1	2	3	2	.20	.03	7	2	.17	10	.01	2	.52	.01	.02	2	1	
83344	1	12	1	19	.1	28	13	37	1.11	13	5	5	ND	2	6	1	2	2	2	.10	.03	4	1	.02	8	.01	2	.20	.01	.02	2	4
83345	1	59	8	29	.3	32	10	420	4.19	3	5	ND	3	42	1	2	2	16	1.04	.03	9	3	.77	5	.01	2	1.26	.04	.01	2	11	
83346	1	62	1	23	.1	118	43	158	.91	25	5	ND	2	15	1	2	2	23	.37	.04	6	31	.51	7	.01	2	1.11	.02	.02	2	6	
83347	1	100	3	30	.1	152	56	246	1.10	21	5	ND	2	18	1	2	3	52	.50	.05	3	72	.93	4	.01	2	1.71	.02	.01	2	2	
83348	1	158	3	20	.2	161	71	274	1.27	29	5	ND	2	18	1	2	2	42	.52	.06	3	52	.56	5	.01	2	1.47	.01	.01	2	4	
83349	2	114	5	40	.2	156	56	512	3.99	20	5	ND	2	31	1	2	2	105	1.01	.07	6	112	1.00	7	.02	5	2.94	.04	.01	2	6	
83350	1	67	7	19	.1	72	32	330	2.69	10	5	ND	2	31	1	2	2	43	1.02	.02	6	41	.62	4	.01	2	2.03	.04	.01	2	9	
83351	1	88	4	27	.1	22	31	376	2.07	5	5	ND	2	26	1	2	3	53	.51	.04	7	64	.76	7	.02	4	1.93	.03	.02	2	4	
83352	1	43	6	8	.1	20	8	316	3.13	2	5	ND	3	11	1	2	2	15	.13	.03	8	3	.67	3	.02	5	1.33	.01	.01	2	168	
83353	1	10	3	13	.1	13	8	504	3.50	2	5	ND	3	15	1	2	2	18	.28	.04	11	2	.90	2	.02	4	2.00	.02	.01	2	7	
83354	1	45	4	36	.2	33	15	281	3.48	2	5	ND	3	18	1	2	2	17	.45	.03	9	4	.53	4	.02	6	1.73	.03	.02	2	5	
83355	1	12	2	32	.1	18	5	176	1.82	2	5	ND	3	12	1	2	2	9	.17	.04	8	2	.35	6	.02	3	1.00	.02	.02	2	1	
83356	1	49	8	64	.3	9	12	183	3.16	3	5	ND	4	36	1	2	2	23	2.07	.07	12	2	1.37	5	4.30	.19	.99	2	1			
83357	1	23	7	67	.1	10	12	247	3.82	4	5	ND	4	33	1	2	2	89	1.34	.08	16	4	1.87	482	.29	7	3.44	.16	.99	2	1	
83358	1	22	4	60	.1	10	9	307	3.58</																							

UMEX INC. FILE # 85-0014

PAGE 5

SAMPLE#	Mc	Cu	Pb	In	Ag	Ni	Co	Mn	Fe	As	U	Au	Th	Sr	Cr	Sb	Pt	V	Ca	P	La	Cr	Mg	Ba	Ti	S	Al	Na	K	W	Asxx	ppm	ppb																									
83510	1	3	2	22	.1	14	10	123	2.98	2	5	ND	5	40	1	2	2	78	1.28	.05	19	9	1.46	377	.17	2	0.45	.19	1.07	2	1																											
83511	6	74	6	58	.2	15	13	267	4.10	2	5	ND	2	13	1	2	2	57	.65	.07	10	5	1.59	355	.22	3	0.77	.09	1.16	2	1																											
83512	1	24	1	51	.1	11	7	355	2.14	2	5	ND	2	13	1	2	2	58	.79	.06	10	7	1.33	160	.16	5	0.11	.08	.81	2	1																											
83513	1	53	4	50	.2	22	7	358	1.94	3	5	ND	2	11	1	2	2	42	1.23	.06	8	6	1.16	76	.11	2	1.62	.04	.44	2	1																											
83514	1	38	8	81	.1	12	7	422	2.09	2	5	ND	4	9	1	2	2	44	1.24	.06	11	6	1.42	36	.13	5	1.97	.06	.21	2	2																											
83515	1	57	12	89	.3	8	7	351	1.68	2	5	ND	3	9	1	2	2	30	1.34	.07	9	4	1.02	57	.10	5	1.42	.04	.25	2	1																											
83516	1	6	2	33	.2	7	4	407	2.05	2	5	ND	4	11	1	2	2	42	1.52	.06	12	5	1.22	98	.15	4	1.95	.04	.40	2	1																											
83517	1	12	4	33	.1	8	5	349	1.85	2	5	ND	4	10	1	2	2	44	1.20	.07	12	6	1.91	97	.18	4	1.59	.04	.41	2	1																											
83518	1	26	1	41	.1	11	8	431	2.13	2	5	ND	4	9	1	2	3	38	1.55	.06	15	5	1.13	14	.15	6	1.79	.02	.10	2	2																											
83519	1	13	1	38	.1	11	7	428	2.20	3	5	ND	4	8	1	2	2	41	1.17	.07	13	5	1.13	26	.17	5	1.62	.02	.16	2	1																											
83520	1	22	5	55	.1	11	8	338	2.25	2	5	ND	4	10	1	2	2	38	2.10	.06	9	6	1.51	4	.17	4	1.68	.02	.17	2	1																											
83521	1	22	1	50	.1	14	8	501	2.18	2	5	ND	5	14	1	2	2	38	1.23	.07	12	5	1.30	14	.18	5	2.08	.07	.28	2	1																											
83522	1	49	13	77	.3	16	15	494	2.52	3	5	ND	3	13	1	2	2	40	1.73	.06	11	5	1.21	33	.17	6	2.09	.04	.25	2	1																											
83523	3	127	7	51	.7	14	11	354	2.62	5	5	ND	3	13	1	2	2	38	.59	.06	7	5	1.15	78	.11	4	1.54	.08	.49	2	8																											
83524	1	160	14	166	1.0	34	13	244	3.62	29	5	ND	3	41	1	2	2	72	1.04	.07	11	25	1.63	302	.13	5	0.41	.12	1.21	2	1																											
83525	1	25	25	324	.2	31	10	452	3.08	45	5	ND	5	100	1	2	2	57	2.57	.08	19	40	1.97	319	.17	5	4.89	.25	1.24	2	1																											
83526	1	52	17	404	.2	34	11	323	3.38	12	5	ND	4	44	1	2	2	21	1.71	.08	17	57	2.26	205	.18	9	3.54	.18	1.04	2	3																											
83527	1	543	19	3406	3.3	50	15	171	3.73	13	5	ND	5	28	33	2	9	55	.78	.07	15	47	1.64	173	.14	5	2.70	.12	.95	2	57																											
83528	1	94	14	129	.6	48	10	114	2.19	6	5	ND	4	26	2	2	2	62	.49	.08	16	52	1.79	246	.18	3	2.51	.13	1.13	2	2																											
83529	1	34	5	28	.1	10	9	429	3.50	4	5	ND	4	45	1	2	2	73	2.71	.09	15	4	1.27	262	.19	5	0.96	.21	1.09	2	2																											
83530	2	22	5	59	.1	48	14	475	2.63	5	5	ND	3	51	1	2	2	55	1.44	.06	13	76	2.05	263	.19	4	3.88	.19	1.31	2	4																											
83531	4	48	5	58	.2	64	17	246	3.21	3	5	ND	4	17	1	2	2	77	.46	.06	12	65	1.69	252	.17	4	2.79	.12	1.06	2	5																											
83532	1	16	5	67	.1	12	5	403	2.47	3	5	ND	4	5	1	2	2	21	.46	.03	10	11	1.17	154	.13	2	1.62	.04	.45	2	2																											
83533	1	27	3	49	.2	11	8	504	2.12	2	5	ND	4	18	1	2	2	18	2.15	.03	14	8	1.23	107	.12	4	1.53	.07	.49	2	3																											
83534	1	16	5	34	.1	13	5	353	1.91	2	5	ND	8	37	1	2	2	28	1.72	.04	29	11	.98	127	.14	4	2.62	.12	.73	2	1																											
83535	1	22	2	41	.1	14	7	602	2.22	2	5	ND	5	37	1	2	2	29	1.54	.04	19	14	1.02	157	.14	3	2.69	.11	.80	2	1																											
83536	1	34	1	65	.1	23	9	515	2.61	5	5	ND	5	22	1	2	2	26	.64	.04	21	13	1.02	162	.15	3	2.17	.08	.81	2	1																											
83537	1	35	2	26	.3	1	1	172	1.02	4	5	ND	2	4	1	2	3	2	.71	.01	20	3	.09	9	.01	2	.29	.02	.03	2	3																											
83538	1	33	4	22	.2	1	2	145	1.04	2	5	ND	2	7	4	1	2	2	.68	.01	22	3	.02	12	.01	3	.24	.02	.06	2	2																											
83539	1	33	3	29	.1	2	1	111	.82	3	5	ND	9																																													

SABIN PROJECT


CORE SPECIMENS

HOLE GSL 1-84 Samples 83601 to 83612 (12 samples)

Sample Locations (m):	6.0	53.1
	13.5	63.5
	19.0	71.0
	31.0	78.0
	36.0	83.5
	46.5	95.5

HOLE GSL 2-84 Samples 83613 to 83632 (20 samples)

Sample Locations (m):	7.5	86.0
	13.5	93.5
	21.0	101.0
	28.0	110.5
	40.0	115.0
	47.5	124.0
	51.0	130.0
	60.0	142.0
	70.5	150.0
	77.3	160.5



Milner

SPLIT CORE IN HOLE GSL-1

SAMPLE No.	DEPTH (m)	COMMENTS
83524	32.5-33.5	
83525	33.5-34.5	
83526	34.5-35.5	
83527	35.5-36.5	
83528	36.5-37.5	
83529	40.75-41.25	quartz vein
83530	62.5-63.5	5% disseminated py, po in metasediment
83531	63.5-64.5	
83532	73-74	altered zone
83533	74-75	"
83534	79.5-80.5	altered zone with 5% disseminated py
83535	80.5-81.5	"
83536	81.5-82.5	"
83537	91.5-92.5	very siliceous volcanic with quartz veins up to 35 cm
83538	92.5-93.5	
83539	93.5-94.5	"
83540	94.5-95.5	"
83541	95.5-96.5	"
83542	96.5-97.5	"

TOTAL SAMPLES FROM HOLE : 19

TOTAL METRES SAMPLLED : 18.5

D. Briger

SPLIT CORE IN HOLE GSL-2

SAMPLE NO.	DEPTH (m)	COMMENTS
83501	133-133.5	metasediment
83502	132-133	"
83503	131-132	"
83504	124-125	"
83505	123-124	"
83506	122-123	"
83507	115.5-116.5	altered metasediment
83508	114.5-115.5	"
83509	113.5-114.5	"
83510	108-109	staurolite rich zone
83511	101-102	"
83512	67.5-68.5	autobreccia and altered zone
83513	66.5-67.5	"
83514	65.5-66.5	"
83515	64.5-65.5	"
83516	50-51	silicified patches
83517	49-50	broken core
83518	44-45	broken core
83519	43-44	broken core
83520	38-39	broken core
83521	33.5-34.5	broken core
83522	29-30	broken core; talcose fracture surfaces
83523	4.5-5.5	broken core

TOTAL SAMPLES FROM HOLE : 23

TOTAL METRES SAMPLED : 22.5

Ulbriger

ACME ANALYTICAL LABORATORIES LTD.

PHONE: 253-3150

852 East Hastings St., Vancouver, B.C. V6A 1R6

File: 85-0014

Date: DEC 31 1991

UMEX INC.
1935 LESLIE ST
DON MILLS ONTARIO
M3B 2M3

TERMS:

NET TWO WEEKS
2% PER MONTH CHARGED ON
OVERDUE ACCOUNTS.

NUMBER	ASSAY	PRICE	AMOUNT
218	ICP ANALYSIS @	6.00	1308.00
218	GEOCHEM AU BY FA + AA @	5.50	1199.00
218	CORE SAMPLE PREPARATION @	2.75	599.50

			3106.50
	CN # 444556350		98.24

		TOTAL	3204.74
<i>Salix</i>			

$$\begin{aligned}
 \text{GSL 1} &= 19 \text{ samples} \\
 \text{GSL 2} &= 23 \\
 \hline
 42 &= \$598.50
 \end{aligned}$$


PLEASE PAY LAST AMOUNT *10/27*




DUPLICATE - DUPLICATA

DATE	NAME	CHEQUE NO.	DESCRIPTION		CHEQUE AMOUNT
				DISCOUNT	
JAN 15 85	ACME ANALYTICAL LAB	11509			28841.37
DATE	NOM	NO DE CHÉQUE		ESCOMpte	MONTANT
			DESCRIPTION		

McBee


ONE-WRITE BOOKKEEPING SYSTEMS
Systèmes à inscription unique






BRIAN KING Geologist SEPT 1984

UMEX INC.	CLAIMS
SADIN #	
LOCATION AND CLAIM PLAN	



52J07SE0191 52J07SE0035A1 EVANS LAKE

900



1985 02 23

Your File:
Our File: 2.7816

Mining Recorder
Ministry of Natural Resources
P.O. Box 309
Sioux Lookout, Ontario
POV 2T0

Dear Sir:

We received Data for Assaying on February 15, 1985 submitted under Section 77(19) of the Mining Act R.S.O. 1980 for Mining Claims PA 614393 et al in the Area of Evans Lake.

This material will be examined and assessed and a statement of assessment work credits will be issued.

We do not have a copy of the report of work which is normally filed with you prior to the submission of this technical data. Please forward a copy as soon as possible.

Yours sincerely,

S.E. Yundt
Director
Land Management Branch

Whitney Block, Room 6643
Queen's Park
Toronto, Ontario
M7A 1W3
Phone:(416)965-6918

A. Barr:sc

cc: Umex Inc
1935 Leslie Street
Don Mills, Ontario
M3B 2M3
Attn: David Unger