



52L016W0009 10 FORGOTTEN LAKE

010

Diamond Drilling

Area of FORGOTTEN LAKE

Report N^o 10

Work performed by: H.N. ^{Hawt} Harves

| Claim N ^o | Hole N ^o | Footage | Date | Note |
|----------------------|---------------------|---------|---------|------|
| K 23782 | XR-1 | 27.5' | May/56 | |
| | XR-2 | 30.0' | May/56 | |
| | XR-3 | 62.0' | May/56 | |
| | XR-4 | 86.0' | May/56 | |
| | XR-5 | 31.0' | June/56 | |
| | XR-6 | 61.5' | June/56 | |
| | XR-7 | 91.5' | June/56 | |
| | XR-8 | 37.6' | June/56 | |
| | XR-9 | 55.9' | June/56 | |
| | XR-10 | 66.0' | June/56 | |
| | XR-11 | 62.5' | June/56 | |
| Notes: | 1. | 323.0' | Jan/56 | |
| | 2. | 212.0' | Jan/56 | |
| | 5 | 142.0' | Jan/56 | |
| | 4 | 129.0' | Feb/56 | |
| | 6 | 206.0' | Feb/56 | |
| | 7 | 150.0' | Feb/56 | |

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt HOLE NO. XR - 1

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED May 23/56
 LATITUDE 0- 14.7 S.E. DATUM _____ COMPLETED May 23/56
 DEPARTURE 0 - 25. N.E. BEARING S. 52° W ULTIMATE DEPTH 27.5
 ELEVATION _____ DIP 46° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|-------------|---|------------|-----------------|--------|---------------|
| 0.0 - 215 | Casing | | | | |
| 2.5- 12.5 | Gabbro medium grained, black. Occasional large grains of pyrrhotite and chalcopyrite. | | | | |
| 12.5 - 14.8 | Gabbro Same - mineral more prominent. | 2106 | | | |
| 14.8 - 20.5 | Gabbro Same - Good pyrrhotite and chalcopyrite in large grains. | 2107 | | | |
| 20.5 - 22.0 | Gabbro - Fine grained, some fine disseminated pyrrhotite and chalcopyrite | 2108 | | | |
| 22.5 - 24.5 | Gabbro Fine Grained, chilled contact phase. No Mineral | | | | |
| 24.5 - 27.5 | Granite | | | | |
| 27.5 | End of Hole | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRILLED BY _____

SIGNED *H. J. Hawes*

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt **HOLE NO.** XR-2

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED May 23/56
 LATITUDE 0 - 14.7 S. E. DATUM _____ COMPLETED May 24/56
 DEPARTURE 0 - 25 N.E. BEARING S. 52° W ULTIMATE DEPTH 30.0
 ELEVATION _____ DIP 60° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ | | |
|--------------|--|------------|-----------------|---------|----------------|--|--|
| 0.0 - 3.0 | Casing | | | | | | |
| 3.0 - 14.4 | Gabbro Medium grained, black, Occasional large grain of pyrrhotite and chalcopyrite. | | | | | | |
| 14.4 - 17.5 | Gabbro Same - Fair disseminated chalcopyrite and pyrrhotite in large grains. | 2109 | | | | | |
| 17.5 - 21.8 | Gabbro Same - good disseminated chalcopyrite and pyrrhotite in large grains. | 2110 | | | | | |
| 21.8 - 23.5 | Gabbro Fine grained. Some small disseminated grains of chalcopyrite and pyrrhotite. | | | | | | |
| 23.5 - 25.7 | Gabbro fine grained, chilled contact phase. No. Mineral. | | | | | | |
| 25.7 - 30.00 | Granite | | | | | | |
| 30.0 | End of Hole | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DRILLED BY

SIGNED *H. H. Hawes*

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt HOLE NO. XR - 3

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED May 24/56
 LATITUDE 0 - 14.7 S.E. DATUM _____ COMPLETED May 30/56
 DEPARTURE 0 - 75 N.E. BEARING S. 52° W ULTIMATE DEPTH 62.0
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ |
|-------------|--|------------|-----------------|---------|----------------|
| 0.0 - 5.5 | Casing | | | | |
| 5.5 - 26.5 | Gabbro Coarse grained, feldspar-rich. No mineral. | | | | |
| 26.5 - 56.5 | Gabbro Medium to coarse grained, darker in color. Magnetite present. No mineral. | | | | |
| 56.5 - 59.0 | Gabbro Medium grained, black. Fair pyrrhotite and chalcopyrite. | | | | |
| 59.0 - 61.8 | Gabbro Fine grained, chilled contact. | | | | |
| 61.8 - 62.0 | Granite | | | | |
| 62.0 | End of Hole | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

N.M.P., TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY _____

SIGNED H. G. Hawes

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt

HOLE NO. XR - 4

SHEET NUMBER 1

SECTION FROM _____ TO _____

STARTED May 30/56

LATITUDE 0 - 14.7 S.E.

DATUM _____

COMPLETED June 1/56

DEPARTURE 0 - 75 N.E.

BEARING S 52°W

ULTIMATE DEPTH 86.0

ELEVATION _____

DIP 60°

PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|-------------|--|------------|-----------------|--------|---------------|
| 0.0 - 5.0 | Casing | | | | |
| 5.0 - 8.0 | Syenite | | | | |
| 8.0 - 35.0 | Gabbro Medium to coarse grained, feldspar-rich | | | | |
| 35.0 - 79.0 | Gabbro-Medium grained, darker color. Rare blob of pyrite and pyrrhotite. | | | | |
| | 74.5 - 2 fair pyrite and pyrrhotite. | | | | |
| | 76.8 - 77.5 Good pyrrhotite. Some pyrite and chalcopyrite. | | | | |
| 79.0 - 84.5 | Gabbro Fine Grained, chilled contact phase. | | | | |
| 84.5 - 86.0 | Granite | | | | |
| 86.0 | End of Hole | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY

SIGNED H. M. Hawes

DIAMOND DRILL RECORD

PROPERTY Strat - Redditt

HOLE NO. XR-5

SHEET NUMBER 1

SECTION FROM _____ TO _____

STARTED June 2/56

LATITUDE 0 - 70.7 S.E.

DATUM _____

COMPLETED June 4/56

DEPARTURE 0 - 25. N.E.

BEARING S.52° W.

ULTIMATE DEPTH 31.0

ELEVATION _____

DIP 45°

PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD † | SLUDGE GOLD ‡ | | | | |
|-------------|---|------------|-----------------|--------|---------------|--|--|--|--|
| 0,0 - 1.0 | Casing | | | | | | | | |
| 1.0 - 5.0 | Gabbro Coarse grained, feldspathic. | | | | | | | | |
| 5.0 - 22.5 | Gabbro Medium grained, darker color, rare grain of pyrrhotite and pyrite. | | | | | | | | |
| 22.5 - 25.5 | Gabbro - Same - Pyrrhotite, pyrite and chalcopyrite a little more abundant. Some along and bordering fractures. | | | | | | | | |
| 25.5 - 29.0 | Gabbro Fine grained, chilled contact phase. | | | | | | | | |
| 29.0 - 31.0 | Granite. | | | | | | | | |
| 31.0 | End of Hole | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |

DRILLED BY _____

SIGNED W.M. Hawes

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt HOLE NO. XR - 6

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED June 4/56
 LATITUDE 0 - 70.7 S.E. DATUM _____ COMPLETED June 5/56
 DEPARTURE 0 - 50. N.E. BEARING S.52° W. ULTIMATE DEPTH 61.5
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g | | |
|-------------|--|------------|-----------------|--------|---------------|--|--|
| 0.0 - 1.0 | Casing | | | | | | |
| 1.0 - 13.0 | Gabbro, Feldspathic, coarse grained. Grain pyrrhotite at 5.5. | | | | | | |
| 13.0 - 52.0 | Gabbro - Medium grained, dark. 17.0 Grain Pyrrhotite. 27.1 " " | | | | | | |
| 52.0 - 60.0 | Gabbro Fine grained, chilled contact phase. Rare grain of pyrrhotite. | | | | | | |
| 60.0 - 61.5 | Granite | | | | | | |
| 61.5 | End of Hole | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

N.M.P., TORONTO-STOCK FORM NO. 801 REV. 12/51

DRILLED BY

SIGNED *J.H. Hawes*

DIAMOND DRILL RECORD

PROPERTY

Stratmat - Redditt

HOLE NO.

XR - 7

SHEET NUMBER

1

SECTION FROM

TO

STARTED

June 5/56

LATITUDE

0 - 70.7 S.E.

DATUM

COMPLETED

June 8/56

DEPARTURE

0 - 75. N.E.

BEARING

S. 52° W

ULTIMATE DEPTH

91.6

ELEVATION

DIP

45°

PROPOSED DEPTH

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g | | |
|-------------|--|------------|-----------------|--------|---------------|--|--|
| 0.0 - 1.0 | Casing | | | | | | |
| 1.0 - 4.0 | Gabbro - Coarse grained, feldspathic. | | | | | | |
| 4.0 - 13.5 | Gabbro Feldspathic, coarse grained. | | | | | | |
| 13.5 - 53.0 | Gabbro - Medium grained, black. No. mineral. | | | | | | |
| 53.0 - 86.0 | Gabbro Medium grained, black. No. mineral. | | | | | | |
| 86.0 - 91.4 | Gabbro - Fine grained, black color, chilled contact. | | | | | | |
| 91.4 - 91.6 | Granite. | | | | | | |
| 91.6 | End of Hole | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

DRILLED BY

SIGNED *H. M. Hawes*

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt.HOLE NO. XR-8SHEET NUMBER 1

SECTION FROM _____ TO _____

STARTED June 8/56

LATITUDE _____

DATUM _____

COMPLETED June 12/56DEPARTURE 01 - 20 S.E. 00 - 25 N. 52^E BEARING S. 52^o WULTIMATE DEPTH 37.6

ELEVATION _____

DIP 45^o

PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ | | |
|-------------|---|------------|-----------------|---------|----------------|--|--|
| 0.0 - 1.0 | Casing | | | | | | |
| 1.0 30.0 | Gabbro - Greyish black, coarse grained. Disseminated magnetite throughout. Barren of sulphides except for few grains of chalcopyrite, pyrrhotite and pyrite at 28'. | | | | | | |
| 30.0 - 37.6 | Gabbro Fine grained, contact zone. Barren. | | | | | | |
| 37.6 | Granite | | | | | | |
| 37.6 | End of Hole. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

N. 501 TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY

SIGNED

M. J. Hawes

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt HOLE NO. XR - 9

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED June 13/56
 LATITUDE _____ DATUM _____ COMPLETED June 15/56
 DEPARTURE 00-29N.W.; 00-50 N. 52°E BEARING S. 52°W ULTIMATE DEPTH 55.9
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|-------------|--|------------|-----------------|--------|---------------|
| 0.0 - 7.0 | Casing | | | | |
| 7.0 - 47.0 | Gabbro - Greenish black, coarse grained, barren. 41.5 - 50.0 Rare scattered grains of chalcopyrite, pyrrhotite and pyrite. | | | | |
| 47.0 - 53.5 | Gabbro - Fine grained, contact zone. | | | | |
| 53.5 - 55.9 | Granite. | | | | |
| 55.9 | End of Hole. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRILLED BY _____

SIGNED *H.M. House*

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt HOLE NO. XR - 10SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED June 16/56
LATITUDE 00- N.W.; 00-50 N. 52°E DATUM _____ COMPLETED June 20/56
DEPARTURE _____ BEARING S. 52°W ULTIMATE DEPTH 66.0
ELEVATION _____ DIP 65° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ | | |
|-------------|---|------------|-----------------|---------|----------------|--|--|
| 0.0 - 6.0 | Casing | | | | | | |
| 6.0 - 60.0 | Gabbro - Greenish black, coarse grained. Barren down to 30.0 30.0 - 60.0 Occasional rare grains chalcopryite, pyrrhotite and pyrite. | | | | | | |
| 60.0 - 64.6 | Gabbro - Fine grained, contact zone. Barren of sulphides. | | | | | | |
| 64.6 - 66.0 | Graite | | | | | | |
| 66.0 | End of Hole. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY

SIGNED *W. N. Hawes*

DIAMOND DRILL RECORD

PROPERTY Stratmat - Redditt **HOLE NO.** XR-11
SHEET NUMBER 1 **SECTION FROM** _____ **TO** _____ **STARTED** June 21/56
LATITUDE _____ **DATUM** _____ **COMPLETED** June 27/56
DEPARTURE 01 - 40 N.W.; 00 - 44 N58°E **BEARING** S. 58°W **ULTIMATE DEPTH** 62.5
ELEVATION _____ **DIP** 40° **PROPOSED DEPTH** _____

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ |
|-------------|--|------------|-----------------|---------|----------------|
| 0.0 - 3.0 | Casing | | | | |
| 3.0 - 52.6 | Gabbro - Greenish black, coarse grained, Slightly carbonized in parts. Disseminated magnetite throughout. Barren of sulphides. | | | | |
| 52.6 - 62.5 | Gabbro - Fine grained contact zone. | | | | |
| 62.5 | Granite. | | | | |
| 62.5 | End of Hole. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRILLED BY

SIGNED H. N. Hawes

DIAMOND DRILL RECORD

PROPERTY Redditt, Ont.

HOLE NO. 2 (A.X.CORE)

SHEET NUMBER 1

SECTION FROM _____ TO _____

STARTED Jan. 29/56

LATITUDE 1 - 00S

DATUM _____

COMPLETED Jan. 30/56

DEPARTURE 1 - 00E.

BEARING West

ULTIMATE DEPTH 212

ELEVATION _____

DIP 45°

PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|---------------|-----------------------------------|------------|-----------------|--------|---------------|
| 0.0 - 2.0 | Casing | | | | |
| 2.0 - 28.5 | Gabbro - Coarse grained - barren. | | | | |
| 28.5 - 36.0 | Syenite - Red spotted angle 45°. | | | | |
| 36.0 - 115.0 | Gabbro - Medium grained, barren. | | | | |
| 115.0 - 212.0 | Granite Pink and coarse grained. | | | | |
| 212.0 | End of Hole. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

T.P. TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY _____

SIGNED H.W. Hawes

DIAMOND DRILL RECORD

PROPERTY Redditt (Hawes Property) HOLE NO. 4

SHEET NUMBER 1 SECTION FROM _____ TO _____ STARTED Feb. 2/56
 LATITUDE 2 - 00 S. DATUM _____ COMPLETED Feb. 4/56
 DEPARTURE 1 - 00 E. BEARING SW ULTIMATE DEPTH 129
 ELEVATION _____ DIP 45° PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|---------------|---|------------|-----------------|--------|---------------|
| 00 - 6.0 | Casing | | | | |
| 6.0 - 122 | Gabbro - Coarse grained. Bew blebs chalcopryrite. Pyrrhotite at 110' and 117'. | | | | |
| 122.0 - 129.0 | Granite, red, coarse. | | | | |
| 129.0 | End of Hole. | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

DRILLED BY _____ SIGNED H. M. Hawes

DIAMOND DRILL RECORD

PROPERTY Redditt, Ont. **HOLE NO.** s (A.X.CORE)

| | | |
|---------------------------|-----------------------------|-----------------------------|
| SHEET NUMBER <u>1</u> | SECTION FROM _____ TO _____ | STARTED <u>Jan. 30/56</u> |
| LATITUDE <u>1 - 00N</u> | DATUM _____ | COMPLETED <u>Feb. 1/56</u> |
| DEPARTURE <u>1 - 00E.</u> | BEARING <u>West</u> | ULTIMATE DEPTH <u>142.0</u> |
| ELEVATION _____ | DIP <u>45°</u> | PROPOSED DEPTH _____ |

| DEPTH FEET | FORMATION | SAMPLE NO. | WIDTH OF SAMPLE | GOLD g | SLUDGE GOLD g |
|---------------|--|------------|-----------------|--------|---------------|
| 0.0 - 127.0 | Bedrock Gabbro - Coarse to medium grained, barren. | | | | |
| 127.0 - 142.0 | Granite - Pink and coarse grained. | | | | |
| 142.0 | End of Hole | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY SIGNED *H.M. Howes*

DIAMOND DRILL RECORD

PROPERTY Redditt - Hawes Property

HOLE NO. 6 ext

SHEET NUMBER 1

SECTION FROM _____ TO _____

STARTED Feb. 6/56

LATITUDE 4 - 00 S.

DATUM _____

COMPLETED Feb. 9/56

DEPARTURE 1 - 00 E.

BEARING SW

ULTIMATE DEPTH 206

ELEVATION _____

DIP 45°



PROPOSED DEPTH _____

| DEPTH FEET | FORMATION | SAMPLE No. | WIDTH OF SAMPLE | GOLD \$ | SLUDGE GOLD \$ | | |
|--------------|--|------------|-----------------|---------|----------------|--|--|
| 0.0 - 4.0 | Casing | | | | | | |
| 4.0 - 71.0 | Gabbro - Coarse grained - completely barren. | | | | | | |
| 71.0 - 87.0 | Diorite - Red mottled appearance. | | | | | | |
| 87.0 - 192.0 | Gabbro Finer-Grained. Barren. | | | | | | |
| 192.0 206.0 | Granite, red porphyritic. | | | | | | |
| 206.0 | End of Hole. | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

TORONTO-STOCK FORM NO. 501 REV. 12/51

DRILLED BY _____

SIGNED *J. Hawes*



PLAN OF WORK DONE ON
 CLAIM No (H-)
 North of REDDITT ON
 H.N. HAWES.

M-2027
No. of REDDITT
KENORA DIV.

| | | |
|-------|-------|-------|
| | 23783 | |
| | K | |
| 23787 | 23782 | 23788 |
| | 23790 | |
| | | |
| | | |

| | | |
|-------------|--|--|
| REDDITT TWP | | |
|-------------|--|--|