



52M01SE2019 2.24218

TODD

010

**ASSESSMENT WORK REPORT
of work done on
Claims KRL 1184740, 1184741 and 1184983
PIPESTONE NORTH PROPERTY
RED LAKE MINING DIVISION, NW ONTARIO
for
REDSTAR GOLD CORPORATION**

2. 242 18

**Prepared By
Michael G. Allen B.Sc. Geol. I.T.
Redstar Gold Corporation**

September 11, 2002




Table of Contents:

1.0 SUMMARY 3

2.0 TERMS OF REFERENCE 3

3.0 PROPERTY LOCATION AND PHYSIOGRAPHY 4

4.0 PROPERTY DESCRIPTION..... 4

5.0 PREVIOUS WORK..... 5

6.0 REGIONAL GEOLOGY 6

 6.1 Stratigraphy 6

 6.2 Regional Structure 7

 6.3 Metamorphism 8

 6.4 Hydrothermal Alteration..... 8

 6.5 Red Lake Gold Deposits..... 8

7.0 PROPERTY GEOLOGY 9

8.0 SUMMARY OF RESULTS 12

10.0 CONCLUSIONS AND RECOMMENDATIONS 12

11.0 REFERENCES..... 13

12.0 CERTIFICATE OF QUALIFICATIONS..... 15

13.0 ASSAY CERTIFICATES 16

List of Figures:

Figure 1 Property Location Map.....4

Figure 2 Claim Map.....5

Figure 2. Geology of the Red Lake greenstone belt.....8

Figure 3 Sample Locations..... 11

1.0 SUMMARY

Redstar Gold Corporation of # 611 675 West Hasings Street Vancouver, BC. V6B 1N2 has an option to earn an interest in 3 unpatented claims, consisting of 7 units, known as the Pipestone North Property. This property is part of a larger land package optioned from Rubicon Minerals Corporation. The work was carried out by Pamicon Developments on behalf of Redstar Gold Corporation and consisted of geological mapping, prospecting, and sampling.

The property is located approximately 20km west of the town of Red Lake Ontario, on the north shore of Red Lake in Pipestone Bay. The property is accessed by boat directly from the town of Red Lake.

Pipestone North claim groups are underlain by felsic and mafic to ultramafic volcanic rocks and chemical sediments (including marble and iron-formation) of the Ball assemblage (Figure 6). These are intruded by a large peridotite body of unknown age, which underlies most of Pipestone Bay. Quartz-rich siliciclastic rocks assigned to the Slate Bay assemblage overly the Ball assemblage rocks along a regional unconformity near the northern boundary of the Pipestone North claim group. The Hammell Lake pluton (2717 Ma) and the Douglas Lake pluton (2734 Ma) intrude stratigraphy in the northwest corner the claim group.

Mapping and sampling on the north eastern portion of the claim revealed mafic and ultramafic volcanic rocks containing variably mineralized quartz veins. Mineralization consists of pyrite, chalcopyrite, pyrrhotite and arsenopyrite.

A total of 16 samples were collected for Whole Rock and ICP analysis. Results are included in Appendix 1

2.0 TERMS OF REFERENCE

Pamicon Developments Ltd. of Vancouver BC, was contracted by Redstar Gold Corporation to complete work on Redstar's land holding in the Red Lake Camp during the summer of 2002. Initial work consisted of data compilation and review followed by a field program.

A base of operations was established in Red Lake ON where field mapping and sampling were carried out by three field geologist and two prospectors.

Rock samples were analyzed for Gold by fire assay, ICP analysis by Multi Acid Digestion and whole rock analysis by XRF at Chemex Labs facilities in Thunderbay ON and Vancouver BC.

2 242 18

3.0 PROPERTY LOCATION AND PHYSIOGRAPHY

The property is located approximately 20km west of the town of Red Lake Ontario, on the north shore of Red Lake in Pipestone. The property is accessed by boat directly from the town of Red Lake and by logging roads on the north side of Red Lake.




Figure 1. Location map of the West Red Lake Property.

Physiography and topography are typical of glaciated Precambrian areas. Dominant landforms are rounded rocky ridges and hills, interspersed with low ground. The hills and ridges are generally elongated parallel to the strike direction of the underlying bedrock.

4.0 PROPERTY DESCRIPTION

Record of previous work on the Pipestone North claim group is limited to that conducted by Biron Bay Resources Ltd. and Rubicon Minerals Corporation. Presumably the extensive water cover (>75% of claim group) is responsible for the limited amount of previous exploration. An annotated summary of previous work on the claim group is provided in Table 3.

Biron Bay resources Ltd. conducted ground magnetic and EM surveys over claims KRL118521 and KRL1184907 in 1984, and defined several EM conductor anomalies. In 1987, Biron Bay tested one of the anomalies, located near the northern boundary of claim KRL1185121, with a 375 m drill hole. The best reported gold value from the drill hole was 2.24 g/t over 0.3 m.

In 2001, Rubicon mucked-out and chip-sampled old trenches discovered on claim KRL1185121 during shoreline prospecting and mapping in 2000. No significant assays were reported. Later on in 2001, Rubicon flew a detailed helimag survey (continuous sampling along 50 m spaced lines, using a towed-bird vertical magnetic gradiometer system) over the entire claim group. The high-resolution magnetic data is highly effective at mapping rock types and structure, and defined several targets that require follow-up.

Table 5.1 . Previous work on Pipestone North claim group, West Red Lake Property

Year	Company	Work Done	Area of Property
2000-2001	Rubicon Minerals Corporation	airborne magnetic survey (continuous sampling along 50 m spaced lines); chip-sampling old trenches prospecting and mapping	entire Pipestone North claim group
1987	Biron Bay Resources Ltd.	drilling, 1 hole (375 m)	KRL1185121
1984	Biron Bay Resources Ltd.	magnetic and EM surveys	KRL1185121 KRL1184907

6.0 REGIONAL GEOLOGY

6.1 Stratigraphy

The Red Lake gold camp is situated in the Red Lake greenstone belt, an accumulation of Archean-age metavolcanic, metasedimentary and intrusive rocks comprising a portion of the Uchi Province of the Canadian Precambrian Shield. (Figure 3)

The Red Lake district is underlain by Mesoarchean rocks that have been subdivided into three assemblages (Sandborn-Barrie *et al.*, 1999): Balmer, Ball and Bruce Channel. Neoproterozoic strata of the 2.75-2.73 Ga. Confederation assemblage overlie these older

assemblages. The contact between Balmer and Confederation, exposed in a number of localities, thus represents a 200 Ma time span. Both Meso- and Neoproterozoic sequences are intruded by diorite to granodiorite stocks such as the Dome stock which has been dated at 2718 +/- 1 Ma.

Balmer assemblage rocks host all of the major gold mines in the camp but it is important to note that 1.6 M. ounces of gold has been extracted from intrusive hosted deposits. The Balmer assemblage consists of mafic to ultramafic flows (including komatiites) and intrusives, minor felsic and interflow sedimentary rock types. Age dates from Balmer assemblage felsic rocks range from 2992 to 2964 Ma. (Corfu and Andrews, 1987).

Ball assemblage rocks underlie much of the western part of the district and consist of ultramafic to mafic flows, intermediate volcanoclastics and massive to spherulitic rhyolites. Chemical sedimentary rocks (iron formations) also characterize Ball assemblage rocks and include stromatolites (Hofmann *et al.*, 1985). The latter are bracketed by felsic rocks that are dated between 2940 Ma and 2925 Ma.

Bruce Channel assemblage rocks, as currently defined, are confined to the eastern part of the belt and comprise intermediate volcanoclastics and clastic rocks (2894 +/- 1.5 Ma). A distinctive magnetite bearing iron formation occurs at the top of the assemblage and forms a key marker horizon.

Confederation rocks comprise intermediate to felsic flows, volcanoclastic and metasedimentary rocks. Age dates for this assemblage range from 2748 +/- 15 Ma to 2733 +/- 1Ma.

Granitoid rocks were intruded in three main episodes:

- 1) The 2734 +/- 2Ma Douglas Lake pluton, the 2731 +/- 3Ma (Little Vermilion Lake batholith) and 2729 +/- 1.5 Ma Red Crest stock.
- 2) The 2717 +/-2 Ma Hammell Lake pluton, The McKenzie Island stock (2720 +/- 2Ma), the Dome Stock 2718 +/-1Ma, the 2720 +/-5 Ma Abino granodiorite and late QFP dykes at the Campbell Mine, dated at 2714 +/-4 Ma.
- 3) Intrusion of the Killala Kspar megacrystic Killala-Baird granodiorite at 2704 +/- 1.5 Ma, the 2699 Walsh Lake pluton and a 2699 +/-4Ma dyke at the Madsen Mine.

6.2 Regional Structure

At least two major deformation events have affected the rocks of the belt resulting in the generation of type 2 interference fold structures on all scales. Overall strain in the belt is low, however, local high strain zones do occur, typically in areas of strong alteration with locally associated gold mineralization. Previous workers identified five major shear or deformation zones within which major gold deposits of the camp occur. Recent

work (Sandborn-Barrie *et al.*, *op. cit.*) has questioned the validity and usefulness of the deformation zone concept in the camp.

6.3 Metamorphism

Supracrustal rocks in the area have been regionally metamorphosed to greenschist facies with higher-grade contact metamorphic aureoles around the major felsic intrusions. No genetic or spatial relationship between regional metamorphic facies and gold deposition has been established.

6.4 Hydrothermal Alteration

A pervasive and often intense carbonate hydrothermal alteration event is superimposed on the deformation zones and appears to have had its greatest effect on mafic and ultramafic rocks. Primary minerals of the altered rocks have been converted to quartz, carbonate, epidote, plagioclase, chlorite and sericite (fuchsite and talc in the ultramafics).

6.5 Red Lake Gold Deposits

Gold occurs in the free state or with pyrite, pyrrhotite and arsenopyrite and lesser amounts of magnetite, chalcopyrite, sphalerite, galena and sulph-arsenides in quartz-ankerite and/or 'cherty' quartz veins, stockworks, lenses, stringers and silicified zones. In rare instances, scheelite is reported (Ferguson, 1966).

Silicification and carbonatization, together with very anomalous K-enrichment and Na + Ca (minor Mg)-depletion, occur in the alteration aureoles surrounding ore zones (Andrews and Wallace, *op. cit.*). One important aspect, particularly with respect to exploration, is the presence of geochemically elevated Au and As in the alteration aureoles (Durocher, 1983).

Andrews and Wallace (1983) point out that most of the productive areas of the Red Lake camp are underlain by tholeiitic to komatiitic mafic and ultramafic volcanics, and that past and present production zones occur within highly altered metavolcanics at or near the stratigraphic top of the Balmer sequence.

sample	northing	easting	rocktype	descriptn
385700	5659632	414582	foliated mafic volcanic	Dark greyish green fine grained, foliated mafic volcanic. Carbonaterich with rusty pods,« tr py »« fol 78.00-192.00°» outcrop has the appearance of elongated pillows. very silicious
385720	5659590	414785	granitic dyke with mineralized quartz veining	granitic dyke (locally graphic) hosting thin« qvein 64.00-2.00°» « dyke 64.00-2.00° 20.00cm» cross« qvein 90.00-207.00°»« dyke » veining hosts« tr cpy »« tr py » bio. unit hosted within a medium grained massive mafic unit. may be an altered fine to medium grained gabbro hosts« tr py »« tr cpy » dyking carried through parallel to and along shoreline eastwards
385721	5659590	414785	gabbro	medium grained massive mafic unit. may be an altered fine to medium grained gabbro hosts« tr cpy »« tr py »
385722	5659614	414875	mafic volcanic	well foliated« fol 83.00-3.00°» mafic volcanic weathered. rusty limonitic; hosts« strongly chl » schist
385723	5659672	414921	mafic volcanic	mafic volc with white oxide coating,« carb » rich« tr py »« tr fol 85.00-3.00°»
385724	5659628	415317	mafic volcanic	medium to dark greyish green; fine grained« fol 74.00-10.00°» unit is« carb » rich with vuggy surface where« carb » has weathered out. hosts« tr py » outcrop is locally rusty unit may be mafic volc flow top. cross cut by felsic« dyke 60.00-258.00°»
385726	5659499	417123	silicious altered mafic volcanic	silicious altered mafic volc;« chl » unit very rusty and "burnt" non-magnetic« fol 85.00-40.00°»
385727	5659499	417123	quartz vein with fuchsite	« qvein 60.00-280.00°» hosts fine grained« fuchsite » and« tr py »
385728	5659528	417375	silicious altered mafic volcanic	silicious altered mafic volc, rusty on surface. dissem« py 1.00%»« try cpy »« fol 60.00-18.00° 25.00-30.00cm» zone is weakly magnetic
385729	5659562	417599	rusty mineralized mafic	trench: Az 020. Across the pennisula. south 2/3 of trench from lake uphill is in boulders and thick till. top of hill trench cuts rusty siliceous o/c with« stress qtz » veining parallel to« fol 78.00-10.00°» host appears to be altered mafic volc hosting« py »« cpy » limonitc, burnt look. « qtz » locally sheared. Old samples RMR 32953, RMR 32957, RMR 32954
385730	5659561	417599	quartz vein	trench: Az 020. Across the pennisula. south 2/3 of trench from lake uphill is in boulders and thick till. top of hill trench cuts rusty siliceous o/c with« stress qtz » veining parallel to« fol 78.00-10.00°» host appears to be altered mafic volc hosting« py »« cpy » limonitc, burnt look. « qtz » locally sheared. Old samples RMR 32953, RMR 32957, RMR 32954
385731	5659560	417600	rusty mafic volcanic	trench: Az 020. Across the pennisula. south 2/3 of trench from lake uphill is in boulders and thick till. top of hill trench cuts rusty siliceous o/c with« stress qtz » veining parallel to« fol 78.00-10.00°» host appears to be altered mafic volc hosting« py »« cpy » limonitc, burnt look. « qtz » locally sheared. Old samples RMR 32953, RMR 32957, RMR 32954

sample	northing	easting	rocktype	descptn
385732	5659559	417600	rusty mafic volcanic	trench: Az 020. Across the peninsula. south 2/3 of trench from lake uphill is in boulders and thick till. top of hill trench cuts rusty siliceous o/c with « stress qtz » veining parallel to « fol 78.00-10.00° » host appears to be altered mafic volc hosting « py » « cpy » limonite, burnt look. « qtz » locally sheared. Old samples RMR 32953, RMR 32957, RMR 32954
385733	5659064	416790	mafic volcanic	medium to dark green fine grained « fol 76.00-18.00° » thin « qtz » stringers up to 1 cm thick. rusty on fracture surfaces « tr cpy » small « flt 72.00-172.00° »
385734	5658940	416721	altered ultra-mafic	talc - altered ultra mafic. serpentine unit hosts randomly orientated « carb 2.00cm » veins no visible sulphides noted. massive unit
385735	5658066	417932	altered ultra-mafic	Greyish brown altered ultramafic. some relict-preserved olivines suggesting possible dunite precursor. Locally hosts « carb 10.00% » rusty . Magnetic. Old cabin on south shore

Table 8.1

It is worth noting that samples 385729 to 385732 plot outside the claim. There appears to be a discrepancy between the plotted location of the claim post and the physical post location in the field. On July 27, 2002 the claim post was located before the samples in question were taken, and the samples were taken approximately 15 metres inside the claim boundary, (Figure 4)




Figure 4 Sample Locations

8.0 SUMMARY OF RESULTS

Please see enclosed Assay Certificates in Section 13.0

10.0 CONCLUSIONS AND RECOMMENDATIONS

The geological mapping and sampling program has confirmed the presence of significant mineralization in quartz veins and mafic-ultramafic volcanic rocks. The proximity of this mineralization to the Pipestone Bay – St. Paul Bay deformation zone as described by Andrews et. al 1986 indicates the potential for high grade gold mineralization.

Respectfully submitted

Michael G. Allen
 For Redstar Gold Corporation
 September 11, 2002

11.0 REFERENCES

Andrews, A. J. and Wallace, H, 1983 - Alteration, Metamorphism and Structural Patterns Associated With Gold Deposits - Preliminary Observations in the Red Lake Area; In The Geology of Gold in Ontario, Ont. Geol. Surv., Misc. paper 110, 278 p.

Corfu, F. and Andrews, A.J. 1987 : Geochronological constraints on the timing of magmatism, deformation and gold mineralization in the Red Lake greenstone belt, northwestern Ontario; Canadian Journal of Earth Sciences, v. 24, p1302-1320.

2. 242 18

Durocher, M.E., 1983: The nature of Hydrothermal Alteration Associated with the Madsen and Starratt-Olsen Gold Deposits, Red Lake, Ontario; In The Geology of Gold in Ontario, Ont. Geol. Surv. Misc. Paper 110, A.C. Colvine ed.

Ferguson, S.A. 1966 - Geology of Dome Township, . Ont. Dept. of Mines Geological Report 45

Hofmann, H.J., Thurston, P.C., and Wallace, H. 1985 : Archean stromatolites from the Uchi greenstone belt, north-western Ontario; *in* Evolution of Archean Supracrustal Sequences; Geological Association of Canada, Special Paper 28, p. 125-132.

Lavigne, M.L. 1983: Geological, Geochemical and Sulfur Isotope Investigations of the Gold Mineralization and Sulfide Facies Banded Iron Formation At The Dickenson And Campbell Red Lake Mines, Red Lake Ontario; unpub. MSc Thesis, McMaster University; 324p.

Ontario Geological Survey, 1991 - Geology and Gold Mineralization, Red Lake Greenstone Belt, OGS Map P310

Roth G. 1989: Evaluation of Results of Previous Geophysical Surveys, Fisher islands Property, private report for Strathcona Mineral Services

Pirie, James, 1977b: Geology of McDonough Tp. District of Kenora, Ontario: Ontario Geol. Surv., Prelim. Map 1240

_____, 1981: Regional Geological Setting Of Gold Deposits In The Red Lake Area, Northwestern Ontario. In Genesis Of Archean Gold Deposits Volcanic- Hosted Gold Deposits: Ontario Geol. Surv. Misc. paper 97, PP 71-73

Rigg, D.M. and Helmstaedt, H., 1981: Relations Between Structure And Gold Mineralization In Campbell Red Lake And Dickenson Mines, Red Lake Area, Ontario;

in *Genesis Of Archean Volcanic-Hosted Gold Deposits*, O.G.S. Misc. Paper 97, 111-127.

Riley, R A, 1970 Ball Township; *in summary* of field work, 1970 Ontario Dept of Mines and Northern Affairs, Miscellaneous Paper 43, p. 12-15.

_____, 1978b. Precambrian Geology, Farlie Township; Ontario Department of Mines, map 2407 scale 1:12000.

Sanborn-Barrie, M, Skulski, T, Parker, J and Dube, B.: Integrated regional analysis of the Red Lake Greenstone Belt and its mineral deposits, western Superior province, Ontario. GSC Current Research 2000-C18, 16pp.

Seyler, R., 1996 - personal communication

Strathcona Mineral Services Ltd., 1990: Report On Field Work Dorion Island Area, March -April, 1990: private company report for Outokumpu Mines Ltd. with Drill Logs For Holes FT90-1 to FT90-7


Strathcona Mineral Services Ltd., 1989: Report On Field Work February -April, 1989: private company report for Outokumpu Mines Ltd - with Drill logs for Holes FT89-1 To FT89-12

_____, 1988: Report on Field Work, Fisher Islands Property, Fall, 1988: private company report for Outokumpu Mines Ltd. by R. Guttenberg

12.0 CERTIFICATE OF QUALIFICATIONS

I, Michael G. Allen, a geological consultant residing at 705-989 Richards Street, Vancouver, BC certify that

1. I am a graduate of the University of Alberta, Edmonton, with a Bachelor of Science degree with Specialization in Geology, (1998)
2. I have been employed in the geoscience industry intermittently for over 4 years, and have explored for gold, base metals and diamonds in North America, for both senior and junior mining companies.
2. I have worked in the Red Lake gold camp for the past month as a consulting geologist for Redstar Gold Corp Corporation, and have spent July 10, 2002 examining the geology of the Pipestone East property.
3. I am a member in good standing of the Association for Professional Engineers, Geologists, and Geophysicists of Alberta.



Michael G. Allen
705-989 Richards Street
Vancouver, BC

(Effective Date: July 24, 2002)

13.0 Assay Certificates



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: WRL
 Comments: ATTN: DOUG FULCHER

Page Number :2-B
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. :I0221274
 P.O. Number :WRL-S004
 Account :BM

CERTIFICATE OF ANALYSIS A0221274

SAMPLE	PREP CODE	Ni ppm (ICP)	P ppm (ICP)	Pb ppm (ICP)	S % (ICP)	Sb ppm (ICP)	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
385720	205 222	3	100	10	0.09	< 5	91	0.01	4	< 10	8
385721	205 294	100	180	< 2	0.07	< 5	196	0.23	244	< 10	74
385722	205 226	29	160	6	0.47	< 5	70	0.25	244	< 10	64
385723	205 226	104	120	< 2	0.01	5	74	0.25	242	< 10	68
385724	205 226	87	160	6	0.19	< 5	61	0.22	226	< 10	64
385725	205 226	3	320	2	0.01	< 5	42	< 0.01	6	< 10	10
385726	205 226	98	90	2	4.05	< 5	8	0.09	110	< 10	70
385727	205 226	14	30	< 2	0.12	< 5	36	< 0.01	14	< 10	14
385728	205 226	96	2500	14	1.52	5	58	0.26	180	< 10	68
385729	205 294	44	< 10	< 2	5.67	< 5	4	< 0.01	5	< 10	8
385730	205 226	5	40	< 2	0.24	< 5	4	< 0.01	3	< 10	8
385731	205 294	41	70	< 2	5.19	< 5	10	< 0.01	9	< 10	22
385732	205 222	46	310	4	0.58	5	58	0.13	76	< 10	48
385733	205 294	64	250	8	0.40	5	102	0.44	268	< 10	54
385734	205 226	1600	50	< 2	0.01	5	38	< 0.01	37	< 10	28
385735	205 226	2270	10	< 2	< 0.01	< 5	27	< 0.01	13	< 10	26
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]
[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]	[REDACTED]

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: WRL
 Comments: ATTN: DOUG FULCHER

Page Number : 1
 Total Pages : 1
 Certificate Date: 09-AUG-2002
 Invoice No. : I0221277
 P.O. Number : WRL-S004
 Account : BM

CERTIFICATE OF ANALYSIS

A0221277

SAMPLE	PREP CODE	Al2O3	BaO	CaO	Cr2O3	Fe2O3	K2O	MgO	MnO	Na2O	P2O5	SiO2	SrO	TiO2	LOI	TOTAL	Nb	Rb	Y	Zr
		% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	% XRF	%	ppm	ppm	ppm	ppm
385720	299 --	13.11	< 0.01	1.12	0.02	0.80	0.57	0.23	0.04	6.61	0.04	76.89	0.01	0.03	0.33	99.80	15	15	24	48
385721	299 --	13.59	0.02	10.60	0.04	11.14	0.50	8.08	0.23	2.71	0.05	50.99	0.02	0.39	1.22	99.58	< 10	16	13	34
385722	299 --	12.04	< 0.01	8.98	0.02	14.31	0.62	7.93	0.38	2.22	0.03	48.30	< 0.01	0.43	4.10	99.36	< 10	21	11	38
385723	299 --	13.26	0.01	11.28	0.02	12.80	0.49	8.39	0.37	1.82	0.05	49.33	0.02	0.44	1.62	99.90	< 10	16	13	35
385724	299 --	12.65	< 0.01	13.25	0.03	13.21	0.31	9.93	0.52	0.82	0.05	46.52	0.02	0.40	1.78	99.49	< 10	17	14	32
385725	299 --	0.44	< 0.01	26.70	< 0.01	0.92	0.10	22.74	0.11	0.04	0.10	1.69	< 0.01	< 0.01	45.41	98.25	< 10	7	6	12
385726	299 --	4.54	< 0.01	10.26	0.01	28.97	0.21	9.29	1.05	0.33	0.03	37.49	< 0.01	0.17	6.11	98.46	< 10	22	13	22
385727	299 --	0.50	< 0.01	26.96	< 0.01	8.21	0.04	17.19	1.70	0.03	< 0.01	4.24	< 0.01	< 0.01	40.27	99.14	< 10	9	12	13
385728	299 --	10.33	< 0.01	11.66	0.02	14.05	0.36	5.16	0.93	0.45	0.57	53.38	0.02	0.48	2.31	99.72	< 10	19	25	45
385729	299 --	0.26	< 0.01	7.06	0.01	13.29	0.04	3.83	0.51	0.09	< 0.01	69.22	< 0.01	< 0.01	5.03	99.34	< 10	11	8	13
385730	299 --	0.23	< 0.01	6.20	0.01	3.77	0.04	3.68	0.38	0.07	0.01	83.93	0.01	0.04	1.09	99.46	< 10	9	5	11
385731	299 --	0.61	< 0.01	12.42	0.01	15.00	0.04	7.01	1.04	0.12	0.03	58.42	0.01	0.03	4.60	99.34	< 10	12	10	14
385732	299 --	5.63	< 0.01	14.71	0.01	13.35	0.19	10.29	1.62	0.92	0.08	49.10	0.01	0.22	3.09	99.22	< 10	14	15	37
385733	299 --	12.53	0.04	6.27	0.03	11.08	1.22	7.40	0.17	3.13	0.08	54.04	0.03	0.78	1.70	98.50	< 10	41	19	53
385734	299 --	1.08	< 0.01	8.25	0.28	8.81	0.03	27.12	0.16	0.17	0.02	29.14	0.01	0.02	24.09	99.18	< 10	7	7	17
385735	299 --	0.65	< 0.01	3.71	0.24	8.01	0.05	29.93	0.11	0.22	< 0.01	32.57	< 0.01	0.01	23.85	99.35	< 10	5	5	15

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :1-A
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. : I0221274
 P.O. Number : WRL-S004
 Account : BM

Project : WRL
 Comments: ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS

A0221274

SAMPLE	PREP CODE		Au ppb	Au FA g/t	Ag ppm (ICP)	Al % (ICP)	As ppm (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)
	FA+AA																				
385521	205	226	< 5	-----	< 0.5	0.86	< 5	< 10	< 0.5	< 2	0.31	< 0.5	8	120	52	1.34	0.04	0.43	165	3	0.14
385522	205	294	< 5	-----	< 0.5	7.52	< 5	950	1.5	4	1.00	< 0.5	1	26	9	0.73	2.36	0.41	215	< 1	1.88
385561	205	226	< 5	-----	< 0.5	4.14	< 5	400	0.5	2	1.15	< 0.5	3	60	16	1.06	1.56	0.54	320	< 1	0.43
385562	205	226	< 5	-----	< 0.5	2.86	< 5	110	< 0.5	2	0.33	< 0.5	3	104	4	0.71	0.77	0.30	125	1	0.35
385563	205	226	615	-----	6.0	0.85	< 5	10	< 0.5	2	2.5	0.5	27	430	800	3.45	0.05	3.66	545	1	0.08
385564	205	226	25	-----	< 0.5	8.51	< 5	70	< 0.5	< 2	2.9	0.5	19	54	87	4.83	0.47	1.93	685	< 1	4.22
385565	205	226	10	-----	< 0.5	5.31	< 5	40	< 0.5	< 2	6.4	1.5	30	132	317	7.06	0.13	2.89	1245	1	0.63
385566	205	222	10	-----	< 0.5	4.16	< 5	20	< 0.5	2	4.6	4.5	173	141	2830	19.52	0.08	2.98	1380	2	0.50
385622	205	222	430	-----	9.0	3.10	< 5	40	< 0.5	8	0.69	2.0	652	185	2700	20.67	0.32	2.24	425	1	0.35
385623	205	222	80	-----	6.0	4.98	< 5	30	< 0.5	6	0.66	0.5	42	290	1995	9.94	0.18	3.42	505	< 1	0.62
385624	205	222	< 5	-----	< 0.5	3.86	20	90	< 0.5	6	4.2	2.5	64	187	148	11.61	0.22	7.60	3890	< 1	0.34
385625	205	226	355	-----	0.5	2.18	< 5	40	< 0.5	< 2	0.66	< 0.5	5	112	128	2.69	0.32	0.43	2580	2	0.09
385626	205	222	10	-----	< 0.5	5.29	< 5	110	0.5	< 2	1.00	0.5	4	82	27	2.31	1.00	0.43	3350	2	0.40
385627	205	226	40	-----	< 0.5	8.14	< 5	490	0.5	2	1.15	< 0.5	8	46	176	1.96	2.55	0.72	140	< 1	2.68
385628	205	222	5	-----	1.5	3.21	5	20	< 0.5	4	1.05	< 0.5	25	145	49	4.88	0.08	2.21	735	1	0.14
385685	205	226	110	-----	6.5	0.48	< 5	< 10	< 0.5	< 2	0.06	< 0.5	3	130	2040	0.65	0.08	0.06	35	1	0.24
385686	205	226	435	-----	25	8.68	< 5	70	0.5	4	0.67	< 0.5	13	69	5590	3.02	0.76	0.64	180	1	5.65
385687	205	226	>10000	13.05	8.5	1.49	< 5	30	< 0.5	< 2	0.23	0.5	8	142	3000	0.87	0.31	0.17	60	1	0.54
385688	205	226	20	-----	< 0.5	8.07	< 5	800	1.0	6	0.70	< 0.5	< 1	25	28	0.65	2.60	0.23	180	1	2.26
385689	205	226	< 5	-----	< 0.5	0.36	< 5	< 10	< 0.5	< 2	0.20	< 0.5	3	102	19	0.63	0.02	0.19	90	< 1	0.05
385690	205	226	50	-----	< 0.5	1.59	< 5	< 10	< 0.5	4	1.80	1.0	13	141	72	11.17	0.04	1.39	2290	3	0.07
385691	205	226	< 5	-----	< 0.5	0.28	< 5	< 10	< 0.5	< 2	0.21	< 0.5	< 1	96	10	0.44	0.04	0.03	70	1	0.01
385692	205	226	< 5	-----	< 0.5	2.54	< 5	210	< 0.5	< 2	1.10	< 0.5	4	99	77	1.53	0.84	0.59	335	< 1	0.16
385693	205	226	< 5	-----	< 0.5	0.37	< 5	30	< 0.5	< 2	0.05	< 0.5	< 1	118	4	0.30	0.15	0.04	40	< 1	0.04
385694	205	226	< 5	-----	< 0.5	7.19	< 5	510	0.5	2	1.45	< 0.5	6	55	103	2.20	2.24	0.76	160	3	2.26
385695	205	222	< 5	-----	< 0.5	2.50	< 5	140	< 0.5	< 2	0.82	< 0.5	3	102	7	0.60	0.50	0.12	140	1	0.75
385696	205	226	< 5	-----	< 0.5	0.09	< 5	10	< 0.5	2	19.5	< 0.5	< 1	9	3	0.38	0.04	12.17	185	< 1	0.01
385697	205	226	< 5	-----	< 0.5	0.52	< 5	40	< 0.5	< 2	0.38	< 0.5	< 1	86	2	0.33	0.10	0.08	110	< 1	0.07
385698	205	226	40	-----	< 0.5	1.33	20	< 10	< 0.5	10	1.45	< 0.5	5	102	176	2.21	0.06	0.49	605	8	0.30
385699	205	222	150	-----	1.0	0.70	5	10	< 0.5	< 2	0.27	< 0.5	8	155	1920	1.77	0.06	0.42	200	< 1	0.08
385704	205	226	2660	-----	< 0.5	0.49	< 5	10	< 0.5	< 2	0.07	< 0.5	1	96	272	0.38	0.13	0.07	50	1	0.20
385705	205	294	5	-----	< 0.5	1.31	< 5	< 10	< 0.5	< 2	1.05	< 0.5	11	140	176	1.87	0.03	0.85	280	< 1	0.25
385706	205	294	5	-----	< 0.5	7.47	15	20	< 0.5	< 2	6.9	2.0	48	172	204	8.09	0.07	3.83	1335	1	1.72
385707	205	226	5	-----	< 0.5	0.19	< 5	240	< 0.5	< 2	0.41	< 0.5	1	179	7	0.52	< 0.01	0.10	100	1	0.04
385708	205	226	< 5	-----	< 0.5	1.49	< 5	250	< 0.5	< 2	0.23	< 0.5	1	136	5	0.45	0.58	0.11	100	1	0.18
385709	205	226	< 5	-----	< 0.5	1.34	< 5	30	3.0	< 2	2.5	5.5	7	98	10	>25.00	0.10	2.47	3580	4	0.16
385710	205	226	< 5	-----	< 0.5	1.70	< 5	100	< 0.5	2	0.30	< 0.5	2	154	1	0.47	0.22	0.15	65	< 1	0.34
385711	205	226	< 5	-----	< 0.5	1.03	< 5	< 10	< 0.5	< 2	0.76	< 0.5	7	180	4	1.19	0.05	0.61	225	1	0.32
385712	205	226	< 5	-----	< 0.5	6.95	< 5	330	< 0.5	< 2	5.7	1.5	35	230	21	6.54	0.37	4.71	1170	5	2.72
385713	205	226	< 5	-----	< 0.5	1.17	< 5	50	< 0.5	< 2	0.12	< 0.5	1	96	3	0.37	0.29	0.07	50	1	0.47

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :1-B
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. : I0221274
 P.O. Number : WRL-S004
 Account : BM

Project : WRL
 Comments : ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS

A0221274

SAMPLE	PREP		Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
	CODE		(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)
385521	205	226	33	30	< 2	0.01	< 5	8	0.05	28	< 10	14
385522	205	294	10	310	8	0.01	< 5	70	0.04	11	< 10	28
385561	205	226	6	150	6	< 0.01	< 5	45	0.07	13	< 10	18
385562	205	226	21	110	< 2	< 0.01	< 5	39	0.05	13	< 10	20
385563	205	226	182	150	< 2	0.06	< 5	8	0.03	32	130	40
385564	205	226	11	1010	8	0.54	< 5	323	0.33	134	< 10	62
385565	205	226	70	170	< 2	0.15	< 5	74	0.21	156	< 10	52
385566	205	222	103	220	< 2	5.75	10	47	0.23	143	< 10	72
385622	205	222	569	190	< 2	>10.00	< 5	40	0.18	126	< 10	54
385623	205	222	50	340	2	0.23	< 5	35	0.22	180	< 10	64
385624	205	222	194	410	8	0.09	5	35	0.12	120	< 10	50
385625	205	226	13	210	2	0.18	< 5	21	0.05	11	< 10	30
385626	205	222	20	150	10	0.08	< 5	60	0.12	19	< 10	42
385627	205	226	7	370	8	0.42	< 5	94	0.12	31	< 10	14
385628	205	222	52	220	< 2	0.02	< 5	19	0.08	82	< 10	74
385685	205	226	6	50	2	0.25	< 5	4	0.02	5	< 10	10
385686	205	226	20	790	6	0.70	< 5	80	0.32	112	< 10	34
385687	205	226	16	90	10	0.34	< 5	20	0.03	17	< 10	26
385688	205	226	2	320	12	0.02	< 5	49	0.03	3	< 10	28
385689	205	226	9	40	< 2	< 0.01	< 5	2	0.01	12	< 10	6
385690	205	226	38	670	< 2	0.16	< 5	6	0.04	21	< 10	342
385691	205	226	5	60	2	< 0.01	< 5	3	< 0.01	3	< 10	4
385692	205	226	11	150	< 2	0.05	< 5	29	0.08	25	< 10	14
385693	205	226	3	30	< 2	< 0.01	< 5	3	< 0.01	2	< 10	2
385694	205	226	12	460	6	0.28	< 5	137	0.17	33	< 10	24
385695	205	222	8	110	4	< 0.01	< 5	49	0.05	7	< 10	16
385696	205	226	1	260	2	0.01	< 5	43	< 0.01	4	< 10	10
385697	205	226	3	40	< 2	< 0.01	< 5	6	0.01	3	< 10	2
385698	205	226	11	60	4	0.35	< 5	31	0.03	56	< 10	10
385699	205	222	22	80	< 2	0.19	< 5	4	0.06	26	< 10	34
385704	205	226	7	10	< 2	0.03	< 5	3	0.01	5	< 10	2
385705	205	294	36	60	< 2	0.01	< 5	12	0.08	52	< 10	20
385706	205	294	147	240	6	0.11	5	113	0.48	280	< 10	82
385707	205	226	7	10	< 2	< 0.01	< 5	1	< 0.01	8	< 10	2
385708	205	226	5	120	< 2	< 0.01	< 5	14	0.03	6	< 10	6
385709	205	226	14	840	10	0.03	10	17	0.06	18	< 10	68
385710	205	226	9	50	< 2	< 0.01	< 5	22	0.01	6	< 10	16
385711	205	226	20	40	< 2	< 0.01	< 5	8	0.05	32	< 10	12
385712	205	226	75	170	2	0.01	5	121	0.29	227	< 10	64
385713	205	226	5	40	2	< 0.01	< 5	17	0.01	4	< 10	6

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :2-A
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. : 10221274
 P.O. Number : WRL-S004
 Account : BM

Project : WRL
 Comments: ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS

A0221274

SAMPLE	PREP CODE		Au ppb	Au FA Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	Mg %	Mn ppm	Mo ppm	Na %
			FA+AA	g/t (ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)
385714	205	226	< 5	< 0.5	1.00	< 5	< 10	< 0.5	< 2	0.44	0.5	127	4560	6	8.86	0.01	>15.00	1250	< 1	0.01
385715	205	226	< 5	< 0.5	7.08	< 5	180	< 0.5	< 2	0.07	< 0.5	4	44	5	2.79	2.43	0.58	510	< 1	0.19
385716	205	226	< 5	< 0.5	0.20	< 5	30	< 0.5	< 2	0.07	< 0.5	6	199	4	1.23	0.03	0.14	1895	2	0.01
385717	205	222	100	< 0.5	3.61	15	< 10	< 0.5	< 2	4.4	0.5	41	1105	37	5.18	0.04	5.74	1460	1	0.05
385718	205	222	15	< 0.5	7.23	< 5	10	< 0.5	2	2.6	2.0	45	210	186	9.93	0.11	4.37	825	< 1	1.67
385719	205	222	5	< 0.5	3.27	< 5	30	< 0.5	6	9.3	2.5	19	108	122	8.95	0.13	6.28	9090	< 1	0.74
385720	205	294	< 5	< 0.5	6.56	< 5	70	2.0	< 2	0.73	< 0.5	3	35	33	0.52	0.41	0.10	95	< 1	4.21
385721	205	226	< 5	< 0.5	7.63	< 5	180	< 0.5	< 2	7.2	1.5	43	180	79	6.94	0.38	4.65	1415	1	2.05
385722	205	226	< 5	< 0.5	6.66	< 5	50	< 0.5	< 2	6.1	2.0	15	126	161	9.04	0.49	4.50	2410	1	1.70
385723	205	226	< 5	< 0.5	7.56	< 5	70	< 0.5	< 2	7.8	2.0	45	126	22	8.19	0.39	4.89	2450	< 1	1.43
385724	205	226	< 5	< 0.5	7.12	< 5	40	< 0.5	< 2	8.8	2.5	43	120	208	8.26	0.22	5.65	3310	< 1	0.60
385725	205	226	< 5	< 0.5	0.12	< 5	30	< 0.5	< 2	18.5	< 0.5	1	11	4	0.39	0.05	11.46	180	< 1	0.01
385726	205	226	45	< 0.5	2.53	< 5	10	< 0.5	12	6.7	5.0	37	80	276	18.41	0.15	5.21	6750	1	0.21
385727	205	226	5	< 0.5	0.17	< 5	< 10	< 0.5	16	18.5	2.0	5	10	20	4.21	< 0.01	9.75	5210	< 1	0.01
385728	205	226	< 5	< 0.5	5.54	< 5	280	< 0.5	< 2	7.5	1.5	42	119	748	8.75	0.26	2.75	5020	18	0.32
385729	205	294	< 5	0.5	0.06	< 5	10	< 0.5	< 2	4.6	1.5	9	108	119	8.67	< 0.01	2.34	3400	< 1	0.03
385730	205	226	< 5	< 0.5	0.04	< 5	< 10	< 0.5	< 2	4.1	< 0.5	1	133	9	2.46	< 0.01	2.17	2740	< 1	0.01
385731	205	294	5	< 0.5	0.25	< 5	< 10	< 0.5	6	8.4	1.5	13	90	91	9.94	< 0.01	4.24	6540	1	0.07
385732	205	222	25	< 0.5	3.09	< 5	40	< 0.5	< 2	9.9	2.0	16	99	118	8.63	0.14	6.12	9710	< 1	0.65
385733	205	294	35	1.0	7.04	< 5	320	< 0.5	8	4.5	1.0	39	151	579	7.36	1.03	4.38	1220	< 1	2.40
385734	205	226	< 5	< 0.5	0.53	< 5	50	< 0.5	< 2	6.0	0.5	79	1300	14	4.91	< 0.01	>15.00	930	1	0.01
385735	205	226	< 5	< 0.5	0.18	< 5	< 10	< 0.5	< 2	2.9	0.5	97	1235	3	4.69	< 0.01	>15.00	790	< 1	0.01
385751	205	222	< 5	< 0.5	0.13	< 5	10	< 0.5	< 2	0.40	< 0.5	3	105	4	0.74	< 0.01	0.33	620	< 1	< 0.01
385752	205	226	< 5	< 0.5	4.72	< 5	30	< 0.5	< 2	3.3	2.0	46	619	81	8.49	0.22	4.99	3080	< 1	0.26
385753	205	222	145	< 0.5	5.16	< 5	110	0.5	< 2	0.59	0.5	6	115	41	3.95	1.29	0.83	1565	3	0.20
385754	205	222	5	< 0.5	4.46	10	50	< 0.5	< 2	7.4	1.0	101	2850	35	6.95	0.41	6.68	1565	< 1	1.32
385755	205	222	5	< 0.5	4.96	< 5	20	< 0.5	2	5.0	2.5	49	432	29	9.97	0.07	5.94	1555	1	0.36
385756	205	226	< 5	< 0.5	5.34	< 5	60	< 0.5	2	9.1	1.0	45	446	42	6.04	0.15	4.87	1295	< 1	1.12
385757	205	226	10	< 0.5	4.43	< 5	90	< 0.5	8	7.3	1.0	43	128	541	5.50	0.11	2.04	1755	< 1	0.78
385758	205	226	5	< 0.5	7.41	15	10	< 0.5	2	10.0	2.0	48	124	289	6.50	0.22	2.70	1770	2	0.14
385759	205	226	< 5	< 0.5	4.66	< 5	10	< 0.5	< 2	10.5	0.5	22	100	93	3.68	0.03	1.40	920	< 1	0.10

2
 242
 13

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :2-B
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. :I0221274
 P.O. Number :WRL-S004
 Account :BM

Project : WRL
 Comments: ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS	A0221274
-------------------------	----------

SAMPLE	PREP		Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm
	CODE		(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)	(ICP)
385714	205	226	1645	20	< 2	< 0.01	< 5	3	0.04	69	< 10	78
385715	205	226	22	330	130	0.03	< 5	48	0.16	23	< 10	48
385716	205	226	15	140	8	< 0.01	< 5	4	< 0.01	10	< 10	28
385717	205	222	242	50	8	0.15	< 5	24	0.09	132	< 10	96
385718	205	222	89	250	< 2	0.01	< 5	66	0.30	229	< 10	64
385719	205	222	51	260	2	0.62	5	50	0.13	88	< 10	50
385720	205	294	3	100	10	0.09	< 5	91	0.01	4	< 10	8
385721	205	226	100	180	< 2	0.07	< 5	196	0.23	244	< 10	74
385722	205	226	29	160	6	0.47	< 5	70	0.25	244	< 10	64
385723	205	226	104	120	< 2	0.01	5	74	0.25	242	< 10	68
385724	205	226	87	160	6	0.19	< 5	61	0.22	226	< 10	64
385725	205	226	3	320	2	0.01	< 5	42	< 0.01	6	< 10	10
385726	205	226	98	90	2	4.05	< 5	8	0.09	110	< 10	70
385727	205	226	14	30	< 2	0.12	< 5	36	< 0.01	14	< 10	14
385728	205	226	96	2500	14	1.52	5	58	0.26	180	< 10	68
385729	205	294	44	< 10	< 2	5.67	< 5	4	< 0.01	5	< 10	8
385730	205	226	5	40	< 2	0.24	< 5	4	< 0.01	3	< 10	8
385731	205	294	41	70	< 2	5.19	< 5	10	< 0.01	9	< 10	22
385732	205	222	46	310	4	0.58	5	58	0.13	76	< 10	48
385733	205	294	64	250	8	0.40	5	102	0.44	268	< 10	54
385734	205	226	1600	50	< 2	0.01	5	38	< 0.01	37	< 10	28
385735	205	226	2270	10	< 2	< 0.01	< 5	27	< 0.01	13	< 10	26
385751	205	222	18	40	4	< 0.01	< 5	7	< 0.01	6	< 10	8
385752	205	226	157	130	< 2	0.02	< 5	51	0.17	167	< 10	138
385753	205	222	29	310	18	0.27	< 5	41	0.12	21	< 10	94
385754	205	222	785	60	< 2	0.21	< 5	73	0.12	156	< 10	100
385755	205	222	143	200	< 2	0.05	< 5	51	0.20	152	< 10	122
385756	205	226	209	130	2	0.04	5	110	0.21	177	< 10	40
385757	205	226	87	260	< 2	0.14	< 5	61	0.21	107	< 10	96
385758	205	226	139	360	< 2	0.45	5	27	0.55	293	< 10	80
385759	205	226	59	130	< 2	0.14	< 5	18	0.20	121	< 10	36

CERTIFICATION: _____

Date: 2002-SEP-17

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

PERRY VERN ENGLISH
BOX 414
SOURIS, MANITOBA
R0K 2C0 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.24218
Transaction Number(s): W0220.01459

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

If you have any question regarding this correspondence, please contact BRUCE GATES by email at bruce.gates@ndm.gov.on.ca or by phone at (705) 670-5856.

Yours Sincerely,



Ron Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Perry Vern English
(Claim Holder)

Ronald Bruce Gangloff
(Claim Holder)

Assessment File Library

Perry Vern English
(Assessment Office)

