

**ASSESSMENT WORK REPORT
of work done on
Claim KRL 1239679
PIPESTONE NORTH PROPERTY
RED LAKE MINING DIVISION, NW ONTARIO**

for

REDSTAR GOLD CORPORATION

**Prepared By
Michael G. Allen B.Sc. Geol. I.T.
Redstar Gold Corporation**

July 20, 2002

2.23952




Table of Contents:

1.0	SUMMARY	3
2.0	TERMS OF REFERENCE	3
3.0	PROPERTY LOCATION AND PHYSIOGRAPHY	4
4.0	PROPERTY DESCRIPTION.....	4
5.0	PREVIOUS WORK.....	4
6.0	REGIONAL GEOLOGY	5
6.1	<i>Stratigraphy</i>	5
6.2	<i>Regional Structure</i>	6
6.3	<i>Metamorphism</i>	6
6.4	<i>Hydrothermal Alteration</i>	6
6.5	<i>Red Lake Gold Deposits</i>	6
7.0	PROPERTY GEOLOGY.....	7
8.0	SUMMARY OF WORK.....	7
8.0	SUMMARY OF RESULTS	8
10.0	CONCLUSIONS AND RECOMMEDATIONS	8
11.0	REFERENCES.....	8
12.0	CERTIFICATE OF QUALIFICATIONS.....	11

List of Figures:

Figure 1.	Location Map.....	12
Figure 2.	Claim Map.....	13
Figure 3.	Geology of the Red Lake greenstone belt, showing critical age determinations of volcanic and plutonic rocks (M. Sanborn-Barrie and T. Skulski, GSC, western Superior NATMAP program 1997-2002).....	14
Figure 4.	Property Geology & Sample Locations (in pocket)	15

APPENDIX I – ICP certificates

APPENDIX II – Metallic screen certificates

1.0 SUMMARY

Redstar Gold Corporation of # 611 675 West Hasings Street Vancouver, BC. V6B 1N2 has an option to earn an interest in one unpatented claim, KRL 1239679, consisting of 8 units, part of the package known as the Pipestone North Property. The Pipestone North property comprises 6 unpatented mining claims (mining rights only) consisting of 32 claim units. This property is part of a larger land package optioned from Rubicon Minerals Corporation. The work was carried out by Pamicon Developments on behalf of Redstar Gold Corporation and consisted of geological mapping, prospecting, and sampling.

The property is located approximately 31km west of the town of Red Lake Ontario, on the north shore of Red Lake in Pipestone Bay. The property is accessed by boat directly from the town of Red Lake.

The property is underlain by intrusive rocks of the Hammel Lake Pluton to the north, and felsic volcanic rocks of the Ball assemblage to the south. The Claim is located at the western extent of the Pipestone Bay – St. Paul Bay deformation zone as described by Andrews et. al 1986.

Mapping and sampling on the south-western portion of the claim revealed Felsic volcanic rocks containing weakly mineralized quartz veins. Mineralization consists of pyrite and chalcopyrite in trace amounts.

A total of 3 samples were collected for Au and ICP analysis. All results are pending.

2.0 TERMS OF REFERENCE

Pamicon Developments Ltd. of Vancouver BC, was contracted by Redstar Gold Corporation to complete work on Redstar's land holding in the Red Lake Camp during the summer of 2002. Initial work consisted of data compilation and review followed by a field program.

A base of operations was established in Red Lake ON where field mapping and sampling were carried out by three field geologist and two prospectors.

Rock samples were analyzed for Gold by fire assay, ICP analysis by Multi Acid Digestion and whole rock analysis by XRF at Chemex Labs facilites in Thunderbay ON and Vancouver BC.

3.0 PROPERTY LOCATION AND PHYSIOGRAPHY

The property is located in Northwestern Ontario, approximately 31km west of the town of Red Lake Ontario, on the north shore of Red Lake in Pipestone Bay. The property is accessed by boat directly from the town of Red Lake. (Figure 1.)

Physiography and topography are typical of glaciated Precambrian areas. Dominant landforms are rounded rocky ridges and hills, interspersed with low ground. The hills and ridges are generally elongated parallel to the strike direction of the underlying bedrock. Approximately 85% of the property is covered by water, outcrops are limited to the shoreline of Pipestone bay on the western portion of the claim.

4.0 PROPERTY DESCRIPTION

The Pipestone North property comprises 6 unpatented mining claims (mining rights only) consisting of 32 claim units. The claim on which work was performed pertaining to this report is summarized in Table 4.1. A property map is shown in Figure 2

Township	Claim Number(s)	Claim Units	Recorded Holder	Date of Record
BALL	1239679	8	Perry English	July 25/2002

Table 4.1

5.0 PREVIOUS WORK

Extensive work has been carried out in the Red Lake Area. Work completed in the survey area has been limited to surface sampling, geological mapping and airborne-mag surveys. The reader is referred to the publicly available assessment reports, filed at the resident geologists office in Red Lake, ON

6.0 REGIONAL GEOLOGY

6.1 Stratigraphy

The Red Lake gold camp is situated in the Red Lake greenstone belt, an accumulation of Archean-age metavolcanic, metasedimentary and intrusive rocks comprising a portion of the Uchi Province of the Canadian Precambrian Shield. (Figure 3)

The Red Lake district is underlain by Mesoarchean rocks that have been subdivided into three assemblages (Sandborn-Barrie *et al.*, 1999): Balmer, Ball and Bruce Channel. Neoproterozoic strata of the 2.75-2.73 Ga. Confederation assemblage overlie these older assemblages. The contact between Balmer and Confederation, exposed in a number of localities, thus represents a 200 Ma time span. Both Meso- and Neoproterozoic sequences are intruded by diorite to granodiorite stocks such as the Dome stock which has been dated at 2718 +/- 1 Ma.

Balmer assemblage rocks host all of the major gold mines in the camp but it is important to note that 1.6 M. ounces of gold has been extracted from intrusive hosted deposits. The Balmer assemblage consists of mafic to ultramafic flows (including komatiites) and intrusives, minor felsic and interflow sedimentary rock types. Age dates from Balmer assemblage felsic rocks range from 2992 to 2964 Ma. (Corfu and Andrews, 1987).

Ball assemblage rocks underlie much of the western part of the district and consist of ultramafic to mafic flows, intermediate volcanics and massive to spherulitic rhyolites. Chemical sedimentary rocks (iron formations) also characterize Ball assemblage rocks and include stromatolites (Hofmann *et al.*, 1985). The latter are bracketed by felsic rocks that are dated between 2940 Ma and 2925 Ma.

Bruce Channel assemblage rocks, as currently defined, are confined to the eastern part of the belt and comprise intermediate volcanics and clastic rocks (2894 +/- 1.5 Ma). A distinctive magnetite bearing iron formation occurs at the top of the assemblage and forms a key marker horizon.

Confederation rocks comprise intermediate to felsic flows, volcanoclastic and metasedimentary rocks. Age dates for this assemblage range from 2748 +/- 15 Ma to 2733 +/- 1Ma.

Granitoid rocks were intruded in three main episodes:

- 1) The 2734 +/- 2Ma Douglas Lake pluton, the 2731 +/- 3Ma (Little Vermilion Lake batholith) and 2729 +/- 1.5 Ma Red Crest stock.
- 2) The 2717 +/-2 Ma Hammell Lake pluton, The McKenzie Island stock (2720 +/- 2Ma), the Dome Stock 2718 +/-1Ma, the 2720 +/-5 Ma Abino granodiorite and late QFP dykes at the Campbell Mine, dated at 2714 +/-4 Ma.
- 3) Intrusion of the Killala Kspar megacrystic Killala-Baird granodiorite at 2704 +/- 1.5 Ma, the 2699 Walsh Lake pluton and a 2699 +/-4Ma dyke at the Madsen Mine.

6.2 Regional Structure

At least two major deformation events have affected the rocks of the belt resulting in the generation of type 2 interference fold structures on all scales. Overall strain in the belt is low, however, local high strain zones do occur, typically in areas of strong alteration with locally associated gold mineralization. Previous workers identified five major shear or deformation zones within which major gold deposits of the camp occur. Recent work (Sandborn-Barrie *et al.*, *op. cit*) has questioned the validity and usefulness of the deformation zone concept in the camp.

6.3 Metamorphism

Supracrustal rocks in the area have been regionally metamorphosed to greenschist facies with higher-grade contact metamorphic aureoles around the major felsic intrusions. No genetic or spatial relationship between regional metamorphic facies and gold deposition has been established.

6.4 Hydrothermal Alteration

A pervasive and often intense carbonate hydrothermal alteration event is superimposed on the deformation zones and appears to have had its greatest affect on mafic and ultramafic rocks. Primary minerals of the altered rocks have been converted to quartz, carbonate, epidote, plagioclase, chlorite and sericite (fuchsite and talc in the ultramafics).

6.5 Red Lake Gold Deposits

Gold occurs in the free state or with pyrite, pyrrhotite and arsenopyrite and lesser amounts of magnetite, chalcopyrite, sphalerite, galena and sulph-arsenides in quartz-ankerite and/or 'cherty' quartz veins, stockworks, lenses, stringers and silicified zones. In rare instances, scheelite is reported (Ferguson, 1966).

Silicification and carbonatization, together with very anomalous K-enrichment and Na + Ca (minor Mg)-depletion, occur in the alteration aureoles surrounding ore zones

(Andrews and Wallace, op. cit.). One important aspect, particularly with respect to exploration, is the presence of geochemically elevated Au and As in the alteration aureoles (Durocher, 1983).

Andrews and Wallace (1983) point out that most of the productive areas of the Red Lake camp are underlain by tholeiitic to komatiitic mafic and ultramafic volcanics, and that past and present production zones occur within highly altered metavolcanics at or near the stratigraphic top of the Balmer sequence.

7.0 PROPERTY GEOLOGY

The following summary of the property geology is based upon previous mapping and outcrops visited by the author.

Approximately 85% of the property is covered by water and outcrops are limited to the shoreline of Pipestone bay on the western margin of the claim.

The property is underlain by the Hammel lake pluton to the north and Felsic and Mafic volcanic rocks of the Ball assemblage to the south. (Figure 4.).

The Hammel Lake pluton was not visited during this trip and is described as a potassium feldspar megacrystic granodiorite and as a biotitic – hornblende trondhjemite along its southern margin (Riley 1975, 1978b).

Felsic rocks consist of silicified and biotite altered tuffs and possible flows. This unit is weakly to moderately foliated, foliation trends at 103 degrees dipping 85 degrees to the north. A Felsic Biotite schist was noted in outcrop at 5659499N, 410702 E (UTM NAD 83) the schistosity is foliation parallel. Several mineralized quartz veins were sampled in an old trench located at 5659499N, 410702E. Mineralization consists of 1-3% chalcopyrite with trace malachite staining. Biotite altered Mafic Volcanic rocks were noted in an outcrop along the shoreline north of the Felsic Biotite Schist unit described above. The Mafic unit is fine to medium grained with a Hornfels characteristic, most likely due to the proximity of the Hammel Lake Pluton to the north.

8.0 SUMMARY OF WORK

On July 15, 2002 a total of 2 geologists and 2 helpers (a total crew of 4 people for one day) conducted geological mapping and sampling. The property was access via boat from the town of Red Lake. A total of 3 samples (385685-385687) were collected for Gold and ICP analysis. Sample descriptions are summarized in table 8.1 (Figure 4.) A brief shoreline traverse by boat was conducted to the north of the sample area to locate the contact between the Felsic tuffs and the Hammel Lake batholith. A fine – medium

mafic unit was noted in one outcrop. The unit exhibits hornfels texture and is weakly foliated.

sample	northing	easting	rocktype	descptn
385685	5659499	410702	felsic volc qvein	Qvein material with sulphides from middle trench. Smokey with « cpy 3.00% » as clots and veinlets. tr mal on weathered surfaces. trench along 295 « qtz 10.00-268.00° »
385686	5659499	410702	felsic bio schist	mineralized country rock around « qvein » of 385685 Felsic « bio » schist. « carb » altered. « cpy 2.00% » as blobs/clots and along foliation planes « fol 86.00-13.00° »
385687	5659479	410707	qvein	« qvein » with « cpy 3.00% » clotty. « tr bo » « sugary qtz » smokey iron stained. Taken from south trench rubble. Vein appears to be hosted in felsics. « tr Mal » on weathered surfaces. Possible black chlorite. Nearby « qvein 82.00-347.00° »

Table 8.1

8.0 SUMMARY OF RESULTS

All three samples were anomalous in gold. Sample 385687 assayed 13.05 g/t Au by fire assay and 22.72 g/t by metallic screen analysis and is considered significant. Sample 385686 assayed 435ppb gold and 0.49 g/t gold by metallic screen and sample 385685 assayed 110 ppb gold. (See appendix I and II)

10.0 CONCLUSIONS AND RECOMMENDATIONS

Preliminary sampling on this property has indicated the presence of significant gold mineralization. The geological mapping and sampling program has confirmed the presence of mineralization in quartz veins and Felsic volcanic rocks on the property. The proximity of this mineralization to the Pipestone Bay – St. Paul Bay deformation zone as described by Andrews et. al 1986 indicates the potential for high grade gold mineralization. Further work is on-going in this area.

Respectfully submitted

Michael G. Allen
For Redstar Gold Corporation, July 24, 2002

11.0 REFERENCES

- Andrews, A. J. and Wallace, H, 1983 - Alteration, Metamorphism and Structural Patterns Associated With Gold Deposits - Preliminary Observations in the Red Lake Area; In *The Geology of Gold in Ontario*, Ont. Geol. Surv., Misc. paper 110, 278 p.
- Corfu, F. and Andrews, A.J. 1987 : Geochronological constraints on the timing of magmatism, deformation and gold mineralization in the Red Lake greenstone belt, northwestern Ontario; *Canadian Journal of Earth Sciences*, v. 24, p1302-1320.
- Durocher, M.E., 1983: The nature of Hydrothermal Alteration Associated with the Madsen and Starratt-Olsen Gold Deposits, Red Lake, Ontario; In *The Geology of Gold in Ontario*, Ont. Geol. Surv. Misc. Paper 110, A.C. Colvine ed.
- Ferguson, S.A. 1966 - Geology of Dome Township, . Ont. Dept. of Mines Geological Report 45
- Hofmann, H.J., Thurston, P.C., and Wallace, H. 1985 : Archean stromatolites from the Uchi greenstone belt, north-western Ontario; *in* *Evolution of Archean Supracrustal Sequences*; Geological Association of Canada, Special Paper 28, p. 125-132.
- Lavigne, M.L. 1983: Geological, Geochemical and Sulfur Isotope Investigations of the Gold Mineralization and Sulfide Facies Banded Iron Formation At The Dickenson And Campbell Red Lake Mines, Red Lake Ontario; unpub. MSc Thesis, McMaster University; 324p.
- Ontario Geological Survey, 1991 - Geology and Gold Mineralization, Red Lake Greenstone Belt, OGS Map P310
- Roth G. 1989: Evaluation of Results of Previous Geophysical Surveys, Fisher islands Property, private report for Strathcona Mineral Services
- Pirie, James, 1977b: Geology of McDonough Tp. District of Kenora, Ontario: Ontario Geol. Surv., Prelim. Map 1240
- _____, 1981: Regional Geological Setting Of Gold Deposits In The Red Lake Area, Northwestern Ontario. In *Genesis Of Archean Gold Deposits Volcanic- Hosted Gold Deposits*: Ontario Geol. Surv. Misc. paper 97, PP 71-73
- Rigg, D.M. and Helmstaedt, H., 1981: Relations Between Structure And Gold Mineralization In Campbell Red Lake And Dickenson Mines, Red Lake Area, Ontario; in *Genesis Of Archean Volcanic-Hosted Gold Deposits*, O.G.S. Misc. Paper 97, 111-127.

Riley, R A, 1970 Ball Township; *in summary* of field work, 1970 Ontario Dept of Mines and Northern Affairs, Miscellaneous Paper 43, p. 12-15.

_____, 1978b. Precambrian Geology, Farlie Township; Ontario Department of Mines, map 2407 scale 1:12000.

Sanborn-Barrie, M, Skulski, T, Parker, J and Dube, B.: Integrated regional analysis of the Red Lake Greenstone Belt and its mineral deposits, western Superior province, Ontario. GSC Current Research 2000-C18, 16pp.

Seyler, R., 1996 - personal communication

Strathcona Mineral Services Ltd., 1990: Report On Field Work Dorion Island Area, March -April, 1990: private company report for Outokumpu Mines Ltd. with Drill Logs For Holes FT90-1 to FT90-7

Strathcona Mineral Services Ltd., 1989: Report On Field Work February -April, 1989: private company report for Outokumpu Mines Ltd - with Drill logs for Holes FT89-1 To FT89-12

_____, 1988: Report on Field Work, Fisher Islands Property, Fall, 1988: private company report for Outokumpu Mines Ltd. by R. Guttenberg

12.0 CERTIFICATE OF QUALIFICATIONS

I, Michael G. Allen, a geological consultant residing at 705-989 Richards Street, Vancouver, BC certify that

1. I am a graduate of the University of Alberta, Edmonton, with a Bachelor of Science degree with Specialization in Geology, (1998)
2. I have been employed in the geoscience industry intermittently for over 4 years, and have explored for gold, base metals and diamonds in North America, for both senior and junior mining companies.
2. I have worked in the Red Lake gold camp for the past month as a consulting geologist for Redstar Gold Corp Corporation, and have spent July 10, 2002 examining the geology of the Pipestone East property.
3. I am a member in good standing of the Association for Professional Engineers, Geologists, and Geophysicists of Alberta.

Michael G. Allen
705-989 Richards Street
Vancouver, BC

(Effective Date: July 24, 2002)




Figure 1. Location Map




Figure 2. Claim Map




Figure 3. Geology of the Red Lake greenstone belt, showing critical age determinations of volcanic and plutonic rocks (M. Sanborn-Barrie and T. Skulski, GSC, western Superior NATMAP program 1997-2002).

Figure 4. Property Geology & Sample Locations (in pocket)



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED #
 611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number :1-A
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. :I0221274
 P.O. Number :WRL-S004
 Account :BM

Project : WRL
 Comments: ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS A0221274

SAMPLE	PREP CODE	Au ppb FA+AA	Au FA g/t	Ag ppm (ICP)	Al % (ICP)	As ppm (ICP)	Ba ppm (ICP)	Be ppm (ICP)	Bi ppm (ICP)	Ca % (ICP)	Cd ppm (ICP)	Co ppm (ICP)	Cr ppm (ICP)	Cu ppm (ICP)	Fe % (ICP)	K % (ICP)	Mg % (ICP)	Mn ppm (ICP)	Mo ppm (ICP)	Na % (ICP)
385521	205 226	< 5	-----	< 0.5	0.86	< 5	< 10	< 0.5	< 2	0.31	< 0.5	8	120	32	1.34	0.04	0.43	165	3	0.34
385522	205 294	< 5	-----	< 0.5	7.52	< 5	950	1.5	4	1.00	< 0.5	1	26	9	0.73	2.36	0.41	215	< 1	1.88
385561	205 226	< 5	-----	< 0.5	4.14	< 5	400	0.5	2	1.15	< 0.5	3	60	16	1.06	1.56	0.54	320	< 1	0.43
385562	205 226	< 5	-----	< 0.5	2.86	< 5	110	< 0.5	2	0.33	< 0.5	3	104	4	0.71	0.77	0.30	125	1	0.35
385563	205 226	615	-----	6.0	0.85	< 5	10	< 0.5	2	2.5	0.5	27	430	800	3.45	0.05	3.66	545	1	0.08
385564	205 226	25	-----	< 0.5	8.51	< 5	70	< 0.5	< 2	2.9	0.5	19	54	87	4.83	0.47	1.93	685	< 1	4.22
385565	205 226	10	-----	< 0.5	5.31	< 5	40	< 0.5	< 2	6.4	1.5	30	132	317	7.06	0.13	2.89	1245	1	0.63
385566	205 222	10	-----	< 0.5	4.16	< 5	20	< 0.5	< 2	4.6	4.5	173	141	2830	19.52	0.08	2.98	1380	2	0.50
385622	205 222	430	-----	9.0	3.10	< 5	40	< 0.5	8	0.69	2.0	652	185	2700	20.67	0.32	2.24	425	1	0.35
385623	205 222	80	-----	6.0	4.98	< 5	30	< 0.5	6	0.66	0.5	42	290	1995	9.94	0.18	3.42	505	< 1	0.62
385624	205 222	< 5	-----	< 0.5	3.86	20	90	< 0.5	6	4.2	2.5	64	187	148	11.61	0.22	7.60	3890	< 1	0.34
385625	205 226	355	-----	0.5	2.18	< 5	40	< 0.5	< 2	0.66	< 0.5	5	112	128	2.69	0.32	0.43	2580	2	0.09
385626	205 222	10	-----	< 0.5	5.29	< 5	110	0.5	< 2	1.00	0.5	4	82	27	2.31	1.00	0.43	3350	2	0.40
385627	205 226	40	-----	< 0.5	8.14	< 5	490	0.5	2	1.15	< 0.5	8	46	176	1.96	2.55	0.72	140	< 1	2.68
385628	205 222	5	-----	1.5	3.21	5	20	< 0.5	4	1.05	< 0.5	23	145	43	4.88	0.08	2.21	735	1	0.14
385685	205 226	110	-----	6.5	0.48	< 5	< 10	< 0.5	< 2	0.06	< 0.5	3	130	2040	0.65	0.08	0.06	35	1	0.24
385686	205 226	435	-----	25	8.68	< 5	70	0.5	4	0.67	< 0.5	13	69	5590	3.02	0.76	0.64	180	1	5.65
385687	205 226	>10000	13.05	8.5	1.49	< 5	30	< 0.5	< 2	0.23	0.5	8	142	3000	0.87	0.31	0.17	60	1	0.54
385688	205 226	20	-----	< 0.5	8.07	< 5	800	1.0	6	0.70	< 0.5	< 1	25	28	0.65	2.60	0.23	180	1	2.08
385689	205 226	< 5	-----	< 0.5	0.36	< 5	< 10	< 0.5	< 2	0.20	< 0.5	3	102	19	0.63	0.02	0.19	90	< 1	0.05
385690	205 226	50	-----	< 0.5	1.59	< 5	< 10	< 0.5	4	1.80	1.0	13	141	72	11.17	0.04	1.39	2290	3	0.07
385691	205 226	< 5	-----	< 0.5	0.28	< 5	< 10	< 0.5	< 2	0.21	< 0.5	< 1	96	10	0.44	0.04	0.03	70	1	0.01
385692	205 226	< 5	-----	< 0.5	2.54	< 5	210	< 0.5	< 2	1.10	< 0.5	4	99	77	1.53	0.84	0.59	335	< 1	0.16
385693	205 226	< 5	-----	< 0.5	0.37	< 5	30	< 0.5	< 2	0.05	< 0.5	< 1	118	4	0.30	0.15	0.04	40	< 1	0.04
385694	205 226	< 5	-----	< 0.5	7.19	< 5	510	0.5	2	1.45	< 0.5	6	55	103	2.20	2.24	0.76	160	3	2.26
385695	205 222	< 5	-----	< 0.5	2.50	< 5	140	< 0.5	< 2	0.82	< 0.5	3	102	7	0.60	0.50	0.12	140	1	0.75
385696	205 226	< 5	-----	< 0.5	0.09	< 5	50	< 0.5	2	19.5	< 0.5	< 1	9	3	0.38	0.04	12.17	185	< 1	0.01
385697	205 226	< 5	-----	< 0.5	0.52	< 5	40	< 0.5	< 2	0.38	< 0.5	< 1	86	2	0.33	0.10	0.08	110	< 1	0.07
385698	205 226	40	-----	< 0.5	1.33	20	< 10	< 0.5	10	1.45	< 0.5	5	102	176	2.21	0.06	0.49	605	8	0.30
385699	205 222	150	-----	1.0	0.70	5	10	< 0.5	< 2	0.27	< 0.5	8	155	1920	1.77	0.06	0.42	200	< 1	0.08
385704	205 226	2660	-----	< 0.5	0.49	< 5	10	< 0.5	< 2	0.07	< 0.5	1	96	272	0.38	0.13	0.07	50	1	0.20
385705	205 294	5	-----	< 0.5	1.31	< 5	< 10	< 0.5	< 2	1.05	< 0.5	11	140	176	1.87	0.03	0.85	280	< 1	0.25
385706	205 294	5	-----	< 0.5	7.47	15	20	< 0.5	< 2	6.9	2.0	48	172	204	8.09	0.07	3.83	1335	1	1.72
385707	205 226	5	-----	< 0.5	0.19	< 5	240	< 0.5	< 2	0.41	< 0.5	1	179	7	0.52	< 0.01	0.10	100	1	0.04
385708	205 226	< 5	-----	< 0.5	1.49	< 5	250	< 0.5	< 2	0.23	< 0.5	1	136	5	0.43	0.58	0.11	100	1	0.18
385709	205 226	< 5	-----	< 0.5	1.34	< 5	30	3.0	< 2	2.5	5.5	7	98	10	>25.00	0.10	2.47	3580	4	0.16
385710	205 226	< 5	-----	< 0.5	1.70	< 5	100	< 0.5	2	0.30	< 0.5	2	154	1	0.47	0.22	0.15	85	< 1	0.34
385711	205 226	< 5	-----	< 0.5	1.03	< 5	< 10	< 0.5	< 2	0.76	< 0.5	7	180	4	1.19	0.05	0.61	225	< 1	0.32
385712	205 226	< 5	-----	< 0.5	6.95	< 5	330	< 0.5	< 2	5.7	1.5	35	230	21	6.54	0.37	4.71	1170	< 1	2.92
385713	205 226	< 5	-----	< 0.5	1.17	< 5	50	< 0.5	< 2	0.12	< 0.5	1	96	3	0.37	0.29	0.07	50	< 1	0.47

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED ##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Project: WRL
 Comments: ATTN: DOUG FULCHER

Page Number :1-B
 Total Pages :2
 Certificate Date: 12-AUG-2002
 Invoice No. :I0221274
 P.O. Number :WRL-S004
 Account :BM

CERTIFICATE OF ANALYSIS A0221274

SAMPLE	PREP CODE	Ni ppm (ICP)	P ppm (ICP)	Pb ppm (ICP)	S % (ICP)	Sb ppm (ICP)	Sr ppm (ICP)	Ti % (ICP)	V ppm (ICP)	W ppm (ICP)	Zn ppm (ICP)
385521	205 226	33	30	< 2	0.01	< 5	8	0.05	28	< 10	14
385522	205 294	10	310	8	0.01	< 5	70	0.04	11	< 10	28
385501	205 226	6	150	6	< 0.01	< 5	45	0.07	13	< 10	18
385562	205 226	21	110	< 2	< 0.01	< 5	39	0.05	13	< 10	20
385563	205 226	182	150	< 2	0.06	< 5	8	0.03	32	130	40
385564	205 226	11	1610	8	0.54	< 5	323	0.33	134	< 10	62
385565	205 226	70	170	< 2	0.15	< 5	74	0.21	156	< 10	52
385566	205 222	103	220	< 2	5.75	10	47	0.23	143	< 10	72
385622	205 222	569	190	< 2	>10.00	< 5	40	0.18	126	< 10	54
385623	205 222	50	340	2	0.23	< 5	35	0.22	180	< 10	64
385624	205 222	194	410	8	0.09	5	35	0.12	120	< 10	50
385625	205 226	13	210	2	0.18	< 5	21	0.05	11	< 10	30
385626	205 222	20	150	10	0.08	< 5	60	0.12	19	< 10	42
385627	205 226	7	370	8	0.42	< 5	94	0.12	31	< 10	14
385628	205 222	52	220	< 2	0.02	< 5	19	0.00	82	< 10	74
385685	205 226	6	50	2	0.25	< 5	4	0.02	5	< 10	10
385686	205 226	20	790	6	0.70	< 5	80	0.32	112	< 10	34
385687	205 226	16	90	10	0.34	< 5	20	0.03	17	< 10	26
385688	205 226	2	320	12	0.02	< 5	43	0.03	3	< 10	28
385689	205 226	9	40	< 2	< 0.01	< 5	2	0.01	12	< 10	6
385690	205 226	38	670	< 2	0.16	< 5	6	0.04	21	< 10	342
385692	205 226	5	60	2	< 0.01	< 5	3	< 0.01	3	< 10	4
385692	205 226	11	150	< 2	0.05	< 5	29	0.08	25	< 10	14
385693	205 226	3	30	< 2	< 0.01	< 5	3	< 0.01	2	< 10	2
385694	205 226	12	460	6	0.28	< 5	137	0.17	33	< 10	24
385695	205 222	8	110	4	< 0.01	< 5	49	0.05	7	< 10	16
385696	205 226	1	280	2	< 0.01	< 5	43	< 0.01	4	< 10	10
385697	205 226	3	40	< 2	< 0.01	< 5	6	0.01	3	< 10	2
385698	205 226	11	60	4	0.35	< 5	31	0.03	56	< 10	10
385699	205 222	22	80	< 2	0.19	< 5	4	0.06	26	< 10	34
385704	205 226	7	10	< 2	0.03	< 5	3	0.01	5	< 10	2
385705	205 294	35	60	< 2	0.01	< 5	12	0.08	52	< 10	20
385706	205 294	147	240	6	0.11	5	113	0.48	280	< 10	82
385707	205 226	7	10	< 2	< 0.01	< 5	1	< 0.01	8	< 10	2
385708	205 226	5	120	< 2	< 0.01	< 5	14	0.03	6	< 10	6
385709	205 226	14	840	10	0.03	10	17	0.06	18	< 10	68
385710	205 226	9	50	< 2	< 0.01	< 5	22	0.01	6	< 10	16
385711	205 226	20	40	< 2	< 0.01	< 5	8	0.05	32	< 10	12
385712	205 226	75	170	2	0.01	5	121	0.29	227	< 10	64
385713	205 226	5	40	< 2	< 0.01	< 5	17	0.01	4	< 10	6

CERTIFICATION: _____



ALS Chemex

Aurora Laboratory Services Ltd.
 Analytical Chemists * Geochemists * Registered Assayers
 212 Brooksbank Ave., North Vancouver
 British Columbia, Canada V7J 2C1
 PHONE: 604-984-0221 FAX: 604-984-0218

To: PAMICON DEVELOPMENTS LIMITED

##

611 - 675 W. HASTINGS ST.
 VANCOUVER, BC
 V6B 1N2

Page Number : 1
 Total Pages : 1
 Certificate Date: 21-AUG-2002
 Invoice No. : 10222087
 P.O. Number :
 Account : BM

Project: WRL - RERUN
 Comments: ATTN: DOUG FULCHER

CERTIFICATE OF ANALYSIS	A0222087
--------------------------------	-----------------

SAMPLE	PREP CODE	Au tot g/t	Au - g/t	Au + mg	Wt - grams	Wt + grams				
385563	94039414	0.57	0.56	0.031	1030	36.91				
385686	94039414	0.49	0.49	0.010	1040	26.86				
385687	94039414	22.72	21.76	1.488	1020	22.25				
385704	94039414	2.28	1.99	0.192	780	14.93				

CERTIFICATION: *[Signature]*

Date: 2002-NOV-13

GEOSCIENCE ASSESSMENT OFFICE
933 RAMSEY LAKE ROAD, 6th FLOOR
SUDBURY, ONTARIO
P3E 6B5

PERRY VERN ENGLISH
BOX 414
SOURIS, MANITOBA
R0K 2C0 CANADA

Tel: (888) 415-9845
Fax: (877) 670-1555

Submission Number: 2.23952
Transaction Number(s): W0220.01224

Dear Sir or Madam

Subject: Approval of Assessment Work

We have approved your Assessment Work Submission with the above noted Transaction Number(s). The attached Work Report Summary indicates the results of the approval.

At the discretion of the Ministry, the assessment work performed on the mining lands noted in this work report may be subject to inspection and/or investigation at any time.

The total value of work has been increased to \$1201.00 to include the cost of the analysis reported.

If you have any question regarding this correspondence, please contact LUCILLE JEROME by email at lucille.jerome@ndm.gov.on.ca or by phone at (705) 670-5858.

Yours Sincerely,



Ron Gashinski
Senior Manager, Mining Lands Section

Cc: Resident Geologist

Perry Vern English
(Claim Holder)

Redstar Gold Corp.
(Agent)

Assessment File Library

Perry Vern English
(Assessment Office)

2.23952




Figure 4. Property Geology & Sample Locations

2.23952



Problem Page

The original page in this document had a problem when scanned and as a result was unable to convert to Portable Document Format (PDF).

We apologize for the inconvenience.

Problème de conversion de page

Un problème est survenu au moment de balayer la page originale dans ce document. La page n'a donc pu être convertie en format PDF.

Nous regrettons tout inconvénient occasionné par ce problème.

