

9

M. 2176 KILLALA TWP.

WA102-9



THE MINING ACT

010

To the Recorder of..... RED LAKE Mining Division
EDWARD GAY P 8860

I, name of Recorded Holder
16 GOLDSHORE ROAD, P.O. BOX 610, RED LAKE, ONTARIO Miner's Licence

do hereby report the performance of 114 days of MANUAL WORK (TRENCHING)
not before reported to be applied on the following contiguous claims

Claim No.	Days	Claim No.	Days	Claim No.	Days
526557	7	526563	6	526569	6
526558	7	526564	6	526570	6
526559	7	526565	6	526571	6
526560	7	526566	6	526572	6
526561	7	526567	6	526573	6
526562	7	526568	6	526574	6

All the work was performed on Mining Claim (s) 526558; 526561; 526566; 526567; 526568; 526572.
(In the case of geological and/or geophysical survey (s) where more than 18 claims are involved attach a schedule)


READ CAREFULLY: THE FOLLOWING INFORMATION IS REQUIRED BY THE MINING RECORDER.

- For Manual Work, Stripping or Opening up of Mines, Sinking Shafts or Other Actual Mining Operations - Names and addresses of the men who performed the work and the dates and hours of their employment.
- For Diamond and other Core Drilling - Footage, No. and angle of holes and diameter of core. Name and address of owner or operator of drill. Dates when drilling was done. Signed core log and sketch in duplicate.
- For Compressed Air or Other Power Driven or Mechanical Equipment
Type of drill or equipment. Names and addresses of men engaged in operating equipment and the dates and hours of their employment.
- For Power Stripping - Type of equipment. Name and address of owner or operator. Amount expended. Dates on which work was done. Proof of actual cost must be submitted within 30 days of recording.
- With each of the above types of work sketches are required to show the location and extent of the work in relation to the nearest claim post. In the case of diamond or other core drilling the sketch must be submitted in duplicate.
- For Geophysical, Geological, Geochemical Surveys and Expenditure Credits - the name of author of report. Covering dates of survey (linecutting & office). Type of instrument used. Total amount of expenditure. Technical reports, maps, expenditure breakdown, receipts must be filed in duplicate with the Minister within 60 days of recording.
- For Land Survey - the name and address of Ontario Land surveyor.


The Required Information is as Follows: (Attach a list if this space is insufficient)

EDWARD GAY BOX 610 RED LAKE ONTARIO	JULY 29-AUG. 16, 1980 - 152 hrs.
WILLIAM BERNDT RED LAKE, ONTARIO	JULY 29-AUG. 16, 1980- 152 hrs.
LOUIS SIMARD RED LAKE, ONTARIO	JULY 29-AUG. 16, 1980 - 152 hrs.
WAYNE DUBAS RED LAKE, ONTARIO	JULY 29-AUG. 7, 1980 - 80 hrs.
ART LARSON RED LAKE, ONTARIO	JULY 29-AUG. 6, 1980 - 772 hrs.
ANDY HAGER BOX 236 RED LAKE, ONTARIO	JULY 26-AUG. 16, 1980 - 176 hrs.
WAYNE HOLMES RED LAKE, ONTARIO	Aug. 1-Aug. 16, 1980 - 128 hrs.

Date NOVEMBER 10, 1980



Signature of Recorder
Geological Branch ODM
ASSESSMENT FILE
RESEARCH DIVISION



I, PETER HANNIGAN
P.O BOX 723, DRYDEN, ONTARIO P8N 2Z4
(Post Office Address)

- hereby certify:
- That I have a personal and intimate knowledge of the facts set forth in the report of work annexed hereto, having performed the work or witnessed same during and/or after its completion.
 - That the annexed report is true.

Dated Jan 6 19 81 Peter Hannigan Signature

KRL 526557

THE PENALTY FOR MAKING A FALSE STATEMENT IN THIS REPORT AND/OR CERTIFICATE IS \$500. OR SIX MONTHS IMPRISONMENT OR BOTH



52M01SE5066 W8102-00009 KILLALA

900

RESERVE
No. 47-00038
Date March, 1976

KILLALA TWP

M. 2176

Suffel

Lake


					526 562	526 557
526 574	526 571	526 570	526 567	526 566	526 563	526 561
			Lake			526 558
526 573	526 572	526 569	526 568	526 565	526 564	526 559
					526 560	

Cr. Laid

Medicine

Stone

Lake




SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-275
NTS: 52L-15-NE
DATE: AUGUST, 1980

SHAFT & TRENCH #5

SCALE: 1 IN. = 10 FT.

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)
X-6779	—	—
X-6780	—	—
X-6781	.02	—
X-6782	Tr	—
X-6783	Tr	—
X-6784	—	—
X-6785	—	—
X-6786	—	—
X-6787	.01	—
X-6788	—	—




TRENCH #5 LOCATED 80 FT. EAST
AND 300 FT. SOUTH OF CLAIM POST

NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573

TRENCH NO. 5
LENGTH: 22 FT.
WIDTH: 3 FT.
DEPTH: 3 FT.


SHAFT:
15 FT. LENGTH
15 FT. WIDTH
10 FT. DEPTH

SHAFT LOCATED 60 FT. EAST
AND 330 FT. SOUTH OF CLAIM POST NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573



TRENCH # 9 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.



ASSAYS


NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)	Ni (%)	Co (%)
S-3605	--	--					
S-3606	--	--					
S-3607	--	--					
S-3608	.01	--					
S-3609	Tr	--	.01	Tr	Tr		
S-3610	Tr	--				Tr	Tr

LENGTH: 60 FT.
WIDTH: 3 FT.
DEPTH: 3 FT.


SHERRITT GORDON MINES LTD
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2175
NTS: 52L-16-NE
DATE: AUGUST, 1980

TRENCH #14 (LAIRD LAKE)

SCALE: 1" = 10'



LENGTH: 55 FT.
WIDTH: 5 FT.
DEPTH: 4 FT.



TRENCH #14 LOCATED 370 FT. WEST
AND 250 FT. NORTH OF
CLAIM POST NO.1 OF 526568
NO.2 OF 526567
NO.3 OF 526566
NO.4 OF 526565

ASSAYS

NO.	Au(oz/ton)	Ag(oz/ton)	Cu(%)	Pb(%)	Zn(%)
S-3670	—	—			
S-3671	—	—	.01	Tr	.01
S-3672	Tr	—	.03	.01	Tr
S-3673	Tr	Tr			
S-3674	Tr	—			
S-3675	—	—			

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52 L-16-NE
DATE: AUGUST 1980

TRENCH #23 (LAIRD LAKE)


SCALE: 1" = 10'



ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)
X-7308	---	---
X-7309	---	---
X-7310	Tr	-
X-7311	Tr	-
X-7312	Tr	-

LENGTH: 7 FT.
WIDTH: 3 FT.
DEPTH: 1 FT.



TRENCH #23 LOCATED 200 FT. EAST AND
130 FT. NORTH OF CLAIM POST NO. 1 OF 526560
NO. 2 OF 526561
NO. 3 OF 526558
NO. 4 OF 526559

SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALUA TOWNSHIP; M-2176
NTS: 52L-15-NE
DATE: AUGUST, 1980

TRENCH # 22 (LAIRD LAKE)


SCALE: 1 IN. = 10 FT.

ASSAYS

NO.	Au(oz/ton)	Ag(oz/ton)	Cu(%)	Pb(%)	Zn(%)
X-7303	Tr	—	.02	.01	.01
X-7304	Tr	—	.01	Tr	.01
X-7305	Tr	—	.02	.01	.01
X-7306	—	—	.01	.01	.01
X-7307	Tr	—	—	—	—




LENGTH: 13 FT.
WIDTH: 3 FT.
DEPTH: 1 FT.




TRENCH # 22 LOCATED 15 FT. NORTH AND
450 FT. EAST OF CLAIM POST NO. 1 OF 526560
NO. 2 OF 526561
NO. 3 OF 526558
NO. 4 OF 526559

SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2176
NTS: 52-L-10-NE
DATE: AUGUST, 1980




TRENCH #19



TRENCHES #20 & #21 (LAIRD LAKE)
SCALE: 1" = 10'

TRENCH #21

TRENCH #20



foliated to massive andesite, minor disseminated pyrite

X-7302 rusty zone; shiared; abundant pyrite

X-7301

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)
S-3697	—	Tr			
S-3698	—	—	.01	.01	.02
S-3699	—	—			
S-3700	Tr	—			
X-7301	Tr	—	.02	.02	.01
X-7302	Tr	—	.01	—	Tr

TRENCH NO. 20
LENGTH: 19 FT.
WIDTH: 3 FT.
DEPTH: 1 FT.

TRENCH NO. 21:
LENGTH: 18 FT.
WIDTH: 2 FT.
DEPTH: 1 FT.

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52L-16-NE
DATE: AUGUST 1980

TRENCH #19 (LAIRD LAKE)


SCALE: 1"=10'

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)
S-3694	-	-
S-3695	Tr	Tr
S-3696	-	-

LENGTH: 75 FT.
WIDTH: 3 FT.
DEPTH: 5 FT.

TRENCH #19 LOCATED 450 FT. EAST
AND 100 FT. NORTH OF
CLAIM POST NO.1 OF 526569
NO.2 OF 526570
NO.3 OF 526567
NO.4 OF 526568




SHERITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1157
KILLALA TOWNSHIP; M-2170
N.T.S.: 52L-10-NE
DATE: AUGUST, 1980

TRENCH # 18 (LAIRD LAKE)

SCALE: 1" = 10 FT.


ASSAYS

No.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Ni (%)
S-3691	Tr	---			
S-3692	---	---			
S-3693	Tr	Tr	.02	.02	.01



TRENCH # 18 LOCATED 300 FT. EAST

AND 150 FT. SOUTH OF CLAIM POST NO. 1 OF 526569
 NO. 2 OF 526570
 NO. 3 OF 526567
 NO. 4 OF 526568





LENGTH: 45 FT.
 WIDTH: 5 FT.
 DEPTH: 3 FT.

SHERRITT GORDON MINES LTD.
 LAIRD LAKE, PROJECT NO. 1257
 KILLALA TWP., M-2176
 NTS: 52 L-16-NE
 DATE: AUGUST 1980

TRENCH # 17 (LAIRD LAKE)

SCALE: 1" = 10'



LENGTH: 63 FT.
WIDTH: 5 FT.
DEPTH: 5 FT.

TRENCH # 17 LOCATED 255 FT. EAST
AND 120 FT. SOUTH OF CLAIM POST NO. 1 OF 526569
NO. 2 OF 526570
NO. 3 OF 526567
NO. 4 OF 526568

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)
S-3684	-	-	-	-	-
S-3685	Tr	-	-	-	-
S-3686	Tr	-	-	-	-
S-3687	-	-	-	-	-
S-3688	-	-	.01	.01	.01
S-3689	Tr	Tr	-	-	-
S-3690	Tr	-	-	-	-

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52L-16-NE
DATE: AUGUST 1980

TRENCH #16 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.


TRENCH #16 LOCATED 370 FT. WEST
AND 15 FT. NORTH OF

CLAIM POST NO. 1 OF 526565

NO. 2 OF 526566

NO. 3 OF 526563


NO. 4 OF 526564



LENGTH: 44 FT.
WIDTH: 57 FT.
DEPTH: 1 FT.

ASSAYS

NO.	As (oz/ton)	Hg (oz/ton)	Cu (%)	Pb (%)	Zn (%)
S-3681	Tr	—			
S-3682	Tr	Tr	.01	.01	.01
S-3683	Tr	—			




S-3681 - massive andesite; slightly foliated near shear zone contact;
- minor qtz & rust


S-3682 - rusty shear zone; siliceous; disseminated pyrite;
trace chalcopyrite

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52L-16-NE
DATE: AUGUST 1980

TRENCH #15 (LAIRD LAKE)
SCALE: 1"=10'



TRENCH #15 LOCATED 400 FT. WEST
AND 230 FT. NORTH OF CLAIM POST NO. 1 OF 526508
NO. 2 OF 526567
NO. 3 OF 526566
NO. 4 OF 526565



ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)	% Cu	% Pb	% Zn
S-3676	Tr	-			
S-3677	.14	Tr	.01	.03	Tr
S-3678	.01	-	.02	Tr	Tr
S-3679	Tr	-			
S-3680	Tr	-			


LENGTH: 25 FT.
WIDTH: 3 FT.
DEPTH: 3 FT.

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52L-16-NE
DATE: AUGUST 1980

LAIRD LAKE
TRENCH #1

SCALE: 1" = 10 FT.

TRENCH LOCATED 200 FT. EAST
OF CLAIM POST NO. 4 of 524561
NO. 3 of 524562
NO. 1 of 524563
TRENCH LOCATED IN CLAIM NO. 524561



LENGTH 280 FT.
WIDTH 4 FT.
DEPTH 2 FT.

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)	Ni (%)	Cr (%)
X-6709	Tr	-	-	-	-	-	-
X-6710	Tr	Tr	-	-	-	-	-
X-6711	Tr	-	-	-	-	-	-
X-6712	Tr	-	-	-	-	-	-
X-6713	Tr	-	-	-	-	-	-
X-6714	.01	-	-	-	-	-	-
X-6715	-	-	-	-	-	-	-
X-6716	-	-	.01	Tr	Tr	.01	-
X-6717	-	-	-	-	-	-	-
X-6718	Tr	Tr	-	-	-	-	-
X-6719	-	Tr	-	-	-	-	-
X-6720	.02	-	-	-	-	-	-
X-6721	Tr	-	-	-	-	-	-
X-6722	Tr	-	-	-	-	-	-
X-6723	-	-	-	-	-	-	-
X-6724	.06	-	-	-	-	-	-
X-6725	-	-	-	-	-	-	-
X-6726	Tr	-	-	-	-	-	-
X-6727	Tr	-	-	-	-	-	-
X-6728	Tr	-	-	-	-	-	-
X-6729	.06	-	-	-	-	-	-
X-6730	Tr	-	-	-	-	-	-
X-6731	-	-	-	-	-	-	-
X-6732	-	-	-	-	-	-	-
X-6733	Tr	-	-	-	-	-	-
X-6734	-	-	.02	-	.01	-	-
X-6735	-	-	.04	-	.01	-	-
X-6736	-	-	-	-	-	-	-
X-6737	Tr	-	-	-	-	-	-
X-6738	-	-	-	-	-	-	-
X-6739	-	-	-	-	-	-	-
X-6740	Tr	-	-	-	-	-	-
X-6741	Tr	-	-	-	-	-	-
X-6742	-	-	-	-	-	-	-
X-6743	Tr	-	-	-	-	-	-
X-6744	-	-	-	-	-	-	-
X-6745	-	-	-	-	-	-	-
X-6746	-	-	-	-	-	.01	Tr

SHERRILL GORON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2175
NTS-52L-15-NE
DATE: AUGUST, 1986




52415E5866 W0102-00009 KILLALA

TRENCHES #12 & #13 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.


TRENCH #12 LOCATED 270 FT. WEST AND 280 FT. NORTH
OF CLAIM POST NO. 1 OF 526568
NO. 2 OF 526567
NO. 3 OF 526566
NO. 4 OF 526565

TRENCH #13 LOCATED 330 FT. WEST AND 240 FT. NORTH
OF CLAIM POST NO. 1 OF 526568
NO. 2 OF 526567
NO. 3 OF 526566
NO. 4 OF 526565



- S-3643 - rusty silicified basalt; Cu-staining
- S-3644 - qtz vein; impure rusty; 8" wide
- S-3645 - well-foliated Fe-formation; rusty basalt; quartz stringers; gentle fold along foliation
- S-3646 - siliceous wall-rock; rusty
- S-3647 - well-foliated basalt; some quartz stringers
- S-3648 - rusty foliated andesite; qtz stringers
- S-3649 - massive granodiorite
- S-3650 - foliated silicified basalt with abundant quartz stringers
- S-3651 - rusty silicified basalt; quartz stringers; foliated
- S-3652 - rusty shear zone; silicified; foliated
- S-3653 - porphyritic basalt; phenocrysts of amphibole; displacement along fault of this bed is 5.5 ft.
- S-3654 - rusty basalt; qtz stringers & veins; foliated
- S-3655 - foliated andesite
- S-3656 - foliated rhyolite; abundant small-scale faults
- S-3657 - well-foliated andesite
- S-3658 - qtz vein; foliated; impure
- S-3659 - rusty foliated andesite
- S-3660 - shear zone; rusty basalt; trace of pyrite
- S-3661 - rusty foliated andesite

- S-3642 - rusty foliated basalt
- S-3643 - shear zone; very rusty gossan; Cu-staining
- S-3644 - foliated basalt; abundant qtz stringers



ASSAYS NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)
S-3636	—	—	—	—	—
S-3637	Tr	—	—	—	—
S-3638	Tr	—	—	—	—
S-3639	—	—	—	—	—
S-3640	—	—	—	—	—
S-3641	—	.06	—	—	—
S-3642	—	—	—	—	—
S-3643	.12	.06	.03	Tr	Tr
S-3644	.02	Tr	—	—	—
S-3645	Tr	—	.02	.01	.01
S-3646	Tr	.06	—	—	—
S-3647	Tr	Tr	—	—	—
S-3648	Tr	.04	—	—	—
S-3649	—	—	—	—	—
S-3650	—	—	—	—	—
S-3651	—	.10	—	—	—
S-3652	Tr	—	.01	Tr	.01
S-3653	Tr	.04	—	—	—
S-3654	—	Tr	—	—	—
S-3655	—	—	—	—	—
S-3656	—	Tr	—	—	—
S-3657	Tr	.06	—	—	—
S-3658	.02	.04	—	—	—
S-3659	.02	.10	—	—	—
S-3660	.01	.06	.02	.01	.01
S-3661	Tr	—	—	—	—
S-3662	Tr	—	—	—	—
S-3663	Tr	Tr	.02	.02	Tr
S-3664	Tr	—	—	—	—
S-3665	—	—	—	—	—
S-3666	—	—	—	—	—
S-3667	—	—	.01	.01	Tr
S-3668	—	—	—	—	—
S-3669	Tr	Tr	—	—	—

TRENCH NO. 12
LENGTH: 98 FT.
WIDTH: 4-8 FT.
DEPTH: 4 FT.

TRENCH NO. 13
LENGTH: 60 FT.
WIDTH: 4 FT.
DEPTH: 4 FT.

SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP; M-2175
N.T.S. 521-15-NE
DATE AUGUST, 1980



LAIRD
LAKE


TRENCH #10

TRENCHES #10 + #11 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.



TRENCH #11



TRENCH NO. 10
LENGTH: 52 FT.
WIDTH: 4 FT.
DEPTH: 4 FT.

TRENCH NO. 11
LENGTH: 60 FT.
WIDTH: 4 FT.
DEPTH: 4 FT.

- S-3630 - silicified basalt; well-foliated & fractured
- S-3631 - shear zone with abundant pyrite & chalcopyrite in parts; siliceous & rusty; Fe-formation
- S-3632 - quartz vein - 2.5 ft. wide; very rusty & impure; disseminated pyrite
- S-3633 - basalt; somewhat siliceous

TRENCH #10 LOCATED 220 FT. WEST AND 290 FT. NORTH
OF CLAIM POST #1 OF 526568
#2 OF 526567
#3 OF 526566
#4 OF 526565

TRENCH #11 LOCATED 220 FT. WEST AND 275 FT. NORTH
OF CLAIM POST #1 OF 526568
#2 OF 526567
#3 OF 526566
#4 OF 526565

ASSAYS

NO.	Au(oz/ton)	Ag(oz/ton)	Cu(%)	Pb(%)	Zn(%)	NO.	Au(oz/ton)	Ag(oz/ton)	Cu(%)	Pb(%)	Zn(%)
S-3611	.01	-	.05	Tr	.02	S-3624	-	.12			
S-3612	Tr	Tr	.03	Tr	Tr	S-3625	Tr	-			
S-3613	Tr	-				S-3626	-	-			
S-3614	Tr	-				S-3627	.01	.03			
S-3615	.01	-				S-3628	-	.04			
S-3616	Tr	-				S-3629	.01	.02			
S-3617	Tr	-				S-3630	Tr	.04			
S-3618	Tr	-				S-3631	Tr	.07	.03	.01	.11
S-3619	.01	-	.02	-	Tr	S-3632	Tr	-	.01	.01	.04
S-3620	-	-	.02	.01	Tr	S-3633	-	-			
S-3621	-	-	.02	-	Tr	S-3634	.01	-			
S-3622	Tr	-	.01	Tr	Tr	S-3635	Tr	-			
S-3623	-	-									



52M01SE5066 W8102-00009 KILLALA

SHERRITT GORDON MINES LTD.
LAIRD LAKE, PROJECT NO. 1257
KILLALA TWP., M-2176
NTS: 52L-16-NE
DATE: AUGUST 1980

TRENCH #8 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.


TRENCH #8 LOCATED 340 FT. EAST
AND 280 FT. SOUTH OF

CLAIM POST NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)	Ni (%)	Co (%)	Cu (%)
X-6796	Tr	—	.01	Tr	
X-6797	.01	—	Tr	Tr	
X-6798	.01	—			Tr
X-6799	.01	—			
X-6800	Tr	—			
S-3601	—	—			
S-3602	—	—			
S-3603	Tr	—			
S-3604	.01	—			

LENGTH: 64 FT.
WIDTH: 4 FT.
DEPTH: 4 FT.



SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2176
NTS-52L-15-NE
DATE: AUGUST, 1980



TRENCHES NO. 6 & 7 (LAIRD LAKE)

SCALE: 1 IN. = 10 FT.

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)
X-6789	-	-
X-6790	.01	-
X-6791	Tr	-
X-6792	-	-
X-6793	-	-
X-6794	-	Tr
X-6795	.01	-


TRENCH #7

TRENCH #7 LOCATED
110 FT. EAST AND

270 FT. SOUTH OF CLAIM POST
NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573

TRENCH #6

TRENCH #5
30 FT. WEST



TRENCH #6 LOCATED 100 FT. EAST
AND 280 FT. SOUTH OF CLAIM POST

NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573

TRENCH NO. 6
LENGTH: 30 FT.
WIDTH: 3 FT.
DEPTH: 3 FT.

TRENCH NO. 7
LENGTH: 107 FT.
WIDTH: 3 FT.
DEPTH: 3 FT.



SHERRITT GORDON MINES LIMITED
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2176
NTS: 52L-16-NE
DATE: AUGUST, 1960



52M01SE5066 W8102-00009 KILLALA

TRENCHES NO. 3 & 4 (LAIRD LAKE)


SCALE: 1 IN. = 10 FT.

ASSAYS

NO.	Au (oz/ton)	Ag (oz/ton)
X-6764	Tr	-
X-6765	Tr	-
X-6766	Tr	-
X-6767	Tr	-
X-6768	Tr	-
X-6769	Tr	-
X-6770	Tr	-
X-6771	-	-
X-6772	Tr	-
X-6773	Tr	-
X-6774	-	-
X-6775	-	-
X-6776	Tr	-
X-6777	Tr	-
X-6778	Tr	-

TRENCH NO 3
LENGTH: 37 FT.
WIDTH: 4 FT.
DEPTH: 3 FT.

TRENCH NO 4
LENGTH: 12 FT.
WIDTH: 10 FT.
DEPTH: 2 FT.



TRENCH NO. 3 LOCATED 3 FT. WEST

AND 380 FT. SOUTH OF CLAIM POST NO. 4 OF 526572
NO. 3 OF 526571
NO. 2 OF 526574
NO. 1 OF 526573

SHERRITT GORDON MINES LTD.
LAIRD LAKE
PROJECT NO. 1257
KILLALA TOWNSHIP, M-2176
N.T.S. 52L-16-NE
DATE: AUGUST, 1980



52M01SE5066 W8102-00009 KILLALA

SHERITT GORDON MINES LIMITED
 LAIRD LAK
 PROJECT NO. 1257
 KILLAL A TOWNSHIP, M-2176
 NTS-52 L-15-NF
 DATE AUGUST, 1980


TRENCH NO. 2

SCALE: 1 IN. = 10 FT.



ASSAYS NO.	Au (oz/ton)	Ag (oz/ton)	Cu (%)	Pb (%)	Zn (%)
X-6747	-	-	-	-	-
X-6748	Tr	-	-	-	-
X-6749	-	-	Tr	.01	Tr
X-6750	Tr	-	-	-	-
X-6751	-	-	-	-	-
X-6752	-	-	-	-	-
X-6753	Tr	-	-	-	-
X-6754	Tr	1.92	-	-	-
X-6755	Tr	-	-	-	-
X-6756	Tr	-	-	-	-
X-6757	.05	-	-	-	-
X-6758	Tr	-	-	-	-
X-6759	-	-	-	-	-
X-6760	Tr	-	-	-	-
X-6761	Tr	-	-	-	-
X-6762	Tr	-	-	-	-
X-6763	Tr	-	-	-	-

LENGTH: 93 FT.
 WIDTH: 5 FT.
 DEPTH: 5 FT.



TRENCH LOCATED 20 FT. WEST
 AND 400 FT. SOUTH OF CLAIM POST NO. 1 OF 526573
 NO. 2 OF 526574
 NO. 3 OF 526571
 NO. 4 OF 526572



52M01SES066 W8102-00009 KILLALA