



52004NW8967 11 FERDINAND LAKE

010

Diamond Drilling

Area of FERDINAND LAKE

Report NO 11

Work performed by: MADSEN RED LAKE GOLD MINES

Claim NO	Hole NO	Footage	Date	Note
KRL 71642	3	78.0'	Sept/69	(1)
	4	77.0'	Sept/69	(1)
		<u>155</u>		

Notes:

(1) #140-70

140

DIAMOND DRILL RECORD

Page No. 1

Property FERDINAND LAKE OPTION
 Claim No. KRL 71642
 Collar
 Lat. 6+76'N Dep. 78+05'W Elev. -
 Bearing NORTH Dip -55°
 Final Depth 78.0

Dip Tests		
Footage	Angle	
	Read	Corr'd

Hole No. 3
 Core Size 7/8" (PACKSACK)
 Commenced SEPT. 30/69
 Finished OCT. 3/69
 Logged by F. A. INNES

Footage	Description	Sample				Assay		
		No.	From	To	Length	MoS ₂ %		
00 - 1.0	GREY QUARTZ - occasional small speck of MoS ₂	448	0.0	1.9	1.9	0.08		
		449	1.9	2.9	1.0	Tr		
1.0 - 1.9	GREY GNEISSIC GRANITE Gneiss at about 60° to core - occasional small MoS ₂ speck	450	2.9	5.0	2.1	Tr		
		451	5.0	6.9	1.9	Tr		
		452	6.9	7.6	0.7	Tr		
1.9 - 2.9	QUARTZ AND PEGMATITE occasional MoS ₂ speck	453	7.6	10.0	2.4	0.04		
		454	10.0	15.0	5.0	0.04		
2.9 - 6.9	GREY GNEISSIC GRANITE As 1.0 - 1.9	455	15.0	20.0	5.0	0.01		
		456	20.0	23.0	3.0	Nil		
		457	23.0	25.0	2.0	0.03		
6.9 - 7.6	GREY Q. ARTZ - A few MoS ₂ specks	458	25.0	30.0	5.0	Tr		
		459	30.0	35.0	5.0	Nil		
7.6 - 78.0	GREY GNEISSIC GRANITE 9.0 - 4" of grey qtz 17.0 - narrow grey qtz stry. 7.6 - 25.0 - A little pyrite, pyrrotite and chalcopyrite MoS ₂ specks at 22.8 & 24.1 32.3 - 2" of grey qtz	460	35.0	40.0	5.0	Nil		
		461	40.0	45.0	5.0	Tr		
		462	45.0	50.0	5.0	Nil		
		463	50.0	55.0	5.0	Nil		
		464	55.0	60.0	5.0	Tr		
		465	60.0	65.0	5.0	Nil		
		466	65.0	70.0	5.0	Nil		
		467	70.0	75.0	5.0	Nil		
78.0	END OF HOLE	468	75.0	78.0	3.0	Nil		

F. A. Innes

#140/70 Ferdinand Lake Area
 R. L. Lammchen

DIAMOND DRILL RECORD

Property FERDINAND LAKE OPTION
 Claim No. KRL 71642

Collar
 Lat. 7° 01' N Dep. 18° 21' SW Elev. -
 Bearing S 10° E Dip -45°
 Final Depth 77.0

Dip Tests		
Footage	Angle	
	Read	Corr'd

Hole No. 4
 Core Size 7/8" (PACKSACK)
 Commenced OCT 5/69
 Finished OCT 9/69
 Logged by E. A. INNES

Footage	Description	Sample				MoS ₂ %	ASSAY	
		No.	From	To	Length			
0 - 77.0	BIOTITE GRANITE - gneissic	469	0.0	3.0	3.0	Nil		
	occasional specks of pyrite	470	3.0	5.0	2.0	Nil		
	and chalcopyrite -	471	5.0	8.0	3.0	Nil		
	3.4 - 1/2" of grey qtz. MoS ₂ in walls	472	8.0	10.0	2.0	Nil		
	9.3 - 1" " " " - MoS ₂ in walls	473	10.0	15.0	5.0	Nil		
	31.0 - 1/2" " " " "	474	15.0	20.0	5.0	Nil		
	27.4 - 1/4" " " " - MoS ₂ in walls	475	20.0	25.0	5.0	Nil		
	37.1 - 1" " " " "	476	25.0	30.0	5.0	Nil		
	Locations of 45°-50° to core	477	30.0	35.0	5.0	T _r		
		478	35.0	37.0	2.0	Nil		
		479	37.0	40.0	3.0	T _r		
77.0	END OF HOLE	480	40.0	45.0	5.0	Nil		
		481	45.0	50.0	5.0	Nil		
		482	50.0	55.0	5.0	Nil		
		483	55.0	60.0	5.0	Nil		
		484	60.0	65.0	5.0	Nil		
		485	65.0	70.0	5.0	Nil		
		486	70.0	75.0	5.0	Nil		
		487	75.0	77.0	2.0	Nil		

E. A. Innes

MADSEN RED LAKE GOLD MINES


FERRDINAND LAKE OPTION

PLAN

TRENCHES & D.D. HOLES

SCALE: 1"=100'

OCT. 1967



№ 18
□

14 M

16 M

17 M

18 M

19 M

20 M

21 M

5

№ 17
□

№ 16
□
□
□