

DIAMOND DRILLING



52P10NE0025 14 NESTING LAKE

010

AREA: Nesting Lake

REPORT NO: 14

(1)

WORK PERFORMED FOR: Anaconda Canada Exploration Ltd.

RECORDED HOLDER: SAME AS ABOVE []


: OTHER [x] s. s. szetu

<u>CLAIM NO.</u>	<u>HOLE NO.</u>	<u>FOOTAGE</u>	<u>DATE</u>	<u>NOTE</u>
TB 489588	KC-01	44.5m	Mar/85	(1) (2)
	KC-02	43.9m	Mar/85	(1) (2)

NOTES: (1) #269-85
(2) The precise year of the drilling was not given in this submittal. The year 1985 was used because of the dates of submission.

NESTING LAKE G-342

1 INCH = 40 CHAINS



36'

35'

34'

33'

32'


31'

88°30'


51°37'30"

COPY No. 1 of 2


88° 34'



51° 38'




 CLAIMS OPTIONED BY ANACONDA
 CLAIMS STAKED BY ANACONDA



KEEZHIK CREEK PROPERTY

CLAIM MAP

fig. 2



[Handwritten signature]

ANACONDA Canada Exploration Ltd. ▲		
KEEZHIC CREEK PROPERTY		
DIAMOND DRILL HOLE LOCATIONS		
geology by:	drawn by: D.M.C.	date: JUN, 85
scale: 1:500	nts 52 P/10	drawing no. 7 of

DIAMOND DRILL HOLE: KC-01: 107 metres north, 1 m. east of Post 3 TB-489588

TARGET: Trench Zone DEPTH: 44.5 m

NORTHING: 111 S EASTING: 762 E

AZIMUTH: 145° DIP: 45°

ELEVATION: CORE SIZE: NQ

DIP TEST: 49° @ 42.7 m

LOGGED BY: G. Armbrust & P. Matysek

DRILLING HISTORY:

Drilling commenced: Sat Mar 23

Meterage: 1900 Sat Mar 23: 10.8 m

Meterage: 1900 Sun Mar 24: 44.5 m

DESCRIPTIVE SUMMARY LOG:

0.0 - 3.2	Overburden.
3.2 - 4.4	Medium grey, medium grained massive sandstone. Predominantly consisting of quartz-sericite and chlorite, less than 1% disseminated pyrite.. Contains a few scattered sericitized fragments (1 cm) of mudstone.
4.4 - 5.7	Pebbly sandstone, containing rounded to subangular quartz fragments to 2 cm (avg 3 mm). Unit alternates with thin bands of medium grained sandstone, with local contorted beds. Sulphides less than 2%.
5.7 - 8.5	Medium grey, fine to medium grained massive sandstone, fining with depth. Trace sulphides.
8.5 - 11.8	Massive pebbly sandstone. Quartz fragments to 4 cm. Two percent pyrite, with some quartz sericite veinlets.
11.8 - 16.8	Medium grained massive sandstone. Locally quartz pebble fragments, few scattered quartz veinlets and 1-2% sulphides.
16.8 - 17.7	Medium grey massive pebbly sandstone containing 10% quartz pebbles (7 mm). Less than one percent sulphides.
17.7 - 21.8	Medium grey, fine to medium grained sandstone, fining with depth. Section contains massive, sporadically distributed fragments of fine grained dark grey mudstone (to 3 cm). Up to 5% quartz sericite veinlets (1-2% sulphides) to 2 cm length.
21.8 - 22.8	Medium grey to milky white quartz vein in highly sericitized wall rock. Wall rock makes up 15% of

- total and contains 10% py+po. Quartz vein material contains approximately 3% sulphides.
- 22.8 - 36.3 Medium grey fine grained sandstone grading with depth to dark grey to black mudstone. Sandstone is massive to poorly bedded containing angular fragments of mudstone. Section contains minor amounts of quartz and carbonate veinlets averaging (2 mm) to a maximum (5 mm) with no visible sulphides. Clots and lenses of pyrite and pyrrhotite <2% occur locally
- 36.3 - 37.4 Fine grained sandstone, intensely silicified and contorted. Contains irregular quartz veins (3 cm) averaging < 1% disseminated pyrite. Decreasing quartz content with depth.
- 37.4 - 44.5 Well bedded siltstone/mudstone. Beds range from < 1mm to to 3 cm (avg 1 cm). Pyrite generally <1%. Locally 2-3 mm quartz rich bands that py+po rich.

P. Eng.

DIAMOND DRILL HOLE: KC-02: 107 metres north, 1 m. east of Post 3 TB-489588

TARGET: Trench Zone DEPTH: 43.9 m
NORTHING: 111 S EASTING: 762 E
AZIMUTH: 145° DIP: 60°
ELEVATION: CORE SIZE: NQ

DIP TEST: 65° @ 42.7 m

LOGGED BY: G. Armbrust & P. Matysek

DRILLING HISTORY:

Drilling commenced: Sat Mar 24
Meterage: 1900 Sat Mar 24: 12.2 m
Meterage: 1900 Sun Mar 25: 43.9 m


DESCRIPTIVE SUMMARY LOG:

0.0 - 2.3	Overburden.
2.3 - 6.7	Med grey, medium grained massive sandstone. Predominantly consisting of quartz-sericite and chlorite with minor biotite. Pyrite and pyrrhotite (2-3%) occur as fine grained disseminations and clots.
6.7 - 18.2	Pebbly sandstone, containing rounded to subangular quartz fragments to 2 cm (avg 3 mm). Unit alternates with thin bands of medium grained sandstone, with local contorted beds. Sulphides less than 2%.
18.2 - 23.0	Medium grey, fine to medium grained massive sandstone, fining with depth. Quartz carbonate veinlets and pyrite generally less than one percent.
23.0 - 25.7	Light grey massive siltstone.
25.7 - 26.0	Quartz vein. 75% sericitized and chloritic wall rock containing 1-2% sulphides. Remainder blue grey quartz with sulphides up to 10%.
26.0 - 28.9	Medium grained massive sandstone grading to a well bedded siltstone.
28.9 - 29.5	Highly contorted siltstone. 2-3% quartz carbonate stringers and sulphides.
29.5 - 34.0	Medium to dark grey, poor to well bedded siltstone/mudstone. Irregular quartz carbonate veinlets (5 mm). Sulphide content 2-3% associated with quartz veinlets.
34.0 - 35.3	Medium grey, medium grained quartz porphyry cut by few dark grey sulphide rich (5%) quartz veinlets.

35.3 - 43.9

Poor to well bedded siltstone/mudstone containing
1-3% pyrite and contorted quartz carbonate
veinlets.

[Handwritten signature]





Ministry of
Natural
Resources

Report
of Work

W8504-002
00269
#269



52P10NE0025 14 NESTING LAKE

900

Mining Act

NESTING LAKE 6-34

Name and Postal Address of Recorded Holder

A.S. Bayne, 45 Strathallan Boulevard, Toronto, Ontario M5N 1S8

Prospector's Licence No.

C 28756

Summary of Work Performance and Distribution of Credits

Total Work Days Cr. claimed <i>260 ft.</i>	Mining Claim		Work Days Cr.	Mining Claim		Work Days Cr.	Mining Claim		Work Days Cr.
	Prefix	Number		Prefix	Number		Prefix	Number	
for Performance of the following work. (Check one only)	TB	817518	20	TB	817526	20			
	<input type="checkbox"/> Manual Work	817519	20		817527	20			
	<input type="checkbox"/> Shaft Sinking Drifting or other Lateral Work.	817520	20		817528	20			
	<input type="checkbox"/> Compressed Air, other Power driven or mechanical equip.	817521	20		817529	20			
	<input type="checkbox"/> Power Stripping	817522	20		817530	20			
	<input checked="" type="checkbox"/> Diamond or other Core drilling	817523	20						
	<input type="checkbox"/> Land Survey	817524	20						
	817525	20							

All the work was performed on Mining Claim(s): TB 489588 *Work Assignment: 290' - balance - 3710*

Required Information eg: type of equipment, Names, Addresses, etc. (See Table Below)

The 13 claims and adjoining claim 489588 held in trust by S. S. Szetu, Licence A 36655, are under option to Anaconda Canada Exploration Ltd., 1500 West Georgia Street, Vancouver, B.C., V6G 2Z6. Drilling was performed by Contractor N. Morissette of Haileybury, Ontario, POJ 1K0, using NQ (1.88" core) wire line drill. Holes Nos. 1 and 2 total 290 feet with 30 feet reported for TB 489588. Balance of 260 feet for these continuous 13 claims. Details of drilling history, log, etc., in duplicate are given on attached descriptive report by Anaconda, complete with location maps and sections.

ONTARIO GEOLOGICAL SURVEY
ASSESSMENT FILES
RESEARCH OFFICE
JUL 25 1985
RECEIVED

THUNDER BAY
MINING DIVISION
RECEIVED
JUL 9 1985

Date of Report *9* 1985
AM July 2, 1985 PM
Recorded Holder or Agent (Signature) *S. S. Szetu*

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying

S. S. SZETU, Ph.D., P.Eng., Suite 1101, 45 Richmond Street West, Toronto, Ont. M5H 1Z2

Date Certified
July 2, 1985

Certified by (Signature)
S. S. Szetu

Table of Information/Attachments Required by the Mining Recorder

Type of Work	Specific Information per type	Other information (Common to 2 or more types)	Attachments
Manual Work	Nil	Names and addresses of men who performed manual work/operated equipment, together with dates and hours of employment.	Work Sketch: these are required to show the location and extent of work in relation to the nearest claim post.
Shaft Sinking, Drifting or other Lateral Work			
Compressed air, other power driven or mechanical equip.	Type of equipment	Names and addresses of owner or operator together with dates when drilling/stripping done.	Work Sketch (as above) in duplicate
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording.		
Diamond or other core drilling	Signed core log showing; footage, diameter of core, number and angles of holes.	Nil	Nil
Land Survey	Name and address of Ontario land surveyor.		

#269(a)

Mining Act

Instructions - Supply required data on a separate form for each type of work to be recorded (see table below).
- For Geo-technical work use form no. 1362 "Report of Work (Geological, Geophysical, Geochemical and Expenditures)"

M. Owen

NESTING LAKE G-34

Name and Postal Address of Recorded Holder: **S. S. SZETU, 36 Whittaker Crescent, Willowdale, Ontario M2K 1K8**

Prospector's Licence No.: **A 36655**

Summary of Work Performance and Distribution of Credits

Total Work Days Cr. claimed <i>30 ft.</i>	Mining Claim		Work Days Cr.	Mining Claim		Work Days Cr.	Mining Claim		Work Days Cr.
	Prefix	Number		Prefix	Number		Prefix	Number	
for Performance of the following work. (Check one only)	TB	489588	30						
<input type="checkbox"/> Manual Work									
<input type="checkbox"/> Shaft Sinking Drifting or other Lateral Work.									
<input type="checkbox"/> Compressed Air, other Power driven or mechanical equip.									
<input type="checkbox"/> Power Stripping									
<input checked="" type="checkbox"/> Diamond or other Core drilling									
<input type="checkbox"/> Land Survey									

All the work was performed on Mining Claim(s): **TB 489588** *Work Assignment - see report #269*

Required Information eg: type of equipment, Names, Addresses, etc. (See Table Below)

Claim under option to Anaconda Canada Exploration Ltd., 1500 West Georgia Street, Vancouver, B.C., V6G 2Z6. Drilling was performed by Contractor N. Morissette of Haileybury, Ontario, POJ 1K0, using NQ (1.88" core) wire line drill. Holes Nos. 1 and 2 total 290 feet. Balance of 260 feet for continuous 13 claims TB-817518-30, inclusive, under same option. Details of drilling history, log, etc., in duplicate, are given on attached report by Anaconda.

THUNDER BAY MINING DIVISION
RECEIVED
JUL 9 1985

AM PM
7|8|9|10|11|12|1|2|3|4|5|6

Date of Report: **July 2, 1985**

Recorded Holder or Agent (Signature): *S. S. Szetu*

Certification Verifying Report of Work

I hereby certify that I have a personal and intimate knowledge of the facts set forth in the Report of Work annexed hereto, having performed the work or witnessed same during and/or after its completion and the annexed report is true.

Name and Postal Address of Person Certifying:
S. S. SZETU, Ph.D., P.Eng.
Suite 1101, 45 Richmond Street West, Toronto, Ontario M5H 1Z2

Date Certified: **July 2nd, 1985**

Certified by (Signature): *S. S. Szetu*

Table of Information/Attachments Required by the Mining Recorder

Type of Work	Specific information per type	Other information (Common to 2 or more types)	Attachments
Manual Work	Nil	Names and addresses of men who performed manual work /operated equipment, together with dates and hours of employment.	Work Sketch: these are required to show the location and extent of work in relation to the nearest claim post.
Shaft Sinking, Drifting or other Lateral Work			
Compressed air, other power driven or mechanical equip.	Type of equipment	Names and addresses of owner or operator together with dates when drilling/stripping done.	Work Sketch (as above) in duplicate
Power Stripping	Type of equipment and amount expended. Note: Proof of actual cost must be submitted within 30 days of recording.		
Diamond or other core drilling	Signed core log showing; footage, diameter of core, number and angles of holes.	Nil	Nil
Land Survey	Name and address of Ontario land surveyor.		