



53B16SW2001 2.18659 AKOW LAKE

010

ROMIOS GOLD RESOURCES INC.

147 Oakwood Drive

Toronto, Ontario

M6E 2T7

Tel: (416) 653-1162

Fax: (416) 653-1176

Report of the 1998 Diamond Drilling Program in the Akow-Lundmark Area

2.18659

By: Ian Spence B.Sc.

March 22, 1998

RECEIVED

MAY 24 1998

GEOSCIENCE ASSESSMENT



53B16SW2001 2.18659 AKOW LAKE 010C

Table of Contents

- Introduction**
- Mussellwhite Project**
- Iron Formation - Gold Association**
- Geophysics**
- Area Activity**
- Location and Access**
- Topography**
- Objectives of Program**
- Drilling Statistics**
- Discussion of Results**
- Conclusions**
- Recommendations**

List of Maps and Figures included in this Report

- Location Map and Property Drilling Plan**
- Detailed Drilling Plan at Spence Showing - Deformation Zone**
- Diamond Drill Summary Sheet**
- DDH - RGRI - 98 - 1**
 - Drill Log for RGRI-98-1
 - Drill Section for RGRI-98-1
 - Assay Results for RGRI-98-1
- DDH - RGRI - 98 - 2**
 - Drill Log for RGRI-98-2
 - Drill Section for RGRI-98-2
 - Assay Results for RGRI-98-2

DDH - RGRI - 98 - 3

Drill Log for RGRI-98-3
Drill Section for RGRI-98-3
Assay Results for RGRI-98-3

DDH - RGRI - 98 - 4

Drill Log for RGRI-98-4
Drill Section for RGRI-98-4
Assay Results for RGRI-98-4

DDH - RGRI - 98 - 5

Drill Log for RGRI-98-5
Drill Section for RGRI-98-5
Assay Results for RGRI-98-5

DDH - RGRI - 98 - 6

Drill Log for RGRI-98-6
Drill Section for RGRI-98-6
Assay Results for RGRI-98-6

DDH - RGRI - 98 - 7

Drill Log for RGRI-98-7
Drill Section for RGRI-98-7
Assay Results for RGRI-98-7

DDH - RGRI - 98 - 8

Drill Log for RGRI-98-8
Drill Section for RGRI-98-8
Assay Results for RGRI-98-8

DDH - RGRI - 98 - 9

Drill Log for RGRI-98-9
Drill Section for RGRI-98-9
Assay Results for RGRI-98-9

DDH - RGRI - 98 - 10

Drill Log for RGRI-98-10
Drill Section for RGRI-98-10
Assay Results for RGRI-98-10

DDH - RGRI - 98 - 11

Drill Log for RGRI-98-11
Drill Section for RGRI-98-11
Assay Results for RGRI-98-11

DDH - RGRI - 98 - 12

Drill Log for RGRI-98-12
Drill Section for RGRI-98-12
Assay Results for RGRI-98-12

DDH - RGRI - 98 - 13

Drill Log for RGRI-98-13

Drill Section for RGRI-98-13

Assay Results for RGRI-98-13

DDH - RGRI - 98 - 14

Drill Log for RGRI-98-14

Drill Section for RGRI-98-14

Assay Results for RGRI-98-14

DDH - RGRI - 98 - 15


Drill Log for RGRI-98-15

Drill Section for RGRI-98-15

Assay Results for RGRI-98-15

Appendix A

Certificates of Assay from Accuraassy Laboratories



0 50 100 150 200
Km

Akow-Lundmark Property
NORTH WESTERN ONTARIO LOCATION MAP

Date: March 1998

Scale: 1: 100,000

ROMIOS GOLD RESOURCES INC.

Introduction

The Akow-Lundmark Lake Area consists of 604 mineral claims encompassing 24,160 acres (9,778 hectares), in the center of the North Caribou Lake greenstone belt located in the Patrician Mining Division of northwestern Ontario, Canada. The property is underlain by over 23 kilometers of strike length of banded iron formations (BIF) analogous to those that host the Mussellwhite gold deposits (3,000,000 ounces of gold) and the Karl-Zeemel deposits (50,000 ounces of gold) at Opapimiskan Lake, located approximately 18 kilometers to the southeast. Exploration carried out to date on the Lundmark-Akow Lake property has identified a number of anomalous gold occurrences associated with sulphide zones within a banded iron formation domain.

Mussellwhite Project

The Mussellwhite Project is a joint venture between Placer Dome Inc. (68%) and TVX Gold Inc. (32%) with a published reserve of 3 million ounces of gold. The estimated capital cost to bring the property into production is \$US190 million with commercial production scheduled to begin in the second quarter of 1997 at a rate of 200,000 refined ounces of gold per year.

Iron Formation - Gold Association

Some of the known gold occurrences on the Lundmark-Akow Lake property are associated with banded iron formations that occur within a varied assemblage of Archean volcanic rocks. Iron formation hosted gold deposits account for significant world gold production. The famous Homestake Mine in the state of South Dakota, U.S.A alone, has produced over 40 million ounces of gold since it commenced production in the late 1800's. Production at the Homestake Mine for 1997 is estimated to be in excess of 300,000 ounces of gold. According to Kerswell, J.A. 1993, iron formation hosted gold deposits, worldwide, have a combined gold production exceeding 100 million ounces per year.

Geophysics

Airborne and ground magnetic and electromagnetic surveys carried out over the Lundmark-Akow Lake property have outlined a number of iron formations and structural features, including folds, faults and shear zones.

Area Activity

During 1996, Placer Dome Inc. optioned three large land packages in the North Caribou greenstone belt, two from Pangea Goldfields Inc. and one from Moss Resources Inc. Romios' Lundmark-Akow Lake property, strategically, lies between the Placer Dome Inc. and Placer's joint venture properties and encompasses a large part of the favourable iron formation domain that is the target of Placer's exploration efforts in the area.

Location and Access

Access to the claim group is provided by float equipped aircraft based in Pickle Lake, Ontario in the summer months and ski equipped aircraft in the winter months. It is approximately 165 kilometers northwest of Pickle Lake and about 18 kilometers north of the Placer Dome's Musselwhite Mine.

Topography

The topography is extremely flat with very little relief(1-2 meters) over much of the property. Swamps cover between 70-80% of the claim group with outcrop limited to low rounded "ridges" of volcanics ad iron formations. Glacial boulder fields and till deposits account for the other topographic high ground between the lakes and swampy areas. The overburden thickness increased quickly away from the outcrop exposures.

Objectives of Program

The objectives of the diamond drilling program was to test the Spence Deformation Zone where very high gold values were obtained from surface

sampling and to test a number of EM conductors believed to be caused by sulphide zones located within deformed banded iron formation's.

Drilling Statistics

Diamond drilling was performed by;

**W. G. Langely Ltd.
49 Jayfield Road
Brampton, Ontario
L6S 3G3**

Drilling was done using a J. K. Smidth JK-300S portable drill. Drill moves were provided by a Bell 206B helicopter based in Pickle Lake and operated by Forrest Helicopters of Kenora, Ontario.

A total of 2182.5 meters (7158.9 ft) of thin wall BQ core was drilled over 15 holes.

Discussion of Results

The initial drill program was designed to test the gold-bearing deformation zone where unusually high gold values were encountered in surface sampling in late 1997 and to evaluate a large number of ground, electromagnetic conductors, located in structurally deformed zones within banded iron formations.

A total of seven (7) short holes (**holes RGRI-98-1 through RGRI-98-6 and RGRI-98-14**) were drilled to test the deformation zone in the vicinity of the high grade, surface, gold occurrence. The balance of the holes (**holes RGRI-98-7 through RGRI-98-13 and RGRI-98-15**) were drilled to test a variety of widely spaced conductors with signatures believed to be caused by underlying sulphide zones that may be gold-bearing.

With the exception of **hole RGRI-98-5**, all holes drilled into the deformation zone encountered varying levels of gold mineralization. **Hole RGRI-98-1** intersected two (2) zones of gold mineralization from 39.2m to 41.6m (2.4m or 7.8 feet) and 43.6m to 44.6m (1.0m or 3.3 feet) which assayed 0.71 gpt and 1.02 gpt

respectively. In hole RGRI-98-2, a zone of gold mineralization was intersected between 40.5 m and 43.7m (3.2m or 10.5 feet) in the hole which assayed 1.75 gpt. This included a 1.0 metre (3.3 feet) section from 42.7m to 43.7m which assayed 4.4 gpt (0.13 opt). Lower in the hole from 46.6m to 47.3m (0.7m or 2.3 feet), the core assayed 5.77 gpt (0.17 opt). In hole RGRI-98-3, several narrow zones of gold mineralization, within a broader gold halo, were intersected within the deformation zone. These include: from 48.9m to 49.9m (1.0m or 3.3 feet) - 2.90 gpt (0.09 opt); from 52.3m to 52.4 (0.1m or 3.3 feet) - 2.67 gpt (0.08 opt); from 57.3m to 57.5m (0.2m or 0.65 feet) - 2.76 gpt (0.08 opt) and 72.0m to 72.7m (0.7m or 2.3 feet) - 14.96 gpt (0.44 opt). In hole RGRI-98-4, a zone of gold mineralization from 36.7m to 39.4m (2.7m or 8.85 feet) assayed 2.65 gpt (0.08 opt) which included a narrower, higher grade section of 0.8m or 2.6 feet which assayed 6.52 gpt (0.19 opt). Holes RGRI-98-6 and RGRI-98-14 intersected sporadic, anomalous gold values throughout the deformation zone, the highest being 3.96 gpt (0.12 opt) over 0.5m or 1.6 feet in hole RGRI-98-6.

With the exception of holes RGRI-98-7 and RGRI-98-9, all of the holes drilled to test electromagnetic anomalies within the iron formation domain intersected a number of sulphide zones consisting principally of pyrrhotite with some pyrite, chalcopyrite and arsenopyrite. Sporadic, elevated gold values were found to be associated with the sulphide zones in holes RGRI-98-12, RGRI-98-13 and RGRI-98-15 and in hole RGRI-98-9, an unusually high content of copper mineralization was encountered. Hole RGRI-98-7 fortuitously intersected a gabbro throughout and failed to determine the cause of the target conductor.

The sulphide facies horizon is the focus accumulation of gold in the types of iron formation on the property. It is typically a quartz flooded zone with pyrrhotite infilling along fractures caused by the brittle deformation of the unit. The gold associates itself with the pyrrhotite grains. The horizon is enhanced by structural features such as folding, faulting, etc. which provide sites or traps for

the gold bearing solutions. Mineralogically a quartz flooded zone consists of 70-90% silica with the occasional grunerite - siderite - pyrrhotite - magnetite deformed bed.

There may be some debate whether or not this unit represents a true basal section to the iron formation. This does, however, segregate the sulphide "facies" from the oxide "facies" regardless of the genesis. If this indeed is the base of the iron formation package it is an important tool in determining top directions of the various iron formations on the property and thereby providing a hint at its overall structure. In a tightly folded regime as seen in the Musselwhite Mine the understanding of the structural environment is crucial.

The differing magnetic signatures between the stronger oxide (magnetite) part of the iron formations and the weaker sulphide (pyrrhotite) horizons may make it possible to map the geological structure in areas where overburden is masking the outcrop and provide a focus for further exploration.

A true sulphide iron formation was rarely seen with the oxide banded iron formations. In hole RGRI-98-13 a sulphide iron formation was intersected between 190 - 222 meters. This unit consists of a black argillaceous "mud" 1-3 cm thick interbedded with pyrrhotite and minor chalcopyrite. There was very little alteration associated with this unit however it did display a high degree of ductile deformation. The carbonatization and silicification which was seen in the oxide facies banded iron formation's was not present in the sulphide iron formation..

Conclusions

As a result of the drilling carried out to date, three (3) areas of potential significance have been defined.

- 1) The deformation zone was shown to be continuous under the muskeg, both north and south, from the original discovery outcrop and was found to contain highly anomalous quantities of gold throughout.
- 2) Drill holes RGRI-98-12 and RGRI-98-13 located immediately east of Lundmark Lake, encountered significant widths (10 to 20 metres) of semi-massive to massive sulphide mineralization, principally pyrrhotite, and a mineral assemblage containing intermittent anomalous amounts of gold, similar in appearance to samples from the ore zone at the Musselwhite Deposit. Similarly, hole RGRI-98-11, located 400 metres north of holes RGRI-98-12 and RGRI-98-13 intersected comparable widths of sulphide mineralization. The iron formation appears to be highly deformed in the vicinity of these holes and considerably more diamond drilling is required to properly test the potential of this area.
- 3) Drill hole RGRI-98-9, which was drilled to test a finite, coincident magnetic-electromagnetic anomaly immediately adjacent to the main iron formation, intersected over 30 metres of disseminated chalcopyrite (copper mineralization) in a garnetiferous, sericite schist, similar to that which hosts the copper-zinc-silver deposits at Manitouwadge, Ontario where iron formation is prominently associated with the orebodies.

Recommendations

Although no obvious gold ore zone was encountered in the initial drill program, the widespread gold mineralization that was encountered in the holes drilled to test the deformation zone and the occurrence of extensive sulphide zones within the iron formations resembles those that host the Musselwhite gold deposit to the south.

A second phase exploration program should consist principally of diamond drilling and additional ground geophysical surveys to further explore the

deformation zone, both down dip and along strike, particularly to the north where it appears to coalesce with the main banded iron formation.

Drilling and an IP survey should also be carried out in the vicinity of hole RGRI-98-9 in order to assess the significance of the widespread copper mineralization that occurs within the Manitouwadge-type assemblage of rocks intersected in the hole.

Ground magnetic and electromagnetic surveys should be carried out over previously unexplored portions of the Lundmark-Akow Lake property known to be underlain by the favourable precambrian banded iron formation as well as in the three (3) areas of interest that were defined in the initial drill program.

Basic prospecting and sampling, which has proved successful in the past, should be carried out, both east and north of Lundmark Lake, where rock outcrop is relatively abundant and where occurrences of gold were reported previously.

Although the results from the limited humus geochemical survey carried out by the Company in the vicinity of the deformation zone were encouraging but inconclusive, additional geochemical sampling (basil till) may help to identify concentrations of the trace elements with which gold is associated in the Lundmark-Akow Lake area.

Respectively Submitted

Ian Spence

Statement Of Qualifications

This is to Certify That:

I, William Ian Spence of 2180 Falconcrest Drive, Thunder Bay, Ontario, P7C 4V2 do certify that:

1. I am a geologist and have been employed in the mining exploration industry since 1965 as a student and as an exploration geologist.
2. I attended the University of New Brunswick in Fredericton, New Brunswick where I received a B.Sc. in Geology in 1975.
3. I am the author of this report.
4. The information in this report is based upon personal knowledge and sources quoted in this report.

Dated at Thunder Bay, Ontario, this 29th day of April, 1998



William Ian Spence

DRILLING SUMMARY FOR AKOW LAKE

DDH #		START	FINISH	DRILLED DEPTH METERS	TEST DEPTH METERS	READING	ANGLE of HOLE
RGRI-98-1	0+20N 0+33E 1+86S 1+44W	Jan 10, 1998	Jan 13, 1998	140.0	50 110	47° 40°	39.5° 33°
RGRI-98-2	0+60N 0+30E 1+43S 1+43W	Jan 14, 1998	Jan 15, 1998	100.3	50 100	47° 43°	39.5° 35°
RGRI-98-3	1+00N 0+30E 1+05S 1+37W	Jan 16, 1998	Jan 17, 1998	115.6	50 115	50° 47°	41° 39.5°
RGRI-98-4	0+25S 0+30E 2+29S 1+56W	Jan 18, 1998	Jan 19, 1998	100.3	50 100	50° 51°	41° 42°
RGRI-98-5	3+00S 0+50E 5+00S 1+74W	Jan 20, 1998	Jan 22, 1998	124.7	50 124	54° 53°	45° 44°
RGRI-98-6	0+22 N 1+46E 2+00S 0+27W	Jan 22, 1998	Jan 25, 1998	219.3	50 100 150 219	53° 51° 46° 37°	44° 42° 38° 30°
RGRI-98-7	12+00S 4+75W	Jan 27, 1998	Jan 29, 1998	176.6	50 100 150	51° 50° 49°	43° 42° 40.5°
RGRI-98-8	17+00S 8+75E	Jan 31, 1998	Feb 2, 1998	118.6	50 100	50° 49°	42° 40.5°
RGRI-98-9	12+00S 4+75E	Feb 3, 1998	Feb 4, 1998	112.6	60 112	51° 49°	43° 40.5°
RGRI-98-10	20+00N 8+75E	Feb 6, 1998	Feb 7, 1998	88.1	50 88	50° 47°	42° 39.5°

DRILLING SUMMARY FOR AKOW LAKE

RGRI-98-11	44+00N 7+75E	Feb 9, 1998	Feb 12, 1998	136.9	50 100	51o 46o	43° 38°
RGRI-98-12	40+00N 8+00E	Feb 13, 1998	Feb 16, 1998	130.6	50 130	54o 51o	45° 43°
RGRI-98-13	40+00N 8+00E	Feb 16, 1998	Feb 23, 1998	223.0	50 100 161 223	53o 53o 51o 51o	44° 44° 43° 43°
RGRI-98-14	2+00N 0+30W 0+00 1+70W	Feb 26, 1998	Mar 1, 1998	213.2	50 100 150 210	53o 51o 53o 51o	44° 43° 44° 43°
RGRI-98-15	15+00S 0+25W	Mar 1, 1998	Mar 4, 1998	182.7	50 100 150 185	53o 52o 50° 49°	44° 43.5° 41° 40.5°
Total Meters→				2182.5	7158.6	← Feet	

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 0+20N 0+30E

Inclination: -045°

Coordinates (Old Grid): 1+86S 1+44W

Acid Tests: 1: -043° @ 50.0m

Total Depth: 140.0 Meters

2: -041° @ 110.0m

Azimuth: 255°

Date Started: January 10, 1998

Date Finished: January 13, 1998

Mining Claim Location: PA 1208992

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-1

From (meters)	To (meters)	Description
0.0	1.9	Overburden and broken core
1.9	7.8	Mafic Volcanic numerous quartz veins, 40% chloritic shears, quartz vein 2 cm @ 50 degrees to CA, Shearing 2.2 - 3.6m
7.8	10.6	Quartz Feldspar Porphyry Pale green and grey, light brown, sheared contact, altered phenocrysts (2-3mm), chalcopyrite in thin veinlets at contact, quartz veining and tension filled fractures 40 cm from contact, biotite-chlorite at contact, trace pyrite along foliation surfaced, occasional grey generation of quartz with pyrite, lower contact sharp @ 060°
10.6	15.0	Mafic Volcanics Very fine grained, numerous fractures at random angles to CA, (5-10 mm) in width Quartz Vein → 20 cm @ 11.1 m Quartz Vein → 15 cm @ 11.9 m Quartz Vein → 20 cm @ 12.4 m pyrrhotite / chalcopyrite at lower contact Quartz Vein → 25 cm @ 14.3 m 56° @ 13.4m
15.0	19.2	Mafic Volcanic Disrupted/sheared Mafic Volcanic, green to pale green, banded, coarser porphyroblasts of amphibolite aligned along

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-1

From (meters)	To (meters)	Description
		foliation planes, 2-3 mm biotite bands, displaying K alteration. 20% quartz boudins in unit, diss pyrite <1/2% 55° @ 16.2 m 62° @ 19.0 m
19.2	21.4	Sediment - Greywacke Grey - black in colour, minor shearing, 2% quartz filled fractures
21.4	29.0	Mafic Volcanic green, gradational contact, 2% quartz veins, Small Quartz Feldspar Porphyry (10 cm) with chalcopyrite and pyrrhotite @ 21.5m near lower contact, minor sed, 27.2 - 27.5 → cg bed with coarse amp, similar to disrupted unit 65° @ 23.5 m 60° @ 27.2 m
29.0	32.9	Gabbro Coarse grained, altered, 40 cm Mafic Volcanic @ 30.0m, unit cut by quartz veins with large clots of biotite and chlorite, minor chalcopyrite with these low angle veins (25°), Lower contact @ 55° , shearing at contact 55° @ 34.0 m
32.9	37.3	Mafic Volcanic Green, random quartz filled fractures, 56° @ 37.2 m
37.3	40.6	Zone Mafic Volcanic - sed with strong potassium alteration as seen by the coarse biotite, 37.5 - 37.6 → Quartz Feldspar Porphyry with biotitic shear, chalcopyrite and pyrrhotite along shear surfaces, 60° @ 40.7 m 55° @ 41.3 m 56° @ 57.3 m
40.6	49.7	Quartz Feldspar Porphyry Buff Coloured, display's a "healed" shearing, biotite wraps around feldspar and quartz phenocrysts, quartz veins and

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-1

From (meters)	To (meters)	Description
		fractures at random to CA, biotite and shearing more prominent at the contacts, some quartz veins show hydrothermal alteration (bleaching) around themselves, 46.8 - 47.0 → shear @ 48°, chalcopyrite and biotite 56° @ 42.6 m 52° @ 47.2 m
49.7	58.9	Mafic Volcanic green, fine grained, quartz + biotite +/- chalcopyrite and pyrite 52° @ 53.5 m 50° @ 55.2 m 55° @ 58.0 m lower contact @ 55° Shearing: 49.7 - 49.9m → 20 cm 51.1 → 2 cm 50.3 → 20 cm 50.4 → 3 cm 50.5 → hairline 50.6 → hairline 50.9 → 4 cm 51.1 → 2 cm 51.2 → 1 cm 51.3 → hairline 52.5 - 52.8 → 40% quartz -biotite veins 53.8 - 54.1 → quartz - biotite veins Mafic sediment from 53.5 - 58.7m
58.9	60.4	Quartz Feldspar Porphyry Slightly foliated, upper contact @ 55°
60.4	64.8	Mafic Volcanic End of Zone 62.4m With quartz - biotite shears to 62.4, (~3%)
64.8	72.0	Mafic sediments and Sediment (greywacke) fine grained, green to grey, minor quartz filled fractures 56° @ 68.5 m
72.0	80.2	Mafic Volcanic - Gabbro? Medium to coarse grained feldspathic flow, larger phenocrysts

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-1		
From (meters)	To (meters)	Description
		have been saussuritized, diss pyrrhotite and chalcopyrite,
80.2	81.3	Sediment
81.3	91.0	Gabbro - Mafic Volcanic Fine to medium grained unit, altered to biotite, diss pyrrhotite chalcopyrite with quartz shears
91.0	91.5	Quartz Feldspar Porphyry
91.0	91.5	Quartz Feldspar Porphyry
91.5	95.3	Mafic Volcanic Green, fine grained, minor flakey pyrite along foliation surfaces, 56° @ 93.5m
95.3	96.5	Quartz Vein - Felsic Tuff? Quartz Vein has a crack and seal texture, with a banded felsic? Tuff
96.5	103.8	Mafic Volcanic Medium grained feldspathic flow
103.8	112.7	Gabbro - Mafic Volcanic Coarse grained 'lumpy porridge' unit, clasts? of cg mafic material within a mafic matrix slightly finer grained 56° @ 103.0m 55° @ 107.0m
112.7	117.1	Quartz Vein - Felsic Tuff? Quartz Vein has a crack and seal texture, with a banded felsic? Tuff, chalcopyrite at 113.0 m along thin shear
117.1	126.3	Mafic Volcanic Green, random quartz filled fractures, pyrrhotite and chalcopyrite in shears 59° @ 118.0m 60° @ 122.0m
126.3	140.0	Mafic Volcanic - Gabbro mg to cg, altered, <1% random shears, 134.5 - 134.8m Quartz vein 60° @ 140.0m


Assay results for Diamond Drill Hole RGRI-98-1

#	DDH	From	To	Width	Description	Au (ppb)
1	98-1	2.2	3.1	0.9	Sheared Mafic, minor cp	<5
2	98-1	3.1	3.8	0.7	Sheared Mafic, minor cp	<5
3	98-1	7.3	7.8	0.5	Mafic, contact with QFP	11
4	98-1	7.8	8.3	0.5	QFP	<5
5	98-1	11.1	11.6	0.5	Qtz Vein, Qtz Shears po, minor cp	24
6	98-1	12.4	12.9	0.5	20 cm Qtz, 30 cm banded Mv with po, py	8
7	98-1	14.2	14.7	0.5	25 cm Qtz Vein, Qtz shearing	22
8	98-1	15.7	16.2	0.5	Disrupted section of Mv, sheared + Qtz	24
9	98-1	18.2	19.2	1.0	Disrupted section of Mv, 20-30 % shearing	<5
10	98-1	37.3	37.8	0.5	Zone, Mv, biotite, Qtz, cp/po	111
11	98-1	37.8	38.7	0.9	Zone, Mv, minor shearing	118
12	98-1	38.7	39.2	0.5	Zone, Mv, increased shearing, biotite, Qtz, cp/po	114
13	98-1	39.2	39.7	0.5	Zone, Mv, biotite, Qtz, cp/po	468
14	98-1	39.7	40.2	0.5	Zone, Mv, biotite, Qtz, po @ 39.4m	1501
15	98-1	40.2	40.6	0.4	Mv -QFP contact zone	474
16	98-1	40.6	41.6	1.0	QFP	404
17	98-1	41.6	42.6	1.0	QFP	<5
18	98-1	42.6	43.6	1.0	QFP	189
19	98-1	43.6	44.6	1.0	QFP	1027
20	98-1	44.6	45.6	1.0	QFP	14
21	98-1	45.6	46.6	1.0	QFP	<5
22	98-1	46.6	47.6	1.0	QFP includes Qv (10 cm) and 20 cm Qtz-bio shear	51
23	98-1	47.6	48.7	1.1	QFP	<5
24	98-1	48.7	49.7	1.0	QFP	<5
25	98-1	49.7	50.7	1.0	Mv with 15% shearing bio-qtz-cp at contact	96
26	98-1	50.7	51.7	1.0	Mv with 1-3% Qtz-bio shears	19
27	98-1	51.7	52.7	1.0	Mv with Qtz-bio shears	13
28	98-1	52.7	53.7	1.0	Mv with Qtz-bio-cp shears	27

Assay results for Diamond Drill Hole RGRI-98-1

#	DDH	From	To	Width	Description	Au (ppb)
29	98-1	53.7	54.7	1.0	Mv with Qtz-bio-cp shears	41
30	98-1	54.7	55.7	1.0	Mv with Qtz-bio-cp shears	<5
31	98-1	60.4	61.4	1.0	Mv - QFP contact	18

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Coordinates (New Grid): 0+60N 0+30E **Inclination: -045°**
Coordinates (Old Grid): 1+43S 1+43W **Acid Tests: 1: -039.5° @ 50.0m**
Total Depth: 100.3 Meters **2: -035.0° @ 100.3m**
Azimuth: 255°
Date Started: January 14, 1998 **Date Finished: January 15, 1998**
Mining Claim Location: PA 1208992
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-2

From (meters)	To (meters)	Description
0.0	2.4	Overburden and broken core
2.7	8.7	Mafic Volcanic, minor sediment Green, minor chalcopyrite along quartz veinlets, Shearing 3.3 - 3.4m quartz filled shear 5.1 - 5.7m 40-50% shearing 6.2 - 6.9m 40-50% shearing 7.4 - 7.6m 25% shearing 8.0 - 8.3m 30% quartz shearing S_2 56° @ 5.0 m
8.7	12.0	Quartz Feldspar Porphyry - Mafic Volcanics Silicified Mafic Volcanic with interlaced Quartz Feldspar Porphyry + quartz veins, Quartz Vein with crack-seal margins @ 9.8 - 9.9m
12.0	20.2	Mafic Volcanic Green, fine grained, 10-15% quartz veinlets, net textured sulphides (pyrrhotite/chalcopyrite) @ 12.4m 13.9 - 14.0 m 30% quartz veins 14.8 - 15.3m coarse section with clots of amp/chlorite 14.9 - 15.2m 40-50% quartz shearing 17.8 - 19.7m 20-30% quartz shearing

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-2

From (meters)	To (meters)	Description
		S_2 55° @ 15.0 m S_2 65° @ 18.0 m
20.2	22.1	Sediment Grey, fine grained, some fractures with alteration haloes, banding
22.1	28.6	Mafic Volcanic and Sediments Package of fine to medium volcanogenic mafic tuffs and intercalated sediments, chalcopyrite at 25.9 with small quartz vein S_2 10 - 35° @ 25.6 -28.6 m
28.6	36.3	Gabbro Green, coarse grained, with biotite upper contact @ 42° Lower contact @ 35°
36.3	43.7	Mafic Volcanic Green, fine grained, 35% veining, chalcopyrite with veining <1%, chalcopyrite in veinlet @ 38.8m, increased biotitization between 40.7 and 43.7m, 2-5% chalcopyrite and pyrrhotite between 42.0 - 43.4m , low angle shearing 40 cm from lower contact.
43.7	48.2	Quartz Feldspar Porphyry Grey, phenocrysts of quartz and feldspar, weak lineation with wisps of biotite, minor quartz veinlet with chalcopyrite Biotitic shear (mafic volcanic) <1% diss chalcopyrite S_2 42° @ 46.7 m
48.2	60.1	Mafic Volcanic Pillowed?, fine grained, sheared upper contact (25 cm), occasional band of biotite along selvages , chalcopyrite in hairline fracture @ 50.8m, thin Quartz Feldspar Porphyry (5 cm) @ 49.6m S_2 51° @ 56.0 m S_2 55° @ 58.0 m
60.1	60.9	Quartz Feldspar Porphyry Sharp contacts @ 55°

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-2		
From (meters)	To (meters)	Description
60.9	62.7	Mafic Volcanic Pillowed, similar to above unit S_2 55° @ 61.5 m
62.7	64.5	Quartz Feldspar Porphyry
64.5	66.1	Mafic Volcanic Green, very fine grained, 15 cm of shearing at contact, random hairline fractures
66.1	75.2	Package of fine to medium volcanogenic mafic tuffs and intercalated sediments, Strong biotitization 66.6 - 67.0m and 68.1 - 68.5m Quartz Feldspar Porphyry 70.7 - 71.4m, altered, biotite shears with chalcopyrite and pyrrhotite S_2 60° @ 67.4 m S_2 65° @ 72.3 m
75.2	79.2	Mafic Volcanic Green, medium grained to coarse grained, feldspathic flow S_2 60° @ 76.8 m
79.2	80.5	Sediment S_2 65° @ 79.2 m
80.5	94.7	Gabbro - Mafic Volcanic? Very coarse grained, to 85.1m, gradually getting finer grained 88.8 - 89.6 quartz vein/shear, 1-2% pyrrhotite - chalcopyrite @ 89.0m, pyrrhotite along foliation surfaces. S_2 58° @ 82.0m S_2 62° @ 88.0 m S_2 64° @ 94.7 m
94.7	95.1	Quartz Feldspar Porphyry sheared, 3-8% chalcopyrite - pyrrhotite with the Quartz Feldspar Porphyry
95.1	97.1	Felsic Tuff + Quartz Banded, x-cut by quartz veins at low angles to CA

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-2

From (meters)	To (meters)	Description
97.1	100.3	Mafic Volcanic Feldspathic flow, medium grained, minor quartz filled fractures S_2 62° @ 97.2 m
100.3		EOH

Assay results for Diamond Drill Hole RGRI-98-2

#	DDH	From	To	Width	Description	Au (ppb)
33	98-2	40.0	40.5	0.5	Mv, minor shearing	75
34	98-2	40.5	41.2	0.7	Mv, shearing, biotite, cp	341
35	98-2	41.2	41.7	0.5	Mv, shearing, biotite	230
36	98-2	41.7	42.2	0.5	Mv, shearing, biotite, cp	278
37	98-2	42.2	42.7	0.5	Mv, shearing, biotite, 1-3% cp/po	867
38	98-2	42.7	43.2	0.5	Mv, shearing, biotite, 2-5% cp/po	1301
39	98-2	43.2	43.7	0.5	Mv, low angle shearing, biotite cp/po	7485
40	98-2	43.7	44.3	0.6	QFP with hairline cp/po veinlet	46
41	98-2	46.6	47.3	0.7	Mv, shearing, biotite, between QFP	5773
42	98-2	48.2	48.7	0.5	Mv contact zone with QFP	123
32	98-2	61.4	62.4	1.0	Mv with Qtz-bio-cp shears	46
43	98-2	68.1	68.3	0.2	Mv, Sheared, biotite	18
44	98-2	70.7	71.4	0.7	Sheared QFP + 30 cm Vm with cp/po	53
45	98-2	88.8	89.6	0.8	Gabbro, sheared, altered, 1-2% po/cp	12

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 1+00N 0+30E **Inclination: -045°**
Coordinates (Old Grid): 1+05S 1+37W **Acid Tests: 1: -041.0° @ 50.0m**
Total Depth: 115.6 Meters **2: -039.5° @ 115.6m**
Azimuth: 255°
Date Started: January 16, 1998 **Date Finished: January 17, 1998**
Mining Claim Location: PA 1208992
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-3		
From (meters)	To (meters)	Description
0.0	2.7	Overburden and broken core
2.7	29.9	Mafic Volcanic, minor sediment Green, minor chalcopyrite along quartz veinlets, 10 - 15% quartz filled fractures (2-3mm), minor biotitic bands Shearing 4.1 - 4.2m quartz filled shear 5.2 - 5.4m quartz filled shear 6.4 - 6.5m quartz vein ,chalcopyrite, pyrrhotite 6.5 - 7.0m quartz filled shear 7.6 - 7.7m quartz filled shear 8.2 - 8.4m quartz filled shear 9.1 - 9.1m quartz filled shear 15.5 - 15.6m quartz vein 17.0 - 17.3m quartz vein 29.3 - 29.7m quartz filled shear S ₂ 58° @ 4.0 m S ₂ 60° @ 8.5 m S ₂ 60° @ 18.0 m S ₂ 60° @ 21.0 m S ₂ 47° @ 29.3 m
29.9	39.4	Mafic Sediment - Sediment (greywacke) Package of fine to medium volcanogenic mafic tuffs and

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-3

From (meters)	To (meters)	Description
		intercalated sediments S_2 56° @ 33.2 m S_2 55° @ 39.2 m
39.4	42.0	Gabbro Dark green, mg, sheared upper and lower contact
42.0	49.9	Mafic Volcanic and Sediments Package of fine to medium volcanogenic mafic tuffs and intercalated sediments Sheared 43.2 to 44.2m numerous quartz veins minor chalcopyrite with biotite 46.0 - 47.0 30% quartz shearing ZONE 48.5 - 49.9m Moderate quartz shearing, chalcopyrite and pyrrhotite with quartz veins, S_2 57° @ 42.2 m S_2 60° @ 45.0 m
49.9	52.6	Quartz Feldspar Porphyry Sheared 51.7 - 51.9m 52.3 - 52.4m
52.6	55.9	Quartz Feldspar Porphyry and Mafic Volcanics
55.9	64.9	Mafic Volcanics Green, fine grained, chalcopyrite in hairline fractures at 57.4, 57.7, 59.2, 59.3 - 59.4m, 64.9 S_2 62° @ 63.0 m
64.9	67.5	Mafic Volcanic and Sed chalcopyrite in quartz stringer @ 65.2 - 65.6m, 65.5m, 65.9m, 66.0m S_2 57° @ 66.0 m
67.5	67.8	Quartz Feldspar Porphyry
67.8	68.9	Mafic Volcanic Bull quartz vein @ 68.7m
68.9	70.8	Quartz Feldspar Porphyry

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-3

From (meters)	To (meters)	Description
70.8	80.8	Mafic Volcanics and Sediments Package of fine to medium volcanogenic mafic tuffs and intercalated sediments, numerous quartz filled fractures to 80.2m Shearing 72.0 - 72.7m Quartz filled shears (70%) 73.0 - 73.6m Quartz filled shears (30-40%) 73.0m chalcopyrite in quartz veinlet 73.8m chalcopyrite in quartz veinlet 74.0m chalcopyrite in quartz veinlet 73.8m chalcopyrite in quartz veinlet 74.7 - 75.4m 30% shearing S_2 58° @ 73.8 m
80.8	88.1	Gabbro Green, cg, with finer phase 86.2 - 86.8m S_2 66° @ 86.5 m
88.1	89.3	Sediment S_2 56° @ 89.1 m
89.3	97.0	Gabbro Very coarse grained, graded into a mg to fine grained gabbro at 93.5m S_2 60° @ 97.0 m
97.0	98.3	Sediment Quartzite? With disrupted beds 98.0 - 98.3m biotite-quartz shear with minor chalcopyrite along foliation surfaces S_2 55° @ 98.0 m
98.3	102.6	Mafic Volcanic Medium grained feldspathic flow, biotitic-quartz vein @ 101.0 - 101.1m, 1-2% chalcopyrite with shears 102.6 - 102.5 quartz vein with altered Quartz Feldspar Porphyry
102.6	103.1	Quartz Feldspar Porphyry S_2 60° @ 102.7 m
103.1	104.7	QUARTZ VEIN minor Quartz Feldspar Porphyry
104.7	115.6	Gabbro

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-3


From (meters)	To (meters)	Description
		Coarse grained, layered?, mineralized section of diss chalcopyrite (<.5%)
115.6		EOH

Assay results for Diamond Drill Hole RGRI-98-3

#	DDH	From	To	Width	Description	Au (ppb)
47	98-3	43.2	44.2	1.0	Mv-Sed, Sheared, biotite, cp	54
48	98-3	46.0	47.0	1.0	Mv, Qtz Vein (20 cm), minor cp	107
49	98-3	47.0	48.0	1.0	Mv, tr cp/po	141
50	98-3	48.0	48.9	0.9	Mv, Qtz shears	212
51	98-3	48.9	49.4	0.5	Mv, 50-60% Shearing, cp/po	816
52	98-3	49.4	49.9	0.5	Mv, 50-60% Shearing, cp/po	2609
54	98-3	52.3	52.4	0.1	Shear in QFP	11033
55	98-3	52.6	53.3	0.7	QFP, sheared	302
56	98-3	53.3	54.0	0.7	QFP, sheared	29
53	98-3	57.3	57.5	0.2	Shear and Qtz Vein in QFP	2762
122	98-3	72.0	72.7	0.7	Qtz vein 80%, crack seal, <1% cp	14967
121	98-3	74.6	75.6	1.0	Mv, sheared with <1% cp/qtz veinlets	38
119	98-3	79.5	80.2	0.7	Sediment with cp in Qtz fractures	404
120	98-3	80.2	80.8	0.6	Sediment (quartzite?) with gabbro contact	101
46	98-3	94.7	95.1	0.4	QFP, sheared, altered, 5 cm 5% cp/po	326
87848	98-3	97.6	98.3	0.7	Felsic Tuff? with sheared biotite sediment	26
87849	98-3	100.8	101.4	0.6	Mv, biotitic, Qtz Vein, cp/po	308
87847	98-3	112.5	112.9	0.4	Mv, Sheared, biotite-qtz-carb, po, cp	186

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 0+25S 0+30E **Inclination: -045°**
Coordinates (Old Grid): 2+29S 1+58W **Acid Tests: 1: -041° @ 50.0m**
Total Depth: 100.3 Meters **2: -042° @ 100.3m**
Azimuth: 255°
Date Started: January 18, 1998 **Date Finished: January 19, 1998**
Mining Claim Location: PA 1208992
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-4		
From (meters)	To (meters)	Description
0.0	2.0	Overburden and broken core
2.0	3.5	Mafic Volcanic
3.5	4.4	Altered Quartz Feldspar Porphyry
4.4	5.3	Mafic Volcanic 5-10% quartz -biotite shearing
5.3	6.8	Altered Quartz Feldspar Porphyry S_2 60° @ 6.0 m
6.8	8.8	Mafic Volcanic 25% quartz -biotite shearing at upper contact, minor chalcopyrite 7.7 - 8.3m 30% shearing
8.8	9.6	Quartz Feldspar Porphyry and Mafic Volcanics S_2 53° @ 9.8 m
9.6	13.7	Mafic Volcanics Green, fine grained to medium grained, 9.6 - 10.0m 40% shearing 10.4 - 11.5m 30% shearing, coarse grained unit 12.3 - 12.5m Bull quartz vein 12.5 - 13.3m 35% shearing, coarse grained, biotite + quartz , diss chalcopyrite and pyrrhotite S_2 55° @ 13.0m
13.7	15.5	Sediment and Mafic Tuff

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-4		
From (meters)	To (meters)	Description
		Green, fine grained, lower contact @ 30 degrees
15.5	26.0	Mafic Volcanic 15 cm of shearing at upper contact 19.9 - 20.2m 15-20% quartz vein shearing 23.6 - 23.8m Bull quartz vein S_2 60° @ 18.0m S_2 53° @ 24.2m
26.0	31.5	Gabbro 26.9 - 27.1m shear zone, rubble, no sulphides 30.9 - 31.5m Contact at low angle to CA, biotite rich zone at contact
31.5	35.6	Mafic Volcanic Sheared lower contact @ 30° biotite rich with minor chalcopyrite S_2 55° @ 33.0m
35.6	36.7	Quartz Feldspar Porphyry
36.7	38.6	Mafic Volcanic 5% shearing with chalcopyrite and pyrrhotite along fractures
38.6	39.3	QUARTZ VEIN massive chalcopyrite + pyrrhotite, 10-20%
39.3	46.5	Quartz Feldspar Porphyry 10 cm shear @ 39.4m with massive chalcopyrite
46.5	54.2	Mafic Volcanic Bands of biotite with shearing, possible selvages? Quartz Vein (5cm) @ 53.0m S_2 60° @ 54.2m
54.2	64.7	Mafic Volcanics Green, fine grained, minor chalcopyrite in hairline fractures Shearing 62.7 - 63.1m quartz -biotite shear 64.0 - 64.1m quartz -biotite shear 64.1 S_2 56° @ 60.5m S_2 53° @ 62.7m S_2 59° @ 64.5m

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-4

From (meters)	To (meters)	Description
64.7	67.3	Sediment Lt. Grey, banded
67.3	71.4	Mafic Volcanic Feldspathic flow, medium grained,
71.4	72.7	Sediment and Mafic Tuff S_2 58° @ 72.0m
72.7	74.8	Sediment (Quartzite?) Bands of pale green material with pyrrhotite (diss) in fractures S_2 61° @ 74.8m
74.8	79.9	Mafic Volcanic Feldspathic flow, medium grained S_2 60° @ 76.5m
79.9	80.3	Sediment? S_2 50° @ 80.0m
80.3	81.6	Quartz Feldspar Porphyry
81.6	83.5	Gabbro Green, coarse grained
81.6	83.5	Gabbro Green, coarse grained
83.5	94.7	Mafic Volcanic Feldspathic flow, medium grained 86.7 - 87.6m sheared Quartz Feldspar Porphyry? S_2 64° @ 84.0m
94.7	96.3	QUARTZ VEIN Trace Sulphides at contact
96.3	100.3	Gabbro unaltered gabbro, sheared and biotitic at margins, chalcopyrite and quartz veins along foliation planes S_2 60° @ 97.0m

Assay results for Diamond Drill Hole RGRI-98-4

#	DDH	From	To	Width	Description	Au (ppb)
58	98-4	32.8	33.6	0.8	Mv, Sheared, biotite, minor cp	104
59	98-4	33.6	34.6	1.0	Mv, Sheared	299
60	98-4	34.6	35.1	0.5	Mv, Sheared	62
61	98-4	35.1	35.6	0.5	Mv - QFP contact, Sheared	38
62	98-4	36.7	37.6	0.9	Mv, between QFP's, sheared	464
63	98-4	37.6	38.6	1.0	Mv, between QFP's, sheared	226
64	98-4	38.6	39.1	0.5	Mv, Qtz Vein + shearing, 20-30% massive cp	11168
65	98-4	39.1	39.4	0.3	QFP, 10 cm shear with cp	3099
66	98-4	39.4	39.9	0.5	QFP	35
67	98-4	46.5	47.5	1.0	Mv, with some cp veinlets	159
68	98-4	47.5	48.3	0.8	Mv, with some cp veinlets	382
69	98-4	48.3	49.2	0.9	Mv, 20% biotite	<5
57	98-4	54.0	54.9	0.9	Mv, Sheared	28
87803	98-4	73.0	73.7	0.7	Felsic Tuff? with Qtz, cp po veinlets	22
87804	98-4	73.7	74.4	0.7	Felsic Tuff? with Qtz, cp po veinlets	7
85	98-4	86.9	87.2	0.3	Altered, Sheared QFP	<5
86	98-4	94.8	95.6	0.8	Felsic tuff, Qtz Vein	15
87	98-4	95.6	96.3	0.7	Felsic tuff, Qtz Vein	16
88	98-4	96.3	97.3	1.0	Contact zone with fresh gabbro	91

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 3+00S 0+50E

Inclination: -045°

Coordinates (Old Grid): 5+00S 1+74W

Acid Tests: 1: -045° @ 50.0m

Total Depth: 124.7 Meters

2: -044° @ 124.7m

Azimuth: 255°

Date Started: January 20, 1998

Date Finished: January 22, 1998

Mining Claim Location: PA 1208992

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-5

From (meters)	To (meters)	Description
0.0	1.8	Overburden and broken core
1.8	43.9	<p>Mafic Volcanic</p> <p>Feldspathic flow, medium grained to coarse grained, occasional biotitic bands, garnets, quartz veining, 2.8 - 3.4m interformational sulphide iron formation, very fine grained, banded, coarse biotite, micro fold with 30° plunge to the south</p> <p>Pyrite seam @ 15.0m @ low angle to CA</p> <p>Quartz vein 27.2 - 27.3m shearing with chalcopyrite and pyrrhotite, Garnetiferous section, subeuhedral garnets up to 5mm, Pyrrhotite and chalcopyrite occurring as vug fillings @ 34.5m,</p> <p>36.0 - 37.0 fine grained, sulphide iron formation, pyrrhotite, chalcopyrite</p> <p>37.3 - 37.0 Quartz Feldspar Porphyry, sheared</p> <p>S₂ 58° @ 2.7m</p> <p>S₂ 56° @ 9.4m</p> <p>S₂ 60° @ 14.6m</p> <p>S₂ 60° @ 19.5m</p> <p>S₂ 55° @ 24.7m</p> <p>S₂ 60° @ 27.6m</p> <p>S₂ 66° @ 30.5m</p> <p>S₂ 64° @ 35.0m</p>

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-5		
From (meters)	To (meters)	Description
		S ₂ 70° @ 37.3m S ₂ 55° @ 41.0m
43.9	45.4	Quartz Feldspar Porphyry
45.4	48.9	Mafic Volcanic - Amphibolite? Green, medium grained, 46.5 - 46.9m Quartz vein (bull), trace chalcopyrite 47.4 - 48.9m 50% shearing
		S ₂ 62° @ 45.5m
48.9	51.4	Quartz Feldspar Porphyry and Mafic Volcanics
51.4	53.9	Mafic Volcanic Green, medium grained, Shearing between 51.4 - 51.9m at contact with Quartz Feldspar Porphyry
		S ₂ 65° @ 53.7m
53.9	54.9	Sediment
54.9	72.7	Mafic Volcanics, gabbro? Dark green, fine grained to medium grained, Quartz filling random fractures (5-15%), contact altered to a pale yellow-green, minor pyrite
		S ₂ 60° @ 57.4m S ₂ 55° @ 61.5m S ₂ 70° @ 66.7m S ₂ 65° @ 68.7m
72.7	90.5	Mafic Volcanic - gabbro, Quartz Feldspar Porphyry Green, medium grained, massive, 5cm quartz vein (bull @ 86.6m, chalcopyrite in quartz fracture @ 87.6m) 82.5 - 83.2 Quartz Feldspar Porphyry 88.7 - 89.9 Altered Quartz Feldspar Porphyry (sed?)
		S ₂ 65° @ 83.5m
90.5	96.0	Quartz Feldspar Porphyry (Sed?) fine grained, thin hairline fracture with aspy @ 90.7m
96.0	102.4	Mafic Volcanic 98.6 - 99.7m disrupted zone, 40% quartz fractures

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-5		
From (meters)	To (meters)	Description
		98.7 Quartz vein (bull) 5 cm @ 102.4m S_2 55° @ 96.0m S_2 60° @ 99.0m
102.4	105.2	
35.6	36.7	Quartz Feldspar Porphyry
105.2	106.4	Quartz Shear 50% quartz vein
106.4	124.7	Mafic Volcanic Massive, 2-3%random fracture veining, minor coarse grained sections S_2 58° @ 109.2m S_2 50° @ 114.0m S_2 60° @ 118.6m S_2 58° @ 121.0m S_2 60° @ 124.0m

Assay results for Diamond Drill Hole RGRI-98-5

#	DDH	From	To	Width	Description	Au (ppb)
70	98-5	2.8	3.4	0.6	Mafic Vol, semi massive po, cp	80
71	98-5	14.9	15.2	0.3	Mv, py-cp seam	17
72	98-5	27.0	27.3	0.3	Qtz Vein & Shear in Mv	70
73	98-5	29.0	30.0	1.0	Altered Mv, garnets, po/cp	171
74	98-5	34.1	34.5	0.4	Gabbro(cg), + Qtz Shear	78
75	98-5	36.0	37.0	1.0	Mafic Vol, Sheared, po, cp, Altered	210
76	98-5	43.9	44.1	0.2	Mafic Vol - QFP Contact Zone + Qtz Vein	15
77	98-5	46.5	46.9	0.4	Qtz Vein (30 cm) + Mafic Vol, po/cp	16
78	98-5	47.4	48.4	1.0	Mv, Sheared	70
79	98-5	48.4	48.5	0.1	Mv, + QFP contact, Sheared	135
80	98-5	51.4	51.9	0.5	Mv, Sheared	19
81	98-5	93.6	94.0	0.4	Qtz Vein + Coarse Biotite in Sediment	7
82	98-5	95.0	96.0	1.0	Sediment with biotite & chlorite, minor cp	9
83	98-5	96.0	96.6	0.6	Mafic Volcanic, Sheared	22
84	98-5	105.2	106.2	1.0	Mafic Volcanic, Sheared	18

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 0+22N 1+46E **Inclination: -045°**
Coordinates (Old Grid): 2+00S 0+27W **Acid Tests: 1: -044° @ 50.0m**
Total Depth: 219.3 Meters **2: -042° @ 100.0m**
Azimuth: 255° **3: -038° @ 150.0m**
 4: -030° @ 219.0m
Date Started: January 22, 1998 **Date Finished: January 25, 1998**
Mining Claim Location: PA 1208992
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-6		
From (meters)	To (meters)	Description
0.0	2.7	Overburden and broken core
2.7	29.6	Mafic Volcanic Green, fine grained to medium grained, minor shearing @ 13.3m with <.5% pyrrhotite , trace chalcopyrite , quartz -chlorite shear @ 21.6 - 22.0m, getting coarser grained towards bottom portion of section. S_2 42° @ 5.0m S_2 62° @ 13.5m S_2 58° @ 22.0m S_2 56° @ 26.0m S_2 63° @ 28.7m
29.6	30.0	Quartz Vein 3-5% net textured sulphides (pyrrhotite - minor chalcopyrite)
30.0	37.6	Mafic Volcanics Green, medium grained, 35.5 - 36.2m Quartz vein (bull), no sulphides 36.6 - 37.6m contact zone, layered garnets, diss pyrrhotite with minor chalcopyrite S_2 56° @ 34.8m S_2 54° @ 39.4m

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-6		
From (meters)	To (meters)	Description
37.6	38.2	Altered Quartz Feldspar Porphyry Brown, foliated, low angle quartz - carb veins with alteration haloes
38.2	44.3	Mafic Volcanic - Gabbro Green, medium grained, 5 cm seam of pyrrhotite @ 43.8m, altered sed? (20 cm) @ 43.2m, pyrrhotite/chalcopyrite in quartz vein @ 43.0m 44.2 - 44.3m Quartz Feldspar Porphyry S_2 48° @ 42.4m
44.3	48.8	Mafic Volcanic Medium grained to fine grained, low angle foliation between 44.4 - 45.4m (35 to 45 degrees) 48.2 - 48.8m Intraformational sulphide iron formation, pyrrhotite-quartz -garnet assemblage S_2 42° @ 45.0m S_2 62° @ 46.5m S_2 65° @ 47.8m
48.8	62.0	Mafic Volcanics, gabbro? Dark green, very coarse grained between 55.5 - 58.3m, 60.2 - 62.0m Intraformational sulphide iron formation, pyrrhotite-quartz -garnet assemblage S_2 58° @ 51.0m S_2 45° @ 55.0m S_2 60° @ 60.5m
62.0	71.0	Mafic Volcanic - gabbro, minor sediment Green, medium grained, sheared, Bull quartz @ 66.6 - 66.9m 68.1 - 68.4m Intraformational sulphide iron formation, pyrrhotite-quartz -garnet assemblage S_2 52° @ 65.2m S_2 42° @ 66.0m S_2 63° @ 68.0m

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-6

From (meters)	To (meters)	Description
		S ₂ 60° @ 71.0m
71.0	113.7	<p>Mafic Volcanic and Sediments</p> <p>Mafic Volcanics fine grained to medium grained, sediments fine grained, pale grey brown, banded. Garnets @ 80.5 to 8.8m (up to 5mm),</p> <p>Quartz filled shears and veins</p> <p>5 cm quartz vein @ 74.0m</p> <p>74.4 - 74.7m pyrrhotite and pyrite in interstitial blebs</p> <p>75.8 - 76.3m pyrrhotite and pyrite in interstitial blebs</p> <p>77.3 - 77.7m pyrrhotite and pyrite in interstitial blebs</p> <p>93.9 - 94.0m quartz vein with pyrrhotite/chalcopyrite</p> <p>95.6 - 95.7m quartz vein (bull)</p> <p>96.7 - 97.3m chalcopyrite along fracture planes</p> <p>98.5m Aspy with minor pyrrhotite</p> <p>104.3 - 104.45m Lean Sulphide Iron Formation</p> <p>104.4 - 104.75m Lean Sulphide Iron Formation</p> <p>104.7 - 104.9m Quartz vein with pyrite</p> <p>S₂ 60° @ 73.8m</p> <p>S₂ 60° @ 77.0m</p> <p>S₂ 52° @ 78.5m</p> <p>S₂ 58° @ 84.5m</p> <p>S₂ 64° @ 91.6m</p> <p>S₂ 65° @ 94.1m</p> <p>S₂ 60° @ 97.3m</p> <p>S₂ 68° @ 97.0m</p> <p>S₂ 56° @ 112.0m</p>
113.7	114.2	<p>Sulphide Iron formation</p> <p>Interflow pyrrhotite, banded, slump structures</p>
114.2	130.1	<p>Mafic Volcanic</p> <p>Green, medium grained</p> <p>Pyrrhotite @ 117.1m (3 cm)</p> <p>Pyrrhotite @ 127.8m (5 cm)</p> <p>Pyrrhotite @ 128.6m (20 cm)</p> <p>130.1 - 130.8m Intraformational sulphide iron formation, pyrrhotite-quartz -garnet assemblage, banded</p>

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-6		
From (meters)	To (meters)	Description
		S ₂ 52° @ 121.4m S ₂ 64° @ 128.0m
130.1	130.8	Sulphide Iron formation Interflow pyrrhotite, banded, garnets up to 10mm
130.8	132.2	Mafic Volcanic
132.2	133.4	Intraformational lean sulphide iron formation, pyrrhotite-quartz - garnet assemblage, banded, 5 cm massive pyrrhotite @ 132.3m
133.4	168.4	Mafic Volcanics and Sediments Increase in biotitic shears @ 163.9m S ₂ 60° @ 134.0m S ₂ 55° @ 137.0m S ₂ 60° @ 140.0m S ₂ 64° @ 143.6m S ₂ 54° @ 158.9m
168.4	170.2	Gabbro Coarse grained, altered
170.2	170.6	Mafic Volcanic Sheared contact zone S ₂ 60° @ 170.5m
170.6	170.8	Quartz Vein Chalcopyrite along margins of Mafic Volcanic material
170.8	171.1	Mafic Volcanic Sheared with biotite, trace chalcopyrite
171.1	172.0	Quartz Feldspar Porphyry
172.0	172.9	Mafic Volcanic Minor shears, increasing towards contact
172.9	173.3	Shear Zone Biotite rich, chalcopyrite with trace pyrrhotite and pyrite
173.3	185.8	Mafic Volcanic Small quartz -biotite shear (20 cm) @ 174.4m with chalcopyrite, getting coarser and increasing fractures from 180.0m 5 cm biotite shear at contact

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-6		
From (meters)	To (meters)	Description
		S ₂ 62° @ 174.6m S ₂ 58° @ 182.0m S ₂ 63° @ 185.8m
185.8	188.5	Quartz Feldspar Porphyry
188.5	193.6	Mafic Volcanic Minor 20 cm sections of biotite rich shears with some quartz and trace chalcopyrite
		S ₂ 65° @ 190.3m S ₂ 68° @ 193.3m
193.6	194.7	Quartz Feldspar Porphyry Sheared with bleached alteration
194.7	197.0	Mafic Volcanic Fine grained, <.5% quartz fractures, occasional veinlet of quartz with chalcopyrite from 195 to 205m
		S ₂ 67° @ 196.0m S ₂ 68° @ 202.0m S ₂ 70° @ 205.0m
197.0	211.4	Mafic Volcanic - Gabbro
211.4	215.9	Mafic Volcanic minor coarse sections
		S ₂ 70° @ 215.0m
215.9	217.0	Felsic tuff - Quartz vein Pale green alteration
		S ₂ 65° @ 216.5m
217.0	219.3	Mafic Volcanic Minor Sediments
		S ₂ 55° @ 219.0m

Assay results for Diamond Drill Hole RGRI-98-6


#	DDH	From	To	Width	Description	Au (ppb)
89	98-6	21.6	22.0	0.4	Mafic Volcanic, Sheared, chlorite, < 1/2 % po	<5
90	98-6	29.6	30.0	0.4	Qtz Vein with 2-3% po, shears with biotite	59
91	98-6	35.5	36.2	0.7	Qtz Vein (bull)	<5
92	98-6	36.6	37.1	0.5	Contact Zone , Shear with garnets, 1-3% po	43
93	98-6	37.1	37.6	0.5	Contact Zone , Shear (15%) with small QFP	9
94	98-6	43.8	43.9	0.1	Interformational po	9
95	98-6	48.2	48.6	0.4	Sulphide iron formation, po, garnets, minor cp	255
96	98-6	60.2	61.1	0.9	Sulphide iron formation, po, banded, chert	901
97	98-6	61.1	62.0	0.9	Sulphide iron formation, po, banded, chert	475
98	98-6	66.6	66.9	0.3	Qtz Vein, tr py	13
99	98-6	68.1	68.4	0.3	Sulphide iron formation, po 15%	198
100	98-6	73.9	74.4	0.5	Sediment with 5 cm Qtz Vein	12
101	98-6	74.3	74.8	0.5	Sediment, 30 cm Qtz vein with po-cp 1%, garnets	11
102	98-6	77.0	77.4	0.4	Disrupted Mv with Qtz vein	16
103	98-6	93.7	94.2	0.5	Mv, sheared, Qtz vein (15 cm)	<5
104	98-6	96.7	97.3	0.6	Sediment, 3% Qtz Veining with cp-po	37
105	98-6	104.1	104.7	0.6	Sulphide iron formation (po) 40 cm, in disruptive Mv	399
106	98-6	113.7	114.2	0.5	Sulphide iron formation, po-cp, banded, sheared Mv	54

Assay results for Diamond Drill Hole RGRI-98-6

#	DDH	From	To	Width	Description	Au (ppb)
107	98-6	127.8	127.9	0.1	Interformational sulphides po- minor cp	248
108	98-6	128.6	128.8	0.2	Interformational sulphides po- minor cp	474
109	98-6	130.1	130.8	0.7	Sulphide iron formation (po) 40 cm, in disruptive Mv	45
110	98-6	130.8	131.5	0.7	Sulphide iron formation (po) 40 cm, in disruptive Mv	71
111	98-6	132.4	133.4	1.0	Sulphide iron formation, po, banded, garnets	58
112	98-6	170.1	170.6	0.5	Contact zone with mg gabbro-QFP	135
113	98-6	170.6	171.1	0.5	20 cm Qtz vein with coarse cp, sheared contact with QFP	3967
114	98-6	172.0	172.5	0.5	Sheared lower contact with QFP, cp-po	57
115	98-6	172.5	172.9	0.4	Mv, minor shearing	914
116	98-6	172.9	173.4	0.5	Intensely sheared Mv, biotite rich shear 20 cm, cp-po	408
117	98-6	185.3	185.6	0.3	Mv contact zone with QFP, 10 cm shearing at contact	38
118	98-6	188.5	189.0	0.5	Lower contact with QFP, minor shearing at contact	77

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A **Inclination: -045°**
Coordinates (Old Grid): 12+00S 4+75W **Acid Tests: 1: -043° @ 50.0m**
Total Depth: 124.7 Meters **2: -042° @ 100.0m**
Azimuth: 259° **3: -040.5° @ 150m**
Date Started: January 27, 1998 **Date Finished: January 29, 1998**
Mining Claim Location: PA 1208993
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-7		
From (meters)	To (meters)	Description
0.0	4.9	Overburden and broken core
4.9	25.8	Mafic Volcanic Green, fine grained to medium grained, random fractures quartz filled with no sulphides 5.7 - 11.6m 5.3 - 5.7m Disrupted unit, quartz -biotite shearing, trace sulphides 21.2 - 21.7m Ultramafic, medium grained, sheared 21.7 - 22.1m Gabbro, medium grained to coarse grained , biotitic, trace sulphides 23.2 - 23.5m Ultramafic, medium grained, sheared 23.5 - 25.8 Gabbro, medium grained, sheared, 10-30% quartz -carbonate veins S ₂ 60° @ 9.0m S ₂ 62° @ 21.5m S ₂ 60° @ 25.6m
25.8	47.5	Mafic Volcanic - Gabbro? Fine grained to coarse grained, massive, quartz -carbonate veinlets at random orientations, lineation at low angle to CA @

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-7		
From (meters)	To (meters)	Description
		35.6m, trace pyrite with fractures, coarse grained section between 37.8 - 40.3m S_2 35° @ 35.6m
47.5	49.2	Mafic Intrusive Fine grained, dark green
49.2	50.9	Mafic Volcanic Sheared, medium grained
50.9	53.0	Ultramafic Slightly magnetic S_2 85° @ 50.0m
53.0	54.9	Gabbro Massive, altered, light green, sheared lower section (.9m)
54.9	55.2	Oxide Facies Iron Formation Banded, magnetite and pyrrhotite with garnets
55.2	60.3	Mafic - Ultramafic Section has upper and lower transition zones of gabbro with a ultramafic between, ultra mafic has blebs of magnetite in thin bands
60.3	61.5	Banded Iron Formation BIF to 61.1m, from 61.1 - 61.5m quartz flooded zone with pyrrhotite in fractures, minor chalcopyrite
61.5	69.4	Mafic Volcanic Green, fine grained, sheared, ~10% quartz -carbonate veins S_2 63° @ 65.7m
69.4	69.9	Banded Iron Formation Lean BIF with garnets, disseminated pyrrhotite and magnetite
69.9	79.6	Mafic Volcanic - Gabbro? Massive, fine grained to medium grained, little fracturing
79.6	113.4	Mafic Volcanic Green, fine grained to medium grained, small 10 cm seam of pyrrhotite and chalcopyrite @ 94.2m 94.9 - 96.7 Quartz Feldspar Porphyry 100.3 - 100.4 m interflow BIF, magnetite, pyrrhotite

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log


Drill Hole # RGRI-98-7		
From (meters)	To (meters)	Description
		106.9 - 107.1m interflow BIF, magnetite, pyrrhotite S_2 63° @ 82.0m S_2 57° @ 85.0m S_2 67° @ 100.3m S_2 66° @ 103.6m S_2 60° @ 106.9m
113.4	133.9	Mafic Volcanic (tuff?) - Sediment Green to buff, fine grained, some banding (biotitic) probably a volcanogenic sediment S_2 65° @ 118.0m
133.9	167.3	Ultramafic Dark green to black, fine grained to coarse grained, very soft, subeuhedral crystals of magnetite, minor fine grained mafics, talc developed along cleavage planes, lower 40 cm of section a transitional phase to a harder gabbro 162.6 - 163.5m biotitic gabbro S_2 56° @ 140.0m
167.3	172.0	Mafic Volcanic Green, fine grained, finely banded S_2 65° @ 170.0m
172.0	172.7	Mafic Volcanic? Altered, possible sediment with <1% pyrrhotite and chalcopyrite along cleavage planes
172.7	176.6	Mafic Volcanic Fine grained to medium grained feldspathic flow 174.3m pale blue mineral, cordierite?

Assay results for Diamond Drill Hole RGRI-98-7

#	DDH	From	To	Width	Description	Au (ppb)
123	98-7	5.3	5.7	0.4	Mv disrupted unit	40
124	98-7	34.3	34.6	0.3	Massive interflow py/po in Mv	49
172	98-7	54.9	55.2	0.3	Banded Iron Formation, mt, chert, po, garnet	39
173	98-7	60.3	60.9	0.6	Banded Iron Formation, mt, chert, po, garnet	19
174	98-7	60.9	61.5	0.6	Banded Iron Formation, fracture zone	23
175	98-7	69.4	69.5	0.1	Banded Iron Formation, fracture zone	25
176	98-7	94.1	94.2	0.1	cp, po, qtz	134
177	98-7	172.0	172.7	0.7	Mafic sed with py po cp along cleavage	18

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A Inclination: -045°
 Coordinates (Old Grid): 17+00S 8+75E Acid Tests: 1: -042° @ 50.0m
 Total Depth: 118.6 Meters 2: -040.5° @ 100m
 Azimuth: 259°
 Date Started: January 31, 1998 Date Finished: February 2, 1998
 Mining Claim Location: PA 1209237
 Core Size: Thin Wall BQ Drilling Contractor: W.G. Langley Ltd.
 Core stored on the property @ 1+15S 9+75W
 Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-8		
From (meters)	To (meters)	Description
0.0	10.2	Overburden and broken core
10.2	16.3	Sediment Quartz -feldspar-biotite, medium grained to coarse grained, banded, minor quartz veins, quartz stretched into boudins, cordierite?, minor gabbro intrusive between 15.4 - 15.5m S_2 60° @ 12.0m
16.3	20.6	Mafic Volcanic Green, medium grained, feldspathic flow, quartz filled shears, finer grained with banding @ 20.6m
20.6	25.7	Sediment Light grey, sheared, minor mafic sediment, broken core from 25.5 - 25.7m...fault zone S_2 56° @ 21.0m
25.7	37.8	Mafic Volcanic (tuff) Very fine grained, green, getting coarser towards 29.0m, random quartz veins/shears S_2 61° @ 22.5m S_2 58° @ 27.0m S_2 62° @ 34.0m
37.8	38.4	Quartz Feldspar Porphyry
38.4	40.4	Sediment (mafic)

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-8		
From (meters)	To (meters)	Description
		Coarse grained, biotitic
40.4	46.2	Sediment Coarse grained, feldspar-quartz , biotite-sericite along foliation planes, trace chalcopyrite S_2 65° @ 45.0m
46.2	46.9	Gabbro - Ultramafic Biotitic, sheared upper and lower contacts, carbonate crystals in unit, broken core
46.9	48.4	Sediment Transition zone to Banded Iron Formation, gradual increase in alteration from a grey to a pale yellow-brown with grunerite bands, subeuhedral magnetite crystals, minor carbonate
48.4	69.4	Banded Iron Formation Banded chert with thin beds of pyrrhotite and magnetite, more pyrrhotite down to 51.5m, thin parallel beds of siderite between chert layers, disseminated magnetite xls with pale yellow grunerite-cummingtonite beds, fine micro bedding within the grunerite-cummingtonite beds, chert layers stretched into boudins, Layers of oxide up to 1 cm thick (100% magnetite) Chert layers have 5-10% magnetite 51.8 - 52.0m spots of chrome green mineral (chlorite?) S_2 55° @ 59.5m S_2 55° @ 62.8m S_2 47° @ 66.8m S_2 60° @ 68.5m
69.4	71.4	Quartz Feldspar Porphyry Sharp upper and lower contacts, 1 cm reaction zone with Banded Iron Formation , minor seam of pyrrhotite S_2 50° @ 71.4m
71.4	81.5	Banded Iron Formation 74.2 - 75.8m Carbonate alteration (Siderite) 75.8m Quartz flooded zone with late stage pyrrhotite in fractures (brittle deformation), moer massive pyrrhotite with quartz eyes

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-8		
From (meters)	To (meters)	Description
		78.4 - 78.8m Quartz Feldspar Porphyry S_2 60° @ 73.0m
81.5	90.3	Quartz Feldspar Porphyry Sheared Quartz Feldspar Porphyry between 83.1 - 84.1m 84.6 - 85.5m Quartz sheared pyrrhotite magnetite iron formation 87.5 - 89.4 altered pyrrhotite iron formation, siderite
90.3	101.1	Banded Iron Formation Altered IF, pyrrhotite-magnetite, quartz flooded zone, chrome mica @ 90.9m 90.3 - 95.0m Carbonated IF with pyrrhotite and magnetite 98.0 - 101.0m quartz flooded zone with late stage pyrrhotite, garnets as thin bands of small xls S_2 88° @ 92.5m S_2 70° @ 102.0mm
101.1	103.4	Sediment Transition zone, quartz -feldspathic greywacke with garnets, pale green alteration bands, quartz boudins
103.4	118.6	Sediment Banded quartz eye- feldspar grading to a more mafic looking unit at 108.3, garnets developing in lower section (up to 2 cm) 103.4 - 104.6m Quartz flooded zone with pyrrhotite 113.4 - 113.5m small mafic intrusive S_2 56° @ 106.0m S_2 59° @ 110.8m S_2 60° @ 117.0m
118.6		EOH

Assay results for Diamond Drill Hole RGRI-98-8

#	DDH	From	To	Width	Description	Au (ppb)
147	98-8	48.2	49.2	1.0	Banded Iron Formation, mt, chert	77
148	98-8	49.2	50.2	1.0	Banded Iron Formation, mt, chert	49
149	98-8	50.2	51.2	1.0	Banded Iron Formation, mt, chert	278
150	98-8	51.2	52.2	1.0	Banded Iron Formation, mt, chert	145
151	98-8	52.2	53.2	1.0	Banded Iron Formation, mt, chert	24
152	98-8	53.2	54.2	1.0	Banded Iron Formation, mt, chert	29
153	98-8	54.2	55.2	1.0	Banded Iron Formation, mt, chert	36
154	98-8	55.2	56.2	1.0	Banded Iron Formation, mt, chert	17
155	98-8	56.2	57.2	1.0	Banded Iron Formation, mt, chert	6
156	98-8	57.2	58.2	1.0	Banded Iron Formation, mt, chert	6
157	98-8	58.2	59.2	1.0	Banded Iron Formation, mt, chert	<5
158	98-8	59.2	60.2	1.0	Banded Iron Formation, mt, chert	7
159	98-8	60.2	61.2	1.0	Banded Iron Formation, mt, chert	81
160	98-8	61.2	62.2	1.0	Banded Iron Formation, mt, chert	31
161	98-8	62.2	63.2	1.0	Banded Iron Formation, mt, chert	35
162	98-8	63.2	64.2	1.0	Banded Iron Formation, mt, chert	13
163	98-8	64.2	65.2	1.0	Banded Iron Formation, mt, chert	21
164	98-8	65.2	66.2	1.0	Banded Iron Formation, mt, chert	22
165	98-8	66.2	67.2	1.0	Banded Iron Formation, mt, chert	8
166	98-8	67.2	68.2	1.0	Banded Iron Formation, mt, chert, altered	<5
167	98-8	68.2	69.4	1.2	Banded Iron Formation, mt, chert, altered	12
168	98-8	71.4	72.4	1.0	Banded Iron Formation, mt, chert, altered, QFP contact	10
169	98-8	72.4	73.4	1.0	Banded Iron Formation, mt, chert, altered	18
170	98-8	73.4	74.4	1.0	Banded Iron Formation, mt, chert, altered	11
171	98-8	74.4	75.7	1.3	Banded Iron Formation, mt, chert, altered, po zone	17
125	98-8	75.7	76.7	1.0	Sulphide-magnetite Iron Formation	50
126	98-8	76.7	77.7	1.0	Sulphide-magnetite Iron Formation	21
127	98-8	77.7	78.7	1.0	Sulphide-magnetite Iron Formation	12
128	98-8	78.7	79.7	1.0	Sulphide-magnetite Iron Formation	21

Assay results for Diamond Drill Hole RGRI-98-8

#	DDH	From	To	Width	Description	Au (ppb)
129	98-8	79.7	80.7	1.0	Sulphide-magnetite Iron Formation	19
130	98-8	80.7	81.5	0.8	Sulphide-magnetite Iron Formation to contact with Porphyry	10
145	98-8	83.1	84.1	1.0	Quartz-crackle breccia with po between porphyries	51
146	98-8	84.6	85.5	0.9	Quartz-crackle breccia with po between porphyries	9
131	98-8	87.5	88.4	0.9	Altered lean Iron Formation between porphyry	17
132	98-8	88.4	89.4	1.0	Altered lean Iron Formation between porphyry	25
133	98-8	90.3	91.3	1.0	Altered lean Iron Formation lower contact with porphyry	10
134	98-8	91.3	92.3	1.0	Altered lean Iron Formation	10
135	98-8	92.3	93.3	1.0	Altered lean Iron Formation	11
136	98-8	93.3	94.3	1.0	Altered lean Iron Formation, mainly magnetite	10
137	98-8	94.3	95.2	0.9	Altered lean Iron Formation	6
138	98-8	95.2	96.2	1.0	Lean sulphide-magnetite Iron Formation	<5
139	98-8	96.2	97.2	1.0	Lean sulphide-magnetite Iron Formation	9
140	98-8	97.2	98.0	0.8	Mv with qtz-bio veinlets	10
141	98-8	98.0	99.0	1.0	Quartz-crackle breccia with po-mt	17
142	98-8	99.0	100.2	1.2	Quartz-crackle breccia with po-mt	15
143	98-8	100.2	101.2	1.0	Sediment...large garnets	<5
144	98-8	103.4	104.6	1.2	Quartz-crackle breccia with po-mt	<5

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A

Inclination: -045°

Coordinates (Old Grid): 12+00S 4+75EED Acid Tests: 1: -043° @ 60.0m

Total Depth: 112.6 Meters

2: -040.5° @ 112m

Azimuth: 259°

Date Started: February 3, 1998

Date Finished: February 4, 1998

Mining Claim Location: PA 1209237

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-9

From (meters)	To (meters)	Description
0.0	8.8	Overburden and broken core
8.8	85.6	Garnet-sericite-quartz-staurolite schist Coarse grained, foliated, <1% to local 3% disseminated chalcopyrite, Aspy occurs occasionally as large blebs or sub-euhedral xls Sericite....sections up to 80% sericite Staurolite...root beer colour, shows reaction rims with sericite Garnets...almandine, up to 2 cm, poikioblastic textures with quartz 13.9 - 14.9m Aspy and chalcopyrite in sericite section 15.9 - 17.9m Aspy and chalcopyrite 19.1 - 19.4m coarse grained chalcopyrite and pyrrhotite with aspy, very little sericite, fine grained amphibole, lighter green amphibole (grunerite?), 2 cm quartz vein at bottom of shear 20.9 - 29.8m Aspy, chalcopyrite, pyrrhotite 34.8 → the chalcopyrite-pyrrhotite assemblage is being replaced with a pyrrhotite-magnetite assemblage, rock unit is more sericite rich

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-9

From (meters)	To (meters)	Description
		<p>Note...wherever S₂ has been sheared a black to dark green chlorite or amphibole forms around the garnets and aligned in the direction of shearing as subeuhedral xls or a fine grained mass.</p> <p>21.2 - 21.4m Aspy, pyrrhotite, chalcopyrite</p> <p>21.3 - 22.5m Staurolite rich section with fewer (and smaller) garnets</p> <p>22.2 - 22.5m Aspy</p> <p>Coarse grained after 22.5m, more mafic (chlorite?) component, grades into a Staurolite-garnet-quartz-biotite schist, streaks of hematite? along cleavage planes, chalcopyrite and pyrrhotite as alteration products in garnets, thin sulphide veinlets folded by S₂, S₃ producing a crenulation cleavage</p> <p>Note...sulphides generally disseminated (<1/2%) but will increase locally to 3% where deformation or quartz flooding has taken place</p> <p>60.7 62.2m increase in biotite and garnets, amphiboles more abundant</p> <p>63.7m Magnetite starting to appear as blebs in sericite</p> <p>75.9m 3 cm bed of pyrrhotite - chalcopyrite</p> <p>84.8m coarse pyrrhotite - chalcopyrite, 3 cm bed of massive pyrrhotite</p> <p>86.9m 4 cm quartz vein with 5% pyrrhotite and chlorite</p> <p>S₂ 40° @ 11.9m S₂ 37° @ 19.5m S₂ 25° @ 21.0m S₂ 50° @ 38.0m S₂ 40° @ 40.0m</p>

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-9		
From (meters)	To (meters)	Description
		S_2 40° @ 50.0m S_2 44° @ 54.5m S_2 36° @ 57.5m S_2 49° @ 62.0m S_2 38° @ 72.0m S_2 37° @ 78.5m
85.6	112.6	Sediment Arenite, banded, minor disseminated pyrrhotite , section around 92.2 - 93.2m section of coarse sulphides (pyrrhotite minor chalcopyrite) with sericite, absence of large garnets, blebs of magnetite (<1%) 98.8m disrupted and quartz flooded with pyrrhotite S_2 52° @ 93.0m S_2 65° @ 111.0m
112.6		EOH

Assay results for Diamond Drill Hole RGRI-98-9

#	DDH	From	To	Width	Description	Au (ppb)
87814	98-9	8.8	9.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, minor Qtz veins	43
87815	98-9	9.8	10.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp,	42
87816	98-9	10.8	11.9	1.1	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, 30 cm Qtz vein	22
87817	98-9	11.9	12.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, more sericite	27
87818	98-9	12.9	13.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, more sericite	46
87819	98-9	13.9	14.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, sericite (20 cm)	37
87820	98-9	14.9	15.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp,	91
87821	98-9	15.9	16.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy	61
87822	98-9	16.9	17.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, more sericite	17
87823	98-9	17.9	18.9	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, 20 cm shear	81
87824	98-9	18.9	19.9	1.0	Coarse Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy	745
87825	98-9	19.9	20.9	1.0	Coarse Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp	29
87826	98-9	20.9	22.4	1.5	Sericite-Staurolite-Quartz-Garnet Schist, disseminated cp, aspy	16
87827	98-9	22.4	23.4	1.0	Coarse Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, po	10
87828	98-9	23.4	24.3	0.9	Staurolite-Quartz-Garnet Schist, disseminated cp, po	11
87805	98-9	24.3	24.8	0.5	Staurolite-Quartz-Garnet Schist, disseminated cp, po, aspy	2217
87829	98-9	24.8	25.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, mt, aspy	70
87830	98-9	25.8	26.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, mt, aspy	10
87831	98-9	26.8	27.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, more sericite	10
87832	98-9	27.8	28.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, few garnets	10
87833	98-9	28.8	29.8	1.0	Sericite-Staurolite-Quartz Schist, includes mafic tuff?, disseminated cp, malachite	9
87834	98-9	29.8	30.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, aspy, po	31
87835	98-9	30.8	31.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, po	152
87836	98-9	31.8	32.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated cp/po, aspy?	8

Assay results for Diamond Drill Hole RGRI-98-9

#	DDH	From	To	Width	Description	Au (ppb)
87837	98-9	32.8	33.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated cp/po	9
87838	98-9	33.8	34.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated cp/po	11
87839	98-9	34.8	35.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, po	50
87840	98-9	35.8	36.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated mt, po, minor cp	6
87841	98-9	36.8	37.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated mt, po, minor cp	7
87842	98-9	37.8	38.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated po, minor cp	15
87843	98-9	38.8	39.8	1.0	Sericite-Staurolite-Quartz Schist, disseminated po, minor cp, garnets in last 30 cm	10
87844	98-9	39.8	40.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, po	<5
87845	98-9	40.8	41.8	1.0	Garnet-Sericite-Staurolite-Quartz Schist, disseminated cp, po	34
455	98-9	41.7	43.9	2.2	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	35
456	98-9	43.9	45.4	1.5	Finer grained without the garnets for 50 cm	30
457	98-9	45.4	46.9	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	17
458	98-9	46.9	48.5	1.6	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	52
459	98-9	48.5	50.0	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	88
460	98-9	50.0	51.5	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	31
461	98-9	51.5	53.0	1.5	As above with 50 cm section of no garnets or staurolite	57
462	98-9	53.0	54.6	1.6	Garnet-staurolite-sericite-quartz schist with 10 m coarse aspy po/cp	29
463	98-9	54.6	56.1	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	16
464	98-9	56.1	57.6	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, coarse grained	141
465	98-9	57.6	59.1	1.5	Finer grained , less garnets	30
87601	98-9	59.1	60.7	1.6	Finer grained with an increase in staurolite with a corresponding decrease in garnets	40

Assay results for Diamond Drill Hole RGRI-98-9

#	DDH	From	To	Width	Description	Au (ppb)
466	98-9	60.7	62.2	1.5	Increase in biotite and garnets, amphibole more prevalent	25
467	98-9	62.2	63.7	1.5	Sericite-qtz, occasional garnet	60
468	98-9	63.7	65.2	1.5	Sericite-qtz, occasional garnet, mt appearing as blebs in sericite	56
469	98-9	65.2	66.8	1.6	Sericite-qtz, occasional garnet, mt appearing as blebs in sericite, po/cp in fractures	65
470	98-9	66.8	68.3	1.5	Sericite-qtz, occasional garnet, mt appearing as blebs in sericite, po/cp in fractures	127
471	98-9	68.3	69.9	1.6	Sericite-qtz, occasional garnet, mt appearing as blebs in sericite, po/cp in fractures	37
472	98-9	69.9	71.4	1.5	Garnet-staurolite-sericite-quartz schist with disseminated po/cp, aspy, mt blebs	23
473	98-9	71.4	72.9	1.5	Sericite-qtz, occasional garnet, disseminated po/cp, aspy	23
474	98-9	72.9	74.4	1.5	Sericite-qtz, occasional garnet, disseminated po/cp	43
475	98-9	74.4	75.9	1.5	Sericite-qtz, occasional garnet, mt appearing as blebs in sericite, po/cp in fractures	85
476	98-9	75.9	77.4	1.5	Sericite-qtz, large garnets, 3 cm of po/cp @75.9	109
477	98-9	77.4	79.0	1.6	Sericite-qtz, less garnets	153
87850	98-9	79.0	80.0	1.0	Qtz-biotite-garnet-sericite schist, po, cp, QV with po/cp	858
478	98-9	79.0	80.5	1.5	Sericite-qtz, less garnets	45
479	98-9	80.5	82.0	1.5	Sericite-qtz, less garnets	74
480	98-9	82.0	83.5	1.5	Coarse garnets with po/cp, garnet-chlorite-po/cp vein @ 83.5 m	57
481	98-9	83.5	84.8	1.3	Garnets, shear with chlorite (20 cm) @ 83.5 m	143
482	98-9	84.8	85.6	0.8	Coarse cp/po, Garnet-biotite-qtz schist, 3 cm bed of massive po	113
483	98-9	85.6	86.9	1.3	Staurolite content increasing at expense of garnets, finer grained	122
484	98-9	86.9	88.1	1.2	4 cm po vein @ 87.0 m, garnets-biotite-qtz-schist	310
485	98-9	88.1	89.6	1.5	Garnet-sericite schist,	36
486	98-9	89.6	91.2	1.6	Garnet-sericite schist, section of mafic feldspathic flow with coarse aspy/po vein	30
487	98-9	91.2	92.2	1.0	Garnet-sericite-quartz schist with lenses of po along S2	31
488	98-9	92.2	93.2	1.0	Coarse po/cp as well as streak po along S2	66

Assay results for Diamond Drill Hole RGRI-98-9

#	DDH	From	To	Width	Description	Au (ppb)
489	98-9	93.2	94.2	1.0	Coarse po/cp as well as streak po along S2	114
490	98-9	94.2	95.7	1.5	Qtz-feldspar-biotite-garnet, disseminated po/cp	48
491	98-9	95.7	97.3	1.6	Qtz-feldspar-biotite-garnet, disseminated po/cp	24
492	98-9	97.3	98.8	1.5	Deformed-disrupted arenite, po/cp in qtz flooded zone	16
493	98-9	98.8	100.3	1.5	Banded/layered arenite	7

ICP + Au Assay Results for Diamond Drill Hole RGRI-98-9

Sample #	Au ppb	Ag ppb	Cu ppm	As ppm	Bi ppm	Mn ppm	P ppm	Zn ppm	Al %	Ca %	K %	Na %	Mg %
87814	43	1819	860	141	7	106	817	5	2.29	0.07	1.49	0.04	0.56
87815	42	1012	542	282	<3	138	620	9	2.18	0.10	1.33	0.04	0.47
87816	22	na	212	90	<3	116	493	5	1.30	0.08	0.70	0.03	0.27
87817	27	380	401	434	7	133	684	7	1.47	0.13	0.81	0.04	0.30
87818	46	759	367	148	33	252	733	8	1.78	0.13	0.94	0.04	0.37
87819	37	538	516	377	<3	163	727	9	1.55	0.12	0.76	0.04	0.39
87820	91	4076	3093	204	21	156	558	19	1.55	0.10	0.84	0.04	0.35
87821	61	1630	1400	402	3	124	465	11	1.37	0.10	0.67	0.04	0.29
87822	17	820	605	277	<3	140	566	14	1.22	0.11	0.39	0.03	0.36
87823	81	2965	1328	363	21	122	729	12	1.65	0.14	0.75	0.03	0.41
87824	745	9483	3269	805	153	150	1263	19	1.72	0.19	0.81	0.03	0.49
87825	29	na	267	340	<3	143	907	8	1.97	0.40	0.57	0.05	0.48
87826	16	na	177	1482	<3	218	611	16	2.61	1.04	0.40	0.11	0.58
87827	10	na	154	171	<3	130	610	9	1.93	0.14	1.08	0.04	0.51
87828	11	na	142	132	<3	188	483	18	2.16	0.14	1.23	0.05	0.60
87805	2217												
87829	70	1028	568	4666	6	249	979	67	4.94	1.13	1.79	0.13	1.32
87830	10	na	155	352	3	151	898	21	2.58	0.14	1.64	0.05	0.73
87831	10	na	109	255	<3	140	891	22	2.77	0.16	1.77	0.06	0.84
87832	10	na	180	237	<3	125	868	7	2.10	0.16	1.29	0.05	0.57
87833	9	1175	499	521	<3	186	873	14	2.51	0.55	1.02	0.09	0.61
87834	31	na	195	1948	3	337	568	31	3.11	2.00	0.48	0.14	0.78
87835	152	946	572	1434	4	187	812	25	3.33	0.78	1.20	0.12	0.92
87836	8	855	337	55	<3	166	621	14	1.96	0.44	0.90	0.08	0.52
87837	9	354	186	21	<3	131	1195	14	2.20	0.23	1.30	0.05	0.56
87838	11	na	154	13	<3	190	1207	22	2.02	0.22	1.07	0.05	0.47
87839	50	650	232	28	3	144	1252	22	1.94	0.22	1.01	0.05	0.41
87840	6	649	199	22	9	225	740	32	1.67	0.16	0.65	0.04	0.51
87841	7	275	119	13	<3	233	1050	39	1.55	0.22	0.52	0.04	0.50

ICP + Au Assay Results for Diamond Drill Hole RGRI-98-9

Sample #	Au ppb	Ag ppb	Cu ppm	As ppm	Bi ppm	Mn ppm	P ppm	Zn ppm	Al %	Ca %	K %	Na %	Mg %
87842	15	537	129	19	5	220	882	32	1.21	0.20	0.56	0.04	0.32
87843	10	835	171	19	20	296	674	43	2.21	0.50	0.90	0.06	0.58
87844	<5	na	92	59	<3	207	765	35	2.36	0.57	0.56	0.07	0.71
87845	34	381	224	160	<3	154	762	13	1.25	0.19	0.41	0.04	0.31
455	35	743	295	40	7	295	650	40	2.58	1.23	0.78	0.13	0.61
456	30	na	170	59	5	268	552	33	3.05	1.25	1.02	0.16	0.73
457	17	660	171	124	<3	188	842	20	2.09	0.46	1.09	0.06	0.64
458	52	842	360	123	3	132	729	11	1.41	0.17	0.93	0.03	0.49
459	88	1950	463	141	3	248	789	23	1.84	0.19	1.07	0.04	0.62
460	31	179	187	810	6	196	701	19	2.16	0.43	1.07	0.05	0.79
461	57	409	200	216	<3	162	657	6	1.70	0.17	1.05	0.04	0.56
462	29	804	153	1050	<3	257	924	30	2.28	0.77	0.96	0.08	0.65
463	16	na	120	500	7	263	989	21	3.19	0.79	1.46	0.08	1.26
464	141	na	79	403	26	343	1188	26	3.63	0.98	1.53	0.11	1.48
465	30	na	51	257	6	294	1284	16	2.75	0.71	1.47	0.09	0.95
87601	40												
466	25	na	223	183	6	245	1045	25	2.33	0.65	1.18	0.08	0.73
467	60	1103	132	730	4	217	918	22	1.57	0.41	0.68	0.04	0.53
468	56	222	68	934	<3	144	503	20	1.01	0.16	0.51	0.03	0.28
469	65	1365	189	72	<3	172	436	47	1.02	0.20	0.50	0.03	0.21
470	127	1151	150	201	3	199	394	50	1.03	0.23	0.50	0.03	0.29
471	37	1896	462	636	<3	149	401	30	0.97	0.15	0.51	0.03	0.24
472	23	163	79	2457	<3	171	534	7	1.10	0.13	0.57	0.03	0.30
473	23	753	42	1017	<3	189	581	8	1.17	0.13	0.67	0.02	0.36
474	43	459	114	269	<3	203	465	18	1.10	0.12	0.64	0.02	0.31
475	85	1343	158	140	18	219	469	9	1.20	0.11	0.69	0.03	0.32
476	109	1015	262	1210	<3	313	484	4	1.30	0.10	0.76	0.02	0.43
477	153	1414	304	411	<3	227	590	11	1.18	0.20	0.62	0.03	0.40
87850	858												

ICP + Au Assay Results for Diamond Drill Hole RGRI-98-9

Sample #	Au ppb	Ag ppb	Cu ppm	As ppm	Bi ppm	Mn ppm	P ppm	Zn ppm	Al %	Ca %	K %	Na %	Mg %
478	45	1715	273	19	<3	229	576	12	1.13	0.13	0.67	0.02	0.43
479	74	728	204	923	<3	217	493	35	1.20	0.12	0.67	0.03	0.31
480	57	245	99	520	<3	275	595	72	1.80	0.66	0.65	0.04	0.54
481	143	na	44	249	<3	254	432	33	1.46	0.25	0.74	0.03	0.40
482	113	2155	502	45	3	288	483	20	1.37	0.12	0.85	0.02	0.53
483	122	271	37	998	<3	233	593	5	1.43	0.10	0.93	0.03	0.49
484	310	835	73	729	4	225	382	6	1.21	0.10	0.80	0.02	0.45
485	36	na	74	473	6	259	473	44	2.23	0.50	1.18	0.04	0.63

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A

Inclination: -045°

Coordinates (Old Grid): 20+00N 8+75E

Acid Tests: 1: -042.0° @ 50m

Total Depth: 88.1 Meters

2: -039.5° @ 88m

Azimuth: 259°

Date Started: February 6, 1998

Date Finished: February 7, 1998

Mining Claim Location: PA 1216798

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-10

From (meters)	To (meters)	Description
0.0	1.7	Overburden and broken core
1.7	13.8	Sediment Grey, altered greywacke, banded, biotite rich layers, some chloritic layers with pyrite along cleavage planes, aspy? late stage quartz -carbonate veins parallel to schistosity, gradational lower contact to mafic tuffs S_2 37° @ 3.2m S_2 32° @ 6.0m S_2 42° @ 12.5m
13.8	37.8	Mafic Volcanic and Sediments Green, fine grained to medium grained, random quartz filled fractures 14.6 - 17.5m disrupted section with 50% shearing, large xls of a soft pale green mineral, amphibole? 19.3 - 19.7m broken core and late stage quartz -carbonate veins @ 85° to S_2 , cubic pyrite along some fractures S_2 45° @ 19.2m
37.8	39.1	Pegmatite Very coarse grained, muscovite, feldspar (stained orange), orthoclase?, quartz, pale green mica, iron oxides, increase of oxides towards contact giving quartz a blue tinge, sharp

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-10		
From (meters)	To (meters)	Description
		upper and lower contacts S ₂ 32° @ 38.5m
39.1	39.6	Mafic Volcanic Green, fine grained, starting to show pale coloured bands of alteration
39.6	40.2	Pegmatite Large xls of tourmaline-muscovite-Kspar- pale green mica
40.2	45.0	Mafic Volcanic
45.0	84.1	Banded Iron Formation 45.0 - 45.6 transition zone with bands of garnets, some sulphides (pyrrhotite) and amphibole, occasional layers of chert 45.1 - 47.9 sheared Quartz Feldspar Porphyry? Garnets 47.2m 5 cm massive pyrrhotite 47.8m Fault gouge with carbonate 47.0 - 51.0m Mafic intrusive at very low angle to CA, quartz - tourmaline veinlets, minor chalcopyrite , 49 - 51.0m ½ garniferous sediments 51.0 - 52.0m Quartz flooded zone with massive pyrrhotite increasing magnetite from 52.0m, The iron formation has zones of increased carbonization (greater siderite component) as well as silicification of magnetite to grunerite-cummingtonite, graphite along slip faces @ 76.4m, Note: The oxide "facies" of this formation occurs at the bottom of the hole, the quartz flooding and brittle fracture with subsequent infillings by later stage pyrrhotite appears at the top of the section, This stratigraphy as well as the low core angles indicates that the section has been turned over. S ₂ 40° @ 14.0m S ₂ 45° @ 46.5m
84.1	88.1	Sediment Fine grained to medium grained, sandy with biotite - quartz , disseminated pyrite

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log


Drill Hole # RGRI-98-10		
From (meters)	To (meters)	Description
88.1		EOH

Assay results for Diamond Drill Hole RGRI-98-10

#	DDH	From	To	Width	Description	Au (ppb)
237	98-10	37.8	38.5	0.7	Pegmatite	10
238	98-10	38.5	39.1	0.6	Pegmatite	13
239	98-10	39.6	40.2	0.6	Pegmatite	23
193	98-10	47.0	48.0	1.0	Mafic intrusive with po-py, qtz-tormaline veinlets, minor cp	58
194	98-10	48.0	49.0	1.0	Mafic intrusive with po-py, qtz-tormaline veinlets, minor cp	<5
195	98-10	49.0	50.0	1.0	Mafic intrusive margin with garnetiferous sediments	6
196	98-10	50.0	51.0	1.0	Mafic intrusive margin with garnetiferous sediments	<5
178	98-10	51.0	52.0	1.0	Qtz with massive po (10 cm)	230
179	98-10	52.0	53.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	25
180	98-10	53.0	54.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	26
181	98-10	54.0	55.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	<5
182	98-10	55.0	56.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	13
183	98-10	56.0	57.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	63
184	98-10	57.0	58.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	18
185	98-10	58.0	59.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	9
186	98-10	59.0	60.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	16
187	98-10	60.0	61.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	<5
188	98-10	61.0	62.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	<5
189	98-10	62.0	63.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	25
190	98-10	63.0	64.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	<5
191	98-10	64.0	65.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	<5
192	98-10	65.0	66.0	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	7
240	98-10	68.6	69.1	0.5	BIF with siderite banding, fractured, late po veins	7
241	98-10	71.8	73.6	1.8	BIF disrupted unit , siderite, banding + mt, po	12
242	98-10	73.6	74.6	1.0	If, Quartz flooding, late stage qtz-carb veins	11
243	98-10	74.6	75.6	1.0	BIF disrupted unit , siderite, banding + mt, po	11

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A **Inclination: -045°**
Coordinates (Old Grid): 44+00N 7+75E **Acid Tests: 1: -043.0° @ 50m**
Total Depth: 136.9 Meters **2: -038.0° @ 100m**
Azimuth: 259°
Date Started: February 9, 1998 **Date Finished: February 12, 1998**
Mining Claim Location: PA 1208559
Core Size: Thin Wall BQ **Drilling Contractor: W.G. Langley Ltd.**
Core stored on the property @ 1+15S 9+75W
Log Completed By: I. Spence March 1998 

Drill Hole # RGRI-98-11		
From (meters)	To (meters)	Description
0.0	13.0	Overburden and broken core
13.0	35.3	Sediment Grey, finely banded (alternating layers of biotite-quartz - chlorite, quartz -biotite , and quartz rich layers), gradually becoming more mafic towards 33m , possible a mafic tuff from 24m → 35.3m 13.6 - 13.8 lamporphyre biotite + cpx S_2 42° @ 18.0m
35.3	40.9	Mafic Volcanic Green, fine grained, patches of biotite alteration, 3% random quartz filled fractures 39.9 - 40.9m section of quartz + pale green amphibole forming rosettes, disseminated pyrrhotite, may be a relic iron formation
40.9	47.5	Mafic Volcanic fine grained, green, 15% random quartz -carbonate fractures, some biotite alteration around fractures
47.5	124.2	Banded Iron Formation Disrupted/banded grunerite-siderite-magnetite-chert assemblage 47.5 - 49.5m quartz flooded zone with pyrrhotite along fractures

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-11		
From (meters)	To (meters)	Description
		<p>52.3m - 55.3m banded grunerite- magnetite-chert assemblage</p> <p>55.3 - 57.1m quartz flooded zone with pyrrhotite along fractures</p> <p>57.1m - 74.8m banded grunerite- magnetite-chert assemblage</p> <p>74.8m large garnets-chert unit (20 cm)</p> <p>76.7 - 77.4 semi-massive pyrrhotite (60%) with quartz</p> <p>77.4m banded grunerite-siderite-magnetite-chert assemblage with blebs of magnetite and thin lenses of pyrrhotite</p> <p>80.0m 2-3 cm pyrrhotite veins</p> <p>83.0 - 85.6m quartz flooded zone, interstitial pyrrhotite along fractures</p> <p>85.6 - 91.7m banded grunerite-siderite-magnetite-chert assemblage with blebs of magnetite and pyrrhotite, massive pyrrhotite (30 cm) @ 85.6m, speckled unit where carbonate alteration has just started to replace the magnetite, small garnets with chloride @ 91.7m</p> <p>95.7 - 98.5m quartz flooded zone and disrupted banding</p> <p>99.0m coarse aspy with pyrrhotite</p> <p>100.0 - 103.5m darker unit, banded with garnets (slightly flattened), chert-grunerite (blue-green amphibole), garnets altered to chlorite, garnets appear as "ghosts" in places, late stage pyrrhotite along S₂ or bedding with xls forming a "brick" pattern between the units</p> <p>105.4 - 114.8 Quartz flooded zone, late stage [pyrrhotite along fractures, 20% pyrrhotite @ 120.0m</p> <p>117.8 - Quartz flooded zone, late stage [pyrrhotite along fractures, occasional 2-5 cm band of garnets</p> <p>122.2 - 124.1m banding with garnets, chlorite- quartz -chert, less siderite-grunerite-pyrrhotite, delicate pressure solution banding with garnet-chlorite-quartz , garnets pulled apart along S₂ direction, darker green amphibole showing up, small garnets have been crushed and displaced along shearing</p> <p>Mafic Intrusive @ 136.0m medium grained, to fine grained, light green, pale amphibole, patches of biotite alteration, different phases of the same intrusion</p>

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-11		
From (meters)	To (meters)	Description
		S ₂ 38° @ 63.0m S ₂ 60° @ 76.0m S ₂ 24° @ 82.0m S ₂ 30° @ 90.0m S ₂ 60° @ 100.0m S ₂ 35° @ 113.0m S ₂ 38° @ 118.0m S ₂ 35° @ 124.0m
124.2	136.9	Sediment Arenite - Quartzite, with staurolite, garnets, in more mafic material, pyrrhotite along banding, two amphibole's
136.9		EOH

Assay results for Diamond Drill Hole RGRI-98-11

#	DDH	From	To	Width	Description	Au (ppb)
197	98-11	47.5	48.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	46
198	98-11	48.5	49.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	8
199	98-11	49.5	50.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	78
200	98-11	50.5	51.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	20
201	98-11	51.5	52.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	14
202	98-11	52.5	53.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	61
203	98-11	53.5	54.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	71
204	98-11	54.5	55.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	42
205	98-11	55.5	56.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	147
206	98-11	56.5	57.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	73
207	98-11	57.5	58.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	64
208	98-11	58.5	59.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	76
209	98-11	59.5	60.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	136
210	98-11	60.5	61.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	26
211	98-11	61.5	62.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	22
212	98-11	62.5	63.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	48
213	98-11	63.5	64.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	66
214	98-11	64.5	65.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	31
215	98-11	65.5	66.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	76
216	98-11	66.5	67.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	31
217	98-11	67.5	68.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	17
218	98-11	68.5	69.5	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	13
313	98-11	74.8	75.8	1.0	Lean Iron Formation, Carbonate alternation, po, mt, po in qtz flooding	30
314	98-11	75.8	76.9	1.1	Lean Iron Formation, Siderite-grunerite, po along bedding, massive 25 cm, aspy	21
87808	98-11	76.9	77.2	0.3	Tom Skimmings Representative Sample	
315	98-11	77.2	78.2	1.0	Massive po/cp (20 cm), qtz flooding, mt with siderite-grunerite	24
316	98-11	78.2	79.2	1.0	Lean Iron Formation, chert-siderite-garnets, po along bedding	20
317	98-11	79.2	80.2	1.0	Lean Iron Formation, po as push outs along bedding	16

Assay results for Diamond Drill Hole RGRI-98-11

#	DDH	From	To	Width	Description	Au (ppb)
318	98-11	80.2	81.2	1.0	Lean Iron Formation, Garnet-mt with siderite-grunerite layers, po in qtz flooding	8
319	98-11	81.2	82.2	1.0	LIF, mt with siderite -grunerite layers, po as blebs along S2	7
320	98-11	82.2	83.2	1.0	LIF, Qtz flooded zone, po along fractures, as blebs in LIF, Qtz-sid-grun layers	6
321	98-11	83.2	84.2	1.0	LIF, Qtz flooded zone, 1-2% po along fractures, deformed LIF, Qtz-sid-grun layers	<5
322	98-11	84.2	85.6	1.4	LIF, Qtz flooded zone, massive po (10cm)	11
87810	98-11	85.6	85.7	0.2	Tom Skimmings Representative Sample	
323	98-11	85.7	86.7	1.0	Lean Iron Formation, massive po (30 cm), LIF, Quartz flooding, mt, po	37
324	98-11	86.7	87.7	1.0	Extensive Carbonization, "thick" (3cm) sid-grun with specks of mt	<5
325	98-11	87.7	88.7	1.0	Extensive Carbonization, po in fractures (15%)	9
326	98-11	88.7	89.7	1.0	LIF, speckled appearance, grun-sid-mt-gar	<5
327	98-11	93.2	94.2	1.0	LIF, Qtz flooded zone, extensive carbonate alteration, 1-2% po along fractures	<5
328	98-11	94.2	95.2	1.0	LIF, Qtz flooded zone, extensive carbonate alteration, 1-2% po along fractures	7
329	98-11	95.2	96.2	1.0	LIF, disrupted unit, green amphibole appearing, blebs of mt	<5
330	98-11	96.2	97.2	1.0	LIF, Qtz flooding, green amp-grunerite-siderite, po along fractures	8
331	98-11	97.2	98.2	1.0	LIF, Qtz flooding, green amp-grunerite-siderite, po along fractures	9
332	98-11	101.8	102.8	1.0	LIF, carb altered, mt blebs, po in fractures, po with garnet bands	7
333	98-11	105.4	106.4	1.0	LIF, Qtz flooded zone, po along fractures, no carbonization	11
334	98-11	106.4	107.4	1.0	LIF, Qtz flooded zone, po along fractures	8
335	98-11	107.4	108.4	1.0	LIF, Qtz flooded zone, po along fractures	46
336	98-11	108.4	109.4	1.0	LIF, Qtz flooded zone, po along fractures	15
337	98-11	109.4	110.4	1.0	LIF, Qtz flooded zone, po along fractures	8
338	98-11	110.4	111.4	1.0	LIF, Qtz flooded zone, po along fractures	24
339	98-11	111.4	112.4	1.0	LIF, Qtz flooded zone, po along fractures	8
340	98-11	112.4	113.4	1.0	LIF, Qtz flooded zone, disseminated po	12
341	98-11	113.4	114.4	1.0	LIF, Qtz flooded zone, disseminated po	8

Assay results for Diamond Drill Hole RGRI-98-11

#	DDH	From	To	Width	Description	Au (ppb)
342	98-11	119.2	120.2	1.0	LIF, Qtz flooded zone, 40 cm section with 30% po	7
343	98-11	122.2	123.2	1.0	LIF, bands of garnets, po, mt, bottom of iron formation	<5
344	98-11	123.2	124.1	0.9	LIF, bands of garnets, po, mt, bottom of iron formation	<5
349	98-11	124.2	125.2	1.0	Arenite? bands of garnets in mafic material, two amphiboles, po along banding	6
350	98-11	125.2	126.2	1.0	As above with less mafic component, quartzite?	<5
351	98-11	126.2	127.3	1.1	As above with less mafic component, quartzite?	<5
352	98-11	127.3	128.1	0.8	Mv with garnets and diss po	<5
353	98-11	128.1	128.7	0.6	Mv with garnets and diss po	<5
354	98-11	128.7	129.7	1.0	Arenite? with staurolite/garnets/biotite + 90% qtz, diss po and thin beds of po	<5

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A

Inclination: -045°

Coordinates (Old Grid): 40+00N 8+00E

Acid Tests: 1: -045.0° @ 50m

Total Depth: 130.8 Meters

2: -043.0° @ 130m

Azimuth: 079°

Date Started: February 13, 1998

Date Finished: February 16, 1998

Mining Claim Location: PA 1208559

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-12

From (meters)	To (meters)	Description
0.0	2.1	Overburden and broken core
2.1	35.3	Banded Iron Formation Banded grunerite-siderite-magnetite-chert bands 2 - 5mm, fibrous grunerite-cummingtonite with siderite +magnetite and pyrrhotite, pyrrhotite and magnetite as blebs along thin altered beds of grunerite, siderite oxidizing to a orange-yellow while grunerite remains a pale yellow, grunerite has a larger habit in this hole i.e. The fibrous habit of grunerite is more evident, quartz -chert has been recrystallized into granules 8.8m thin metallic veins and beds of pyrrhotite among beds of magnetite-grunerite 11.5m coarse aspy with pyrrhotite 21.5m large amphibole al, pyrrhotite laced throughout a grunerite-magnetite section with minor chert 24.1m 15 cm massive pyrrhotite bed with grunerite, disrupted chert bedding 23.5 - 26.3m disrupted section, chert beds pulled apart, siderite forms a alteration halo around the chert bed, chert + magnetite → siderite + garnets (trace) and bright green chlorite 27.4m small bed of garnets in dark green bed, garnet with alteration halo of grunerite occurring as small radiating xls around the garnet

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-12		
From (meters)	To (meters)	Description
		<p>28.5 - 28.7m altered mafic dyke, medium grained 31.0m large (1 cm) xls of grunerite, puseudomorphing after garnet?, minor pyrrhotite along the edge of a large xl 31.5 - 31.9m quartz flooded zone to 41.0 disrupted layers, carbonatization evident by orange-yellow oxide from siderite, 41.0 - 57.2m quartz flooded zone, pyrrhotite "blowout" at 43.0m (40 cm of massive pyrrhotite and blebs of aspy and pyrrhotite up to 5mm) with chert and dark green amphibole, bedding @ very low angles to CA (~5°) less carbonatization from 42.0m, folded and slumped bedding (ductile deformation)</p> <p>S₂ 50° @ 3.0m S₂ 50° @ 12.0m S₂ 36° @ 27.0m S₂ 05° @ 43.0m</p>
57.2	79.5	<p>Mafic Volcanic - Ultramafic?</p> <p>Green, fine grained, thinly banded, banding looks structural in origin, indistinct lower contact, 77.0 - 78.0m quartz vein at low angles to CA, barren,</p> <p>S₂ 42° @ 62.0m S₂ 45° @ 75.0m</p>
79.5	102.0	<p>Mafic Volcanic</p> <p>fine grained, green, flow? to 85.0m, biotite banding @ 85.0m 88.1m disrupted unit with laced textured pyrrhotite, occasional bed of large (1 cm) garnets 90.0 - 92.0m small lean iron formation 94.5 - 99.5m biotite banded unit with garnet beds</p> <p>S₂ 48° @ 85.0m</p>
102.0	110.0	<p>Banded Iron Formation</p> <p>Banded grunerite-siderite-magnetite-chert assemblage to 107.5m 107.5 - 110.0m quartz flooded zone with beds of massive pyrrhotite forming the base of the iron formation, massive pyrrhotite from 108.2 - 110.0m</p>

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-12

From (meters)	To (meters)	Description
		S ₂ 44° @ 106.4m
110.0	120.0	Mafic Intrusive Amphibolite, coarse grained, dark green, amphibole-biotite assemblage, quartz -carbonate veins
120.1	130.8	Mafic Volcanic fine grained to medium grained, green, banded, mafic tuff grades into a sediment, streaks of pyrrhotite along S ₂ , 25% pyrrhotite at 130.4m
130.8		EOH

Assay results for Diamond Drill Hole RGRI-98-12

#	DDH	From	To	Width	Description	Au (ppb)
99424	98-12	8.8	9.8	1.0	LIF with po/mt beds, grunerite-siderite-chert....75% grunerite-siderite	37
425	98-12	9.8	10.8	1.0	LIF with po/mt beds, grunerite-siderite-chert....75% grunerite-siderite	35
426	98-12	10.8	11.8	1.0	LIF with po/mt beds, po veins along fractures, aspy at 10.8 and 11.5 m	102
427	98-12	11.8	12.8	1.0	LIF, disrupted grunerite-siderite-mt beds, po along fractures	31
428	98-12	12.8	13.8	1.0	LIF, disrupted grunerite-siderite-mt beds, po along fractures	58
429	98-12	19.2	20.2	1.0	LIF, po veins and replacement of grunerite/siderite?, po bed(10 cm) with bk chert	14
430	98-12	20.2	21.2	1.0	LIF, po veins and replacement of grunerite/siderite?, not as much po	10
431	98-12	21.2	22.2	1.0	80% grunerite-siderite with 1% po net textured	21
432	98-12	22.2	23.2	1.0	80% grunerite-mt, 15% chert, siderite with orange yellow colour	6
433	98-12	23.2	24.2	1.0	Disrupted unit with a 15% po bed at bottom of sample	11
434	98-12	24.2	25.2	1.0	Disrupted chert zone, grunerite-siderite-mt	<5
435	98-12	25.2	26.2	1.0	Disrupted chert zone, grunerite-siderite-mt	7
436	98-12	26.2	27.2	1.0	80% grunerite (fibrous), po along grunerite beds and hairline fractures	9
437	98-12	27.2	28.2	1.0	80% grunerite (fibrous), small bed of garnets @ 27.4 m	<5
438	98-12	28.2	29.2	1.0	LIF, grunerite-siderite beds, po along fractures	<5
439	98-12	29.2	30.2	1.0	LIF, grunerite-siderite beds, po along fractures	30
440	98-12	30.2	31.2	1.0	LIF, grunerite-siderite beds, po along fractures	73
441	98-12	31.2	32.2	1.0	LIF, grunerite-siderite beds, po along fractures	46
442	98-12	32.2	33.2	1.0	LIF, grunerite-siderite beds, po along fractures	41
443	98-12	33.2	34.2	1.0	LIF, grunerite-siderite beds, po along fractures	23
444	98-12	34.2	35.2	1.0	LIF, grunerite-siderite beds, po along fractures	25
445	98-12	35.2	36.2	1.0	LIF, grunerite-siderite beds, po along fractures	50
446	98-12	36.2	37.2	1.0	LIF, grunerite-siderite beds, po along fractures	166
447	98-12	37.2	38.2	1.0	LIF, grunerite-siderite beds, po along fractures	254
448	98-12	38.2	39.2	1.0	LIF, grunerite-siderite beds, po along fractures	214
449	98-12	39.2	40.2	1.0	LIF, grunerite-siderite beds, po along fractures	72
450	98-12	40.2	41.2	1.0	LIF, grunerite-siderite beds, po along fractures	147
451	98-12	41.2	42.2	1.0	LIF, grunerite-siderite beds, po along fractures	79

Assay results for Diamond Drill Hole RGRI-98-12

#	DDH	From	To	Width	Description	Au (ppb)
452	98-12	42.2	43.2	1.0	LIF, grunerite-siderite beds, po along fractures	62
453	98-12	43.2	44.2	1.0	LIF, grunerite-siderite beds, po along fractures	45
454	98-12	44.2	45.2	1.0	LIF, grunerite-siderite beds, po along fractures	14
219	98-12	45.4	46.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	56
220	98-12	46.4	47.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	76
221	98-12	47.4	48.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	11
222	98-12	48.4	49.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	25
223	98-12	49.4	50.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	13
224	98-12	50.4	51.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	39
225	98-12	51.4	52.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	80
226	98-12	52.4	53.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	29
227	98-12	53.4	54.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	7
228	98-12	54.4	55.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	12
229	98-12	55.4	56.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	25
230	98-12	56.4	57.2	0.8	Sulphide Iron Formation Qtz - chert with po along fractures, bluish colour	26
494	98-12	88.1	89.6	1.5	Disrupted Iron Formation, qtz flooding with po along fractures	27
495	98-12	89.6	91.2	1.6	Stringer po in disrupted -qtz flooded section	109
496	98-12	91.2	92.2	1.0	Stringer po in disrupted -qtz flooded section	25
231	98-12	105.4	106.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	25
232	98-12	106.4	107.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	78
233	98-12	107.4	108.4	1.0	Sulphide Iron Formation Qtz - chert with po along fractures	14
234	98-12	108.4	109.4	1.0	Sulphide Iron Formation, Massive po ~98%	158
235	98-12	109.4	110.4	1.0	Sulphide Iron Formation, Massive po ~98% (50 cm), qtz-chert	163
236	98-12	110.4	111.4	1.0	Sulphide Iron Formation	15

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A

Inclination: -045°

Coordinates (Old Grid): 40+00N 8+00E Acid Tests: 1: -044.0° @ 50m

Total Depth: 223.9 Meters

2: -044.0° @ 100m

3: -043.0° @ 161m

4: -043.0° @ 223m

Azimuth: 259°

Date Started: February 16, 1998

Date Finished: February 23, 1998

Mining Claim Location: PA 1208559

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-13

From (meters)	To (meters)	Description
0.0	2.1	Overburden and broken core
2.1	108.2	Banded Iron Formation Banded grunerite-siderite-magnetite-chert bands , early deformation of chert (boudin's), tight folding, pinching out, trace disseminated pyrrhotite in quartz flooded zone, also trace chalcopyrite, very fine grained pyrrhotite grains along fractures cross-cutting quartz flooded zones, trace very fine grained aspy along magnetite lamination @ 6.8m, 8.0m weak sulphide iron formation (50 cm) with aspy (trace to 2%) , pyrrhotite (10%) in blebs, stringers and semi-massive, trace aspy also occurs in the pyrrhotite of the late fractures, 1-2 cm away from chlorite-garnet lamination, 8.6m silvery blue green 'ghosts' of amphibole or kyanite?, clumps of chlorite replacing garnets 14.0 pod of pyrrhotite with trace aspy 14.8m pyrrhotite rich net textured sulphides, trace aspy 18.2m pyrrhotite 'blowout' in quartz flooded zone, 22.5m replacement texture, trace chalcopyrite in pyrrhotite 22.8m mylonite black with very pale pink-white garnets, very thinly laminated parallel to general layering

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-13		
From (meters)	To (meters)	Description
		<p>24.8m Garnets in biotite envelopes and laminations, excellent deformation, good sulphides, broken sheath fold? Pods of quartz flood with late pyrrhotite ,</p> <p>31.2m felty, lustrous amphibole, radiating habit, grunerite</p> <p>30.5m andalusite? Rimmed by calcite and grunerite?</p> <p>35.2m quartz mylonite?, trace pyrrhotite</p> <p>36.3 - 41.4m disrupted zone, grunerite-siderite-magnetite and pyrrhotite</p> <p>41.4 - 59.0m Quartz flooded zone, with pyrrhotite along fractures</p> <p>83.0m mafic mylonite</p> <p>to 90.0m net textured pyrrhotite in quartz flooded zone</p> <p>94.0m banded with slightly flattened garnets</p> <p>98.8m coarse aspy(50mm) and pyrrhotite in fractures</p> <p>100.2m bands og garnet and chlorite with thin layers of pyrrhotite (1mm) along S₂ planes</p> <p>101.2m mafic mylonite? With 50% garnets, pyrrhotite</p> <p>104.2 - 105.1m Quartz Feldspar Porphyry</p> <p>107.2 - 108.2 Sediment (quartzite?) and fine grained mafic intrusive</p> <p> </p> <p>S₂ 49° @ 6.8m</p> <p>S₂ 37° @ 22.8m</p> <p>S₂ 36° @ 27.0m</p> <p>S₂ 60° @ 82.0m</p>
108.2	174.6	<p>Sediment</p> <p>Grey, massive, medium grained, quartz -feldspar with staurolite (10%) , chlorite-biotite(<3%) between the grains giving a rough lineation, trace pyrite, mottled appearance due to patchy alteration to staurolite?, minor pale lenses (boudin's?) of quartz , 20 cm from contact with banded iron formation a pronounced lineation developed by staurolite - chlorite?</p>
174.6	189.4	<p>Banded Iron Formation</p> <p>Finely banded, thin beds of pyrrhotite along the contacts between chert and pelites, garniferous beds, some chlorite with garnets, secondary pyrrhotite in veinlets cross cutting bedding, finer pyrrhotite beds exhibit 'flame structures',</p>

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-13		
From (meters)	To (meters)	Description
		<p>garnets have quartz inclusions and a broken up appearance, one or two garnets have a glassy texture, very dark green and a paler green chlorite associated with the garnets, some garnets also have magnetite xls within them</p> <p>176.1m increased carbonatization (siderite) of magnetite beds 177.1 - 177.8m quartz flooded zone with minor grunerite 178.0m patches of grunerite with disseminated pyrrhotite (5-10%) along primary structures 183.0m root beer coloured mineral sphalerite? 187.2m rodded garnet bed cutting across S₂, leopard appearing rock cutting at 6 degrees to CA 188.9 - 189.4m contact zone, deformed siderite-grunerite-magnetite, sheared</p> <p>S₂ 43° @ 174.8m S₂ 50° @ 177.0m S₂ 46° @ 183.0m S₂ 32° @ 187.2m</p>
189.4	201.1	<p>Quartz Feldspar Porphyry massive, minor crackle fracture, biotite-carbonate where fractures cross larger feldspar xls, contact @ 23 degrees</p>
201.1	206.1	<p>Banded Iron Formation A more magnetite rich iron formation than before the porphyry, magnetite-grunerite assemblage, banding present, garnet-magnetite beds (2-5 cm) with the occasional bleb of pyrrhotite inside the garnets, pyrrhotite component limited to late stage metallic veins and fracture fillings (<1%), lower contact with mafic volcanic has a finely banded pyrrhotite bed with quartz pebbles (3-5 cm)</p> <p>S₂ 52° @ 204.0m</p>
206.1	209.9	<p>Mafic Volcanic 94.5 fine grained, green, massive, trace pyrite, minor biotite, some 3-5 cm sections biotite rich associated with quartz - carbonate veins</p>
209.9	219.2	<p>Banded Iron Formation Banded grunerite-siderite-magnetite-chert assemblage 215.7m appearance of fracture generated pyrrhotite (25%),</p>

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-13		
From (meters)	To (meters)	Description
		good example of sulphidization with the pyrrhotite replacing the magnetite
219.2	223.9	Mafic Volcanic Garnet rich section, up to 50% garnets 1-3mm, moderately flattened garnets, 219.5 - 219.6m massive bed of garnets with 20% pyrrhotite Becoming more sedimentary towards the bottom of the hole, occasional thin veinlets with pyrrhotite and chalcopyrite
223.9		EOH

Assay results for Diamond Drill Hole RGRI-98-13

#	DDH	From	To	Width	Description	Au (ppb)
401	98-13	14.0	14.9	0.9	Qtz flooded zone with po-mt-grunerite-siderite along fractures	33
402	98-13	22.0	22.8	0.8	Qtz flooded zone, po 'blowout', grunerite-siderite-mt-chert	8
403	98-13	22.8	23.1	0.3	Mylonite + chert	14
404	98-13	24.6	25.5	0.9	Disrupted IF with po, mt, siderite	16
405	98-13	28.7	29.7	1.0	Disrupted IF with po, rosettes of grunerite with mt and po at core	25
406	98-13	36.3	37.3	1.0	Disrupted IF with po, mt, siderite-grunerite	20
407	98-13	37.3	38.3	1.0	Disrupted IF with po, mt, siderite-grunerite	9
408	98-13	38.3	39.3	1.0	Disrupted IF with po, mt, siderite-grunerite	22
409	98-13	39.3	40.3	1.0	Disrupted IF with po, mt, siderite-grunerite	57
410	98-13	40.3	41.4	1.1	Disrupted IF with po, mt, siderite-grunerite	27
411	98-13	41.4	42.4	1.0	Qtz flooded zone, disrupted zone,	12
412	98-13	42.4	43.4	1.0	Qtz flooded zone, more extensive mt-siderite-grunerite	8
413	98-13	43.4	44.4	1.0	Qtz flooded zone, with po along fractures	13
414	98-13	44.4	45.4	1.0	Qtz flooded zone, with po along fractures	9
415	98-13	56.0	57.0	1.0	Qtz flooded zone, with a 10 cm 20% po bed, grunerite-siderite-mt banding	7
416	98-13	58.0	59.0	1.0	Qtz flooded zone, with po veins 0.5 to 1 cm, ~5%	79
381	98-13	80.5	81.5	1.0	Disturbed IF with mt layers, net textured po towards end of section	164
87807	98-13	81.5	81.7	0.3	Tom Skimmings Representative Sample	
382	98-13	81.7	82.7	1.0	Disturbed IF with mt layers, net textured po towards end of section	49
383	98-13	82.7	83.7	1.0	Disturbed IF with mt layers, includes mafic unit (mylonite?)	78
384	98-13	83.7	84.8	1.1	Disturbed IF, no layered oxides, net textured po	56
385	98-13	84.8	85.8	1.0	Disturbed IF, no layered oxides, net textured po (15%)	88
386	98-13	85.8	86.8	1.0	Disturbed IF, no layered oxides, net textured po (15%)	16
387	98-13	86.8	87.8	1.0	Disturbed IF, no layered oxides, net textured po (15%)	237
388	98-13	87.8	88.8	1.0	Disturbed IF, no layered oxides, net textured po, aspy-po veins(5-10mm)	25
389	98-13	88.8	89.8	1.0	Disturbed IF, no layered oxides, net textured po, aspy-po, garnets	91
390	98-13	89.8	90.8	1.0	Darker unit, (chlorite) with garnets, po-mt, less disrupted	154
391	98-13	90.8	91.9	1.1	Disrupted unit, grunerite-siderite-chert, po vein	43

Assay results for Diamond Drill Hole RGRI-98-13

#	DDH	From	To	Width	Description	Au (ppb)
392	98-13	91.9	92.9	1.0	Disrupted unit, grunerite-siderite-chert, po vein, garnets with darker chert	19
393	98-13	92.9	93.9	1.0	Disrupted unit, grunerite-siderite-chert, po vein, garnets with darker chert	58
394	98-13	94.0	94.9	0.8	As above with banded garnets (slightly flattened)	34
87806	98-13	94.9	95.2	0.3	Tom Skimmings Representative Sample	
395	98-13	95.2	96.2	1.0	Qtz flooded zone, with po along fractures	176
396	98-13	96.2	97.2	1.0	Gunerite-chert-mt IF	87
397	98-13	97.2	98.2	1.0	Qtz flooded zone, disrupted zone, chert-grunerite	43
398	98-13	98.3	99.3	1.0	Qtz flooded zone, disrupted zone, chert-grunerite, coarse aspy @ 98.8m	493
399	98-13	99.3	100.3	1.0	As above with bands of garnet-chlorite, thin bed of po along S2 planes	59
400	98-13	100.3	101.3	1.0	As above with bands of garnet-chlorite, thin bed of po along S2 planes	15
417	98-13	101.2	102.2	1.0	Garnet zone (50%) with po	24
418	98-13	102.2	103.2	1.0	Garnet zone with po	21
419	98-13	103.2	104.2	1.0	Garnet zone with po (35%) in fractures, qtz flooded zone	42
420	98-13	104.2	105.1	0.9	QFP with 1 cm late stage qtz vein	<5
421	98-13	105.1	106.2	1.1	Qtz flooded zone, with po along fractures	50
422	98-13	106.2	107.2	1.0	Mafic zone with garnets, fractured po	8
423	98-13	107.2	108.2	1.0	50-50 sediment(quartzite?) and mafic intrusive	<5
244	98-13	174.6	175.7	1.1	Lean IF, PO flattened garnets, grunerite	475
87809	98-13	175.6	175.8	0.2	Tom Skimmings Representative Sample	
245	98-13	175.7	176.7	1.0	BIF Mt, Po	7
246	98-13	176.6	177.7	1.1	Lean IF, Qtz flooded with siderite, grunerite along fractures	61
247	98-13	177.7	178.7	1.0	Lean IF, Qtz flooding	21
248	98-13	178.7	179.7	1.0	Lean IF	64
249	98-13	179.7	180.9	1.2	Lean IF, Qtz/chert, minor grunerite	9
250	98-13	180.9	182.0	1.1	Lean IF, Qtz/chert, minor grunerite	39
251	98-13	182.0	182.7	0.7	Lean IF, PO flattened garnets, grunerite	<5
252	98-13	182.7	183.7	1.0	Lean IF, more garnet bands	14
253	98-13	183.7	184.7	1.0	Lean IF, 10 cm garnet band	<5

Assay results for Diamond Drill Hole RGRI-98-13

#	DDH	From	To	Width	Description	Au (ppb)
254	98-13	184.7	185.7	1.0	Lean IF, chert pulled apart, siderite, magnetite, grunerite	9
255	98-13	185.7	186.7	1.0	Lean IF, chert pulled apart, siderite, magnetite, grunerite	8
256	98-13	186.7	187.7	1.0	Lean IF, garnet bands, siderite, grunerite	7
257	98-13	187.7	188.7	1.0	Lean IF, Qtz flooded with siderite, grunerite along fractures	<5
258	98-13	188.7	189.7	1.0	Contact zone between BIF and QFP, sheared	77
259	98-13	201.1	202.1	1.0	Contact zone between BIF and QFP, garnet bands, siderite, grunerite	16
260	98-13	202.1	203.1	1.0	Lean IF, Qtz flooded with siderite, grunerite along fractures	18
261	98-13	205.5	206.1	0.6	Contact zone between BIF and QFP, Garnets bed (5 cm) at contact	14
262	98-13	209.9	210.9	0.9	Sulphide Iron Formation, 30-40% po, top 20 cm mt section	22
87811	98-13	210.9	211.1	0.2	Rep Sample taken by T. Skimmings, massive po	
263	98-13	211.1	212.2	1.1	Sulphide Iron Formation, Massive po	11
264	98-13	212.2	213.2	1.0	Sulphide Iron Formation, Massive po	69
265	98-13	213.2	214.2	1.0	Banded Iron Formation, lean, banded mt less po	<5
266	98-13	214.2	215.2	1.0	Oxide Facies BIF , Grunerite, Siderite, rosettes of grunerite, mt	6
267	98-13	215.2	216.2	1.0	Oxide Facies BIF , Grunerite, Siderite, rosettes of grunerite, mt	9
268	98-13	216.2	217.2	1.0	Iron Formation, po, mt, grunerite	26
269	98-13	217.2	218.2	1.0	Iron Formation, po, mt, grunerite	<5
270	98-13	218.2	219.2	1.0	Sulphide Iron Formation, po in delicate bands and along fractures	15
271	98-13	219.2	220.2	1.0	Banded Iron Formation, includes garnet rich section	<5
272	98-13	220.2	221.2	1.0	Banded Iron Formation, includes garnet rich section	<5
273	98-13	221.2	222.2	1.0	Banded Iron Formation with stringers of po + mt	<5
274	98-13	222.2	222.8	0.6	Lean BIF occasional stringer of po/cp, sedimentary?	166

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): 2+00N 0+30W

Inclination: -045°

Coordinates (Old Grid): 0+00N 1+70W

Acid Tests: 1: -044.0° @ 50m

Total Depth: 213.2 Meters

2: -043.0° @ 100m

3: -044.0° @ 150m

4: -043.0° @ 210m

Azimuth: 075°

Date Started: February 26, 1998

Date Finished: March 1, 1998

Mining Claim Location: PA 1208992

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-14

From (meters)	To (meters)	Description
0.0	8.8	Overburden and broken core
8.8	17.6	Mafic Volcanic Biotite banding, quartz -carbonate shearing, pyrrhotite and chalcopyrite with the shears (<1%) S_2 40° @ 10.0m
17.6	20.5	Quartz Feldspar Porphyry Minor shearing, more sheared towards the bottom of the unit
20.5	25.0	Mafic Volcanic Zone, increased quartz -carbonate shearing and biotite alteration to 22.0m, 22.0 - 23.5m quartz -carbonate veins with coarse chalcopyrite and pyrrhotite 23.5 - 25.0m decreasing quartz -carbonate shearing and biotite alteration S_2 37° @ 25.0m
25.5	27.1	Sediment Greywacke, feldspar-quartz -biotite assemblage, fine grained to medium grained
27.1	36.7	Mafic Volcanic

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-14

From (meters)	To (meters)	Description
		Occasional biotite bands, 10 cm quartz -carbonate shear @ 30.2m, 31.7 - 32.2m Sediment Coarser biotite @ 35.5m
36.7	37.7	Quartz Feldspar Porphyry Thin veinlets of chalcopyrite for 50 cm (1%), in the last 50 cm only 2 veinlets
37.7	42.0	Mafic Volcanic Altered with coarse biotite
42.0	43.1	Quartz Feldspar Porphyry
43.1	44.6	Sediment
44.6	57.9	Mafic Volcanic Increased quartz - carbonate shearing @ 48.0m, low angles to CA, biotite banded with 5% quartz-carbonate fractures, 53.1 - 57.9m coarse grained and disrupted, quartz -carbonate veins 15% S_2 30° @ 48.0m
57.9	62.1	Quartz Feldspar Porphyry Sheared, fine grained, banded, upper and lower contacts sheared and biotitic
62.1	117.4	Mafic Volcanic Quartz -carbonate shearing (15%), generally wider shears (1-2cm), 73.3 - 73.9m Quartz vein (bull) with quartz -carbonate margins, bull quartz last phase, no sulphides 81.7 - 82.0m quartz -carbonate shearing with minor pyrrhotite and chalcopyrite along slip planes 91.2 - 103.4m coarse grained, large garnets (up to 1.2 cm), some garnets hosting pyrrhotite, disrupted zone with 25 - 30% quartz -carbonate veins and bands of garnets, 103.4 - 117.4m fine grained, pyrrhotite iron formation (20 cm) S_2 20° @ 66.0m S_2 35° @ 92.0m
117.4	120.0	Quartz Vein - Sulphide Iron Formation Pyrrhotite, coarse biotite, large garnets (1cm), 15 cm bed of

ROMIOS GOLD RESOURCES INC.
Diamond Drill Log

Drill Hole # RGRI-98-14		
From (meters)	To (meters)	Description
		biotite-staurolite @ 118.6m, garnets and coarse chlorite @ 119.1m
120.0	137.3	Mafic Volcanic (tuff?) Occasional fine layering (original bedding?) S ₂ 40° @ 127.0m S ₂ 40° @ 127.0m
137.3	140.8	Pyrrhotite Iron Formation Biotite-garnets, Medium grained, with bands of amphibole-chlorite-biotite , altered (bleached), biotite finer grained
140.8	168.3	Mafic Volcanic Lighter green, medium grained, quartz -carbonate veins (2-3%), cross cutting shears @ 5° to CA
168.3	169.0	Altered Mafic Volcanic Sediment? Light green S ₂ 20° @ 169.0m
169.0	175.6	Mafic Volcanic Green, fine grained 171.7 - 180.0m Altered section (bleached), bands of different mineral assemblages... sericite-quartz, biotite, and amphibole, 175.2 - 175.8m coarse amphibolite (alteration)
175.6	176.4	Sulphide Iron Formation Semi massive pyrrhotite (40%)
176.4	191.8	Mafic Volcanic Green, medium grained, increased feldspar component with light green amphibole, sections of recrystallized amphibole (20 cm), some garniferous sections, numerous quartz - carbonate veins S ₂ 28° @ 187.0m
191.8	194.4	Interformational Pyrrhotite Iron Formation Semi massive pyrrhotite, garnets, bleaching alteration Quartz vein between 194.0 - 194.4m
194.4	195.0	Quartz Feldspar Porphyry
195.0	213.2	Mafic Volcanic and Minor Sediment Green, fine grained, minor sections of sediment
213.2		EOH

Assay results for Diamond Drill Hole RGRI-98-14

#	DDH	From	To	Width	Description	Au (ppb)
275	98-14	14.9	15.5	0.6	Mv, Qtz-carb shears, minor hairline veinlets with cp/po	<5
276	98-14	15.5	16.5	1.0	Mv, Occasional Qtz-carb shears with cp/po	7
277	98-14	16.5	17.0	0.5	Mv, Occasional Qtz-carb shears with cp/po	6
278	98-14	17.0	17.5	0.5	Contact Zone with QFP, Qtz-carb-bio fractures (25%) with cp, po	39
279	98-14	20.1	20.6	0.5	QFP, 2 cm shear	179
280	98-14	20.6	21.3	0.7	Contact with QFP, Qtz-carb-bio shearing (10%)	384
281	98-14	21.3	22.0	0.7	Mv, qtz-carb-bio shears (15%)	30
282	98-14	22.0	22.5	0.5	Zone, Qtz-carb-bio shears with cp, po	1650
283	98-14	22.5	23.0	0.5	Zone, Qtz-carb-bio shears with cp, po	423
284	98-14	23.0	23.5	0.5	Mv, qtz-carb-bio shears (15%)	118
285	98-14	23.5	24.0	0.5	Mv, qtz-carb-bio shears (5 - 10%)	46
286	98-14	24.0	24.5	0.5	Mv, qtz-carb-bio shears (30%)	178
287	98-14	24.5	25.5	1.0	Sediment	<5
288	98-14	33.1	34.1	1.0	Sediment and Mv (50-50)	<5
289	98-14	34.1	35.1	1.0	Mv, qtz-carb bio (10%), minor cp	20
290	98-14	35.1	36.1	1.0	Mv, qtz-carb-bio shears (80%)	34
291	98-14	36.1	36.6	0.5	Mv, contact zone with QFP, qtz-carb shearing with po	109
292	98-14	36.6	37.1	0.5	QFP, with cp filled veinlets	151
293	98-14	37.1	37.6	0.5	QFP, with cp filled veinlets, not as many as above	43
294	98-14	37.6	38.1	0.5	Mv/Gabbro, mg-cg, with bio alteration	32
295	98-14	38.1	39.1	1.0	Mv/Gabbro, mg-cg, with bio alteration	13
308	98-14	117.4	118.4	1.0	Sulphide Iron Formation, garnets, po/cp, 50mm vein of po	72
309	98-14	118.4	119.4	1.0	Lean Iron Formation, garnets, staurolite	62
310	98-14	119.4	120.0	0.6	large garnets (1.5 cm) at contact with Mv	26
311	98-14	137.3	138.4	1.1	Mv -Sediment?, biotitic alteration, qtz-carb veins, cp po(10cm)	21

Assay results for Diamond Drill Hole RGRI-98-14

#	DDH	From	To	Width	Description	Au (ppb)
312	98-14	138.4	139.5	1.1	Sediment looking with biotitic layers	19
296	98-14	171.7	172.7	1.0	Sed, bio, shearing	22
297	98-14	172.7	173.7	1.0	Mv, biotite banding, qtz-carb shears ~ 5%	<5
298	98-14	173.7	174.7	1.0	Mv, biotite banding, qtz-carb shears, felsic layers	<5
299	98-14	174.7	175.7	1.0	Garnets, diss cp/po	18
300	98-14	175.7	176.7	1.0	Mv-Sed, bed of massive po, aspy	90
301	98-14	176.7	177.7	1.0	Mv, mg-fg, tr po/cp, biotitic alteration	6
302	98-14	177.7	178.7	1.0	Mv, mg, Qtz-carb veins, po	7
303	98-14	178.7	180.0	1.3	Iron Formation, Garnet bearing with po/cp	152
304	98-14	190.8	191.8	1.0	Mv, cg to fg	20
305	98-14	191.8	192.8	1.0	Sulphide Iron Formation, po/cp, aspy, massive to semi-massive	547
306	98-14	192.8	194.1	1.3	Mv, fg, random qtz-carb veins	119
307	98-14	194.1	195.1	1.0	Mv, sheared, qtz-carb veins, two small QFP's (10, 30 cm), QV with 30 cm QFP	10

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Coordinates (New Grid): N/A

Inclination: -045°

Coordinates (Old Grid): 15+00S 0+25W Acid Tests: 1: -044.0° @ 50m

Total Depth: 182.7 Meters

2: -043.5° @ 100m

3: -041.0° @ 150m

4: -040.5° @ 183m

Azimuth: 259°

Date Started: March 1, 1998

Date Finished: March 4, 1998

Mining Claim Location: PA 1208993

Core Size: Thin Wall BQ

Drilling Contractor: W.G. Langley Ltd.

Core stored on the property @ 1+15S 9+75W

Log Completed By: I. Spence March 1998

Drill Hole # RGRI-98-15

From (meters)	To (meters)	Description
0.0	3.8	Overburden and broken core
3.8	110.0	<p>Mafic Volcanic</p> <p>Fine grained to medium grained, green, occasional biotite banding, quartz -carbonate shearing in clusters (i.e. 10 cm) at random angles to CA, increase in biotite alteration from 78.5m, 23.4 - 24.0 fractured zone, disseminated pyrrhotite with quartz infilling, <.5%</p> <p>24.5 - 24.7 fractured zone, disseminated pyrrhotite with quartz infilling, <.5%</p> <p>26.2 - 26.8m quartz -carbonate shears (20%) with biotite banding</p> <p>49.5 - 51.5m Interflow Iron Formation, pyrrhotite and minor chalcopyrite, biotite and amphibole bands with garnets,</p> <p>51.5 - 53.5m Altered, biotite banding</p> <p>53.5 - 54.5m Coarse biotite with quartz and pyrrhotite</p> <p>58.2 - 59.2m Interflow Iron Formation, quartz vein with chalcopyrite and pyrrhotite, pale inclusions of mafic volcanic,</p>

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-15

From (meters)	To (meters)	Description
		<p>57.6 → coarser grained mafic volcanic with occasional biotite streaks and bands</p> <p>77.5m 10 - 15% pyrrhotite bed 10 cm</p> <p>81.0m semi massive pyrrhotite (15 cm) with aspy and minor chalcopyrite in quartz sheared, biotite present 10 cm quartz vein (bull) with no sulphides</p> <p>85.0m some biotite bands 3 cm wide, tourmaline in 50mm quartz vein</p> <p>91.0m quartz vein (10 cm) with thin pyrrhotite-chalcopyrite lenses (~1%) along S₂ cleavage planes</p> <p>94.3m quartz vein (bull) 30 cm,</p> <p>94.2 - 95.2m thin tourmaline filled fractures generally parallel to CA</p> <p>98.3 - 98.9 quartz veins (bull) 15 cm and 10 cm, trace pyrite</p> <p>102.0m small quartz vein showing two stages of injection, second stage a clear quartz occupying the center of the vein while the cloudy first stage quartz has been recrystallized</p> <p>S₂ 68° @ 15.0m S₂ 65° @ 18.0m S₂ 67° @ 28.0m S₂ 62° @ 33.0m S₂ 60° @ 73.0m S₂ 68° @ 83.0m S₂ 63° @ 91.0m S₂ 75° @ 95.0m S₂ 70° @ 98.5m S₂ 70° @ 104.3m S₂ 68° @ 108.6m</p>
110.0	114.1	<p>Gabbro</p> <p>Dark green, coarse grained, minor quartz veins and fractures, gradational upper contact, lower contact indistinct, .5% pyrrhotite, slightly magnetic</p>
114.1	182.7	<p>Mafic Volcanic</p> <p>Green, fine grained to medium grained,, quartz -carbonate fracture fillings and small shears (2-5%), biotitic banding,</p>

ROMIOS GOLD RESOURCES INC.

Diamond Drill Log

Drill Hole # RGRI-98-15		
From (meters)	To (meters)	Description
		<p>some garnets associated with thin sedimentary? units (<1m), 116.2 - 117.2m medium grained, feldspathic flow</p> <p>127.4m Sulphide Iron Formation, Massive pyrrhotite (15 cm) 132.4 - 132.6m Sulphide Iron Formation, pyrrhotite (2 generations), chalcopyrite and trace aspy</p> <p>133.6 - 141.5m massive feldspathic flow 143.4m 30-40% quartz -carbonate veins</p> <p>151.4 - 151.6m Quartz Feldspar Porphyry</p> <p>172.6 - 174.5m Quartz Feldspar Porphyry, sheared with 2 bull quartz veins (no sulphides) 20 cm and 25 cm</p> <p>S₂ 75° @ 114.3m S₂ 68° @ 120.0m S₂ 63° @ 133.3m S₂ 63° @ 143.0m S₂ 62° @ 145.0m S₂ 62° @ 155.0m S₂ 68° @ 182.0m</p>
182.7		EOH

Assay results for Diamond Drill Hole RGRI-98-15

#	DDH	From	To	Width	Description	Au (ppb)
376	98-15	49.5	50.5	1.0	Mv, biotitic bands, minor po, qtz-carb shearing	15
377	98-15	50.5	51.4	0.9	Mv-IF, po (30%), with qtz-carb shears, garnets, biotite banding	67
378	98-15	51.4	52.5	1.1	Mv, biotite banding, qtz-carb shears ~ 5%	15
357	98-15	53.6	55.9	2.3	Lean IF, biotite banding,	50
357A	98-15	54.0	54.6	0.6	2 - 5 cm beds of massive po	544
358	98-15	58.2	58.4	0.2	Small IF po-qtz-carb	40
359	98-15	58.8	59.3	0.5	Qtz Vein, no sulphides	9
360	98-15	61.0	61.4	0.4	Lean IF, po, with qtz-carb shears	17
361	98-15	63.2	63.8	0.6	Lean IF, po, with qtz-carb shears, 2-5 cm sections of po, qtz-carb shears	210
364	98-15	65.6	66.1	0.5	"Banded" garnets with po/cp (3 cm), biotite banding, qtz-carb shears	27
362	98-15	67.5	67.7	0.2	Small bed of po with biotite banding	45
363	98-15	71.3	71.8	0.5	Lean IF, po, with qtz-carb shears, 10cm semi massive po, biotite banding	77
355	98-15	75.9	76.9	1.0	Mv/Sed?, fractured with po/cp fillings	1252
356	98-15	76.9	77.9	1.0	Mv/Sed?, fractured with po/cp fillings, includes 30 cm of Lean IF...qtz-carb shears	69
365	98-15	78.1	78.7	0.6	Mv with biotite banding, qtz-carb veins	75
366	98-15	78.7	79.4	0.7	Mv with biotite banding, qtz-carb veins	45
367	98-15	79.4	80.4	1.0	Mv with 10 cm qtz vein, minor po IF (5 cm) @ 80.2m	26
368	98-15	80.4	81.5	1.1	Biotite altered sediment, 15 cm qtz vein	15
369	98-15	81.5	82.5	1.0	Po bed @ 81.6m , 20 cm disrupted with po	14
345	98-15	85.8	86.2	0.4	IF, po, bio, qtz-carb veinlets/shears, asp	35
346	98-15	120.7	121.7	1.0	IF, po, bio, qtz-carb veinlets/shears, tr asp	13
372	98-15	125.7	126.7	1.0	Mv, Sheared qtz-carb veins, po/cp	13
373	98-15	126.7	127.5	0.8	Mv, biotite banding, garnets, massive po (10 cm)	103
370	98-15	132.0	133.0	1.0	Mv/Sed?, po along cleavage planes	69
347	98-15	132.3	132.7	0.4	IF, po, bio, qtz-carb veinlets/shears, tr asp	59
348	98-15	132.7	133.6	0.9	Mv, po, qtz-carb veinlets/shears (20-30%), felsic vol? with po along banding	7
371	98-15	133.0	134.0	1.0	Mv/Sed?, po along cleavage planes	<5
379	98-15	165.3	165.8	0.5	IF, po (35%), with cg Mv	9

Assay results for Diamond Drill Hole RGRI-98-15

#	DDH	From	To	Width	Description	Au (ppb)
380	98-15	167.4	167.8	0.4	IF po (20 cm), interformational,	31
374	98-15	173.3	174.3	1.0	Sheared QFP with 20 cm Qtz vein, no sulphides	<5
375	98-15	174.3	175.3	1.0	Mv, contact zone with QFP, qtz-carb shearing	10

Appendix A

Assay Results

3740
10

SSAY LABORATORIES

SSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATT'N: TOM DRIVAS
FAX (416) 653-1176

Jan 16, 1998

Job# 9840009

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	33		75	0.002
2	34		341	0.010
3	35		230	0.007
4	36		278	0.008
5	37		1089	0.032
6	38		1232	0.036
7	39		5702	0.166
8	40		44	0.001
9	41		3000	0.088
10	42		113	0.003
11 Check	42		123	0.004

Certified By:





ACCURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

OMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
T'N: TOM DRIVAS
FAX (416) 653-1176

Jan 16, 1998

Job# 9840006

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	1		<5	<0.001
2	2		<5	<0.001
3	3		11	<0.001
4	4		<5	<0.001
5	5		24	<0.001
6	6		8	<0.001
7	7		22	<0.001
8	8		24	<0.001
9	9		<5	<0.001
10	10		108	0.003
11 Check	10		111	0.003
12	11		118	0.003
13	12		114	0.003
14	13		375	0.011
15	14		1238	0.036
16	15		467	0.014
17	16		593	0.017
18	17		8	<0.001
19	18		290	0.008
20	19		871	0.025
21 Check	19		944	0.028
22	20		14	<0.001
23	21		<5	<0.001
24	22		51	0.001
25	23		<5	<0.001
26	24		<5	<0.001
27	25		96	0.003
28	26		19	<0.001
29	27		13	<0.001

Certified By: _____



1.09
374

ASSAY LABORATORIES

F ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 2

KOMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M5E 2T7
ATT'N: TOM DRIVAS
TEL (416) 653-1176

Jan 16, 1998

Job# 9840006

SAMPLE #	Customer	Gold ppb	Gold Oz/t
30		28	<0.001
31	Check	28	<0.001
32		29	0.001
33		30	<0.001
34		31	<0.001
35		32	0.001

Certified By:



37411

JRASSAY LABORATORIES
ON OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 1

ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
TEL (416) 653-1176

Jan 20, 1998

Job# 9840014

SAMPLE #	Customer	Gold ppb	Gold Oz/t
1		43	<0.001
2		44	0.002
3		45	<0.001
4		46	0.010
5		47	0.002
6		48	0.003
7		49	0.004
8		50	0.006
9		51	0.024
10		52	0.080
11	Check	52	0.076
12		53	0.081
13		54	0.322
14		55	0.009
15		56	<0.001
16		57	<0.001
17	I-1A (84802)		8 <0.001
18	I-1B (87801)		<5 <0.001

Certified By:



37412

ASSAY LABORATORIES
ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 1

KOMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATT'N: TOM DRIVAS
TEL (416) 653-1176

Jan 26, 1998

Job# 9840022

SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	58	104	0.003
2	59	299	0.009
3	60	62	0.002
4	61	38	0.001
5	62	464	0.014
6	63	226	0.007
7	64	11168	0.326
8	65	3099	0.090
9	66	35	<0.001
10	67	158	0.005
11 Check	67	159	0.005
12	68	382	0.011
13	69	<5	<0.001

Certified By: John Bevan

37413

SSAY LABORATORIES
ISSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

RESOURCE SERVICES
~o ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
TEL (416) 653-1176

Jan 28, 1998

Job# 9840028

SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	70	80	0.002
2	71	17	<0.001
3	72	70	0.002
4	73	171	0.005
5	74	78	0.002
6	75	210	0.006
7	76	15	<0.001
8	77	16	<0.001
9	78	70	0.002
10	79	116	0.003
11 Check	79	135	0.004
12	80	19	<0.001
13	81	7	<0.001
14	82	9	<0.001
15	83	22	<0.001
16	84	18	<0.001
17	85	<5	<0.001

Certified By:



37420

ASSAY LABORATORIES

OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

RESOURCES SERVICES
c/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7

Jan 31, 1998

Job #9840030

METALLICS GOLD

Accur.	Customer	#1 Pulp	#2 Pulp	Metallics	Total ppb	% Met.in Pulp	Pulp Met. Weight (g)
		Assay ppb	Assay ppb	Assay ppb			
1	13	469	473	361	468	2.80	16.00
2	14	1457	1573	857	1501	2.14	9.34
3	15	484	469	340	474	1.81	12.30
4	16	413	389	1288	404	0.36	4.66
5	17	<5	<5	7	<5	3.44	38.25
6	18	212	166	217	189	0.48	4.84
7	19	1132	921	1050	1027	1.54	23.91
8	37	699	1053	490	867	2.21	11.50
9	38	1348	1305	724	1301	4.24	27.62
10	39	7510	7424	8504	7485	1.79	12.23
11	40	50	45	<5	46	2.21	9.30
12	41	5762	5828	3356	5773	0.91	8.88

410-612-1286

Certified By: _____



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

RESOURCE SERVICES

TO ROMIOS GOLD ESTATES
7 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
T'N: TOM DRIVAS
..X (416) 653-1176

Feb. 3, 1998

Job# 9840036

SAMPLE #		Gold	Gold
curassay	Customer	ppb	Oz/t
30	113	3967	0.116
31 Check	113	3775	0.110
32	114	57	0.002
33	115	914	0.027
34	116	408	0.012
35	117	38	0.001
36	118	77	0.002
37	119	404	0.012
38	120	101	0.003
39	121	38	0.001
40	122	14967	0.437
41 Check	122	14172	0.413

Certified By: _____

U.S. Gold Corporation
Division of the Canadian Gold Corporation



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

RESOURCE SERVICES

C/O ROMIOS GOLD ESTATES
1 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
IN: TOM DRIVAS
(416) 653-1176


Feb. 3, 1998

Job# 9840036

SAMPLE #		Gold ppb	Gold Oz/t
1	86	15	<0.001
2	87	16	<0.001
3	88	91	0.003
4	89	<5	<0.001
5	90	59	0.002
6	91	<5	<0.001
7	92	43	0.001
8	93	9	<0.001
9	94	9	<0.001
10	95	255	0.007
11 Check	95	214	0.006
12	96	901	0.026
13	97	475	0.014
14	98	13	<0.001
15	99	198	0.006
16	100	12	<0.001
17	101	11	<0.001
18	102	16	<0.001
19	103	<5	<0.001
20	104	37	0.001
21 Check	104	36	0.001
22	105	399	0.012
23	106	54	0.002
24	107	248	0.007
25	108	474	0.014
26	109	45	0.001
27	110	71	0.002
28	111	58	0.002
29	112	135	0.004

Certified By: _____

Airport
THUNDER BAY
Handling Information



ACURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 1

K-SOURCE SERVICES
c/o ROMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
FAX (416) 653-1176

Feb 11, 1998

Job# 9840048

SAMPLE #	CUSTOMER	Gold ppb	Gold Oz/t
1	144	<5	<0.001
2	145	51	0.001
3	146	9	<0.001
4	147	77	0.002
5	148	49	0.001
6	149	278	0.008
7	150	145	0.004
8	151	24	<0.001
9	152	29	<0.001
10	153	32	<0.001
11 Check	153	36	0.001
12	154	17	<0.001
13	155	6	<0.001
14	156	6	<0.001
15	157	<5	<0.001
16	158	7	<0.001
17	176	134	0.004

Certified By:

 **ACCURASSAY LABORATORIES**
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 2

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
FAX (416) 653-1176

Feb 17, 1998

Job# 9840064

SAMPLE #	Customer	Gold ppb	Gold Oz/t
30		6	<0.001
31 Check		<5	<0.001
32		<5	<0.001
33		46	0.001
34		8	<0.001
35		78	0.002
36		20	<0.001

Certified By: John Beer

Lot Com'g
 No. of
 Pieces
 Rsp.
 Weight:
 4 1504

ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820
Page 1

RESOURCE SERVICES
 c/o ROMIOS GOLD ESTATES
 17 OAKWOOD AVE.
 TORONTO, ONTARIO
 M6E 2T7
 F/T/N: TOM DRIVAS
 I X (416) 653-1176

Feb 17, 1998

Job# 9840064

	SAMPLE #		Gold ppb	Gold Oz/t
1	159		81	0.002
2	160		31	<0.001
3	161		35	<0.001
4	162		13	<0.001
5	163		21	<0.001
6	164		22	<0.001
7	165		8	<0.001
8	166		<5	<0.001
9	167		12	<0.001
10	177		17	<0.001
11	Check	177	18	<0.001
12		178	230	0.007
13		179	25	<0.001
14		180	26	<0.001
15		181	<5	<0.001
16		182	13	<0.001
17		183	63	0.002
18		184	18	<0.001
19		185	9	<0.001
20		186	10	<0.001
21	Check	186	16	<0.001
22		187	<5	<0.001
23		188	<5	<0.001
24		189	25	<0.001
25		190	<5	<0.001
26		191	<5	<0.001
27		192	7	<0.001
28		193	58	0.002
29		194	<5	<0.001

Certified By:



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
FAX (416) 653-1176

Feb 19, 1998

Job# 9840070

SAMPLE #		Gold ppb	Gold Oz/t
30	220	76	0.002
31 Check	220	72	0.002
32	221	11	<0.001
33	222	25	<0.001
34	223	13	<0.001
35	224	39	0.001
36	225	80	0.002
37	226	29	<0.001
38	227	7	<0.001
39	228	12	<0.001
40	229	25	<0.001
41 Check	229	26	<0.001
42	230	26	<0.001
43	231	25	<0.001
44	232	78	0.002
45	233	14	<0.001
46	234	158	0.005
47	235	163	0.005
48	236	15	<0.001
49	87803	22	<0.001
50	87804	<5	<0.001
51 Check	87804	7	<0.001

Certified By: _____

41954
Prestid
Weight Chg's
Valuation Charge



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 1

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATT'N: TOM DRIVAS
FAX (416) 653-1176

Feb 19, 1998

Job# 9840070

SAMPLE #		Gold ppb	Gold Oz/t
Accurassay	Customer		
1	167 A	<5	<0.001
2	168	10	<0.001
3	169	18	<0.001
4	170	11	<0.001
5	171	17	<0.001
6	172	39	0.001
7	175	25	<0.001
8	200 A	<5	<0.001
9	201	14	<0.001
10	202	61	0.002
11	Check	40	0.001
12	203	71	0.002
13	204	42	0.001
14	205	147	0.004
15	206	73	0.002
16	207	64	0.002
17	208	76	0.002
18	209	136	0.004
19	210	26	<0.001
20	211	14	<0.001
21	Check	22	<0.001
22	212	48	0.001
23	213	66	0.002
24	214	31	<0.001
25	215	76	0.002
26	216	31	<0.001
27	217	17	<0.001
28	218	13	<0.001
29	219	56	0.002

Certified By:

ASSAY LABORATORIES

ASSAY LABORATORY SERVICES INC.

37432

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

Page 1

RESOURCES SERVICES
 c/o ROMIOS GOLD ESTATES
 147 OAKWOOD AVE.
 TORONTO, ONTARIO
 M6E 2T7

Feb 19, 1998

Job #9840055

METALLICS GOLD

Occur.	Customer	#1 Pulp	#2 Pulp	Metallics	Total ppb	% Met.in Pulp	Pulp Met. Weight (g)
		Assay ppb	Assay ppb	Assay ppb			
1	44	144	62	48	102	2.64	25.04
2	45	12	12	90	14	2.87	24.06
3	46	328	374	302	344	14.52	67.53
4	47	51	46	42	48	6.06	82.61
5	48	184	119	36	151	0.13	1.97
6	49	167	166	139	166	4.40	53.15
7	50	240	224	155	231	0.97	15.91
8	51	660	596	584	626	3.70	28.49
9	52	2768	3043	2722	2896	5.33	38.17
10	53	2887	2632	2723	2759	3.74	8.74
11	54	2599	2629	4668	2671	2.77	4.52
12	55	94	95	62	93	3.77	34.46
13	95	198	225	463	213	0.70	6.11
14	96	1066	1089	1017	1077	1.92	34.03
15	97	433	429	354	429	3.26	40.57
16	98	35	8	31	22	0.64	1.60
17	99	278	338	186	308	0.39	1.40
18	100	8	8	15	8	3.23	16.43
19	101	6	<5	6	<5	1.06	6.74
20	102	27	21	16	24	5.39	53.50
21	103	7	12	<5	9	3.17	23.93
22	104	36	134	6	83	3.06	19.42
23	105	251	326	437	293	3.22	29.08
24	106	46	48	47	47	0.55	4.02
25	107	215	217	188	215	3.37	4.58
26	108	580	524	394	545	4.91	5.40
27	109	40	46	194	47	2.49	19.34
28	110	83	96	62	89	1.09	12.38
29	111	63	50	42	56	3.83	55.06

Certified By:

ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

RESOURCES SERVICES
o ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
TORONTO, ONTARIO
E 2T7

Feb 19, 1998

Job #9840055

METALLICS GOLD

Cur.	Customer	#1 Pulp	#2 Pulp	Metallics			Pulp Met. Weight (g)
		Assay ppb	Assay ppb	Assay ppb	Total ppb	% Met.in Pulp	
30	112	103	94	142	99	0.84	4.78
31	113	4609	4026	2900	4317	0.05	0.30
32	114	64	65	47	63	6.88	41.28
33	115	675	679	398	664	4.62	25.86
34	116	497	526	306	503	4.27	39.53
35	117	32	32	38	32	0.49	3.46
36	118	280	321	620	314	4.21	20.00
37	119	728	695	640	711	1.51	14.68
38	120	89	87	267	88	0.05	0.30
39	121	26	28	668	31	0.67	4.04
40	122	14603	16026	8250	15314	0.01	0.20

Certified By:

SSAY LABORATORIES

SSAY LABORATORY SERVICES INC.

375C9

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

SOURCE SERVICES
c/o ROMIOS GOLD ESTATES
OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
(416) 653-1176

Mar 3, 1998

Job# 9840088

C Urassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	87805		2217	0.065
2	87812		17483	0.510
3	87813		12490	0.364
4	87814		43	0.001
5	87815		42	0.001
6	87816		22	<0.001
7	87817		27	<0.001
8	87818		46	0.001
9	87819		37	0.001
10	87820		91	0.003
11	Check	87820	91	0.003
12	87821		61	0.002
13	87822		17	<0.001
14	87823		81	0.002
15	87824		745	0.022
16	87825		29	<0.001
17	173		19	<0.001
18	174		23	<0.001
19	237		10	<0.001
20	238		13	<0.001
21	Check	238	7	<0.001
22	239		23	<0.001
23	244		475	0.014
24	245		7	<0.001
25	246		61	0.002
26	247		21	<0.001
27	248		64	0.002
28	249		9	<0.001
29	250		39	0.001

Entered By:

John Beer

ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
TT'N: TOM DRIVAS
AX (416) 653-1176

Mar 3, 1998

Job# 9840088

SAMPLE #	Customer	Gold ppb	Gold Oz/t
30	251	<5	<0.001
31 Check	251	<5	<0.001
32	252	14	<0.001
33	253	<5	<0.001
34	254	9	<0.001
35	255	8	<0.001
36	256	7	<0.001
37	257	<5	<0.001
38	258	77	0.002
39	259	16	<0.001
40	260	18	<0.001
41 Check	260	21	<0.001
42	261	14	<0.001
43	262	22	<0.001
44	263	11	<0.001
45	264	69	0.002
46	265	<5	<0.001
47	266	6	<0.001
48	267	9	<0.001
49	268	26	<0.001
50	269	<5	<0.001
51 Check	269	<5	<0.001
52	270	15	<0.001
53	271	<5	<0.001
54	272	<5	<0.001
55	273	<5	<0.001
56	274	166	0.005
57	279	179	0.005
58	280	384	0.011
59	281	30	<0.001

Certified By:

ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 3

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
TT'N: TOM DRIVAS
FAX (416) 653-1176

Mar 3, 1998

Job# 9840088

SAMPLE #	Customer	Gold ppb	Gold Oz/t
60	282	1650	0.048
61 Check	282	1606	0.047
62	283	423	0.012
63	284	118	0.003
64	285	46	0.001
65	286	178	0.005
66	287	<5	<0.001
67	290	34	<0.001
68	291	109	0.003
69	292	151	0.004
70	293	40	0.001
71 Check	293	43	0.001
72	294	32	<0.001
73	295	13	<0.001

Certified By:

ASSAY LABORATORIES
OF ASSAY LABORATORY SERVICES INC.

37468

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

R DURCE SERVICES
C. ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
THUNDER BAY, ONTARIO
M 2T7

Page 1

Mar 4, 1998

Job #9840077

S. PLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
1	<.1	2.00	9	<5	6	0.5	<3	7.08	<.5	20	162	197	1.96	0.02	<1	0.61
2	<.1	1.51	13	<5	6	0.5	<3	5.42	<.5	12	132	184	1.36	0.01	<1	0.48
3	0.3	3.36	9	<5	53	0.8	<3	5.99	<.5	21	248	103	3.72	0.17	2	1.47
4	<.1	0.81	10	21	29	0.7	<3	1.28	6.1	24	768	43	1.06	0.10	22	0.06
5	0.3	1.76	16	19	48	0.5	<3	2.28	0.7	30	391	206	4.00	0.11	2	0.88
6	<.1	1.29	7	13	72	0.4	<3	3.39	<.5	21	312	161	2.01	0.13	<1	0.63
7	<.1	1.26	3	<5	8	0.5	<3	5.74	<.5	13	237	259	1.87	0.04	<1	0.61
8	<.1	2.04	23	<5	156	0.5	<3	3.87	<.5	25	145	269	3.13	0.43	<1	1.14
9	<.1	2.02	9	10	189	0.6	<3	2.90	<.5	21	209	142	3.09	0.64	1	1.40
10	0.7	2.29	6	12	188	0.5	<3	2.39	<.5	30	209	1325	4.18	1.37	5	1.64
11	<.1	1.50	7	12	88	0.4	<3	1.57	<.5	19	125	132	2.95	0.60	3	1.03
12	1.4	3.05	16	16	252	0.5	<3	1.24	<.5	59	209	1608	6.85	2.19	2	2.12
13	0.8	3.31	30	14	168	0.5	5	1.12	<.5	50	168	298	6.66	1.55	2	2.25
14	2.6	4.87	25	10	329	0.6	13	1.63	0.9	80	190	2177	10.14	3.15	5	3.26
15	0.4	2.16	84	10	142	0.5	<3	2.21	<.5	67	180	431	4.49	1.28	3	1.50
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti ppm	V ppm	W ppm	Zn ppm	
1	632	3	0.26	55	328	9	<2	<5	0.05	<5	44	0.09	51	<2	23	
2	489	<1	0.20	41	216	2	<2	<5	0.06	<5	35	0.08	37	<2	20	
3	1040	2	0.15	65	381	10	<2	<5	0.04	<5	35	0.17	96	4	74	
4	484	<1	0.07	20	313	12	<2	<5	0.04	<5	12	0.01	21	12	797	
5	585	<1	0.12	63	419	8	<2	<5	0.07	<5	19	0.08	50	<2	57	
6	591	<1	0.13	47	387	7	<2	<5	0.03	<5	20	0.10	63	<2	33	
7	800	<1	0.13	35	389	7	<2	<5	0.05	<5	28	0.08	52	<2	29	
8	661	1	0.15	69	583	8	<2	<5	0.04	<5	21	0.20	80	<2	52	
9	471	<1	0.13	71	549	5	<2	<5	0.04	<5	23	0.17	101	4	36	
10	354	<1	0.08	71	690	14	<2	<5	0.04	<5	16	0.34	96	<2	34	
11	253	2	0.12	42	585	6	<2	<5	0.04	<5	10	0.28	74	<2	18	
12	378	1	0.07	103	685	14	<2	<5	0.02	<5	10	0.43	123	<2	39	
13	364	2	0.07	91	742	10	<2	<5	0.02	<5	6	0.42	116	<2	43	
14	543	3	0.08	114	921	18	<2	<5	0.06	<5	11	0.47	181	<2	87	
15	347	3	0.10	65	512	8	3	<5	0.03	<5	12	0.30	90	<2	27	

Certified By:



ACCURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

SOURCE SERVICES

ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M1S 2T7

Page 2

Mar 4, 1998

Job #9840077

SAMPLE #	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	K	La	Mg
	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	%	ppm	%
16	<.1	1.18	15	14	133	0.4	<3	1.57	<.5	29	561	65	2.48	0.79	23	0.60
17	<.1	0.98	11	19	85	0.4	<3	1.05	<.5	18	457	14	2.05	0.57	28	0.47
18	<.1	0.99	15	17	85	0.4	<3	1.40	0.6	27	564	258	2.14	0.62	24	0.47
19	0.3	1.13	25	<5	99	0.5	<3	2.92	<.5	31	479	866	2.72	0.56	22	0.61
20	<.1	0.90	13	13	90	0.4	<3	1.50	<.5	25	517	32	1.99	0.39	25	0.46
21	<.1	0.89	14	16	155	0.4	<3	0.73	<.5	19	528	13	1.89	0.45	25	0.45
22	<.1	1.03	24	11	137	0.5	<3	1.85	<.5	27	490	524	2.16	0.53	24	0.56
23	<.1	0.88	14	17	157	0.4	<3	0.92	<.5	15	376	18	1.81	0.52	27	0.50
24	<.1	0.90	16	20	152	0.4	<3	0.79	<.5	24	492	16	1.81	0.43	29	0.50
25	0.4	1.24	10	10	84	0.5	<3	2.39	<.5	19	168	760	2.98	0.55	4	0.97
26	<.1	1.02	12	10	51	0.4	<3	1.87	<.5	15	171	59	2.20	0.39	1	0.76
27	0.5	1.69	12	7	125	0.5	<3	1.91	<.5	20	152	31	3.47	1.03	3	1.29
28	1.4	1.45	7	9	99	0.5	6	1.61	0.9	27	155	1706	3.31	0.83	3	1.08
29	0.8	1.27	13	<5	85	0.5	<3	1.75	0.7	19	144	707	2.84	0.70	2	0.97
30	0.1	1.58	6	9	120	0.5	<3	1.38	<.5	18	142	24	3.18	0.88	3	1.25
		Mn	Mo	Na	Ni	P	Pb	Sb	Se	Si	Sn	Sr	Ti	V	W	Zn
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm
16	234	<1	0.06	28	516	8	<2	<5	0.02	<5	12	0.18	53	<2	13	
17	179	<1	0.05	18	559	7	<2	<5	0.02	<5	12	0.17	39	<2	11	
18	195	<1	0.06	22	742	6	<2	<5	0.02	<5	10	0.17	40	<2	23	
19	265	2	0.06	31	389	8	<2	<5	0.01	<5	19	0.14	52	46	29	
20	174	<1	0.06	21	660	6	<2	<5	0.01	<5	15	0.12	37	<2	11	
21	136	<1	0.05	19	625	8	<2	<5	0.02	<5	9	0.13	37	<2	13	
22	233	<1	0.06	25	566	12	<2	<5	0.02	<5	17	0.13	45	<2	16	
23	168	<1	0.07	18	708	8	<2	<5	0.02	<5	14	0.13	40	<2	11	
24	157	2	0.07	21	608	10	<2	<5	0.02	<5	13	0.11	41	<2	13	
25	367	1	0.11	48	777	10	<2	<5	0.04	<5	15	0.21	80	3	26	
26	244	<1	0.11	35	792	5	3	<5	0.02	<5	10	0.31	72	<2	15	
27	291	<1	0.10	54	859	9	<2	<5	0.04	<5	11	0.37	95	<2	21	
28	241	1	0.07	68	878	16	<2	<5	0.01	<5	7	0.34	84	<2	20	
29	231	1	0.08	52	760	10	<2	<5	0.03	<5	8	0.31	86	<2	18	
30	259	<1	0.07	52	825	10	<2	<5	0.03	<5	7	0.39	92	<2	21	

Certified By:



ACURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

R SOURCE SERVICES
 C. ROMIOS GOLD ESTATES
 147 OAKWOOD AVE.
 T ONTO, ONTARIO
 M 2T7

Page 3

Mar 4, 1998

Job #9840077

S PLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
31	<.1	1.28	16	<5	85	0.5	<3	2.20	<.5	16	122	243	2.60	0.60	2	0.91
32	0.7	1.44	38	<5	55	0.5	<3	4.17	<.5	30	137	981	3.03	0.41	3	1.05
33	0.2	1.62	13	12	99	0.5	<3	1.98	0.6	20	189	37	3.13	0.75	2	1.12
34	1.6	3.67	44	12	334	0.5	<3	0.97	1.0	80	181	616	8.30	2.58	3	2.45
35	0.9	2.60	12	8	200	0.5	<3	2.16	0.9	45	159	1063	5.68	1.83	3	1.76
36	0.8	1.87	45	9	105	0.5	<3	2.84	0.7	44	144	880	3.93	0.90	3	1.31
37	2.2	1.25	58	<5	57	0.5	<3	3.28	0.6	61	190	3978	3.77	0.36	2	0.84
38	5.7	2.18	167	9	208	0.6	20	2.29	1.1	153	209	8484	6.76	1.22	9	1.38
39	1.1	2.70	21	<5	268	0.6	24	3.63	1.0	46	229	1084	6.19	1.75	9	1.71
40	<.1	0.86	13	10	113	0.4	<3	0.93	<.5	25	528	43	1.81	0.55	22	0.38
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
31	307	1	0.09	48	721	7	<2	<5	0.03	<5	10	0.29	81	<2	23	
32	375	2	0.09	63	683	8	<2	<5	0.04	<5	14	0.28	88	<2	21	
33	275	2	0.10	56	547	11	<2	<5	0.02	<5	12	0.25	74	<2	21	
34	404	1	0.10	113	617	15	<2	<5	0.05	<5	8	0.48	145	<2	49	
35	368	2	0.08	73	481	11	<2	<5	0.02	<5	13	0.35	87	<2	34	
36	380	2	0.13	56	524	11	3	<5	0.04	<5	16	0.24	80	<2	26	
37	328	3	0.10	91	614	13	<2	<5	0.03	<5	15	0.13	58	<2	41	
38	342	3	0.09	175	548	23	6	<5	0.02	<5	16	0.28	98	21	69	
39	473	5	0.07	84	576	12	<2	<5	0.04	<5	25	0.33	126	400	39	
40	163	2	0.06	31	508	10	<2	<5	<.01	<5	9	0.14	36	6	10	

Certified By:

RASSAY LABORATORIES

V OF ASSAY LABORATORY SERVICES INC.

375C8

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

R SOURCE SERVICES
c/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M5T 2T7

Page 1

Mar 20, 1998

Job #9840096

S	PLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
	87814	1.8	2.29	141	<5	142	0.2	7	0.07	<.5	20	174	860	5.27	1.49	13	0.56
	87815	1.0	2.18	282	<5	121	0.2	<3	0.10	<.5	22	172	542	5.06	1.33	14	0.47
	87816	<.1	1.30	90	<5	59	0.1	<3	0.08	<.5	20	216	212	3.03	0.70	16	0.27
	87817	0.4	1.47	434	<5	62	0.1	7	0.13	<.5	27	123	401	3.03	0.81	19	0.30
	87818	0.8	1.78	148	<5	71	0.2	33	0.13	<.5	22	123	367	3.86	0.94	16	0.37
	87819	0.5	1.55	377	<5	53	0.1	<3	0.12	<.5	34	120	516	3.33	0.76	14	0.39
	87820	4.1	1.55	204	<5	61	0.2	21	0.10	0.7	68	121	3093	3.80	0.84	16	0.35
	87821	1.6	1.37	402	<5	52	0.2	3	0.10	<.5	50	92	1400	2.85	0.67	13	0.29
	87822	0.8	1.22	277	<5	31	0.1	<3	0.11	<.5	29	113	605	2.50	0.39	33	0.36
	87823	3.0	1.65	363	<5	64	0.2	21	0.14	<.5	45	281	1328	3.65	0.75	32	0.41
	87824	9.5	1.72	805	<5	64	0.2	153	0.19	1.2	43	176	3269	4.66	0.81	31	0.49
	87825	<.1	1.97	340	<5	62	0.3	<3	0.40	<.5	33	154	267	3.17	0.57	34	0.48
	87826	<.1	2.61	1482	<5	45	0.4	<3	1.04	<.5	21	156	177	2.53	0.40	28	0.58
	87827	<.1	1.93	171	<5	95	0.2	<3	0.14	<.5	14	82	154	3.86	1.08	16	0.51
	87828	<.1	2.16	132	<5	93	0.2	<3	0.14	<.5	14	181	142	4.68	1.23	23	0.60
		Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
		106	2	0.04	16	817	8	<2	<5	0.03	<5	2	0.19	41	8	5	
		138	4	0.04	17	620	4	<2	<5	0.04	<5	3	0.18	37	<2	9	
		116	<1	0.03	15	493	3	<2	<5	0.04	<5	2	0.09	19	4	5	
		133	<1	0.04	21	684	6	<2	<5	0.04	<5	3	0.10	21	<2	7	
		252	4	0.04	26	733	4	<2	<5	0.04	<5	3	0.12	29	<2	8	
		163	1	0.04	24	727	5	<2	<5	0.04	<5	3	0.10	24	<2	9	
		156	1	0.04	23	558	16	<2	<5	0.04	<5	3	0.11	21	3	19	
		124	2	0.04	13	465	6	<2	<5	0.04	<5	2	0.08	16	<2	11	
		140	1	0.03	10	566	8	3	<5	0.05	<5	2	0.05	14	4	14	
		122	3	0.03	17	729	9	<2	<5	0.04	<5	4	0.10	26	4	12	
		150	4	0.03	24	1263	12	<2	<5	0.05	<5	3	0.12	35	4	19	
		143	<1	0.05	15	907	8	6	<5	0.05	<5	7	0.07	22	24	8	
		218	2	0.11	32	611	12	3	<5	0.06	<5	17	0.05	25	10	16	
		130	1	0.04	14	610	5	3	<5	0.04	<5	3	0.14	32	<2	9	
		188	2	0.05	39	483	5	<2	<5	0.05	<5	3	0.16	35	<2	18	

Certified By:



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

SOURCE SERVICES

ROMIOS GOLD ESTATES
 147 OAKWOOD AVE.
 TORONTO, ONTARIO
 M5E 2T7

Page 2

Mar 20, 1998

Job #9840096

MPL#	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
87829	1.0	4.94	4666	<5	163	0.5	6	1.13	2.0	27	167	568	7.63	1.79	21	1.32
87830	<.1	2.58	352	<5	130	0.2	3	0.14	<.5	15	151	155	5.72	1.64	24	0.73
87831	<.1	2.77	255	<5	147	0.2	<3	0.16	<.5	12	156	109	6.02	1.77	15	0.84
87832	<.1	2.10	237	<5	81	0.2	<3	0.16	<.5	14	100	180	4.30	1.29	29	0.57
87833	1.2	2.51	521	<5	68	0.3	<3	0.55	<.5	29	116	499	4.14	1.02	34	0.61
87834	<.1	3.11	1948	<5	73	0.3	3	2.00	0.6	33	152	195	2.85	0.48	14	0.78
87835	0.9	3.33	1434	<5	119	0.3	4	0.78	<.5	42	124	572	5.15	1.20	38	0.92
87836	0.9	1.96	55	<5	64	0.3	<3	0.44	<.5	19	139	337	2.93	0.90	37	0.52
87837	0.4	2.20	21	<5	109	0.3	<3	0.23	<.5	18	80	186	4.25	1.30	43	0.55
87838	<.1	2.02	13	<5	95	0.2	<3	0.22	<.5	18	130	154	4.15	1.07	17	0.47
87839	0.7	1.94	28	<5	99	0.3	3	0.22	<.5	27	66	232	6.05	1.01	31	0.41
87840	0.6	1.67	22	<5	59	0.3	9	0.16	<.5	26	72	199	6.74	0.65	35	0.51
87841	0.3	1.55	13	<5	55	0.3	<3	0.22	<.5	29	123	119	6.58	0.52	39	0.50
87842	0.5	1.21	19	<5	54	0.4	5	0.20	<.5	32	101	129	6.43	0.56	39	0.32
87843	0.8	2.21	19	<5	74	0.6	20	0.50	<.5	32	144	171	6.17	0.90	40	0.59
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
87829	249	1	0.13	54	979	37	3	<5	0.04	<5	16	0.22	101	2	67	
87830	151	1	0.05	44	898	10	<2	<5	0.06	<5	3	0.22	56	3	21	
87831	140	2	0.06	52	891	8	2	<5	0.06	<5	3	0.24	64	<2	22	
87832	125	<1	0.05	18	868	7	<2	<5	0.03	<5	3	0.17	43	3	7	
87833	186	2	0.09	49	873	11	3	<5	0.04	<5	10	0.14	59	<2	14	
87834	337	2	0.14	40	568	12	4	<5	0.05	<5	52	0.11	47	7	31	
87835	187	2	0.12	23	812	16	<2	<5	0.04	<5	12	0.17	52	3	25	
87836	166	1	0.08	21	621	11	<2	<5	0.04	<5	24	0.12	31	<2	14	
87837	131	1	0.05	27	1195	9	<2	<5	0.04	<5	4	0.16	47	4	14	
87838	190	2	0.05	54	1207	7	<2	<5	0.05	<5	5	0.14	45	<2	22	
87839	144	1	0.05	30	1252	8	<2	<5	0.06	<5	5	0.11	59	<2	22	
87840	225	1	0.04	26	740	9	2	<5	0.07	<5	3	0.07	44	<2	32	
87841	233	2	0.04	58	1050	9	<2	<5	0.04	<5	3	0.06	43	<2	39	
87842	220	<1	0.04	34	882	6	<2	<5	0.03	<5	3	0.06	28	<2	32	
87843	296	<1	0.06	33	674	8	<2	<5	0.05	<5	10	0.11	42	<2	43	

Certified By: _____



ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

SOURCE SERVICES

c/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M5E 2T7

Page 3

Mar 20, 1998

Job #9840096

AMPLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
87844	<.1	2.36	59	<5	44	0.6	<3	0.57	<.5	24	149	92	5.61	0.56	41	0.71
87845	0.4	1.25	160	<5	52	0.2	<3	0.19	<.5	23	79	224	3.00	0.41	40	0.31
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
87844	207	3	0.07	32	765	6	<2	<5	0.07	<5	14	0.07	49	<2	35	
87845	154	1	0.04	23	762	7	2	<5	0.05	<5	4	0.03	26	<2	13	

Certified By: _____

SAY LABORATORIES
1Y LABORATORY SERVICES INC.

37 SC 7

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820
Page 1

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
ORONTO, ONTARIO
M6E 2T7
TT'N: TOM DRIVAS
AX (416) 653-1176

Mar 6, 1998

Job# 9840096

SAMPLE #	Customer	Gold ppb	Gold Oz/t
1	87826	16	<0.001
2	87827	10	<0.001
3	87828	11	<0.001
4	87829	70	0.002
5	87830	10	<0.001
6	87831	10	<0.001
7	87832	10	<0.001
8	87833	9	<0.001
9	87834	31	<0.001
10	87835	152	0.004
11 Check	87835	143	0.004
12	87836	8	<0.001
13	87837	9	<0.001
14	87838	11	<0.001
15	87839	50	0.001
16	87840	6	<0.001
17	87841	7	<0.001
18	87842	15	<0.001
19	87843	10	<0.001
20	87844	<5	<0.001
21 Check	87844	<5	<0.001
22	87845	34	<0.001
23	87846	8	<0.001
24	87847	186	0.005
25	87848	26	<0.001
26	87849	308	0.009
27	87850	858	0.025
28	240	7	<0.001
29	241	12	<0.001

Certified By: _____

JURASSAY LABORATORIES

DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

SOURCE SERVICES
/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATT'N: TOM DRIVAS
FAX (416) 653-1176

Mar 6, 1998

Job# 9840096

Sample #	Customer	Gold ppb	Gold Oz/t
30	242	11	<0.001
31 Check	242	10	<0.001
32	243	11	<0.001
33	275	<5	<0.001
34	276	7	<0.001
35	277	6	<0.001
36	278	39	0.001
37	288	<5	<0.001
38	289	20	<0.001
39	296	22	<0.001
40	297	<5	<0.001
41 Check	297	<5	<0.001
42	298	<5	<0.001
43	299	18	<0.001
44	300	90	0.003
45	301	6	<0.001
46	302	7	<0.001
47	303	152	0.004
48	304	20	<0.001
49	305	547	0.016
50	306	119	0.003
51 Check	306	105	0.003
52	307	10	<0.001
53	308	72	0.002
54	309	62	0.002
55	310	26	<0.001
56	311	21	<0.001
57	312	19	<0.001
58	313	30	<0.001
59	314	21	<0.001

Certified By: _____

JURASSAY LABORATORIES

DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 3

SOURCE SERVICES
ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATT'N: TOM DRIVAS
FAX (416) 653-1176

Mar 6, 1998

Job# 9840096

Sample #	Customer	Gold ppb	Gold Oz/t
60	315	22	<0.001
61 Check	315	24	<0.001
62	316	20	<0.001
63	317	16	<0.001
64	318	8	<0.001
65	319	7	<0.001
66	320	6	<0.001
67	321	<5	<0.001
68	322	11	<0.001
69	323	37	0.001
70	324	<5	<0.001
71 Check	324	<5	<0.001
72	325	9	<0.001
73	326	<5	<0.001
74	327	<5	<0.001
75	328	7	<0.001
76	329	<5	<0.001
77	330	8	<0.001
78	331	9	<0.001
79	332	7	<0.001
80	333	10	<0.001
81 Check	333	11	<0.001
82	334	8	<0.001
83	335	46	0.001
84	336	15	<0.001
85	337	8	<0.001
86	338	24	<0.001
87	339	8	<0.001
88	340	12	<0.001
89	341	8	<0.001

Certified By: _____

JRASSAY LABORATORIES

VISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 4

JRCE SERVICES
ROMIOS GOLD ESTATES
47 OAKWOOD AVE.
ORONTO, ONTARIO
M6E 2T7
TT'N: TOM DRIVAS
AX (416) 653-1176

Mar 6, 1998

Job# 9840096

SAMPLE #
curassay Customer

Gold
ppb Gold
Oz/t

90	342	7	<0.001
91 Check	342	7	<0.001
92	343	<5	<0.001
93	344	<5	<0.001
94	345	35	<0.001
95	346	13	<0.001
96	347	59	0.002
97	348	7	<0.001
98	349	6	<0.001
99	350	<5	<0.001
100	351	<5	<0.001
101 Check	351	<5	<0.001
102	352	<5	<0.001
103	353	<5	<0.001
104	354	<5	<0.001
105	355	1252	0.037
106	356	69	0.002
107	357	50	0.001
108	357 A	544	0.016
109	358	40	0.001
110	359	9	<0.001
111 Check	359	8	<0.001
112	360	17	<0.001
113	361	210	0.006
114	362	45	0.001
115	363	77	0.002
116	364	27	<0.001
117	365	75	0.002
118	366	45	0.001
119	367	26	<0.001

Specified By: _____

JRASSAY LABORATORIES

VISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 5


SOURCE SERVICES
P.O. ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M5E 2T7
ATT'N: TOM DRIVAS
FAX (416) 653-1176

Mar 6, 1998

Job# 9840096

Accurassay	SAMPLE #	Customer	Gold ppb	Gold Oz/t
	120			
	121	Check	368	<0.001
	122		368	<0.001
	123		369	<0.001
	124		370	<0.001
	125		371	0.002
	126		372	<0.001
	127		373	<0.001
	128		374	0.003
	129		375	<0.001
	130		376	<0.001
	131	Check	377	0.002
	132		377	0.001
	133		378	<0.001
	134		379	<0.001
			380	<0.001

Certified By:



SURFER
1089642
A DIVISION OF Ontario
Thunder Bay,
Street - Thunder Bay,
Signature

PICK UP
ATTENTION
RECEIVE

ACURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 1

RESOURCE SERVICES

c/o ROMIOS GOLD ESTATES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
ATTN: TOM DRIVAS
FAX (416) 653-1176

Mar 12, 1998

Job# 9840102

SAMPLE #	Customer	Gold	Gold
		ppb	Oz/t
1	381	164	0.005
2	382	49	0.001
3	383	78	0.002
4	384	56	0.002
5	385	88	0.003
6	386	16	<0.001
7	387	237	0.007
8	388	25	<0.001
9	389	91	0.003
10	390	154	0.004
11 Check	390	150	0.004
12	391	43	0.001
13	392	19	<0.001
14	393	58	0.002
15	394	34	<0.001
16	395	176	0.005
17	396	87	0.003
18	397	43	0.001
19	398	493	0.014
20	399	59	0.002
21 Check	399	52	0.002
22	400	15	<0.001
23	401	33	<0.001
24	402	8	<0.001
25	403	14	<0.001
26	404	16	<0.001
27	405	25	<0.001
28	406	20	<0.001
29	407	9	<0.001

Certified By: _____

ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 2

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
INT'L: TOM DRIVAS
TEL: (416) 653-1176

Mar 12, 1998

Job# 9840102

SAMPLE #	Customer	Gold ppb	Gold Oz/t
30	408	22	<0.001
31 Check	408	21	<0.001
32	409	57	0.002
33	410	27	<0.001
34	411	12	<0.001
35	412	8	<0.001
36	413	13	<0.001
37	414	9	<0.001
38	415	7	<0.001
39	416	79	0.002
40	417	20	<0.001
41 Check	417	24	<0.001
42	418	21	<0.001
43	419	42	0.001
44	420	<5	<0.001
45	421	50	0.001
46	422	8	<0.001
47	423	<5	<0.001
48	424	37	0.001
49	425	35	<0.001
50	426	96	0.003
51 Check	426	102	0.003
52	427	31	<0.001
53	428	58	0.002
54	429	14	<0.001
55	430	10	<0.001
56	431	21	<0.001
57	432	6	<0.001
58	433	11	<0.001
59	434	<5	<0.001

Certified By: _____

ACCURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 3

SOURCE SERVICES
ROMIOS GOLD ESTATES
OAKWOOD AVE.
ONTARIO, ONTARIO
N2T 2T7
N: TOM DRIVAS
(416) 653-1176

Mar 12, 1998

Job# 9840102

SAMPLE #	Customer	Gold ppb	Gold Oz/t
60	435	7	<0.001
61 Check	435	7	<0.001
62	436	9	<0.001
63	437	<5	<0.001
64	438	<5	<0.001
65	439	30	<0.001
66	440	73	0.002
67	441	46	0.001
68	442	41	0.001
69	443	23	<0.001
70	444	25	<0.001
71 Check	444	25	<0.001
72	445	50	0.001
73	446	166	0.005
74	447	254	0.007
75	448	214	0.006
76	449	72	0.002
77	450	147	0.004
78	451	79	0.002
79	452	62	0.002
80	453	45	0.001
81 Check	453	44	0.001
82	454	14	<0.001
83	455	35	<0.001
84	456	30	<0.001
85	457	17	<0.001
86	458	52	0.002
87	459	88	0.003
88	460	31	<0.001
89	461	57	0.002

Certified By:



ACCURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 4

RESOURCE SERVICES
ROMIOS GOLD ESTATES
4 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
N: TOM DRIVAS
(416) 653-1176

Mar 12, 1998

Job# 9840102

SAMPLE #	Customer	Gold ppb	Gold Oz/t
90	462	29	<0.001
91 Check	462	29	<0.001
92	463	16	<0.001
93	464	141	0.004
94	465	30	<0.001
95	466	25	<0.001
96	467	60	0.002
97	468	56	0.002
98	469	65	0.002
99	470	127	0.004
100	471	37	0.001
101 Check	471	31	<0.001
102	472	23	<0.001
103	473	23	<0.001
104	474	43	0.001
105	475	85	0.002
106	476	109	0.003
107	477	153	0.004
108	478	45	0.001
109	479	74	0.002
110	480	57	0.002
111 Check	480	32	<0.001
112	481	143	0.004
113	482	113	0.003
114	483	122	0.004
115	484	310	0.009
116	485	36	0.001
117	486	30	<0.001
118	487	31	<0.001
119	488	66	0.002

Certified By:

ACCURASSAY LABORATORIES
A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

Page 5

RESOURCE SERVICES
c/o ROMIOS GOLD ESTATES
17 OAKWOOD AVE.
TORONTO, ONTARIO
M6E 2T7
A T'N: TOM DRIVAS
F.X (416) 653-1176

Mar 12, 1998

Job# 9840102

SAMPLE #		Gold ppb	Gold Oz/t
A curassay	Customer		
120	489	114	0.003
121 Check	489	93	0.003
122	490	48	0.001
123	491	24	<0.001
124	492	16	<0.001
125	493	7	<0.001
126	494	27	<0.001
127	495	109	0.003
128	496	25	<0.001
129	87601	40	0.001

Certified By:



URASSAY LABORATORIES

ON OF ASSAY LABORATORY SERVICES INC.

37510

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

1 SOURCE SERVICES

C, J ROMIOS GOLD RESOURCES
147 OAKWOOD AVE.
1 TORONTO, ONTARIO
P : 217

Page 1

Apr 2, 1998

Job #9840132

SAMPLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
455	0.7	2.58	40	<5	94	0.8	7	1.23	<.5	24	153	295	3.59	0.78	41	0.61
456	<.1	3.05	59	<5	100	0.9	5	1.25	<.5	17	189	170	3.52	1.02	37	0.73
457	0.7	2.09	124	<5	88	0.4	<3	0.46	<.5	17	160	171	4.05	1.09	38	0.64
458	0.8	1.41	123	<5	71	0.2	3	0.17	<.5	17	105	360	5.37	0.93	16	0.49
459	1.9	1.84	141	<5	89	0.4	3	0.19	<.5	17	98	463	4.11	1.07	30	0.62
460	0.2	2.16	810	<5	82	0.4	6	0.43	<.5	18	172	187	4.44	1.07	38	0.79
461	0.4	1.70	216	<5	93	0.2	<3	0.17	<.5	14	83	200	4.67	1.05	24	0.58
462	0.8	2.28	1050	<5	78	0.5	<3	0.77	<.5	17	125	153	3.61	0.96	37	0.65
463	<.1	3.19	500	5	154	0.5	7	0.79	<.5	29	117	120	5.28	1.46	42	1.26
464	<.1	3.63	403	7	197	0.6	26	0.98	<.5	20	176	79	5.22	1.53	49	1.48
465	<.1	2.75	257	<5	147	0.5	6	0.71	<.5	14	156	51	4.37	1.47	57	0.95
466	<.1	2.33	183	6	135	0.5	6	0.65	<.5	19	147	223	4.10	1.18	45	0.73
467	1.1	1.57	730	<5	66	0.3	4	0.41	<.5	16	104	132	2.55	0.68	38	0.53
468	0.2	1.01	934	<5	32	0.2	<3	0.16	<.5	18	81	68	1.96	0.51	31	0.28
469	1.4	1.02	72	<5	34	0.2	<3	0.20	<.5	20	62	189	2.28	0.50	28	0.27
Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm		
455	295	3	0.13	29	650	14	6	<5	0.04	<5	26	0.10	31	<2	40	
456	268	2	0.16	26	552	15	<2	<5	0.07	<5	35	0.14	33	<2	33	
457	188	2	0.06	28	842	9	6	<5	0.07	<5	17	0.14	35	<2	20	
458	132	1	0.03	27	729	8	<2	<5	0.03	<5	4	0.13	35	<2	11	
459	248	2	0.04	24	789	10	6	<5	0.05	<5	4	0.13	32	3	23	
460	196	1	0.05	28	701	12	5	<5	0.03	<5	7	0.14	35	<2	19	
461	162	1	0.04	25	657	7	3	<5	0.03	<5	3	0.13	33	<2	6	
462	257	2	0.08	21	924	9	5	<5	0.04	<5	11	0.12	28	<2	30	
463	263	2	0.08	27	989	16	<2	<5	0.08	<5	12	0.19	55	<2	21	
464	343	2	0.11	28	1188	17	3	<5	0.04	<5	23	0.20	67	12	26	
465	294	1	0.09	24	1284	13	<2	<5	0.05	<5	12	0.19	54	<2	16	
466	245	2	0.08	35	1045	13	7	<5	0.05	<5	14	0.16	42	<2	25	
467	217	1	0.04	23	918	9	3	<5	0.04	<5	6	0.09	27	<2	22	
468	144	2	0.03	11	503	5	<2	<5	0.03	<5	2	0.04	14	<2	20	
469	172	<1	0.03	11	436	15	<2	<5	0.03	<5	2	0.04	11	<2	47	

Certified By:





ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

SOURCE SERVICES

c/o ROMIOS GOLD RESOURCES
 147 OAKWOOD AVE.
 RONTO, ONTARIO
 E 2T7

Page 2


Apr 2, 1998

Job #9840132

MPL#	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
470	1.2	1.03	201	<5	31	0.2	3	0.23	<.5	8	78	150	1.66	0.50	36	0.29
471	1.9	0.97	636	<5	29	0.2	<3	0.15	<.5	17	62	462	2.19	0.51	32	0.24
472	0.2	1.10	2457	<5	32	0.2	<3	0.13	<.5	12	58	79	2.26	0.57	36	0.30
473	0.8	1.17	1017	<5	31	0.2	<3	0.13	<.5	14	60	42	2.46	0.67	32	0.36
474	0.5	1.10	269	<5	29	0.2	<3	0.12	<.5	10	57	114	2.82	0.64	24	0.31
475	1.3	1.20	140	<5	39	0.2	18	0.11	<.5	6	72	158	3.03	0.69	16	0.32
476	1.0	1.30	1210	<5	43	0.2	<3	0.10	<.5	14	84	262	4.06	0.76	15	0.43
477	1.4	1.18	411	<5	37	0.2	<3	0.20	<.5	20	64	304	3.31	0.62	29	0.40
478	1.7	1.13	19	<5	42	0.2	<3	0.13	<.5	14	76	273	4.51	0.67	29	0.43
479	0.7	1.20	923	<5	45	0.2	<3	0.12	0.6	14	62	204	3.70	0.67	26	0.31
480	0.2	1.80	520	<5	40	0.5	<3	0.66	0.7	10	97	99	3.82	0.65	29	0.54
481	<1	1.46	249	<5	49	0.3	<3	0.25	<.5	14	54	44	3.25	0.74	29	0.40
482	2.2	1.37	45	<5	38	0.3	3	0.12	0.7	71	73	502	10.74	0.85	22	0.53
483	0.3	1.43	998	<5	63	0.2	<3	0.10	<.5	13	65	37	4.83	0.93	16	0.49
484	0.8	1.21	729	<5	48	0.2	4	0.10	1.7	10	104	73	4.47	0.80	11	0.45
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
470	199	2	0.03	9	394	8	4	<5	0.03	<5	3	0.05	8	<2	50	
471	149	<1	0.03	11	401	10	2	<5	0.04	<5	2	0.04	11	<2	30	
472	171	<1	0.03	12	534	6	<2	<5	0.04	<5	2	0.04	15	<2	7	
473	189	<1	0.02	12	581	9	3	<5	0.03	<5	2	0.06	16	<2	8	
474	203	1	0.02	12	465	8	3	<5	0.03	<5	2	0.06	15	<2	18	
475	219	1	0.03	10	469	9	2	<5	0.05	<5	2	0.07	17	<2	9	
476	313	2	0.02	16	484	6	<2	<5	0.04	<5	2	0.09	21	<2	4	
477	227	1	0.03	14	590	8	<2	<5	0.03	<5	2	0.07	15	<2	11	
478	229	2	0.02	11	576	9	2	<5	0.03	<5	2	0.09	22	<2	12	
479	217	2	0.03	11	493	10	6	<5	0.04	<5	2	0.06	21	<2	35	
480	275	2	0.04	13	595	15	<2	<5	0.04	<5	5	0.08	19	<2	72	
481	254	2	0.03	11	432	9	2	<5	0.05	<5	3	0.08	19	<2	33	
482	288	3	0.02	25	483	10	<2	<5	0.06	<5	2	0.10	18	<2	20	
483	233	3	0.03	14	593	12	4	<5	0.03	<5	2	0.12	31	<2	5	
484	225	2	0.02	18	382	11	<2	<5	0.03	<5	2	0.11	26	<2	6	

Certified By:





ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
THUNDER BAY, ONTARIO P7B 6G3
PHONE (807) 623-6448
FAX (807) 623-6820

SOURCE SERVICES

TO ROMIOS GOLD RESOURCES
147 OAKWOOD AVE.
TORONTO, ONTARIO
M5E 2T7

Page 3

Apr 2, 1998

Job #9840132

SAMPLE #	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
485	<.1	2.23	473	<5	67	0.4	6	0.50	<.5	15	82	74	4.29	1.18	27	0.63
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
485	259	2	0.04	28	473	18	3	<5	0.05	<5	6	0.15	27	<2	44	

Certified By:





ACCURASSAY LABORATORIES

A DIVISION OF ASSAY LABORATORY SERVICES INC.

1070 LITHIUM DRIVE, UNIT 2
 THUNDER BAY, ONTARIO P7B 6G3
 PHONE (807) 623-6448
 FAX (807) 623-6820

SOURCE SERVICES

ROMIOS GOLD RESOURCES
 147 OAKWOOD AVE.
 TORONTO, ONTARIO
 E 2T7

Page 1

Apr 27, 1998

Job #9840177

MPL#	Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	K %	La ppm	Mg %
87601	0.8	2.94	114	12	170	0.5	16	0.53	<.5	14	140	152	5.08	1.55	48	1.03
87850	1.7	1.17	53	7	35	0.4	40	0.18	<.5	23	180	351	6.01	0.61	26	0.42
488	1.8	2.18	130	6	36	0.8	4	0.91	<.5	40	126	204	7.59	0.73	31	0.61
489	0.1	1.83	113	6	38	0.8	<3	0.66	3.5	11	83	38	3.62	0.66	50	0.44
490	<.1	2.12	98	5	32	1.0	<3	0.93	<.5	11	146	29	2.72	0.70	53	0.53
491	<.1	1.97	179	5	43	0.8	<3	0.71	<.5	9	79	23	2.08	0.73	55	0.47
492	0.4	1.45	48	6	25	0.7	<3	0.55	<.5	9	115	54	2.90	0.57	56	0.52
493	<.1	2.95	46	5	49	0.9	<3	1.46	<.5	9	141	33	1.91	0.80	27	0.75
	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	Sb ppm	Se ppm	Si %	Sn ppm	Sr ppm	Ti %	V ppm	W ppm	Zn ppm	
87601	265	3	0.05	35	1666	17	16	<5	0.08	<5	9	0.21	64	<2	24	
87850	239	1	0.02	15	637	9	8	<5	0.03	<5	2	0.09	25	<2	25	
488	369	1	0.07	19	776	27	13	<5	0.03	<5	10	0.10	20	<2	77	
489	329	2	0.05	13	1104	19	11	<5	0.03	<5	10	0.08	10	<2	140	
490	353	2	0.07	11	958	15	8	<5	0.03	<5	12	0.09	13	6	71	
491	264	2	0.06	9	1136	21	9	<5	0.04	<5	10	0.08	10	<2	69	
492	247	2	0.04	11	725	20	12	<5	0.03	<5	8	0.08	10	<2	105	
493	436	1	0.12	9	945	22	10	<5	0.05	<5	16	0.10	15	<2	81	

Certified By:



Ministry of
Northern Development
and Mines

Declaration of Assessment Work Performed on Mining Land

Mining Act, Subsection 65(2) and 66(3), R.S.O. 1990

Transaction Number (office use)

19830.00064
Assessment Files Research Imaging



53B16SW2001 2.18659

AKOW LAKE

900

subsections 65(2) and 66(3) of the Mining Act. Under section 8 of the Mining Act, assessment work and correspond with the mining land holder. Questions about this

Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury,

Instructions: - For work performed on Crown Lands before recording a claim, use form 0240.
- Please type or print in ink.

2.18659

1. Recorded holder(s) (Attach a list if necessary)

Name	Client Number
Ramios Gold Resources Inc.	301937
Address	Telephone Number
147 Oakwood Drive	416-653-1162
Toronto, Ontario, M6E 2T7	Fax Number
Name	Client Number
Address	Telephone Number
	Fax Number

2. Type of work performed: Check (✓) and report on only ONE of the following groups for this declaration.

Geotechnical: prospecting, surveys, assays and work under section 18 (regs)	Physical: drilling stripping, trenching and associated assays	Rehabilitation
Work Type	Office Use	
Diamond Drilling	Commodity	
Dates Work Performed	From Day Month Year To Day Month Year	Total \$ Value of Work Claimed
5/1	Jan 98	\$ 315,385
Global Positioning System Data (if available)	Township/Area	NTS Reference
	Akow Lake, North Caribou Lake	Mining Division
	Frichsen Lake, Skinner Lake	Resident Geologist
	M or G-Plan Number G-1928 G-2215	District
	G2147 G-2029 G-2210	Snow Lookout

Please remember to: - obtain a work permit from the Ministry of Natural Resources as required;

- provide proper notice to surface rights holders before starting work;
- complete and attach a Statement of Costs, form 0212;
- provide a map showing contiguous mining lands that are linked for assigning work;
- include two copies of your technical report.

3. Person or companies who prepared the technical report (Attach a list if necessary)

Name	Telephone Number
Ian Spence	807-475-5750
Address	Fax Number
2180 Falconcrest Drive	807-474-0925
Name	Telephone Number
Thunder Bay, Ontario, P7E 4V2	
Address	Fax Number
Name	Telephone Number
Address	Fax Number

4. Certification by Recorded Holder or Agent

I, William Ian Spence, do hereby certify that I have personal knowledge of the facts set forth in

(Print Name)

this Declaration of Assessment Work having caused the work to be performed or witnessed the same during or after its completion and, to the best of my knowledge, the annexed report is true.

Signature of Recorded Holder or Agent

Agent's Address	Telephone Number	Date
2180 Falconcrest Dr, Thunder Bay, Ont	807-475-5750	May 11/98
		Fax Number
		807-474-0925

0241 (03/97)

Deemed
August 12/1998

RECEIVED

MAY 14 1998

GEOSCIENCE ASSESSMENT

J.P.
A.J.

May-19-98 11:50A Ian and Marty Spence

807-473-0925

P.01

the mining land where work was performed, at the time work was performed, it must accompany this form.

P.04/94

W9860.00064

Mining Claim Number, Or a work was done on other eligible mining land, show in this column the location number indicated on the claim map.	Number of Credit Units. For other mining land, the location number indicated on the claim map.	Value of work performed on this claim or other mining land.	Value of work applied to this claim.	Value of work assigned to other mining claims.	Final Value of work to be distributed at a future date.
09 TB 7827	16 hrs	\$25. 025	N/A	\$04,000	\$2,025
08 1234567	12	0	\$24,000	0	0
09 1234568	2	\$ 6, 000	\$ 4,000	0	\$4,000
1					
2					
3					
4					
5					
6					
7					
8					
9					
10					
11					
12					
13					
14					
15					
Column Totals					

see Inclusive

Please Schedule

I, William Ian Spence, do hereby certify that the above work credits are eligible under subsection 7 (1) of the Assessment Work Regulation 6/96 for assignment to contiguous claims or for application to the claim where the work was done.

Signature of Miner or Agent Authorized to Sign

May 19/98

6. Instructions for cutting back credits that are not approved.

Some of the credits claimed in this declaration may be cut back. Please check (-) in the boxes below to show how you wish to prioritize the deletion of credits:

- 1. Credits are to be cut back from the Bank first, followed by option 2 or 3 or 4 as indicated.
- 2. Credits are to be cut back starting with the claims listed last, working backwards; or
- 3. Credits are to be cut back equally over all claims listed in this declaration; or
- 4. Credits are to be cut back as prioritized on the attached appendix or as follows (describe):

18659

Note: If you have not indicated how your credits are to be deleted, credits will be cut back from the Bank first, followed by option number 2 if necessary.

For Office Use Only

Received Date	Mineral Approved Date	Claim Notification Date
Date Approved	Total Value of Credit Approved	
Approved for Recording by Mining Recorder (Signature)		

See page

** TOTAL PAGE. 04 **

MAY 19 '98 12:56

807 473 0925

PAGE. 01



Schedule for Declaration of Assessment Work on Mining Land

RECEIVED

MAY 14 1998

GEOSCIENCE ASSESSMENT



**Statement of Costs
for Assessment Credit**

Transaction Number (office use)

69830.0064

Personal information collected on this form is obtained under the authority of subsection 6 (1) of the Assessment Work Regulation 6/96. Under section 8 of the Mining Act, this information is a public record. This information will be used to review the assessment work and correspond with the mining land holder. Questions about this collection should be directed to a Provincial Mining Recorder, Ministry of Northern Development and Mines, 3rd Floor, 933 Ramsey Lake Road, Sudbury, Ontario, P3E 6B5.

Work Type	Units of work	Cost Per Unit of work	Total Cost
Drilling (Diamond)	2,825 meters	\$116.95	\$255,250
Assays (Assay)			\$10,158
Consultants fees (6 men) (includes, reports, maps, insurance, geological supplies etc)		\$20.65	\$3870.00
Associated Costs (e.g. supplies, mobilization and demobilization).			
Air Transport (Mod + De Mod)		\$4.23	\$237
Care Rack		\$0.82	\$788.
Insurance (Camp)		\$0.50	\$1,082
Transportation Costs			

Food and Lodging Costs

RECEIVED
MAY 14 1998
GEOSCIENCE ASSESSMENT

Total Value of Assessment Work

\$315,385

2.18659

Calculations of Filing Discounts:

1. Work filed within two years of performance is claimed at 100% of the above Total Value of Assessment Work.
2. If work is filed after two years and up to five years after performance, it can only be claimed at 50% of the Total Value of Assessment Work. If this situation applies to your claims, use the calculation below:

TOTAL VALUE OF ASSESSMENT WORK

x 0.50 =

Total \$ value of worked claimed.

Note:

- Work older than 5 years is not eligible for credit.
- A recorded holder may be required to verify expenditures claimed in this statement of costs within 45 days of a request for verification and/or correction/clarification. If verification and/or correction/clarification is not made, the Minister may reject all or part of the assessment work submitted.

Certification verifying costs:

I, William Ian Spence, do hereby certify, that the amounts shown are as accurate as may reasonably be determined and the costs were incurred while conducting assessment work on the lands indicated on the accompanying

Declaration of Work form as

Agent
(recorded holder, agent, or state company position with signing authority)

I am authorized to make this certification.

Signature: Spence Date: May 11/98

**Ministry of
Northern Development
and Mines**

**Ministère du
Développement du Nord
et des Mines**

July 24, 1998

ROMIOS GOLD RESOURCES INC.
147 Oakwood Drive
TORONTO, ONTARIO
M6E 2T7



Ontario

Geoscience Assessment Office
933 Ramsey Lake Road
6th Floor
Sudbury, Ontario
P3E 6B5

Telephone: (888) 415-9846
Fax: (705) 670-5881

Visit our website at:
www.gov.on.ca/MNDM/MINES/LANDS/mlsmnpg.e.htm

Dear Sir or Madam:

Submission Number: 2.18659

Status

Subject: Transaction Number(s): W9830.00064 Deemed Approval

We have reviewed your Assessment Work submission with the above noted Transaction Number(s). The attached summary page(s) indicate the results of the review. WE RECOMMEND YOU READ THIS SUMMARY FOR THE DETAILS PERTAINING TO YOUR ASSESSMENT WORK.

If the status for a transaction is a 45 Day Notice, the summary will outline the reasons for the notice, and any steps you can take to remedy deficiencies. The 90-day deemed approval provision, subsection 6(7) of the Assessment Work Regulation, will no longer be in effect for assessment work which has received a 45 Day Notice. Allowable changes to your credit distribution can be made by contacting the Geoscience Assessment Office within this 45 Day period, otherwise assessment credit will be cut back and distributed as outlined in Section #6 of the Declaration of Assessment work form.

Please note any revisions must be submitted in DUPLICATE to the Geoscience Assessment Office, by the response date on the summary.

If you have any questions regarding this correspondence, please contact Steve Beneteau by e-mail at benetest@epo.gov.on.ca or by telephone at (705) 670-5855.

Yours sincerely,

A handwritten signature in black ink that reads "Blair Kite".

ORIGINAL SIGNED BY

Blair Kite
Supervisor, Geoscience Assessment Office
Mining Lands Section

Work Report Assessment Results

Submission Number: 2.18659

Date Correspondence Sent: July 24, 1998

Assessor: Steve Beneteau

Transaction Number	First Claim Number	Township(s) / Area(s)	Status	Approval Date
W9830.00064	1216798	AKOW LAKE, NORTH CARIBOU LAKE (NORTH-EAST)	Deemed Approval	July 23, 1998

Section:

16 Drilling PDRILL

Correspondence to:

Resident Geologist
Sioux Lookout, ON

Assessment Files Library
Sudbury, ON

Recorded Holder(s) and/or Agent(s):

William Ian Spence
THUNDER BAY, ONTARIO, CANADA

ROMIOS GOLD RESOURCES INC.
TORONTO, ONTARIO

CAN - Jan 2191
REC - 94 MAY 20
June 9/94 R
May 8/94 R
JUN 16/94 R
Aug. 21/94 REC.
24 JUN 94 R
97 FEB 24 REC
97 May 16
97 MAY REC
97 June 17 R
97 June 26 R
97 June 29 R

WACHUSK LAKE G-224

Notes PART

NOTE TO CORIBORI LAKE G-2147

CAN. Jan 2/91
 EC-9404120
 inc 9/1988
 lay 31/1948
 JUN 16 1988
 REC'D.
 21/49 Rec.
 24 Jun 96 R
 TYPEB4 (60)
 17 May 100
 17 May 100
 17 June 17 R
 17 June 26 R
 17 June 29 R

NORTH CARIBOU LAKE G-2147
 WACKUSUK LAKE G-2243

90°30'
 52°52'30"
 52°45'
 52°40'
 52°35'
 52°30'
 52°25'
 52°20'
 52°15'
 52°10'
 52°05'
 52°00'
 51°55'
 51°50'
 51°45'
 51°40'
 51°35'
 51°30'
 51°25'
 51°20'
 51°15'
 51°10'
 51°05'
 50°55'
 50°50'
 50°45'
 50°40'
 50°35'
 50°30'
 50°25'
 50°20'
 50°15'
 50°10'
 50°05'
 49°55'
 49°50'
 49°45'
 49°40'
 49°35'
 49°30'
 49°25'
 49°20'
 49°15'
 49°10'
 49°05'
 48°55'
 48°50'
 48°45'
 48°40'
 48°35'
 48°30'
 48°25'
 48°20'
 48°15'
 48°10'
 48°05'
 47°55'
 47°50'
 47°45'
 47°40'
 47°35'
 47°30'
 47°25'
 47°20'
 47°15'
 47°10'
 47°05'
 46°55'
 46°50'
 46°45'
 46°40'
 46°35'
 46°30'
 46°25'
 46°20'
 46°15'
 46°10'
 46°05'
 45°55'
 45°50'
 45°45'
 45°40'
 45°35'
 45°30'
 45°25'
 45°20'
 45°15'
 45°10'
 45°05'
 44°55'
 44°50'
 44°45'
 44°40'
 44°35'
 44°30'
 44°25'
 44°20'
 44°15'
 44°10'
 44°05'
 43°55'
 43°50'
 43°45'
 43°40'
 43°35'
 43°30'
 43°25'
 43°20'
 43°15'
 43°10'
 43°05'
 42°55'
 42°50'
 42°45'
 42°40'
 42°35'
 42°30'
 42°25'
 42°20'
 42°15'
 42°10'
 42°05'
 41°55'
 41°50'
 41°45'
 41°40'
 41°35'
 41°30'
 41°25'
 41°20'
 41°15'
 41°10'
 41°05'
 40°55'
 40°50'
 40°45'
 40°40'
 40°35'
 40°30'
 40°25'
 40°20'
 40°15'
 40°10'
 40°05'
 39°55'
 39°50'
 39°45'
 39°40'
 39°35'
 39°30'
 39°25'
 39°20'
 39°15'
 39°10'
 39°05'
 38°55'
 38°50'
 38°45'
 38°40'
 38°35'
 38°30'
 38°25'
 38°20'
 38°15'
 38°10'
 38°05'
 37°55'
 37°50'
 37°45'
 37°40'
 37°35'
 37°30'
 37°25'
 37°20'
 37°15'
 37°10'
 37°05'
 36°55'
 36°50'
 36°45'
 36°40'
 36°35'
 36°30'
 36°25'
 36°20'
 36°15'
 36°10'
 36°05'
 35°55'
 35°50'
 35°45'
 35°40'
 35°35'
 35°30'
 35°25'
 35°20'
 35°15'
 35°10'
 35°05'
 34°55'
 34°50'
 34°45'
 34°40'
 34°35'
 34°30'
 34°25'
 34°20'
 34°15'
 34°10'
 34°05'
 33°55'
 33°50'
 33°45'
 33°40'
 33°35'
 33°30'
 33°25'
 33°20'
 33°15'
 33°10'
 33°05'
 32°55'
 32°50'
 32°45'
 32°40'
 32°35'
 32°30'
 32°25'
 32°20'
 32°15'
 32°10'
 32°05'
 31°55'
 31°50'
 31°45'
 31°40'
 31°35'
 31°30'
 31°25'
 31°20'
 31°15'
 31°10'
 31°05'
 30°55'
 30°50'
 30°45'
 30°40'
 30°35'
 30°30'
 30°25'
 30°20'
 30°15'
 30°10'
 30°05'
 29°55'
 29°50'
 29°45'
 29°40'
 29°35'
 29°30'
 29°25'
 29°20'
 29°15'
 29°10'
 29°05'
 28°55'
 28°50'
 28°45'
 28°40'
 28°35'
 28°30'
 28°25'
 28°20'
 28°15'
 28°10'
 28°05'
 27°55'
 27°50'
 27°45'
 27°40'
 27°35'
 27°30'
 27°25'
 27°20'
 27°15'
 27°10'
 27°05'
 26°55'
 26°50'
 26°45'
 26°40'
 26°35'
 26°30'
 26°25'
 26°20'
 26°15'
 26°10'
 26°05'
 25°55'
 25°50'
 25°45'
 25°40'
 25°35'
 25°30'
 25°25'
 25°20'
 25°15'
 25°10'
 25°05'
 24°55'
 24°50'
 24°45'
 24°40'
 24°35'
 24°30'
 24°25'
 24°20'
 24°15'
 24°10'
 24°05'
 23°55'
 23°50'
 23°45'
 23°40'
 23°35'
 23°30'
 23°25'
 23°20'
 23°15'
 23°10'
 23°05'
 22°55'
 22°50'
 22°45'
 22°40'
 22°35'
 22°30'
 22°25'
 22°20'
 22°15'
 22°10'
 22°05'
 21°55'
 21°50'
 21°45'
 21°40'
 21°35'
 21°30'
 21°25'
 21°20'
 21°15'
 21°10'
 21°05'
 20°55'
 20°50'
 20°45'
 20°40'
 20°35'
 20°30'
 20°25'
 20°20'
 20°15'
 20°10'
 20°05'
 19°55'
 19°50'
 19°45'
 19°40'
 19°35'
 19°30'
 19°25'
 19°20'
 19°15'
 19°10'
 19°05'
 18°55'
 18°50'
 18°45'
 18°40'
 18°35'
 18°30'
 18°25'
 18°20'
 18°15'
 18°10'
 18°05'
 17°55'
 17°50'
 17°45'
 17°40'
 17°35'
 17°30'
 17°25'
 17°20'
 17°15'
 17°10'
 17°05'
 16°55'
 16°50'
 16°45'
 16°40'
 16°35'
 16°30'
 16°25'
 16°20'
 16°15'
 16°10'
 16°05'
 15°55'
 15°50'
 15°45'
 15°40'
 15°35'
 15°30'
 15°25'
 15°20'
 15°15'
 15°10'
 15°05'
 14°55'
 14°50'
 14°45'
 14°40'
 14°35'
 14°30'
 14°25'
 14°20'
 14°15'
 14°10'
 14°05'
 13°55'
 13°50'
 13°45'
 13°40'
 13°35'
 13°30'
 13°25'
 13°20'
 13°15'
 13°10'
 13°05'
 12°55'
 12°50'
 12°45'
 12°40'
 12°35'
 12°30'
 12°25'
 12°20'
 12°15'
 12°10'
 12°05'
 11°55'
 11°50'
 11°45'
 11°40'
 11°35'
 11°30'
 11°25'
 11°20'
 11°15'
 11°10'
 11°05'
 10°55'
 10°50'
 10°45'
 10°40'
 10°35'
 10°30'
 10°25'
 10°20'
 10°15'
 10°10'
 10°05'
 9°55'
 9°50'
 9°45'
 9°40'
 9°35'
 9°30'
 9°25'
 9°20'
 9°15'
 9°10'
 9°05'
 8°55'
 8°50'
 8°45'
 8°40'
 8°35'
 8°30'
 8°25'
 8°20'
 8°15'
 8°10'
 8°05'
 7°55'
 7°50'
 7°45'
 7°40'
 7°35'
 7°30'
 7°25'
 7°20'
 7°15'
 7°10'
 7°05'
 6°55'
 6°50'
 6°45'
 6°40'
 6°35'
 6°30'
 6°25'
 6°20'
 6°15'
 6°10'
 6°05'
 5°55'
 5°50'
 5°45'
 5°40'
 5°35'
 5°30'
 5°25'
 5°20'
 5°15'
 5°10'
 5°05'
 4°55'
 4°50'
 4°45'
 4°40'
 4°35'
 4°30'
 4°25'
 4°20'
 4°15'
 4°10'
 4°05'
 3°55'
 3°50'
 3°45'
 3°40'
 3°35'
 3°30'
 3°25'
 3°20'
 3°15'
 3°10'
 3°05'
 2°55'
 2°50'
 2°45'
 2°40'
 2°35'
 2°30'
 2°25'
 2°20'
 2°15'
 2°10'
 2°05'
 1°55'
 1°50'
 1°45'
 1°40'
 1°35'
 1°30'
 1°25'
 1°20'
 1°15'
 1°10'
 1°05'
 0°55'
 0°50'
 0°45'
 0°40'
 0°35'
 0°30'
 0°25'
 0°20'
 0°15'
 0°10'
 0°05'
 52°45'
 52°40'
 52°35'
 52°30'
 52°25'
 52°20'
 52°15'
 52°10'
 52°05'
 51°55'
 51°50'
 51°45'
 51°40'
 51°35'
 51°30'
 51°25'
 51°20'
 51°15'
 51°10'
 51°05'
 50°55'
 50°50'
 50°45'
 50°40'
 50°35'
 50°30'
 50°25'
 50°20'
 50°15'
 50°10'
 50°05'
 49°55'
 49°50'
 49°45'
 49°40'
 49°35'
 49°30'
 49°25'
 49°20'
 49°15'
 49°10'
 49°05'
 48°55'
 48°50'
 48°45'
 48°40'
 48°35'
 48°30'
 48°25'
 48°20'
 48°15'
 48°10'
 48°05'
 47°55'
 47°50'
 47°45'
 47°40'
 47°35'
 47°30'
 47°25'
 47°20'
 47°15'
 47°10'
 47°05'
 46°55'
 46°50'
 46°45'
 46°40'
 46°35'
 46°30'
 46°25'
 46°20'
 46°15'
 46°10'
 46°05'
 45°55'
 45°50'
 45°45'
 45°40'
 45°35'
 45°30'
 45°25'
 45°20'
 45°15'
 45°10'
 45°05'
 44°55'
 44°50'
 44°45'
 44°40'
 44°35'
 44°30'
 44°25'
 44°20'
 44°15'
 44°10'
 44°05'
 43°55'
 43°50'
 43°45'
 43°40'
 43°35'
 43°30'
 43°25'
 43°20'
 43°15'
 43°10'
 43°05'
 42°55'
 42°50'
 42°45'
 42°40'
 42°35'
 42°30'
 42°25'
 42°20'
 42°15'
 42°10'
 42°05'
 41°55'
 41°50'
 41°45'
 41°40'
 41°35'
 41°30'
 41°25'
 41°20'
 41°15'
 41°10'
 41°05'
 40°55'
 40°50'
 40°45'
 40°40'
 40°35'
 40°30'
 40°25'
 40°20'
 40°15'
 40°10'
 40°05'
 39°55'
 39°50'
 39°45'
 39°40'
 39°35'
 39°30'
 39°25'
 39°20'
 39°15'
 39°10'
 39°05'
 38°55'
 38°50'
 38°45'
 38°40'
 38°35'
 38°30'
 38°25'
 38°20'
 38°15'
 38°10'
 38°05'
 37°55'
 37°50'
 37°45'
 37°40'
 37°35'
 37°30'
 37°25'
 37°20'
 37°15'
 37°10'
 37°05'
 36°55'
 36°50'
 36°45'
 36°40'
 36°35'
 36°30'
 36°25'
 36°20'
 36°15'
 36°1

LEGEND

HIGHWAY AND ROUTE No.	
OTHER ROADS	
TRAILS	
SURVEYED LINES:	
TOWNSHIPS, BASE LINES, ETC.	
LOTS, MINING CLAIMS, PARCELS, ETC.	
UNSURVEYED LINES:	
LOT LINES	
PARCEL BOUNDARY	
MINING CLAIMS ETC.	
RAILWAY AND RIGHT OF WAY	
UTILITY LINES	
NON-PERENNIAL STREAM	
FLOODING OR FLOODING RIGHTS	
SUBDIVISION OR COMPOSITE PLAN	
RESERVATIONS	
ORIGINAL SHORELINE	
MARSH OR MUSKEG	
MINES	
TRAVERSE MONUMENT	

DISPOSITION OF CROWN LANDS

<u>TYPE OF DOCUMENT</u>	<u>SYMBOL</u>
PATENT, SURFACE & MINING RIGHTS -----	●
" , SURFACE RIGHTS ONLY -----	○
" , MINING RIGHTS ONLY -----	○
LEASE, SURFACE & MINING RIGHTS -----	■
" , SURFACE RIGHTS ONLY -----	□
" , MINING RIGHTS ONLY -----	□
LICENCE OF OCCUPATION -----	▼
ORDER-IN-COUNCIL -----	OC
RESERVATION -----	①
CANCELLED -----	⊗
SAND & GRAVEL -----	◎

NOTE: MINING RIGHTS IN PARCELS PATENTED PRIOR TO MAY 6, 1913, VESTED IN ORIGINAL PATENTEE BY THE PUBLIC LANDS ACT, R.S.O. 1970, CHAP. 360, SEC. 63, SUBSEC 1.

REFERENCES

AREAS WITHDRAWN FROM DISPOSITION

O. - MINING RIGHTS ONLY
O. - SURFACE RIGHTS ONLY

JUL 06 1998
PROVINCIAL RECORDS
1998-06-06

REA IN WINDIGO TRIBAL COUNCIL PLANNING BOARD
-OR DETAILS CALL 737-1585

EA IN SHIBOGAMA . INTERIM PLANNING BOARD
CALL FOR DETAILS 737-2662
SCALE: 1 INCH = 40 CHAINS

FEET

0 1000 2000 4000 6000 8000

METRES

0 200 1000 2000


(1 KM) (2 KM)

AREA
AKOW LAKE
M.N.R. ADMINISTRATIVE DISTRICT
SIOUX LOOKOUT
MINING DIVISION
PATRICIA
LAND TITLES / REGISTRY DIVISION
KENORA (PATRICIA PORTION)




Ministry of Natural Resources **Land Management Branch**

Date FEBRUARY, 1984.	Number G-1928
----------------------	---------------




*NORTH
CARIBOU
LAKE*





1+00 W 0+80 W 0+60 W 0+40 W 0+20 W BL 0+30 E 0+50 E 0+90 E 1+20 E 1+50 E



6+25 W

6+00 W

5+75 W

5+50 W

5+25 W

5+00 W

4+75 W

4+50 W

Surface


0+00 m

Line 12+00S

Legend

- Gab Gabbro
 QFP Quartz Feldspar Porphyry
 Mv Mafic flows and tuffs
 Gwk Sediment (Greywacke)
 BIF Banded Iron Formation
 ↗ Foliation, Cleavage

0 30 meters



53B16SW2001 2.18659 AKOW LAKE

250

*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-7**SECTION 12+00 SOUTH LOOKING NORTH**

Coordinates: N/A	Angle: -045°
Coordinates: 12+00S +4+75W (Old Grid)	
Azimuth: 259°	
Overburden: 4.9 meters	Acid Tests: -43° @ 50.0m
Total Depth: 176.6 meters	-42° @ 124.7m
Mining Claim: PA 1208993	-40.5° @ 150.0m
Date Started: Jan 27 - 98	Scale: 1 : 500
Date Finished: Jan 29 - 98	

Romios Gold Resources Inc.

9+75 E

9+50 E

9+25 E

9+00 E

8+75 E

8+50 E

Surface

0+00 m

Line 17+00S

Legend

Gab Gabbro

QFP Quartz Feldspar Porphyry

Mv Mafic flows and tuffs


Gwk Sediment (Greywacke)

BIF Banded Iron Formation

Foliation, Cleavage



EOH 118.6 meters



2.18659

*** Note: Assay Results on Accompanying Sheet



53B16SW2001 2.18659 AKOW LAKE 260

DDH RGRI-98-8**SECTION 17+00 SOUTH
LOOKING NORTH**

Coordinates: 17+00S 8+75E

Azimuth: 255° Angle: -045°

Overburden: 10.2 meters Acid Tests: 43° @ 50.0 m
Total Depth: 118.6 meters 40.5° @ 100.0 m

Mining Claim: PA 1209237 Scale: 1: 500

Date Started: Jan 31-98 Date Finished: Feb 2-98

Romios Gold Resources Inc.

3+50 E 3+75 E 4+00 E 4+25 E 4+50 E 4+75 E 5+00 E

| | | | | | |

Surface

0+00 m

Line 12+00S

Legend

- Gab Gabbro
- QFP Quartz Feldspar Porphyry
- Mv Mafic flows and tuffs
- Gwk Sediment (Greywacke)
- BIF Banded Iron Formation
- ✓ Foliation, Cleavage

0 30
meters



53B16SW2001 2.18659 AKOW LAKE

270

EOH 112.6 meters

2
6 9981 3

Sediment (Arenite)

* coarse po - cp, 3 cm bed of massive po

45°

Aspy

Aspy

Coarse cp and po

* Aspy

Note: From 8.8 - ~ 34.8 → Diss cp, po

Note: From ~ 34.8 → Diss po - mt assemblage

Garnet-Sericite-Quartz-Staurolite Schist

* Mt appearing as blebs from this point

*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-9

SECTION 12+00 SOUTH
LOOKING NORTH

Coordinates: N/A	Coordinates: 12+00S 4+75E (Old Grid)
Azimuth: 259°	Angle: -045°
Overburden: 8.8 meters	Acid Tests: -43° @ 60.0m
Total Depth: 112.6 meters	-40.5° @ 112.0m
Mining Claim: PA 1209237	Scale: 1: 500
Date Started: Feb 3 - 98	Date Finished: Feb 4 - 98
Romios Gold Resources Inc.	

6+75 E

7+00 E

7+25 E

8+50 E

8+75 E

9+00 E

2.1865g

Surface

0+00 m

Line 20+00N

Legend

Gab Gabbro

QFP Quartz Feldspar Porphyry

Mv Mafic flows and tuffs

Gwk Sediment (Greywacke)

BIF Banded Iron Formation

Foliation, Cleavage

meters

0 30

EOH 88.1 meters



AKOW LAKE

53B16SW2001 2.18659

Sediment

*** Note: Assay Results on Accompanying Sheet

45°

Sediment

Mv and Sediments

Pegmatite
Mv
Pegmatite

BIF

DDH RGRI-98-10

SECTION 20+00 NORTH
LOOKING NORTHCoordinates: N/A
Coordinates: 20+00N 8+75E (Old Grid)

Azimuth: 259°

Angle: -045°
Acid Tests: -42° @ 50.0m
-39.5° @ 88.0m

Overburden: 1.7 meters

Total Depth: 88.1 meters


Mining Claim: PA 1216798 Scale: 1: 500

Date Started: Feb 6 - 98

Date Finished: Feb 7 - 98

Romios Gold Resources Inc.

8+00 E 8+25 E 8+50 E 8+75 E 9+00 E 9+25 E 9+50 E



DDH RGRI-98-12	
SECTION 40+00 NORTH LOOKING NORTH	
Coordinates: N/A	Angle: -045°
Coordinates: 40+00N 8+00E (Old Grid)	Acid Tests: -45° @ 50.0m -43.0° @ 130.0m
Azimuth: 079°	
Overburden: 2.1 meters	
Total Depth: 130.8 meters	
Mining Claim: PA 1208559	Scale: 1: 500
Date Started: Feb 13 - 98	Date Finished: Feb 16 - 98
<i>Romios Gold Resources Inc.</i>	



6+50E 6+75E 7+00E 7+25 E 7+50 E 7+75 E 8+00 E 8+25 E

Surface

0+00 m

Line 40+00N

45°

Legend

- Gab Gabbro
- QFP Quartz Feldspar Porphyry
- Mv Mafic flows and tuffs
- Gwk Sediment (Greywacke)
- BIF Banded Iron Formation
-  Foliation, Cleavage

0 30
meters

BIF

Sediment

BIF

QFP

Sphalerite with quartz

BIF

Mv

BIF

Mv

20% po

EOH 223.9 meters



53B16SW2001 2.18659

AKOW LAKE

310

DDH RGRI-98-13


SECTION 40+00 NORTH
LOOKING NORTH

Coordinates: N/A	Angle: -045°
Coordinates: 40+00N 8+00E (Old Grid)	-44° @ 50.0m
Azimuth: 259°	-44° @ 100.0m
Overburden: 2.1 meters	Acid Tests:
Total Depth: 223.9 meters	-43° @ 161.0m
Mining Claim: PA 1208559	-43° @ 223.0m
Date Started: Feb 16 - 98	Scale: 1: 500
Date Finished: Feb 23 - 98	Romios Gold Resources Inc.

*** Note: Assay Results on Accompanying Sheet

0+30 W 0+10 W 0+10 E 0+30 E 0+50 E 0+70 E 0+90 E 1+10 E 1+20 E

Surface 0+00 m Line 40+00N



Legend

Gab	Gabbro
QFP	Quartz Feldspar Porphyry
Mv	Mafic flows and tuffs
Gwk	Sediment (Greywacke)
BIF	Banded Iron Formation
/	Foliation, Cleavage

0 30
meters

Quartz Vein - Sulphide Iron Formation, po, garnets

Mv (tuff?)

Sulphide Iron Formation, po, garnets

Mv (tuff?), lighter green

Mv
Sulphide Iron Formation, 40% semi massive po

Sulphide Iron Formation, 40% semi massive po, qtz vein

QFP

Mv and minor Sediment

EOH 213.2 meters

DDH RGRI-98-14

SECTION 2+00 NORTH LOOKING NORTH

Coordinates: 2+00N 0+30W
Coordinates: 0+00N 1+70W (Old Grid)

Azimuth: 075°	Angle: -045°
Overburden: 8.8 meters	-44° @ 50.0m
Total Depth: 213.2 meters	-43° @ 100.0m
Mining Claim: PA 1208992	-44° @ 150.0m
Date Started: Feb 26 - 98	-43° @ 210.0m

Scale: 1: 500

Date Finished: Mar 1 - 98




53B16SW2001 2.18659 AKOW LAKE 320

Romios Gold Resources Inc.

*** Note: Assay Results on Accompanying Sheet

1+00 W 0+80 W 0+60 W 0+40 W 0+20 W BL 0+30 E 0+50 E



Romios Gold Resources Inc.

1+00 W 0+80 W 0+60 W 0+40 W 0+20 W BL 0+30 E

| | | | | | | | | | | |


Surface

0+00 m


Line 0+60N

Legend

- Gab Gabbro
- QFP Quartz Feldspar Porphyry
- Mv Mafic flows and tuffs
- Gwk Sediment (Greywacke)
- / Foliation, Cleavage



EOH 100.3 meters



*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-2

SECTION 0+60 NORTH LOOKING NORTH

Coordinates: 0+60N 0+30E (New Grid) Coordinates: 1+43S +1+43W (Old Grid)	
Azimuth: 255°	Angle: -045°
Overburden: 2.4 meters	Acid Tests: -39.5° @ 50.0m -35.0° @ 100.3m
Total Depth: 100.3 meters	
Mining Claim: PA 1208992	Scale: 1: 500
Date Started: Jan 14 - 98	Date Finished: Jan 15 - 98
<i>Romios Gold Resources Inc.</i>	



1+00 W 0+80 W 0+60 W 0+40 W 0+20 W BL 0+30 E

Surface

0+00 m

Line 1+00N

Legend

Gab/Mv Gabbro/ Medium to coarse grained Mafic Volcanics

QFP Quartz Feldspar Porphyry

Mv Mafic flows and tuffs

Gwk Sediment (Greywacke)



Sample #s 0047- 0052

40% cp/po

Mv, Gwk

Gab/Mv

Mv

Gwk

QFP, minor Mv

Sample 0122

Sample 0121

Mv

Gwk, Mv

QFP, Mv

Mv, Gwk

Mv

Gwk

Mv

Gwk

Mv

QFP, Qtz Vien, quartzite?

Mv

A standard linear barcode is located at the bottom of the page, spanning most of the width. It consists of vertical black bars of varying widths on a white background.

53B16SW2001 2 18659

AKOW LAKE

250

DDH RGRI-98-3

SECTION 1+00 NORTH

LOOKING NORTH

Coordinates: 1+00N 0+30E (New Grid)
Coordinates: 1+05S 1+37W (Old Grid)

Angle: -045°

Acid Tests: -41.0° @ 50.0m
 -39.5° @ 115.6m

卷之三十一

— 1 —

Date Started: Jan 10, 2009

Date Entered: Jan 17 2008

*** Note: Assay Results on Accompanying Sheet

Romios Gold Resources Inc.

1+00 W 0+80 W 0+60 W 0+40 W 0+20 W BL 0+30 E

| | | | | | | | | | | | |

Surface


0+00 m

Line 0+25S


2.18659

Legend

Gab	Gabbro
QFP	Quartz Feldspar Porphyry
Mv	Mafic flows and tuffs
Gwk	Sediment (Greywacke)



EOH 100.3 meters



*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-4 SECTION 0+25 SOUTH LOOKING NORTH

Coordinates: 0+25S 0+30E (New Grid)	Coordinates: 2+29S +1+56W (Old Grid)
Azimuth: 255°	Angle: -045°
Overburden: 2.0 meters	Acid Tests: -41° @ 50.0m
Total Depth: 100.3 meters	-42° @ 100.3m
Mining Claim: PA 1208992	Scale: 1: 500
Date Started: Jan 18-98	Date Finished: Jan 19-98
<i>Romios Gold Resources Inc.</i>	



1+00 W

0+80 W

0+60 W

0+40 W

0+20 W

BL

0+30 E

Surface

0+00 m

Line 3+00S

Legend

Gab Gabbro

QFP Quartz Feldspar Porphyry

Mv Mafic flows and tuffs


Gwk Sediment (Greywacke)

Foliation, Cleavage

0 30

meters

EOH 124.7 meters



*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-5
SECTION 3+00 SOUTH
LOOKING NORTH

 Coordinates: 3+00S 0+50E (New Grid)
 Coordinates: 5+00S +2+25W (Old Grid)

Azmuth: 255°	Angle: -045°
Overburden: 1.8 meters	Acid Tests: -45° @ 50.0m -44° @ 124.7m
Total Depth: 124.7 meters	
Mining Claim: PA 1208992	Scale 1: 500
Date Started: Jan 20-98	Date Finished: Jan 22-98

Romios Gold Resources Inc.

1+50 W 1+25 W 1+00 W 0+75 W 0+50W 0+25 W BL 0+00

Surface


0+00 m

Line 15+00S

Legend

- Gab Gabbro
- QFP Quartz Feldspar Porphyry
- Mv Mafic flows and tuffs
- Gwk Sediment (Greywacke)
- BIF Banded Iron Formation
- ↙ Foliation, Cleavage

0 30
meters



53B16SW2001 2.18659 AKOW LAKE

380

EOH 182.7 meters

*** Note: Assay Results on Accompanying Sheet

DDH RGRI-98-15

SECTION 15+00 SOUTH
LOOKING NORTH

Coordinates: N/A	Angle: -045°
Coordinates: 15+00S +0+25W (Old Grid)	44° @ 50.0m
Azimuth: 259°	43.5° @ 100.0m
Overburden: 3.8 meters	41.5° @ 150.0m
Total Depth: 182.7 meters	40.5° @ 183.0m
Mining Claim: PA 1208993	Scale: 1:500
Date Started: Mar 1 - 98	Date Finished: Mar 4 - 98
Romios Gold Resources Inc.	